

## MEMORANDUM FOR RECORD

SUBJECT: Direct Delivery from Lake City Ammunition Plant (LCAAP) and Iowa Army Ammunition Plant (IAAAP) to support Ammunition Supply Points (ASPs), FY16-FY17

1. As a direct result of the impacts of the Fiscal year (FY) 13 Continuing Resolution as well as those imposed by Sequestration, the Ammunition Transportation and Management Working Group received direction to explore Direct Delivery from production facility to ASPs in order to leverage first destination transportation dollars, reduce handling and avoid supply depot operations costs.
2. Joint Munitions Command (JMC) executed initial delivery to multiple installations during FY13 and FY14 and proved out the thesis that the program could realize costs savings without significantly impacting depot workload and the Army Working Capital Fund. The program has continued in FY15
3. To support Direct Delivery of Small Caliber Ammunition of ASPs for the next two years (FY16-FY17), the Army will continue to perform contractor acceptance inspection with government oversight performed at LCAAP in lieu of the Initial Receipt Inspections (IRI) for direct delivery lots only. Quality Assurance personnel at LCAAP will annotate the Munitions History Program (MHP) with comments that reflect this approval and reference this memorandum. For Large Caliber Direct Deliveries from IAAAP, the Army will continue to send a portion of the lot to depot and conduct an IRI while the remainder is available for Direct Delivery. Medium Caliber Ammunition direct delivered from IAAAP will have an IRI conducted at IAAP prior to delivery.
4. The ASPs that have Quality Assurance Specialist – Ammunition Surveillance (QASAS) and qualified 890A Ammunitions Technical personnel can perform IRIs if desired. ASPs should not conduct an IRI on a specific lot if it already has a Muniton History Program (MHP) record of an IRI at another location. If an ASP conducts an IRI, inspectors will annotate in MHP accordingly. If an ASP received ammunition from JMC producer or depot without record of an IRI or equivalent in MHP, contact the originating installation so that MHP records can be updated and any other necessary corrective action can be taken.
5. This MFR will expire 30 September 2017.

  
SUSAN P. CARLSON  
Chief, Munitions Division