

**FIRING/NONFIRING DATA**

*For use of this form see USAIC Regulation 350-19; the proponent agency is DPTMS*

<b>TO:</b> Chief, Range Division, Directorate of Plans, Training, Mobilization and Security Fort Benning, GA 31905	<b>Date:</b> 31 Oct 2011 <span style="float:right; background-color: yellow;">LOG# 9-23-11</span> <b>Range:</b> WAGNER <b>Title:</b> RSTB WAGNER RANGE SNIPER TRAINING <b>Problem No:</b>
<b>THRU:</b> S-3 RSTB/75TH RANGER REGIMENT FORT BENNING GA, 31905	<b>FROM:</b> HHC/RSTB-75TH RANGER REGIMENT FORT BENNING GA, 31905

**SECTION I, TYPE OF TRAINING**

a. Live Fire     
  b. Non-live Fire     
 CP/Controller Coordinates: 9378-8126

**SECTION II, DEMOLITIONS/GRENADES/MINES/PYROTECHNICS**

Coordinates	Type	Model/DODAC	Size of Charges

**SECTION III, WEAPONS/AMMUNITION REQUESTED**

Coordinates of Weapons Position	Type Weapon/Model Number	Type Ammunition	Left Limit	Right Limit
FP #1 93828128 TO FP # 9 93788119	M4/M24/SR-25/300WINGMAG	5.56 BALL, 7.62 BALL, .300 WIN MAG	2063 mils	2544 mils
SAME AS ABOVE	PEQ2/PEQ4/PEQ15/PVS14/PVS 15	LASER AIMING DEVICES	SAME AS ABOVE	SAME AS ABOVE
Zero - 9377 8113 to 9375 8112	M4/M24/SR-25/300WINGMAG/M9	5.56mm Ball, 7.62mm Ball, 300 winmag, 9mm Ball	2337 mils	2545 mils

**SECTION IV, LIVE FIRE EXERCISES Attach the following:**

**SECTION V, NON-LIVE FIRE TRAINING**

<input checked="" type="checkbox"/> Scenario of training to be conducted: <input checked="" type="checkbox"/> Sketch of area: <input checked="" type="checkbox"/> Risk Assessment: <input type="checkbox"/> Attach FB Form 350-19-2-E-R if Mortar or artillery is being fired:	Training area(s) to be occupied:  <input type="checkbox"/> Scenario of training to be conducted: <input type="checkbox"/> Sketch of area(s) to be occupied: <input type="checkbox"/> Risk Assessment:
---	---

Name/rank of requesting officer: CPT BURNETTE, JESSE B <i>J B Burnette</i>	Name/rank of Major Unit S3/Commander: MAJ MESSERSCHMITT, MARCUS W <i>Messerschmitt</i>
---	---

**SECTION VI, FOR RANGE DIVISION USE**

DATE: 24 FEB 12

<b>TO:</b> S3-RSTB/75th Ranger Regiment	<b>FROM:</b> Range Division, Directorate of Plans, Training, Mobilization and Security Fort Benning, GA 31905
---	--

<b>a. Roadblocks to be closed:</b> <b>b. Road(s) to be closed/road barrier locations:</b> <b>c. Remarks:</b> <b>d. This approval expires:</b> 23 FEB 14	<i>see Roadblock Enclosure.</i>  Laser safety will be incorporated into the standard safety brief during both day and night fire iterations. Signs will posted prior to use.
--	--

Chief, Range Division  
 Directorate of Plans, Training, Mobilization and Security *Burnette*



REPLY TO  
ATTENTION OF:

**DEPARTMENT OF THE ARMY**  
**REGIMENTAL SPECIAL TROOPS BATTALION**  
**75 TH RANGER REGIMENT**  
**FORT BENNING, GEORGIA 31905-5853**

AORG-STB-SC

30 Oct 2011

MEMORANDUM OF RECORD THRU Range Division Operations, Directorate of Operations and Training, Fort Benning, GA 31905

FOR Chief of Range Division, Directorate of Operations and Training, Fort Benning, GA 31905

SUBJECT: Wagner Range, Sniper Training

1. REFERENCES:

- a. RTC 350-19
- b. DA PAM 385-63
- c. MCoE Reg. 350-19

2. PURPOSE: The purpose of this training is to provide Regimental Special Troop Battalion (RSTB) Ranger Snipers with the capability to train on the fundamentals of marksmanship, familiarization fire of individual weapons, transition fire, and to understand calculations at known distances.

3. ENDSTATE: All Rangers are properly zeroed, familiarized, and have a clear understanding of shooting known distances at a variety of ranges.

4. SCENARIOS TO BE CONDUCTED:

a. Familiarization Fire: Firing will begin at distances of 25M to 100M to allow transition to qualification range and for Rangers to familiarize themselves with various weapon systems. Rangers will be firing their weapon systems from 100-800M. All range commands will be administered by the range OIC and RSO throughout all stages of firing, including but not limited to familiarization firing.

b. Transition Fire: Rangers will use machine gun targets in order to work on techniques of sniper team employment. Ranger Sniper Teams will detect, range, and engage targets at various ranges.

c. 25m Zero: Rangers will utilize a portion of Wagner Range, Grid 9377 8113 to 9375 8112 to zero all weapons. (see enclosure)

5. SAFTEY:

- a. A detailed Risk Management Worksheet will be included with the Range Packet.

b. During all aspects of firing, Rangers will have a block of instruction administered by the OIC and RSO on each weapon system to include: weapon safety, malfunctions, ammunition safety, laser safety, positions to be fired from, and overall range safety. All lane safeties will assist in controlling Rangers and ensure all Rangers will fire at targets in their respective lanes. Any Ranger found to be conducting an unsafe act will be pulled from the firing line for retraining. Prior to firing, the range OIC and RSO will make it inescapably clear that no one on the range outranks safety and that any observed unsafe act will demand the immediate cease fire and recertification of the act prior to continuing training.

c. Rangers will be issued ammunition at the ammunition point which will be under the direct supervision of the range OIC. During firing, ammunition will be stored on the Ranger's person and weapons will be free of ammunition while targets are being check or rehabilitated. (Unit will not work on any targets past the 100m line.) Unit will notify Range Control before going downrange.

d. Prior to engaging targets, the range OIC and RSO will ensure that no unauthorized ammunition is on the range and Rangers are using the appropriate ammunition for their respective weapon system.

e. All Rangers will wear the appropriate personal protective gear (hearing and eye protection at a minimum).

f. Rangers will receive a safety briefing/orientation on the scenario.

g. LASER hazards will be included in the Safety Brief.

h. Unit will maintain continuous contact with Range Control at all times. If communications are lost the unit will go into a self induced check fire until communications are restored.

i. Unit will use the standard 9 Line MEDEVAC in case of illness or injury. Call 911 and determine what type of evacuation is the most appropriate for the injury. MEDEVAC will be IAW MCoE Regulation 350-19 and USAIC 40-2. Landing zone for MEDEVAC aircraft will be established prior to use and will be marked appropriately. Using units higher Headquarters and Range Control will be notified in this event.

j. Weapons/Ammunition Malfunction Reports: When a malfunction is experienced, the OIC or Range Safety Officer will suspend all firing and immediately notify Range Control. **Retain the weapons and all components and ammunition involved in place.** An investigation is required and will be conducted by DOL.

k. When an incident occurs on the range, regardless of injury or not, the OIC/RSO will immediately report it to Range Control and the using unit's higher headquarters. The following information will be furnished by the OIC/RSO to Range Control:

- a. Designation of unit.
- b. Range and location
- c. Type of weapon involved.
- d. Type of ammunition involved.
- e. Brief summary of what happened.
- f. Personnel injuries and extent.
- g. Full Name, SS#, Rank and unit of injured personnel.
- h. Extent of property damage.
- i. Intentions regarding an AR 15-6 investigation.

6. POINT OF CONTACT: The point of contact of this memorandum is the undersigned and can be reached at [jesse.burnette@ahqb.soc.mil](mailto:jesse.burnette@ahqb.soc.mil) or commercial 706-626-2764.



JESSE B. BURNETTE  
CPT, IN  
Assistant Operations Officer

**Wagner Range 3/75 Sniper Training (Log #9-23-11) Roadblock List , 15 March 2011**

BLOCK	GRID	LOCATION	TYPE	BLOCK	GRID	LOCATION	TYPE
A-1	911 792	Across firebreak 200m down Fiske Range at right end of KD berm. Permanently closed.	Cable	A-28	012 774	20 meters off Yankee road on south side of Galloway range.	Gate
A-2	910 783	Off Sightseeing Rd on unnamed trail opposite of entrance to LRC.	Gate	A-28A	011 776	30 meters south of Range Tower	Gate
A-4	925 766	Off Sunshine Rd 1,200 m W. of entrance to Grandstaff range.	Gate	A-30	026 758	Across fire break leading to Garnsey Range. 140m SW of Brann Flat Range.	Gate
A-5	936 762	Across entrance road to Grandstaff Range. 10m N. of Sunshine Rd.	Gate	A-30A	027 758	Across trail leading to Garnsey Range 50m E. of A-30 Roadblock	Gate
A-6	939 763	Off Sunshine Rd 100m W. of Oswichee Creek. Permanently closed.	Cable/Berm	A-31	020 745	Across fire break leading to Brann	Cable
A-8	968 740	Across unnamed trail 30m N. of Sunshine Rd and 800m N.W. of entrance to Griswold Range.	Gate	A-32	989 724	Across entrance road to Kunzig Range.	Gate
A-10	018 730	Across entrance road to Flint Range. 50m N. of Sunshine Rd.	Gate	A-33	974 734	Across entrance to Griswold Range.	Gate
A-11	019 731	Across Lumpkin Trail 30m N. of its intersection with Sunshine Rd.	Gate	A-33A	979 739	150 meters west of Target Systems bldg on trail leading to move to contact site	Gate
A-11A	032 729	Rd guard pos # 2 for Garnsey Rng Obj 'E' (intersection Jamestown/Sunshine Rd's	Rd Grd # 2	A-33B	982 739	20m N of Target Sys bldg on trail running on west side of bldg.	Install Gate
A-12	033 742	Across Garnsey Rd 50m W. of its intersection with Jamestown Rd.	Gate	A-34	947 760	Across entrance to Minter Hill 700m E. of Oswichee Creek.	Gate
A-12A	029 744	Across Garnsey Rd 400m W. of A-12 Roadblock.	Gate	A-38	952 816	Across fire break 300m down range of firing line on Red Cloud Range on L. side of range.	Cable
A-12B	028 741	Across trail 150m SW of A-12A Roadblock. 50m W. of Range Bldg.	Gate	A-39	956 822	Across unnamed trail 100m S. of bldgs on Buckner Range on L. side of range	Cable
A-12C	036 746	Road guard position # 3 for Garnsey Rng Objective 'E' (Jamestown at Lightning Rd)	Road Guard # 3	A-40	967 823	Across fire break 50m down range on the left side of Pierce Range.	Gate
A-13	936 762	Across Sunshine Rd 10m E. of the entrance to Grandstaff Range. (Road guard location)	Gate	A-41	972 820	Across fire break located on the right side of the firing line on Patton Range.	Cable
A-14	974 733	Across Sunshine Rd 10m W. of the entrance to Griswold Range. (Road guard location)	Gate	A-42	978 820	Across fire break located on the left side of the firing line on Patton Range.	Cable
A-15	021 799	Across entrance road to Buchanan Range.	Gate	A-43	983 823	Across fire break located on the right side	Cable
A-15A	021 798	Gate Across Good Luck Rd	Gate	A-44	986 823	Across fire break 100m E. of the 25m flat	Gate
A-15B	022 796	Road guard position # 1 for Garnsey Rng Objective 'E' (Jamestown road SW corner of Engineer building)	Road Guard # 1	A-45	990 827	Across fire break located on the right side of the firing line on Duke Range.	Gate
A-18	993 828	Across Buckeye Rd 225m S. of its intersection with 1st Div Rd. and 50m E. of entrance to Duke Range	Gate	A-45A	991 829	Across Booker Breach site entrance road 200m past Duke Rng entrance gate	Gate
A-19	973 825	Across entrance road to Patton Range 400m S. of its intersection with 1st Div Rd.	Gate	A-46	984 832	Across unnamed trail 100m W. of the intersection of 1st Div Rd and Ivy Rd.	Gate
A-20	974 827	Across entrance road to Dianda Range. 300m S. its intersection with 1st Div Rd.	Gate	A-47	990 833	Across unnamed trail 500m W. of the intersection with 1st Div & Buckeye Rd's	Gate
A-22	015 817	Across unnamed trail 50m N. of Brinson Range and 10m off Jamestown Rd.	Gate	A-48	995 827	Across fire break located on the right side of the firing line on Porter Range.	Cable
A23	983 756	Across Lumpkin Trail 200m E. of Griswold Range	Gate	A-49	998 827	Across fire break located on the left side of the firing line on Porter Range.	Cable
A-23A	005 748	On Lumpkin trail 50m NW of Objective 'E' on Garnsey Range.	Gate	A-50	000 830	Across unnamed trail 200m W. of entrance to Maertens Range.	Gate
A-23B	005 747	Adjacent to A-23A gate on trail near intersection of Lumpkin trail	Install Gate	A-51	031 791	Barrier on Furman Rd	Barrier 1
A-24	015 811	10m inside entrance gate of Brinson Rng south of entrance road.	Gate	A-52	034 776	Barrier on Yankee Rd	Barrier 2
A-25	016 789	Across fire break 10m W. of its intersection with Good Luck Rd.	Gate	A-53	035 776	Gate to Cole Range	Barrier 3
A-26	013 798	On L/S of Buchanan Range 50 meters W. of chow area across entrance to fire break.	Cable	A-54	046 749	Barrier off Lightning Rd on unnamed trail	Barrier 5
A-27	018 805	Across unnamed trl 175m N of intersection of Hourglass and Jamestown roads	Gate	A-55	057 759	Barrier off Lightning Rd on unnamed trail	Barrier 4

### COMPOSITE RISK MANAGEMENT WORKSHEET

For use of this form, see FM 5-19; the proponent agency is TRADOC.

1. MSN/TASK WAGNER RANGE, SNIPER TRAINING	2a. DTG BEGIN 20111011	2b. DTG END 20131011	3. DATE PREPARED (YYYYMMDD) 20110830
--	---------------------------	-------------------------	---

4. PREPARED BY a. LAST NAME		b. RANK		c. POSITION			
BURNETTE, JESSE B.		CPT		RSTB AS3			
5. SUBTASK	6. HAZARDS	7. INITIAL RISK LEVEL	8. CONTROLS	9. RESIDUAL RISK LEVEL	10. HOW TO IMPLEMENT	11. HOW TO SUPERVISE (WHO)	12. WAS CONTROL EFFECTIVE?
ALL	Range/General Situational Awareness	M	The Range Officer in Charge (OIC)/Safety Officer (RSO) will do the following: 1. Read and review the Risk Assessment. 2. Ensure Ranger medic with trauma kit and a dedicated evacuation vehicle with driver are available. Medic will be in communication with the RSO/NCOIC at all times.	L	OIC/RSO follows instructions. Course instructors read and follow FBGA RC SOP	OIC/RSO	
	Heat Injury to Personnel	H	Daily water intake should not exceed 12 quarts. Cadre will constantly monitor Rangers. Evacuation will occur IAW TRADOC policy.	M	OIC/RSO follows instructions. Course instructors read and follow FBGA RC SOP.	OIC/RSO	
	Cold Weather Injury to Personnel	M	All Rangers with previous cold weather injuries will be identified and closely monitored through the buddy system, unit leadership, and instructors.	L	OIC/RSO follows instructions. Course instructors read and follow FBGA RC SOP.	OIC/RSO	
	Eye and Hearing Loss/Damage	M	Brief all Rangers on the dangers of low hanging obstacles. Ballistic eye protection is worn by all Rangers. Ensure Rangers are wearing hearing protection as appropriate.	L	OIC/RSO follows instructions. Course instructors read and enforce USASOC 385-1.	OIC/RSO	
	Ranger struck by lightning	M	Monitor radio net at all times for severe weather/lightning. Rangers will evacuate areas containing television antennas, relay antennas or vehicles with whip antennas.	L	OIC/RSO follows instructions. Course instructors read and follow FBGA RC SOP.	OIC/RSO	

13. OVERALL RISK LEVEL AFTER CONTROLS ARE IMPLEMENTED (Check one)

LOW    
  MODERATE    
  HIGH    
  EXTREMELY HIGH

14. RISK DECISION AUTHORITY

a. LAST NAME RYAN, JOSEPH A.	b. RANK LTC	c. DUTY POSITION Battalion Commander
---------------------------------	----------------	---

d. SIGNATURE 11/20/11

ITEMS 5 THROUGH 12 CONTINUED:

5. SUBTASK	6. HAZARDS	7. INITIAL RISK LEVEL	8. CONTROLS	9. RESIDUAL RISK LEVEL	10. HOW TO IMPLEMENT	11. HOW TO SUPERVISE (WHO)	12. WAS CONTROL EFFECTIVE?
ALL (CONT)	Ranger struck by lightning (CONT)	M	Rangers will not huddle together. Rangers will squat or sit disbursed on the ground. Rangers will not lie down. Rangers will remove all metal objects and place them on the ground.	L	OIC/RSO follows instructions. Course instructors read and follow FBGA RC SOP.	OIC/RSO	
	Ranger bitten by snakes or insects	H	Range OIC or SO will inform Rangers of the various types of wildlife that are hazardous and warn them not to handle or harass the wildlife during training.	L	OIC/RSO follows instructions. Briefs Rangers on site.	OIC/RSO	
	Trips/Falls	M	Range OIC or SO will brief Rangers on tripping hazards such as rocks, branches, fallen trees and uneven ground.	L	OIC/RSO follows instructions. Course instructors read and enforce this RMWS while on site.	OIC/RSO	
	Lost Ranger	M	Brief Rangers on actions to take if lost or separated. Provide a situation report to the CoC and Range Control. A thorough search of the area will be conducted.	L	OIC/RSO follows instructions. Course instructors read and follow FBGA RC SOP.	OIC/RSO	
	Road Conditions	M	OIC/RSO will brief on road conditions and the possible effects on vehicles and operators.	L	OIC/RSO follows instructions. Course instructors read and enforce this RMWS while on site.	OIC/RSO	
	Fire Hazard	H	Ensure that no one smokes within 50 feet of the ammunition point. Ensure that there are two fire extinguishers at each active ammunition point.	L	OIC/RSO follows instructions. Course instructors read and follow FBGA RG SOP.	OIC/RSO	
	Fratricide/Accidental Discharge	H	A detailed safety brief will be given to all Rangers. Rangers will verify B4 rating of Snipers and maintain muzzle awareness at all times. Prior to checking or changing targets, a visual inspection will be made to ensure all weapons are unloaded. There will be no handling of weapons or ammunition while Rangers are down range.	M	OIC/RSO follows instructions. Course instructors read and follow FBGA RG SOP.	OIC/RSO	



# RECORD OF ENVIRONMENTAL CONSIDERATION (REC)



**EMD Number:** 1125905

**Project#:** Unknown

**Project Title:** RSTB Known distance training

**Description of proposed action:**

Training will consist of familiarization firing, known distance firing, and transition firing from 25 meters up to 800 meters with various weapon systems utilizing 9mm, 5.56 ball, 7.62 ball, 300 WIN MAG, and PLUS 50 CAL. Laser aiming devices and night vision optics will be utilized during day and night fires. For known distance firing various firing positions will be utilized to include prone, prone supported, prone unsupported, kneeling, and offhand.

**Project Location:**

McAndrews, Easley, and Wagner ranges

**Amount, Description, Location of Disturbance/Digging:**

N/A

**Number/Types of Vehicles:**

None

**Number of Personnel:**

None

**Type of Ammunition:**

9mm, 5.56, 7.62, 300 WIN MAG, 50 CAL Live

**Number/Types of Trees:**

N/A

**Size of Project Area:** NA

**Duration of Action:** Start: 9/20/2011 Stop: 9/30/2012

**Proponent:** e.currier

706-626-2628

**Organization/Unit:** 75th Ranger Regiment

\*\*\*\*\*  
**DECISION:** Concur with conditions

**This Action is adequately covered in the Existing EA titled: 'Ongoing Mission and siting Activities, USAIC, FT.Benning, GA.'**

**(NA): Training involving LIVE FIRE and tracked vehicles has NO CATEX -- "Onqoing Mission and Siting Activities, USAIC, Ft. Benning, GA."**

\*\*\*\*\*  
**REC APPROVED THROUGH 30 SEPTEMBER, 2012**

**Hazardous Materials/Waste**

**Conditions:**

Dudley Carson (706 545 7570), 9/19/2011

Considerations for Field Training Exercises and Range Operations

1. Appropriate precautions must be taken to prevent hazardous material spills. Have adequate quantities of spill response supplies on hand. If a spill occurs use notification procedures as outlined in the Fort Benning Hazardous Waste Management Plan. Contain and clean up spill according to guidance provided by the Environmental Protection Management Branch. Any waste generated must undergo a waste stream analysis to determine appropriate management requirements. If any hazardous waste is generated it must be managed in accordance with Federal, State, Army and Fort Benning regulations.
2. Ensure personnel know the correct procedure for handling misfires at the range:
  - Closed containers (ammunition can marked "MISFIRES") will be used for the collection of misfires at each firing range.
  - The MISFIRE container will stay closed except to add or remove misfires.
  - Misfires SHALL NOT BE COLLECTED in any open container or cardboard box.
3. Rubbish, empty containers and other waste shall be removed from the training area after the exercise. Contact EPMB for detailed information on the proper disposal of waste products resulting from the exercise.
4. Contact POC for questions or additional guidance.

\*\*\*\*\*

Noise

Conditions:

Ellis Leeder ( 706 545 7576), 9/19/2011

This is normal training operations that must be conducted. If there is any noise complaints received, the Environmental Management Division Installation Operational Noise Monitoring Program (IONMP) and or Public Affairs Office (PAO) programs will investigate by determining if the noise was detected by noise detection monitors, and then recommending operational noise mitigation actions to the appropriate personnel for the training actions. In accordance with the Army's policy on environmental noise management, all efforts shall be made to minimize noise annoyances to the highest extent practicable with training operations without interfering with the proposed missions. Please follow the fly friendly program avoiding no fly zones. Please follow good smoke management practices not allowing smoke to travel off Installation boundary into public areas or roads. CS gas use should be utilized in designated areas only, contact Range Control for a listing of approved sites. If any assistance or a copy of MCoE Regulation 350-19 or the IONMP noise program is needed for review, please feel free to contact Ellis Leeder at 706.545.2400 or email ellis.leeder@us.army.mil

CWA - Training

Conditions:

Jessica Taylor (706-604-4572), 9/19/2011

Environmental Review: Caution within training areas and motor pools should be taken to protect all nearby waterways (including perennial, intermittent streams and wetlands); as well as ground surfaces and any other sensitive areas in the vicinity of the training areas. Potential spills/releases from this activity that may occur before and/or during the FTX include: 1. Discharge and/or improperly disposal of oil or hazardous substances into or upon land, water, or into ground water areas from storage, handling and/or transportation of hazardous materials/waste; 2. Vehicle/equipment/generators leaks; 3. Fuel loading/unloading/refueling operations; 4. Field mess facilities/equipment/operations, and/or 5. Ammunitions /explosives (as applicable, before and/or during the FTX).

General SPCC Requirements: Ensure all hazardous materials are properly storage to prevent spill/discharges, to meet safety requirements for storage, and that containers are not exposed to the weather. Have adequate spill response supplies available during exercise for any spills that may likely occur. Use drip pans under vehicles and provide secondary containment for any fueling activities and hazardous material/waste storage. Locate all refueling operations and storage of hazardous materials/waste away from waterways and sensitive areas. See attached section on prevention procedures and CHECKlist (Figure 6.9.1) to be used during training exercise to comply with SPCC plan requirements. Ensure all wastewater from field mess equipment/operations particularly those involving oil/grease are collected and dispose properly. Do not discharge any wastewater into storm drains or dispose of oil/grease waste directly into land.

General ISCP Requirements: In the event of a spill/discharge -- notify Range Control by radio or call 544-6291, and they will notify E-911 for Fire Department/HAZMAT Team assistance and/or notification of the EMD office (Spill Beeper 706-317-6584). As appropriate, and if personnel are trained -- REACT to minimize spill damages. Submit a spill report to the EPMB Spill Program Manager (use Spill Response Report attached). All spills reaching navigable water must be reported immediately. The unit is responsible for the final cleanup of any spill during this exercise. Coordination with this office is required for clearance of the site.

SPECIAL NOTE: See 2010 ASP SOP Training and Deployment.doc for further training requirements.

Natural Resources - RCW

None

Michael Barron (706 544 7080), 9/16/2011

Signature 

John E Brown

NEPA Program Manager

Date 21 Sep 2011


Signature 

Christopher E. Hamilton, PhD

EPMB Chief

Date 21 Sep 11

# Wagner Range



Legend:  
● Land Boundary  
● Water Boundary

10000'

**TRANSMITTAL, ACTION AND CONTROL**

For use of this form see USAIC Memo 1-2; the proponent is SGS

1. SGS LOG:	2. IN SGS:	3. OUT SGS:	4. DATE PREPARED: 30 AUG 11
-------------	------------	-------------	--------------------------------

5. SUBJECT:  
RSTB-75TH RANGER REGIMENT WAGNER RANGE PACKET (SNIPER TRAINING)

6. ACTION OFFICER/OFFICE SYMBOL/PHONE NUMBER CPT BURNETTE/AORG-STB-SCI/ 706-626-2764	7. DIRECTOR'S/COMMANDER'S SIGNATURE MG ROBERT W. BROWN
---	---

SIGNATURE                       APPROVAL                       INFORMATION

SGS     DEP CofS     Garrison CSM     USAIS CSM     USAAMRS CSM     MCOE CSM     CDID  
 GC     CofS     DCG     Comdt, IN School     Comdt, AR School     CG

1. PURPOSE: The purpose of this staff action is to gain approval for RSTB to fire on Wanger Range for the purpose of Sniper Training

2. RECOMMENDATION: Recommend approval for use of Fort Benning facilities.

3. DISCUSSION:

References:  
DA PAM: 385-63  
AR 350-19

General:  
RSTB-75th Ranger Regiment request permission to use Wagner Range for the purpose of sniper training for subordinate elements who continuously deployment in support of the Global War on Terror. The below serves as the key points of this range packet:

1. All Fort Benning Regulations will be observed and upheld.
2. The Range will be left in better order than it was found.
3. The specifications of this packet will be upheld.

Point of Contact: The point of contact for this staff action is CPT Jesse B. Burnette, RSTB AS3, and can be reached at 706-626-2764 or jesse.burnette@ahqb.soc.mil.

8. COORDINATION/APPROVAL

S:			S:		
OFFICE	ACTION	NAME AND DATE	OFFICE	ACTION	NAME AND DATE
Post Safety	Concur	Jesse B. Burnette 15 Nov 11			
Range Cont					
DPTMS					
G3					

STAFF REMARKS: (Command Group Use Only)	APPROVAL AUTHORITY
	APPROVED:
	DISAPPROVED:
	NOTED:



**DEPARTMENT OF THE ARMY**  
HEADQUARTERS UNITED STATES ARMY MANEUVER CENTER OF EXCELLENCE  
35 RIDGWAY LOOP  
FORT BENNING, GEORGIA 31905-4500

REPLY TO  
ATTENTION OF  
ATZB-SO

16 November 2011

MEMORANDUM FOR Commander, RSTB, 75<sup>th</sup> Ranger Regiment, Attn: SFC Courier, Fort Benning, GA 31905

SUBJECT: RSTB 75<sup>th</sup> Ranger Regiment Wagner Range Safety Review

1. References:

- a. RSTB 75<sup>th</sup> Ranger Regiment Wagner Range Waiver.
- b. Army Regulation 385-10, The Army Safety Program, 04 October 2011.
- c. Army Regulation 385-63, Range Safety, 19 May 2003
- d. Department of the Army Pamphlet 385-10, Army Safety Program, RAR 19 January 2010
- e. Department of the Army Pamphlet 385-30, Mishap Risk Management, RAR 01 February 2010
- f. Department of the Army Pamphlet 385-63, Range Safety, RAR 12 May 2009
- g. Field Manual 5-19, Composite Risk Management, August 2006

2. CONCUR.

3. Point of contact is Mr. Michael W. Risher II, MCoE/Fort Benning Safety Office, Comm. (706) 545-8278, Govt. Cell. (706) 604-7249, [michael.w.risher@conus.army.mil](mailto:michael.w.risher@conus.army.mil)

  
JILL E. CARLSON  
Director, MCoE/USAG Safety

