
**FINAL
ENVIRONMENTAL IMPACT STATEMENT**

**BRAC 2005 AND TRANSFORMATION ACTIONS AT
FORT BENNING, GA**



October 2007

Prepared for
Garrison, U.S. Army Infantry Center
Fort Benning, GA

Prepared by
U.S. Army Corps of Engineers
Mobile District
P.O. Box 2288
Mobile, AL 36628

VOLUME I: Final EIS and Appendices

The NEPA Process

NEPA – the National Environment Policy Act of 1969 – is our national charter for protecting the environment. The goals of NEPA are to consider all appropriate environmental factors when making decisions, involve the affected and interested public early in the environmental analysis process, seek less environmental damaging ways to do our jobs, and document in plain language for the decisionmaker (in this case the Army) and the public the impact analysis we used for the Transformation at Fort Benning. The vehicle used to meet these goals is the Environmental Impact Statement, or EIS. This is the highest level of analysis prepared under NEPA and is being used for the Fort Benning Transformation action. Compliance with NEPA guidance for our EIS preparation involves several critical steps:


1. *Announce that an EIS will be prepared.* For this EIS, a Notice of Intent was published November 23, 2005 in the *Federal Register*.
2. *Conduct Scoping.* This is the first major step in identifying the relevant issues to be analyzed in depth and eliminate the issues that are not relevant. Within this process we have been very active in soliciting comments from the public, local governments, federal and state agencies, American Indian Tribes, and environmental groups to ensure their concerns and issues about the proposed Transformation action are included in the analyses. For this EIS, the Army held a scoping meeting in May 23, 2006 in Columbus, GA. In addition, over 200 notices were sent to the public, elected officials, federal, state, and local regulatory agencies announcing the proposed Transformation action and the scoping meeting date, time, and location.
3. *Prepare a draft EIS.* The first comprehensive document for public and agency review is the draft EIS. This document examines the environmental impacts of the Transformation action that were determined to be relevant from our scoping initiatives, and analyzes all reasonable alternatives, and a no action alternative. This draft EIS has been distributed to agencies, the public who have requested copies, and numerous repositories, as well as posted on a public website, to ensure the widest dissemination possible. Once we filed the Notice of Availability of this document in the *Federal Register*, we began a 45-day public comment period.
4. *Have a public comment period.* Our goal during this process is to ensure we receive any oral and written comment about the analysis presented in the draft EIS. We accomplished this through receipt of comments through the mail as well as at the public meeting held May 10, 2007. This meeting provided an open forum for discussion of the Transformation action and its alternatives and provided a direct feedback mechanism for the public and agencies to orally address or submit written comments directly to the Army. We provide a written response to all of the substantive comments we receive during the public comment period as well as the issues presented at the public meeting. As appropriate to the analysis, these issues are included in the preparation of the final EIS.
5. *Prepare a final EIS.* Following the draft EIS public comment period, a final EIS is prepared. This document is a revision of the draft EIS, includes all public and agency comments and the Army's responses, and provides the decisionmaker a comprehensive review of all the alternatives, their environmental impacts, and mitigation measures to minimize these impacts.
6. *Issue a Record of Decision (ROD).* The final step in the NEPA process is the ROD. It identifies which alternative has been selected by the decisionmaker and what mitigation measures will be carried out by the Army to reduce impacts to the environment.

In addition to the NEPA process, on-going consultation and permitting requirements are being undertaken with federal, state, and local regulatory agencies. For instance, under the Endangered Species Act, a written Biological Assessment is required for all major construction activities prior to a federal agency authorizing, funding, or implementing proposed actions that may adversely affect a federally threatened or endangered species or their critical habitat. Formal Consultation involved a consultation period and an additional 45-day period for the U.S. Fish and Wildlife Service (USFWS) to prepare a Biological Opinion (BO) (135 days total). A BO is a written statement from the USFWS which summarizes the information on which the opinion is based and details how the proposed action will affect the species or their critical habitat. The U.S. Army Corps of Engineers (Corps) also requires wetlands permits applications be submitted and then approved by the Corps prior to disturbing jurisdictional wetlands; and where applicable, construction permits and plans will be submitted to federal, state, and local agencies and approved prior to any land disturbing activities.

**Final Environmental Impact Statement
for BRAC 2005 and Transformation
Actions at Fort Benning, Georgia**

Prepared by:
**MOBILE DISTRICT
U.S. ARMY CORPS OF ENGINEERS**


R. Devon Payne MAJ. EN
FOL BYRON G. JORNS
COL, Corps of Engineers
Commanding

Approved by:

KEITH R. LOVEJOY
COL, IN
Garrison Commander

Environmental Impact Statement for BRAC 2005 and Transformation Actions at Fort Benning, Georgia

<u>Lead/Responsible Agency:</u>	U.S. Army Infantry Center
<u>Title of the Proposed Action:</u>	BRAC 2005 and Transformation Actions at Fort Benning, Georgia Chattahoochee and Muscogee Counties
<u>Designation:</u>	Final Environmental Impact Statement (EIS)
<u>Prepared by:</u>	U.S. Army Corps of Engineers, Mobile District P.O. Box 2288 Mobile, AL 26628
<u>Comments and Enquiries:</u>	Mr. John Brent Fort Benning Directorate of Public Works Environmental Management Division Bldg #6 (Meloy Hall), Room 310 Fort Benning, GA 31905
<u>Approved by:</u>	Keith R. Lovejoy COL, IN Garrison Commander

Abstract: This Final EIS has been prepared in accordance with the National Environmental Policy Act (NEPA) and Army implementing regulation. This document analyzes the potential environmental impacts of the proposed Base Closure and Realignment Commission (BRAC) 2005 and Transformation actions at Fort Benning, Georgia. The proposed Transformation action includes BRAC-directed actions, Army Modular Force (AMF) initiatives whereby the Army is transitioning from a division-centric design to a standard brigade organization, as well as accommodating the reshaping of the domestic military infrastructure for the return of units currently based overseas as part of the Global Defense Posture and Realignment (GDPR). Finally, discretionary stationing actions (activations, inactivations, realignments, and relocations in response to BRAC-directed actions) contribute to and are interrelated with the Transformation process. These BRAC 2005 and Transformation actions have been grouped into one Transformation action and the potential environmental effects of these Transformation actions are being evaluated together in this final EIS. Environmental consequences of two action alternatives—Alternative A and the preferred Alternative B—as well as the No Action Alternative were evaluated for 13 resources. The No Action Alternative constitutes the existing conditions—if the proposed action were not implemented, the Installation would not experience the development described in this document and no increased changes to resources would occur. Under Alternative A, about 10,740 acres would be disturbed by proposed action activities; under Alternative B, 19,100 acres would be disturbed. With Alternative B there could potentially be land use compatibility issues for lands adjacent to the proposed Good Hope Maneuver Area. Changes would occur to aesthetic and visual resources, but impacts would not be significant. In terms of socioeconomics, development would take place and personnel growth would result in economic gains under both action alternatives, housing would be required and if the local market could not support this increase in needs there could be minor short-term effects. The number of regional schools would need to increase so as not to have a significant impact. On-Post traffic congestion both during the construction period and operational phase is anticipated as well as traffic build up at the main gate during peak hours; however, these would not be to such an extent to be significant with implementation of mitigation measures. There would be short-term construction emissions increases but would not significantly affect regional air quality in the long term. Noise would increase both on and off Post, increasing the potential for annoyance in adjacent communities, but would not be significant. Utilities, safety, and hazardous and toxic materials and waste are not significantly impacted by the proposed action. Cultural resources, soils, water resources (including wetlands and state designated impaired streams), special status species (particularly, a population of relict trillium and the Red-cockaded woodpecker), and Unique Ecological Areas; however, could experience significant impacts under either action alternative; mitigation measures would minimize these significant impacts.

EXECUTIVE SUMMARY

ES.1 INTRODUCTION

The Department of Defense (DoD) is reorganizing doctrine, force structure, and Installation infrastructure, to support more effectively its mission, increase operational readiness, and facilitate new ways of doing business. A primary vehicle for this reorganization effort and the overall military Transformation process is the Base Realignment and Closure (BRAC) process. On September 8, 2005, the Defense Base Closure and Realignment Commission (“BRAC Commission”) recommended a set of domestic realignment and closure actions. These recommendations were approved by the President on September 15, 2005, and forwarded to Congress. Congress did not alter any of the BRAC Commission’s recommendations, and on November 9, 2005, the recommendations became law. The BRAC Commission recommendations must now be implemented as provided for in the Defense Base Closure and Realignment Act of 1990, Public Law (PL) 101-510.

In addition, in October 1999, prior to the BRAC Commission recommendations becoming law, the Secretary of the Army and the Chief of Staff articulated a vision about people, readiness, and Transformation of the U.S. Army (Army) to meet the demands of the 21st century. In what is termed the Army Modular Force (AMF) initiative, the Army is transitioning from a division-centric design to a standard brigade organization. The resultant combat arms brigades will be task-organized with organic combined arms capabilities, whereas supporting brigades will have standardized headquarters but variable subordinate units. The reshaping of the domestic military infrastructure also includes provision for the return of units currently based overseas as part of the Global Defense Posture Realignment (GDPR). Finally, discretionary stationing actions (activations, inactivations, realignments, and relocations) authorized by Army Regulation (AR) 5-10, Stationing, contribute to and are interrelated with the Transformation process.

In accordance with 40 Code of Federal Regulation (CFR) Section 1502.4, of the National Environmental Policy Act (NEPA) implementing regulation, and the Army NEPA Regulation (32 CFR Part 651) the Army has determined that the BRAC, AMF, GDPR, and other stationing actions and development at Fort Benning are all Transformation activities closely related to each other and would be implemented in the same timeframe on Fort Benning. Thus, these Transformation actions have been grouped into one proposed action and the potential environmental effects of these Transformation actions are being evaluated together in this environmental impact statement (EIS).

ES 2 PURPOSE AND NEED

The underlying purpose of the Army’s proposed action is to implement Transformation actions (BRAC, GDPR, AMF, and certain other stationing actions) that are interrelated to such an extent that they are, in effect, a single course of action. The overarching need for the proposed action is to improve the ability of the nation to respond rapidly to challenges of the 21st century. The Army mission is to defend the United States and its territories, support national policies and objectives, and defeat nations responsible for

aggression that endanger the peace and security of the United States. To carry out these tasks, the Army must adapt to changing world conditions and improve its capabilities to respond to a variety of circumstances across the full spectrum of military operations.

ES 3 PROPOSED ACTION

Under the proposed action, the Army would provide the facilities, infrastructure, and equipment needed to support the Transformation activities at Fort Benning: 1) BRAC, 2) GDPR (overseas re-stationing), 3) AMF, and 4) other related stationing activities. The construction activities associated with the proposed action would occur within the bounds of Fort Benning. The proposed construction of administrative, supply/storage, maintenance, barracks, commercial services, community facilities, medical and dental, and recreation facilities is focused on the cantonment areas. A combination of redevelopment (e.g., renovation), development, and expansion would occur at the four cantonment areas: Main Post, Kelley Hill, Sand Hill, and Harmony Church. Training assets, in the form of ranges and maneuver areas, are found throughout the Installation. The proposed improvements/upgrades to existing ranges and maneuver areas and proposed new ranges were sited to align with these existing assets.

ES 3.1 BRAC-Directed Stationing Actions

The BRAC Commission recommended the following actions at Fort Benning:

1. Relocate the Armor School and Center from Fort Knox, KY to Fort Benning. The U.S. Army Armor School (USAARMS) trains armor and cavalry Soldiers, noncommissioned officers, and officers to fight in full spectrum operations to meet the requirements of the Army in the contemporary operational environment. The USAARMS serves as the trainer of the current mounted force and develops the tools for the future mounted force. The School also trains Marines as M1A1 (Abrams) tank crewmen and tank mechanics; this training includes basic and advanced instruction for commissioned and noncommissioned officers. Once the Armor School and Center are relocated, they would join the existing Infantry Center and School at Fort Benning to create the Maneuver Center of Excellence where Soldiers and Marines would be trained in both armor and infantry tactics.
2. Relocate the 81st Regional Readiness Command (RRC) Equipment Concentration Site (ECS) from Fort Gillem, GA to Fort Benning. In general, the 81st RRC has command and control of units assigned to prepare for successful mission performance and mobilization. The RRC ECS supports the equipment used for mission performance and mobilization.
3. Close the U.S. Army Reserve Center (USARC) in Columbus, GA and relocate and consolidating the units (together with Army Reserve Units currently on Fort Benning) into a new USARC on Fort Benning. The Army Reserve's mission is to provide trained and ready Soldiers and units with the critical combat support capabilities necessary to support national strategy during peacetime, emergency contingencies, and war.

4. Relocate the Drill Sergeant School from Fort Benning to Fort Jackson, SC. The Drill Sergeant School trains noncommissioned officers in the duties and responsibilities associated with Drill Sergeants so that they can train, supervise, and lead initial entry Soldiers. Fort Jackson is preparing a separate NEPA document for this action.

ES 3.2 BRAC-Discretionary Stationing Actions

BRAC-discretionary Transformation actions involve those activities and/or missions that were not specifically directed by the BRAC Commission but were impacted because their current Installations' mission might have changed, have closed, and/or was realigned due to BRAC-directed actions. At Fort Benning these discretionary actions include:

- Criminal Investigation Command (CID) 86th Military Police (MP) Detachment from Fort McPherson and the 3rd MP Group (brigade headquarters) from Fort Gillem, GA would be relocated due to the BRAC-directed actions at both installations and join the existing CID operational battalions at Fort Benning.
- Veterinary Clinic represents the transfer of personnel assigned to Fort McPherson's Veterinary Clinic that was identified for closure by the BRAC Commission. In addition, Fort Benning is increasing the number of military working dog teams due to Transformation actions and the existing on-Post veterinary clinic is not large enough to support the increased number of military working dog units.
- The Blood Donor Center would be relocated from Fort Knox to Fort Benning. Currently, Fort Benning is served by the Blood Donor Center at Fort Gordon. With the Armor School and Center population moving to Fort Benning, the Fort Knox center will lose a great number of donors. It would be more efficient and effective to have an on-site blood donor center at Fort Benning with the increased number of potential donors.
- Reassign field auditors from the U.S. Army Audit Agency (USAAA) field office at Fort McPherson to the realigned Fort Benning. This unit would be relocated to Fort Benning to remain a field office providing continued independent auditing services in the southeast region.

ES 3.3 GDPR Transformation

For the GDPR, the 286th MP (CID) would relocate from overseas to Fort Benning and join other CID units being relocated under BRAC as discretionary moves. In addition, an Explosive Ordinance Disposal Company and a Movement Control Team would be moved to Fort Benning from overseas.

ES 3.4 AMF Transformation


Under AMF, one brigade from the 3rd Infantry Division (3 ID) has been transformed to create a new heavy BCT force structure at Fort Benning. The 36th Engineer Group (ENG) would continue to realign as a Sustainment Brigade, which includes the Multi-Role Bridge Company (MRBC). The 63rd Engineer Company (Combat Support Equipment [CSE]) would be converted to the 11th Engineer Battalion and the 507th Sustainment Group would be activated at Fort Benning in 2011.

ES 3.5 Other Army Stationing

For AR 5-10 stationing activities, the Special Operations Command (SOCOM) at Fort Benning would gain personnel from other locations across the United States.

Figure ES-1 and Table ES-1 provide an overview of the Transformation activities that would occur at Fort Benning under the proposed action.

Figure ES-1: Overview of Fort Benning Transformation Actions



Note: This figure does not account for all growth which might be needed for Fort Benning. It includes military, DA civilians, and military students/trainees. It does not include contractor growth or garrison growth anticipated to support the overall expansion of Fort Benning. The figure is an Army tool used to calculate anticipated changes in military, Army civilian, and student population resulting directly from Transformation Actions.

Table ES-1: Personnel Breakdown For Transformation Actions

Transformation Action	PERSONNEL			
	Military ¹	Civilian ²	Students ³	Total
BRAC-DIRECTED				
Relocate Armor School and Center, Fort Knox, KY	4,374	997	7,638	13,009
Relocate USARC Columbus, GA	0	9	0	9
Relocate 81 st RRC ECS, Fort Gillem, GA	0	85	0	85
Relocate Drill Sergeant School to Fort Jackson, SC	-20	0	-400	-420
TOTAL BRAC-DIRECTED	4,354	1,091	7,238	12,683
OTHER ACTIONS				
BRAC-Discretionary relocation of Veterinary Clinic, Blood Donor Center, 3 rd MP Grp (CID), USAAA	251	135	0	386
SOCOM (75 th Ranger Regiment)	258	0	0	258
TOTAL OTHER	509	135	0	644
AMF				
Inactivate 63 rd Engineer Co	-162	0	0	-162
Activate 11 th Engineer Battalion	528	0	0	528
Activate 507 th Sustainment Brigade	305	0	0	305
TOTAL AMF	671	0	0	671
GDPR				
EOD Co	30	0	0	30
Movement Control Team	20	0	0	20
286 th MP Det (CID)	21	0	0	21
TOTAL GDPR	71	0	0	71
SUBTOTAL:	5,605	1,226	7,238	14,069
Contractor Growth	0	2,000	0	2,000
Garrison Growth	0	545	0	545
TOTAL: GAIN AT FORT BENNING	5,605	3,771	7,238	16,614

¹ Includes Full-time Military Authorizations, PCS Students and Other Military Service Personnel

² Includes Full-Time US Direct Hire Civilian Authorizations, Full-Time Equivalent (FTE) Contractors, Other Services, Private Organizations, Overhires, NAF, AAFES, etc., TDY Student loads, and Transient and Rotational Student loads.

³ Group includes TDY Students and Trainees Military and Transient and Rotational Military. Student totals represent the average daily number on Fort Benning.

Note: “Contractor Growth” and “Garrison Growth” increases in the civilian population column of this table are not included in the figure on the preceding page. Also, 1,119 of the Fort Knox Armor School students shown on Figure ES-1 are authorized a Permanent Change of Station transfer to Fort Benning with family members. As a result, for purposes of this analysis, these students were considered “military” personnel and were re-allocated from the “students” category to the “military” category in this table.

ES 3.6 Proposed Cantonment Area Development

Infrastructure development under the proposed action would occur within the four cantonment areas of Fort Benning (Main Post, Harmony Church, Kelley Hill, and Sand Hill) as well as range and training areas. The precise locations of project siting, within the cantonment and training range areas, may change following finalization of design and issuance of the Record of Decision (ROD). If projects are moved/added/modified following the ROD, then evaluation will be done to determine the potential environmental impacts of these changes and the appropriate level of NEPA analysis required.

In general, cantonment area development to support Transformation activities include: headquarters buildings/facilities supporting administrative and operational functions, numerous barracks complexes to house Armor School student trainees; instructional/training classroom facilities; vehicle maintenance instruction facilities; vehicle maintenance shops, motor pools, and wash stands. In addition, to support the increased Fort Benning population, utility, road, and communication systems would need to be upgraded or built depending on the facility location; the existing hospital would be replaced; dental and medial clinics built and some existing health facilities expanded; child development centers established to meet increased pre- and elementary-school numbers; as well as a physical fitness center, chapel, lodging, and dining facilities.

ES 3.7 Proposed Range and Training Area Requirements

The range and training operations requirements of the proposed action are primarily driven by the gain of the Armor School and Center; however, they are also interrelated and synergistic with other Transformation activities and existing missions at Fort Benning. Range and training operation requirements are reflected in the equipment to be used, the operations undertaken, and the ranges and maneuver areas proposed. The equipment used by units/organizations to be relocated to Fort Benning include tanks, Bradley Fighting Vehicles (BFVs), High Mobility Multipurpose Wheeled Vehicles (HMMWVs), trucks, and trailers for operational needs as well as maintenance instruction.

The construction and operation of the numerous new range training facilities identified for the Transformation activities at Fort Benning would support Armor School training requirements. Training units of the Armor School include the 1st Armor Training Brigade, 16th Cavalry Regiment, and U.S. Army Noncommissioned Officer Academy.

ES 4 ALTERNATIVES

Alternatives form the core of the NEPA process. In compliance with Army NEPA and Council of Environmental Quality (CEQ) regulations, the Army must consider reasonable alternatives to the proposed action. Only those alternatives determined as reasonable relative to their ability to fulfill the need for a proposed action warrant detailed analysis. In conformance with these requirements, the Army explored potential alternatives, including alternative locations for facilities, activities, and ranges; phasing of implementation; and modifying personnel realignments—few of these options proved reasonable relative to the purpose and need. In particular, the realignments of functions, units, and personnel, as

specified under BRAC Law, must be implemented. BRAC Law states that NEPA does not apply to “the need for transferring functions to any military installation which has been selected as the receiving installation . . . or military installations alternative to those recommended or selected.” Since these realignment actions (e.g., Armor School and Center) constitute the majority of the proposed action and cannot be substantively modified, options for the remainder of the related (but non-BRAC) actions to support the realignments are, necessarily, constrained.

Following consideration of options, the Army has identified three alternatives: the No Action Alternative, Alternative A, and Alternative B (the Army’s preferred alternative). The following summarizes these alternatives.

ES 4.1 No Action Alternative

The CEQ regulations that implement NEPA require that a No Action Alternative must be included and analyzed (40 CFR 1502.14[d]). Under the No Action Alternative, existing Fort Benning missions would continue as they were being performed in November 2005 when the BRAC Commission recommendations became law, plus completion and operation of the already approved Digital Multi-Purpose Range Complex. For this analysis, the No Action Alternative serves as the baseline against which the impacts of the two action alternatives (A and B) are measured. Because BRAC Law mandates closure and realignment of installations, the No Action Alternative is not possible for directed BRAC actions but would still be required for the other Transformation activities included in the proposed action.

ES 4.2 Cantonment Area Transformation Development Common to Both Alternatives A and B

Under Alternatives A and B, cantonment area development would be the same except for the interchange moved within Harmony Church (see ES 4.2.2). For each project, Table ES-2 indicates general location, the project type/title, the year in which the project is constructed, and building/facility footprint.

Table ES-2: Projected Cantonment Area Development: Transformation Alternatives A and B

Action	Project Title	Year Constructed	Facility Footprint (Acres)
BRAC	Infrastructure Support (includes Fire Station, Ammunition Supply Point, Access Control Points, Marne Rd./ Lindsay Creek Pkwy Intersection Improvements)	2008	21.00
BRAC	Construct Installation-Wide Roads, Paved	2010	94.39
Harmony Church			
BRAC	Initial Entry Training (IET) Brigade Headquarters Building	2007	7.59
BRAC	Trainee Barracks Complex 1	2007	60.00
BRAC	Training Support Brigade Complex (Phase 1 and 2)	2007-2008	100.00
NON-BRAC	Trainee Barracks Complex 3	2008	60.00
NON-BRAC	Maneuver Center Simulation Facility	2008	8.00
BRAC	Unit Maintenance Activity Facility	2008	20.00
BRAC	Troop Medical Clinic	2008	12.00
BRAC	16 th CAV Regt HQ Building Complex (BDE, BN, and Company	2008	16.00

Table ES-2: Projected Cantonment Area Development: Transformation Alternatives A and B

Action	Project Title	Year Constructed	Facility Footprint (Acres)
Operations Facilities (COFs)			
BRAC	Armor Officer Basic Course Headquarters Complex Conversions	2009	1.00
BRAC	Vehicle Maintenance Instruction Facility	2009	20.00
NON-BRAC	Centralized Wash Facility with Soaking Capability	2009	25.00
BRAC	U.S. Army Reserve Center (USARC)	2010	6.20
BRAC	Equipment Concentration Site (ECS)	2010	9.86
NON-BRAC	Recreation Center, Harmony Church	2011	7.00
NON-BRAC	Physical Fitness Center with Pool	2011	20.00
NON-BRAC	3 ID BCT (Heavy) Complex	2011	4.09
NON-BRAC	Battle Command Training Center	2012	7.00
NON-BRAC	Chapel	2012	4.00
Kelley Hill			
BRAC	Warehouse Complex Replacement	2008-2010	36.00
NON-BRAC	Direct Support/General Support (DS/GS) Vehicle Maintenance Facility	2012	37.00
Main Post			
BRAC	Child Development Center 6-10 Years	2007	9.00
NON-BRAC	Maneuver Center Renovations, Building 4	2008-2010	1.84
BRAC	General Instruction Building Complex (includes Student Dining Facility and Main Post Quartel, Unaccompanied Personnel Housing [UPH] Billeting Space to Transient UPH Advanced Skills Training, Infantry Officer Basic Course Headquarters Complex Building Conversions/Renovations)	2008-2010	0
NON-BRAC	Special Operations Forces (SOF) Special Troops Battalion HQ Building	2008	2.02
NON-BRAC	SOF Ranger HQ Addition	2008	0.29
NON-BRAC	SOF Vehicle Maintenance Shop	2008	1.23
NON-BRAC	Museum Operations Support Buildings	2009	22.30
NON-BRAC	CIDC Group/BDE Headquarters Building	2009	0.24
BRAC	Consolidated Troop Medical Clinic	2009	1
BRAC	Hospital Replacement	2009-2010	51.00
BRAC	Maneuver Center Headquarters Building Expansion and Capabilities Development and Integration (CDI) Directorate Facility	2010	10.00
NON-BRAC	SOF Ranger Support Company HQ	2011	0.94
NON-BRAC	Barracks Complex	2011	20.00
NON-BRAC	Headquarters Complex, 14th Combat Support Hospital	2012	1.90
NON-BRAC	Child Development Center Under 6 Years	2013	3.00
Sand Hill			
BRAC	Trainee Barracks Complex 2	2007	60.00
BRAC	Health Clinic Expansion - Winder	2008	1.50
BRAC	Solomon Dental Clinic Expansion	2008	1.30
BRAC	Training Aids Center Building Conversions	2008	2.60
NON-BRAC	Reception Station Barracks and Processing Center	2008-2010	20.00
NON-BRAC	Chapel	2012	4.00

ES 4.2.1 Range Development—Transformation Alternative A

To support the training range requirements, small- and large-caliber weapons ranges, heavy maneuver areas and corridors, a drivers training course, off-road drivers training area, and vehicle recovery area would need to be constructed. Table ES-3 lists these projects under Alternative A.

Table ES-3: Transformation Alternative A – Projected Range Development Projects

Action	Location	Year Constructed	Facility Footprint (Acres)
North of U.S. Highway 27/280			
BRAC	Tank/Fighting Vehicle Stationary Gunnery Range-ST1	2007	741.00
BRAC	Fire and Movement Range-FM1	2007	3.00
BRAC	Modified Record Fire Range-MRF2	2007	24.00
BRAC	Modified Record Fire Range-MRF4	2008	24.00
BRAC	Modified Record Fire Range-MRF6	2008	24.00
BRAC	Modified Record Fire Range-MRF3	2008	24.00
BRAC	Combat Pistol Qualification Complex	2008	2.00
NON-BRAC	Rifle/Machinegun Zero Range-Z1	2008	1.00
NON-BRAC	Rifle/Machinegun Zero Range-Z2	2008	1.00
NON-BRAC	Rifle/Machine Gun Zero Range-Z4	2008	1.00
NON-BRAC	Heavy Maneuver Corridor – South	2009	81.00
NON-BRAC	Basic and Advanced Drivers Training Course, Off-Road Drivers Training, and Vehicle Recovery Area	2009	48.00
NON-BRAC	Heavy Maneuver Area – North	2009	16.11
BRAC	Modified Record Fire Range-MRF5	2009	24.00
NON-BRAC	Rifle/Machine Gun Zero Range-Z5	2009	1.00
NON-BRAC	Combined Arms Collective Training Facility, Phase II (CACTF)	2009	9.80
NON-BRAC	Rifle/Machinegun Zero Range-Z3	2009	1.00
BRAC	Tank/Fighting Vehicle Stationary Gunnery Range-ST2	2009	741.00
NON-BRAC	Repair Existing Training Area Roads, Paved	2010	0.00
BRAC	Fire and Movement Range-FM3	2010	3.00
NON-BRAC	Multi-Purpose Machine Gun Range-MPMG3	2011	238.00
NON-BRAC	Rail Car Storage and Tracks for Deployment	2012	22.00
South of U.S. Highway 27/280			
NON-BRAC	Qualification Training Range-QTR	2011	238.00

ES 4.2.2 Range Development—Transformation Alternative B (Preferred Alternative)

Under Transformation Alternative B several of the training areas presented under Alternative A would move or change. The major difference between the two alternatives is that the heavy maneuver training moves to the southern portion of the Installation, the drivers training area moves adjacent to Harmony Church cantonment area, the Heavy Maneuver Corridor – South decreases in size, and Heavy Maneuver Area – North would not be specifically managed for the Armor School training (Table ES-4).

Table ES-4: Transformation Alternative B – Projected Range Development Projects

Action	Location	Year Constructed	Facility Footprint (Acres)
North of U.S. Highway 27/280			
BRAC	Fire and Movement Range-FM1	2007	3.00
BRAC	Modified Record Fire Range-MRF2	2007	24.00
BRAC	Tank/Fighting Vehicle Stationary Gunnery Range-ST1	2007	741.00
BRAC	Modified Record Fire Range-MRF4	2008	24.00
BRAC	Modified Record Fire Range-MRF6	2008	24.00
BRAC	Modified Record Fire Range-MRF3	2008	24.00
BRAC	Automatic Combat Pistol Qualification Course	2008	2.00
NON-BRAC	Rifle/Machinegun Zero Range-Z1	2008	1.00
NON-BRAC	Rifle/Machinegun Zero Range-Z2	2008	1.00
NON-BRAC	Rifle/Machine Gun Zero Range-Z4	2008	1.00
NON-BRAC	Modified Record Fire Range-MRF5	2009	24.00
NON-BRAC	Rifle/Machine Gun Zero Range-Z5	2009	1.00
NON-BRAC	Combined Arms Collective Training Facility, Phase II (CACTF)	2009	9.80
NON-BRAC	Rifle/Machinegun Zero Range-Z3	2009	1.00
NON-BRAC	Modified Heavy Maneuver Corridor – South	2009	81.00
NON-BRAC	Basic/Advanced Drivers Training Course	2009	48.00
NON-BRAC	Vehicle Recovery Area	2009	NA
NON-BRAC	Off-Road Drivers Training	2009	16.11
BRAC	Tank/Fighting Vehicle Stationary Gunnery Range-ST2	2009	741.00
BRAC	Fire and Movement Range-FM3	2010	3.00
NON-BRAC	Repair Existing Training Area Roads, Paved	2010	0.00
NON-BRAC	Multi-Purpose Machine Gun Range-MPMG3	2011	238.00
NON-BRAC	Rail Car Storage and Tracks for Deployment	2012	22.00
South of U.S. Highway 27/280			
NON-BRAC	Good Hope Maneuver Area	2009	16.11
NON-BRAC	Road access, tank trail upgrades	2009	72 miles
NON-BRAC	Qualification Training Range-QTR	2011	238.00

Table ES-5 provides a comparison of Alternatives A and B, for disturbance areas. These disturbance areas include the construction footprints for facilities, infrastructure improvements, road construction/upgrades, and range establishment (including ordnance impact zones, heavy use areas where training activities would occur, and heavy use within the maneuver corridors and areas). In summary, cantonment area disturbance, at 2,011 acres, would be the same under either alternative; however, Alternative A range improvements disturbance area would total 8,730 acres, whereas the preferred alternative (B) range improvements would total 17,089, acres. Alternative B includes greater acreage to allow for more training flexibility and avoidance of many sensitive environmental resources.

Table ES-5: Summary of Potential Effect by Geographic Area in Acres

ALTERNATIVE A								
	2007	2008	2009	2010	2011	2012	2013	Total
Cantonment Areas								
Harmony Church	519	141	136	71	56	195	0	1,118
Kelley Hill	78	0	0	0	0	7	0	85
Main Post	220	119	181	0	0	34	8	562
Sand Hill	27	209	0	0	0	10	0	246
Cantonment Area Subtotals	844	469	317	71	56	246	8	2,011
Ranges								
Range Facilities North of U.S. Highway 27/280	1,338	736	1,312	95	407	95	0	3,983
Range Facilities South of U.S. Highway 27/280	0	0	0	15	433	0	0	448
Heavy Maneuver Area – North (North of U.S. Highway 27/280)	0	0	943	0	0	0	0	943
Heavy Maneuver Corridor – (North of U.S. Highway 27/280)	0	0	2,734	0	0	0	0	2,734
Drivers Training Area (includes Basic and Advanced Drivers Training Courses, Vehicle Recovery, and Off-Road Drivers Training) (North of U.S. Highway 27/280)	0	0	622	0	0	0	0	622
Range Area Subtotals	1,338	736	5,611	110	840	95	0	8,730
ALTERNATIVE A TOTALS	2,182	1,205	5,928	181	896	341	8	10,741
ALTERNATIVE B								
	2007	2008	2009	2010	2011	2012	2013	Total
Cantonment Areas								
Harmony Church	519	141	136	71	56	195	0	1,118
Kelley Hill	78	0	0	0	0	7	0	85
Main Post	220	119	181	0	0	34	8	562
Sand Hill	27	209	0	0	0	10	0	246
Cantonment Area Subtotals	844	469	317	71	56	246	8	2,011
Ranges								
Range Facilities North of U.S. Highway 27/280	1,395	736	1,312	95	419	95	0	4,052
Range Facilities South of U.S. Highway 27/280	22	0	29	15	433	0	0	499
Good Hope Maneuver Area (South of U.S. Highway 27/280)	0	0	9,499	0	0	0	0	9,499
Heavy Maneuver Corridor – South (North of U.S. Highway 27/280)	0	0	1,866	0	0	0	0	1,866
Basic and Advanced Drivers Training Courses (Harmony Church)	0	0	201	0	0	0	0	201
Vehicle Recovery Area (Harmony Church)	0	0	513	0	0	0	0	513
Off-Road Drivers Training Area (North of U.S. Highway 27/280)	0	0	459	0	0	0	0	459
Range Area Subtotals	1,417	736	13,879	110	852	95	0	17,089
ALTERNATIVE B TOTALS	2,261	1,205	14,196	181	908	341	8	19,100

ES 5 ENVIRONMENTAL CONSEQUENCES

This EIS presents the existing environmental and potential environmental consequences that could result from each alternative. Under the No Action Alternative, the proposed personnel and functions associated with the BRAC, AMF, GDPR, and other stationing actions would not move to Fort Benning, no support facilities would be constructed, and no additional environmental impacts would occur. Under either action alternative (A and B) there is the potential to have significant and adverse effects, depending on the resource. A summary of impacts by resource area for the No Action Alternative and Transformation Alternatives A and B is provided in Table ES-6.

Table ES-6: Summary of Effects of the No Action Alternative and Transformation Alternatives A and B

Resource	No Action Alternative	Transformation Alternative A	Transformation Alternative B (Preferred Alternative)	Mitigation Measures
Land Use (Section 4.2)				
<i>Fort Benning Land Use and Management</i>	No change from existing conditions.	No significant impacts are anticipated. Land use stays unchanged within the Installation. Cantonment-developed areas would increase but are consistent with existing land uses.	Same as Alternative A.	No mitigation required.
<i>Off-Post Land Use and Management</i>	No change from existing conditions.	Land use outside Installation boundaries would not change; therefore, no significant impacts would occur.	Same as Alternative A with the exception of the potential for increased incompatibility with residential community adjacent to Good Hope Maneuver Area.	Heavy maneuver training is required to occur during the hours of 0400-2400 for half of the training days and 0600-2400 for the remainder of the training days. Mitigation measures include informing adjacent community of training schedule.
Aesthetic and Visual Resources (Section 4.3)				
<i>Cantonment Areas</i>	No change from existing conditions.	Minor visual impacts due to construction equipment. No significant impacts because visual compatibility of new structures would be maintained through design and consistency with existing structures.	Same as Alternative A.	No mitigation required.

Table ES-6: Summary of Effects of the No Action Alternative and Transformation Alternatives A and B

Resource	No Action Alternative	Transformation Alternative A	Transformation Alternative B (Preferred Alternative)	Mitigation Measures
<i>Range Areas</i>	No change from existing conditions.	Minor impacts during construction phase; however, visual compatibility with adjacent training lands would be maintained.	Same as Alternative A.	No mitigation required.
Socioeconomics (Section 4.4)				
<i>Economic Developments and Demographics</i>	No change from existing conditions.	Significant direct and indirect beneficial impacts on high employment and sales volume. Minor direct and indirect beneficial impacts on population increase. Minor direct and indirect negative impacts on needed services.	Same as Alternative A.	No mitigation required.
<i>Housing</i>	No change from existing conditions.	Minor negative effects anticipated if local housing stock not able to meet growth.	Same as Alternative A.	No mitigation required.

Table ES-6: Summary of Effects of the No Action Alternative and Transformation Alternatives A and B

Resource	No Action Alternative	Transformation Alternative A	Transformation Alternative B (Preferred Alternative)	Mitigation Measures
<i>Quality of Life</i>	No change from existing conditions.	Significant negative effects expected on schools if community cannot accommodate the increased population through increased funding and timely capacity expansion. No significant adverse effects anticipated for public services such as health care, police, or fire. Positive impacts to employment and income.	Same as Alternative A.	No mitigation required.
<i>Environmental Justice and Protection of Children</i>	No change from existing conditions. Off Post noise does not disproportionately impact census block groups with a majority of low-income population.	Noise impacts would not have a disproportionately high adverse impact to minority and low income populations adjacent to the Post. No impact to children's health anticipated.	Same as Alternative A.	No mitigation required.
Transportation (Section 4.5)				
<i>Main Post Cantonment Area</i>	No change at three intersections from existing conditions. One additional intersection fails; therefore, severe impacts are anticipated.	Significant impacts at several intersections where level of service fails in the morning and evening peak hours.	Same as Alternative A.	Implementation of mitigation measures to widen roads and improve intersections and encouraged use of travel demand management (TDM) tools could minimize significant impacts.

Table ES-6: Summary of Effects of the No Action Alternative and Transformation Alternatives A and B

Resource	No Action Alternative	Transformation Alternative A	Transformation Alternative B (Preferred Alternative)	Mitigation Measures
<i>Kelley Hill Cantonment Area</i>	No change from existing conditions. Two intersections continue to fail; therefore, severe impacts would result.	Significant impacts at one intersection where level of service fails.	Same as Alternative A.	Implementation of mitigation measures to widen roads and improve intersections and encouraged use of travel demand management (TDM) tools could minimize significant impacts.
<i>Sand Hill Cantonment Area</i>	No change from existing conditions.	Significant impacts at two intersections fails.	Same as Alternative A.	Implementation of mitigation measures to widen roads and improve intersections and encouraged use of travel demand management (TDM) tools could minimize significant impacts.
<i>Harmony Church Cantonment Area</i>	No change from existing conditions.	Moderate impacts to level of service during morning and evening peak hours at access control point due to construction of new interchange in Harmony Church under the proposed action.	Same as Alternative A for cantonment area access. For heavy maneuver training access, a dedicated heavy vehicle overpass would be built and would preclude conflicts with local traffic.	Implementation of mitigation measures to widen roads and improve intersections and encouraged use of travel demand management (TDM) tools could minimize significant impacts.
Utilities (Section 4.6)				
<i>Potable Water Supply, Wastewater System, Stormwater System, and Energy Sources</i>	No change from existing conditions.	No significant impacts anticipated by implementing all existing federal, state, and local regulatory procedures and permitting requirements are followed.	Same as Alternative A.	No mitigation required.

Table ES-6: Summary of Effects of the No Action Alternative and Transformation Alternatives A and B

Resource	No Action Alternative	Transformation Alternative A	Transformation Alternative B (Preferred Alternative)	Mitigation Measures
Noise (Section 4.7)				
	No change from existing conditions; sensitive noise receptors within and one resident outside the Installation would continue to be impacted from exposure to Zone III noise levels. Disclosure to on-Post residents for homes found in Zones II and III would continue.	Impacts from construction activities would not be significant. Operationally, impacts from Zone III noise levels would increase outside of the Installation by 11 acres creating continued incompatibility to only one residence. Zone III levels would increase on Post by about 10,700 acres, but would decrease within the cantonment areas. Exposure to Zone III levels of sensitive receptor (corner of barracks in Sand Hill); however, new building materials and real estate disclosure would minimize impacts to insignificance.	Same as Alternative A except that increased vehicular noise and training weapons use would occur in the Good Hope Maneuver Area and the associated noise could increase annoyance in the adjacent community near Cusseta.	Existing reporting and claim procedures for alleged noise problems due to Army operations will continue to address off-Post exposure to Zone III contours. Through the Installation Operational Noise Management Plan, the Army identifies incompatible land uses within noise contours that can be used for planning purposes by the community. Continued practice of noise disclosures in real estate documents for on-Post residents in Zone II and III also minimizes significant impacts.

Table ES-6: Summary of Effects of the No Action Alternative and Transformation Alternatives A and B

Resource	No Action Alternative	Transformation Alternative A	Transformation Alternative B (Preferred Alternative)	Mitigation Measures
Air Quality (Section 4.8)				
	No change from existing conditions; continued training, operations/maintenance, and prescribed burning would introduce pollutants into the regional air quality and would continue to be moderately adverse.	Short-term emissions from construction would increase but would not significantly affect regional air quality and no Class I PSD areas would be affected. Long-term impacts from increased operations and maintenance activities would be minimal and would not significantly impact regional air quality or Class I PSD areas.	Same as Alternative A.	No mitigation required.
Hazardous and Toxic Materials and Waste (Section 4.9)				
<i>Hazardous Materials Storage, Use, and Handling</i>	No change from existing conditions.	The quantity of materials used, stored, and handled would increase; existing procedures, regulations, and facilities would be able to meet storage, use, and handling requirements. No significant impacts anticipated.	Same as Alternative A.	No mitigation required.

Table ES-6: Summary of Effects of the No Action Alternative and Transformation Alternatives A and B

Resource	No Action Alternative	Transformation Alternative A	Transformation Alternative B (Preferred Alternative)	Mitigation Measures
<i>Toxic Substances Management and Hazardous Waste Management</i>	No change from existing conditions.	Per current Fort Benning practice, management plans would be updated to reflect the change in mission; therefore, no significant impacts.	Same as Alternative A.	No mitigation required.
<i>Contaminated Sites</i>	No change from existing conditions.	Impacts would occur if unknown contaminated sites are discovered during construction. Existing procedures for regulatory coordination and cleanup requirements would be followed to ensure no significant impacts.	Same as Alternative A.	No mitigation required.
Water Resources (Section 4.10)				
<i>Surface Water, Hydrogeology/Groundwater, Floodplains, Wetlands</i>	No change from existing conditions.	No significant impacts are anticipated.	Same as Alternative A.	Application of existing management actions, facility design, and construction practices would minimize impacts. Once operational, monitoring to identify erosion or sedimentation issues on the ranges, training areas, and tank trails would occur to ensure no significant impacts.

Table ES-6: Summary of Effects of the No Action Alternative and Transformation Alternatives A and B

Resource	No Action Alternative	Transformation Alternative A	Transformation Alternative B (Preferred Alternative)	Mitigation Measures
Geology and Soils (Section 4.11)				
<i>Geologic and Topographic Conditions and Soils</i>	No change from existing conditions.	Severe impacts to the highly erodible soils as a result of training operations. All required permits would be obtained and implemented and all appropriate site-specific management practices and existing mitigation measures would be implemented to off-set these impacts. As a result, significant impacts to soils from on-going and future use of the Installation's training ranges would not occur.	Same as Alternative A.	Application of existing management actions, facility design, and construction practices would minimize impacts.
Biological Resources (Section 4.12)				
<i>Vegetation</i>	No change from existing conditions.	Alternative A could result in potential significant effects to vegetation. A substantial amount of native habitat would be lost, and disruption of ecosystem function in the disturbed areas could occur.	Same as Alternative A, but with an increase in total number of acres of native habitat removed.	Continued adherence to Integrated Natural Resource Management Plan procedures and prescribed practices would minimize impacts.

Table ES-6: Summary of Effects of the No Action Alternative and Transformation Alternatives A and B

Resource	No Action Alternative	Transformation Alternative A	Transformation Alternative B (Preferred Alternative)	Mitigation Measures
<i>Aquatic Habitats</i>	No change from existing conditions.	Alternative A could result in significant effects to aquatic and wetland habitats, including streambanks from construction, demolition, road upgrades, and range projects.	Same as Alternative A.	Same mitigation as identified for soils and water resources. Unavoidable impacts to wetlands would be compensated by purchase and use of wetlands credits.
<i>Fish, Wildlife, and other Animal Species</i>	No change from existing conditions.	These species and their associated habitat would experience significant impacts.	Same as Alternative A.	Continued adherence to Integrated Natural Resource Management Plan procedures and prescribed practices would minimize significant impacts.
<i>Special Status Species</i>	No change from existing conditions.	Federally listed species, significant impacts. Portions of the Randall Creek North relict trillium population would be removed. Fifty-four Red-cockaded Woodpecker (RCW) clusters would be taken as a result of Alternative A. Likely significant impacts to recovery goals. Gopher tortoise would be significantly affected if not mitigated.	Same as Alternative A for relict trillium population and state listed species. A total of 32 RCW clusters would be taken as a result of Alternative B to likely create significant impacts. The RCW recovery goal; however, is not anticipated to be significantly impacted.	All avoidance, compensation, and minimization identified in the Biological Assessment and subsequent Biological Opinion will be implemented to reduce effects on federally listed species. For state listed species, continued adherence to Integrated Natural Resource Management Plan procedures and prescribed practices, relocation, as well as monitoring would minimize significant impacts.

Table ES-6: Summary of Effects of the No Action Alternative and Transformation Alternatives A and B

Resource	No Action Alternative	Transformation Alternative A	Transformation Alternative B (Preferred Alternative)	Mitigation Measures
Unique Ecological Areas (UEA)	No change from existing conditions.	The Prosperity Church Oak-Hickory Forest, Piedmont Interface, and Longleaf Loamhills UEAs would be significantly impacted.	Same as Alternative A with the addition of significant impacts to the Backwaters UEA due to heavy use of the Good Hope Maneuver Area.	Mitigation to avoid and/or minimize impacts includes siting and design to avoid impacts to sensitive resources in the UEAs. Stream crossings would be limited and soil stabilization BMPs implemented along roadsides. Range facilities, targets, and berms will be configured to minimize impacts to wetlands, streambanks, and sensitive vegetation within the UEAs and where possible, incorporate additional acreage that includes appropriate habitat features into existing UEAs to offset losses caused by the proposed action alternatives. Monitoring will occur to ensure application of mitigation measures.
Cultural Resources (Section 4.13)				
Cantonment Areas and Ranges	No change from existing conditions.	Potential adverse impacts to 38 eligible and recommend eligible archaeological sites, 27 architectural resources, and 12 cemeteries.	Potential adverse impacts to 118 eligible and recommend eligible archaeological sites, 28 architectural resources, and 12 cemeteries.	Mitigation includes avoiding sites, protecting resources from potential indirect impacts, prohibiting access to sites, and excavating and/or recovering resources.

Table ES-6: Summary of Effects of the No Action Alternative and Transformation Alternatives A and B

Resource	No Action Alternative	Transformation Alternative A	Transformation Alternative B (Preferred Alternative)	Mitigation Measures
Safety (Section 4.14)				
<i>Public, Construction, Explosive, and Range Safety</i>	No change from existing conditions.	Increased safety risks introduced due to ordnance, tank, and heavy vehicle traffic use, but implementation of all existing safety programs and infrastructure upgrades would minimize vehicle and training safety hazards.	Same as Alternative A.	Fencing and better signage is being installed as part of infrastructure improvements adjacent to the small arms ranges in Oscar Complex.

TABLE OF CONTENTS

VOLUME I: FINAL EIS

EXECUTIVE SUMMARY	ES-1
ES 1 Introduction	ES-1
ES 2 Purpose and Need	ES-1
ES 3 Proposed Action	ES-2
ES 3.1 BRAC-Directed Stationing Actions	ES-2
ES 3.2 BRAC-Discretionary Stationing Actions	ES-3
ES 3.3 GDPR Transformation	ES-3
ES 3.4 AMF Transformation	ES-3
ES 3.5 Other Army Stationing	ES-4
ES 3.6 Proposed Cantonment Area Development	ES-6
ES 3.7 Proposed Range and Training Area Development	ES-6
ES 4 Alternatives	ES-6
ES 4.1 No Action Alternative	ES-7
ES 4.2 Cantonment Area Transformation Development Common to Both Alternatives A and B	ES-7
ES 4.2.1 Range Development—Transformation Alternative A.....	ES-9
ES 4.2.2 Range Development—Transformation Alternative B (Preferred Alternative).....	ES-9
ES 5 Environmental Consequences	ES-12
 1.0 PURPOSE, NEED, AND SCOPE	1-1
1.1 Introduction	1-1
1.2 Purpose and Need	1-3
1.3 Scope of Environmental Impact Statement	1-6
1.3.1 BRAC and Transformation NEPA Context	1-7
1.3.2 Scope of Environmental Analysis	1-7
1.4 Public Involvement	1-8
1.4.1 General Public Involvement Process	1-8
1.4.2 Notice of Intent	1-9
1.4.3 Scoping Process	1-9
1.4.3.1 Project Mailing List	1-9
1.4.3.2 Public Scoping Process	1-9
1.4.3.3 Scoping Summary of Issues and Concerns	1-10
1.4.4 Public Comment Process.....	1-11
1.5 Impact Analyses Performed	1-12
1.6 Framework For Transformation Activities	1-13

1.6.1 BRAC Procedural Requirements	1-14
1.6.2 Other Procedural Requirements and Consultation	1-14
1.6.3 Relevant Statutes, Executive Orders, and Permits	1-17
2.0 DESCRIPTION OF THE PROPOSED ACTION	2-1
2.1 Introduction	2-1
2.2 Proposed Action	2-1
2.2.1 BRAC-Directed Stationing Actions	2-3
2.2.2 BRAC-Discretionary Stationing Actions	2-3
2.2.3 GDPR Transformation	2-4
2.2.4 AMF Transformation	2-4
2.2.5 Other Army Stationing	2-5
2.3 Armor School and Center Mission	2-7
2.3.1 Armor School Mission	2-7
2.3.2 Armor Center Mission	2-7
2.4 Proposed Transformation Development Actions	2-7
2.4.1 Overview	2-7
2.4.2 Proposed Cantonment Area Development	2-10
2.4.3 Proposed Range and Training Area Requirements	2-10
3.0 ALTERNATIVES	3-1
3.1 Introduction	3-1
3.2 Alternatives	3-1
3.2.1 Alternatives Considered But Not Addressed in Detail	3-2
3.2.1.1 Alternative Locations	3-2
3.2.1.2 Implementation Phasing Alternative	3-3
3.2.1.3 Modifying Personnel Alternative	3-3
3.2.2 Alternatives Carried Forward for Further Analysis	3-4
3.2.2.1 Cantonment Area Transformation Development Common to Both Alternatives A and B	3-4
3.2.2.2 Transformation Alternative A	3-12
3.2.3 Transformation Alternative B (Preferred Alternative)	3-18
3.3 No Action Alternative	3-24
3.3.1 Fort Benning Baseline Mission	3-24
3.3.2 Fort Benning Baseline Training Assets	3-25
3.3.3 Fort Benning Baseline Operations	3-26

4.0	AFFECTED ENVIRONMENT AND ENVIRONMENTAL CONSEQUENCES	4-1
4.1	Introduction	4-1
4.1.1	Methodology	4-2
4.1.2	Fort Benning Ongoing Environmental Protection Process for Training Activities ..	4-4
4.1.3	Role of Integrated Training Area Management Program.....	4-5
4.2	Land Use	4-6
4.2.1	Affected Environment.....	4-7
4.2.1.1	Fort Benning Land Use	4-7
4.2.1.2	Off-Post Land Use and Management	4-17
4.2.2	Environmental Consequences	4-26
4.2.2.1	No Action Alternative	4-26
4.2.2.2	Transformation Alternative A	4-27
4.2.2.3	Transformation Alternative B (Preferred Alternative)	4-30
4.2.3	Mitigation Measures.....	4-32
4.3	Aesthetics and Visual Resources.....	4-33
4.3.1	Affected Environment.....	4-33
4.3.2	Environmental Consequences	4-38
4.3.2.1	No Action Alternative	4-39
4.3.2.2	Transformation Alternative A	4-39
4.3.2.3	Transformation Alternative B (Preferred Alternative)	4-42
4.3.3	Mitigation Measures.....	4-43
4.4	Socioeconomics.....	4-44
4.4.1	Affected Environment.....	4-44
4.4.1.1	Economic Development	4-44
4.4.1.2	Demographics.....	4-45
4.4.1.3	Housing	4-45
4.4.1.4	Quality of Life	4-46
4.4.1.5	Environmental Justice	4-49
4.4.1.6	Protection of Children	4-51
4.4.2	Environmental Consequences	4-51
4.4.2.1	No Action Alternative	4-52
4.4.2.2	Transformation Alternative A	4-52
4.4.2.3	Transformation Alternative B (Preferred Alternative)	4-57
4.4.3	Mitigation Measures.....	4-57
4.5	Transportation	4-59
4.5.1	Affected Environment.....	4-59
4.5.1.1	Description of On and Off Post Roadways	4-59
4.5.1.2	Existing Installation Transportation	4-64
4.5.1.3	Existing Public Transportation.....	4-64

4.5.1.4	Intersection Level of Service Analysis.....	4-65
4.5.1.5	Existing Traffic Conditions	4-67
4.5.2	Environmental Consequences	4-71
4.5.2.1	No Action Alternative	4-72
4.5.2.2	Transformation Alternative A.....	4-77
4.5.2.3	Transformation Alternative B (Preferred Alternative)	4-82
4.5.3	Mitigation Measures.....	4-83
4.6	Utilities.....	4-85
4.6.1	Affected Environment.....	4-85
4.6.1.1	Potable Water Supply	4-85
4.6.1.2	Wastewater System	4-85
4.6.1.3	Storm Water System.....	4-86
4.6.1.4	Energy Sources.....	4-86
4.6.1.5	Communications.....	4-87
4.6.1.6	Solid Waste	4-87
4.6.2	Environmental Consequences	4-88
4.6.2.1	No Action Alternative	4-88
4.6.2.2	Transformation Alternative A	4-88
4.6.2.3	Transformation Alternative B (Preferred Alternative)	4-92
4.6.3	Mitigation Measures.....	4-92
4.7	Noise	4-93
4.7.1	Affected Environment.....	4-96
4.7.2	Environmental Consequences	4-100
4.7.2.1	No Action Alternative	4-101
4.7.2.2	Transformation Alternative A	4-101
4.7.2.3	Transformation Alternative B (Preferred Alternative)	4-106
4.7.3	Mitigation Measures.....	4-107
4.8	Air Quality	4-108
4.8.1	Affective Environment.....	4-108
4.8.1.1	Ambient Air Quality Conditions	4-108
4.8.1.2	Installation Air Pollutant Emissions.....	4-111
4.8.2	Environmental Consequences	4-111
4.8.2.1	No Action Alternative	4-112
4.8.2.2	Transformation Alternative A	4-112
4.8.2.3	Transformation Alternative B (Preferred Alternative)	4-117
4.8.3	Mitigation Measures.....	4-118
4.9	Hazardous and Toxic Materials and Waste.....	4-119
4.9.1	Affected Environment.....	4-120
4.9.1.1	Hazardous Materials Storage, Use, and Handling.....	4-120

4.9.1.2 Toxic Substances Management	4-121
4.9.1.3 Hazardous Waste Generation and Disposal	4-123
4.9.1.4 Contaminated Sites.....	4-124
4.9.2 Environmental Consequences	4-124
4.9.2.1 No Action Alternative	4-124
4.9.2.2 Transformation Alternative A	4-124
4.9.2.3 Transformation Alternative B (Preferred Alternative)	4-128
4.9.3 Mitigation Measures.....	4-129
4.10 Water Resources.....	4-130
4.10.1 Affected Environment.....	4-130
4.10.1.1 Surface Water.....	4-130
4.10.1.2 Hydrogeology/Groundwater.....	4-141
4.10.1.3 River and Stream Floodplains	4-142
4.10.1.4 Stormwater Management	4-143
4.10.1.5 Sediment and Erosion Regulations.....	4-146
4.10.2 Environmental Consequences	4-146
4.10.2.1 No Action Alternative	4-147
4.10.2.2 Transformation Alternative A	4-147
4.10.2.3 Transformation Alternative B (Preferred Alternative)	4-157
4.10.3 Mitigation Measures.....	4-159
4.11 Geology and Soils	4-164
4.11.1 Affected Environment.....	4-164
4.11.2 Environmental Consequences	4-167
4.11.2.1 No Action Alternative	4-167
4.11.2.2 Transformation Alternative A	4-169
4.11.2.3 Transformation Alternative B (Preferred Alternative)	4-175
4.11.3 Mitigation Measures.....	4-177
4.12 Biological Resources.....	4-179
4.12.1 Affected Environment.....	4-179
4.12.1.1 Vegetation	4-179
4.12.1.2 Aquatic Habitats	4-186
4.12.1.3 Fish and Wildlife	4-190
4.12.1.4 Special-Status Species.....	4-193
4.12.1.5 Unique Ecological Areas (UEAs)	4-213
4.12.2 Environmental Consequences	4-219
4.12.2.1 No Action Alternative	4-219
4.12.2.2 Transformation Alternative A	4-219
4.12.2.3 Transformation Alternative B (Preferred Alternative)	4-236
4.12.3 Mitigation Measures.....	4-244

4.12.3.1 Transformation Alternative A	4-244
4.12.3.2 Transformation Alternative B (Preferred Alternative)	4-247
4.13 Cultural Resources	4-248
4.13.1 Affected Environments	4-249
4.13.1.1 Prehistoric and Historic Resources.....	4-249
4.13.1.2 Management	4-253
4.13.2 Environmental Consequences	4-257
4.13.2.1 No Action Alternative	4-272
4.13.2.2 Transformation Alternative A	4-272
4.13.2.3 Transformation Alternative B (Preferred Alternative)	4-274
4.13.3 Mitigation Measures.....	4-275
4.13.3.1 Transformation Alternative A	4-275
4.13.3.2 Transformation Alternative B (Preferred Alternative)	4-276
4.14 Safety	4-277
4.14.1 Affected Environment.....	4-279
4.14.2 Environmental Consequences	4-281
4.14.2.1 No Action Alternative	4-282
4.14.2.2 Transformation Alternative A	4-282
4.14.2.3 Transformation Alternative B	4-286
4.14.3 Mitigation Measures.....	4-286
4.15 Cumulative Effects	4-287
4.15.1 Region of Influence.....	4-287
4.15.2 Past and Present Actions within the ROI	4-287
4.15.3 Reasonably Foreseeable Future Actions within the ROI	4-292
4.15.4 Cumulative Effects under the No Action Alternative	4-300
4.15.5 Cumulative Effects under Alternatives A and B	4-300
4.15.5.1 Land Use	4-301
4.15.5.2 Aesthetics and Visual Resources.....	4-303
4.15.5.3 Socioeconomics.....	4-303
4.15.5.4 Transportation	4-304
4.15.5.5 Utilities	4-306
4.15.5.6 Noise.....	4-307
4.15.5.7 Air Quality.....	4-309
4.15.5.8 Hazardous Materials, Toxic Substances, and Hazardous Waste	4-311
4.15.5.9 Water Resources.....	4-311
4.15.5.10 Geology and Soils	4-312

4.15.5.11 Biological Resources	4-313
4.15.5.12 Cultural Resources	4-314
4.15.5.13 Safety.....	4-316
4.16 Irreversible or Irretrievable Commitments of Resources.....	4-317
4.16.1 Irreversible and Irretrievable Commitment of Resources	4-317
4.16.2 Unavoidable Adverse Effects.....	4-317
5.0 LIST OF PREPARERS	5-1
6.0 DISTRIBUTION LISTS.....	6-1
7.0 REFERENCES CITED	7-1
8.0 PERSONS CONSULTED	8-1
9.0 ACRONYMS AND ABBREVIATIONS	9-1

APPENDICES

A Notice of Intent.....	A-1
B Ammunition Operational Data	B-1
C Economic Impact Forecast System (EIFS).....	C-1
D Transportation Report.....	D-1
E Air Quality Approach and Calculations	E-1
F Biological Opinion	F-1
G Mitigation and Monitoring Plan	G-1
H State Historic Preservation Office and Tribal Correspondence.....	H-1
I Cultural Resources Report Summary	I-1

VOLUME II: COMMENTS AND RESPONSES

LIST OF TABLES

Table ES-1	Personnel Breakdown For Transformation Actions.....	ES-5
Table ES-2	Projected Cantonment Area Development—Transformation Alternatives A and B	ES-7
Table ES-3	Transformation Alternative A—Projected Range Development Projects	ES-9
Table ES-4	Transformation Alternative B—Projected Range Development Projects	ES-10
Table ES-5	Summary of Potential Effects by Geographic Area in Acres	ES-11
Table ES-6	Summary of Effects of the No Action Alternative and Transformation Alternative A and B	ES-13
Table 1.6-1	Other Major Environmental Statutes, Regulations, and Executive Orders Applicable to Federal Projects	1-18
Table 2.2-1	Personnel Breakdown for Transformation Actions	2-6
Table 2.4-1	Armor School Vehicle Inventory Projected at Fort Benning.....	2-11
Table 2.4-2	Projected Annual Weapon Ammunition Use for Transformation Actions.....	2-12
Table 2.4-3	Armor School Maneuver Training Requirements.....	2-14
Table 3.2-1	Alternatives Screening Criteria.....	3-2
Table 3.2-2	Projected Cantonment Area Development: Transformation Alternatives A and B	3-7
Table 3.2-3	Transformation Alternative A: Projected Range Development Projects	3-13
Table 3.2-4	Transformation Alternative B: Projected Range Development Projects	3-19
Table 3.2-5	Summary of Potential Effect by Geographic Area in Acres	3-20
Table 3.3-1	Baseline Fort Benning Workforce Levels and Student Populations.....	3-25
Table 3.3-2	Baseline Annual Weapon Use Fort Benning	3-26
Table 3.3-3	Fort Benning Vehicle Inventory	3-26
Table 3.3-4	Baseline Training Throughput at Fort Benning	3-27
Table 4.2-1	Fort Benning Training Lands.....	4-7
Table 4.2-2	Range Training Inventory and Utilization	4-10
Table 4.2-3	Baseline Community Support Facilities at Fort Benning	4-14
Table 4.2-4	Baseline Assets	4-15
Table 4.2-5	Military Housing Baseline	4-15
Table 4.2-6	Land Use Categories.....	4-16
Table 4.4-1	ROI Population Growth 1980-2005.....	4-45
Table 4.4-2	Housing Characteristics for the ROI (2000 Census).....	4-46
Table 4.4-3	Distribution of Fort Benning Housing by Type.....	4-47
Table 4.4-4	2003-2004 School Year Public Education Statistics.....	4-48
Table 4.4-5	Race, Ethnicity, and Poverty Status.....	4-50
Table 4.4-6	Alternative A EIFS Inputs and Outputs	4-54
Table 4.5-1	Description of Levels of Service.....	4-67
Table 4.5-2	Existing LOS.....	4-68
Table 4.5-3	No Action LOS	4-73
Table 4.5-4	Overall LOS Comparison	4-76

Table 4.5-5	Transformation Alternative A LOS for Fort Benning	4-78
Table 4.5-6	Overall LOS Comparison	4-82
Table 4.7-1	Common Sound Levels Measured in Decibels	4-93
Table 4.7-2	Zone and Compatibility	4-96
Table 4.7-3	Acres within Existing Noise Zones.....	4-100
Table 4.7-4	Acres within Existing and Projected Noise Zones.....	4-103
Table 4.8-1	Georgia and National Ambient Air Quality Standards	4-109
Table 4.8-2	Total Pollutant Emissions Columbus, GA-AL MSA (tons/year)	4-109
Table 4.8-3	Criteria Pollutant Construction Emissions Alternative A: Tons per Year	4-112
Table 4.8-4	Control Options for General Construction Open Sources of PM ₁₀	4-113
Table 4.8-5	Criteria Pollutant Operation Emissions Under Either Action Alternative Tons per Year	4-116
Table 4.8-6	Criteria Pollutant Construction Emissions Alternative B: Tons per Year	4-117
Table 4.9-1	Transformation Projects Potentially Generating Toxic Substances.....	4-126
Table 4.10-1	Impaired Streams at Fort Benning	4-139
Table 4.10-2	Potential Water Source Impacts (Harmony Church Cantonment Area)— Alternative A.....	4-148
Table 4.10-3	Potential Water Source Impacts (Sand Hill Cantonment Area)—Alternative A	4-149
Table 4.10-4	Potential Water Source Impacts (Main Post Cantonment Area)—Alternative A	4-150
Table 4.10-5	Potential Water Source Impacts (Kelly Hill Cantonment Area)—Alternative A	4-152
Table 4.10-6	Potential Water Source Impacts (Ranges North of U.S. Highway 27/280)— Alternative A.....	4-155
Table 4.10-7	Potential Water Source Impacts (Ranges South of U.S. Highway 27/280) Alternative A.....	4-156
Table 4.10-8	Low Water Crossings Proposed with Alternative A.....	4-157
Table 4.10-9	Potential Water Source Impacts (Good Hope Maneuver Area)—Alternative B	4-158
Table 4.10-10	Low Water Crossings Proposed with Alternative B	4-159
Table 4.11-1	Geologic Formation Descriptions.....	4-164
Table 4.11-2	Soil Series Descriptions	4-166
Table 4.11-3	Erodibility of Soils Associated with Transformation Alternative A.....	4-170
Table 4.11-4	Coverage of Soil Associations per Total Area of Alternative A Actions	4-172
Table 4.11-5	Erodibility of Soils Associated with Transformation Alternative B.....	4-175
Table 4.11-6	Coverage of Soil Associations per Total Area of Alternative B Actions	4-176
Table 4.12-1	Acreage of Upland Vegetation (Ecological Groups) at Fort Benning	4-181
Table 4.12-2	Acreage of Aquatic Habitats at Fort Benning	4-187
Table 4.12-3	Plant Species of Conservation Concern at Fort Benning.....	4-199
Table 4.12-4	Special Status Animal Species Occurring at Fort Benning.....	4-205
Table 4.12-5	Fort Benning Unique Ecological Areas Potentially Affected by Transformation	4-215
Table 4.12-6	Vegetation Impacted by Transformation Alternative A	4-220

Table 4.12-7	Yearly Acres of Upland Vegetation Affected by Transformation Alternative A	4-221
Table 4.12-8	Aquatic Habitats Potentially Impacted by Transformation Alternative A.....	4-223
Table 4.12-9	Wetlands Potentially Affected by Transformation Alternative A.....	4-223
Table 4.12-10	State-Listed Species Impacted by Transformation Alternative A	4-232
Table 4.12-11	UEAs Impacted by Transformation Alternative A	4-235
Table 4.12-12	Upland Vegetation Impacted by Transformation Alternative B	4-237
Table 4.12-13	Yearly Acres of Upland Vegetation Affected by Transformation Alternative B	4-237
Table 4.12-14	Aquatic Habitats Potentially Impacted by Transformation Alternative B	4-238
Table 4.12-15	Wetlands Potentially Affected by Transformation Alternative B.....	4-238
Table 4.12-16	State-Listed Species Impacted by Transformation Alternative B.....	4-241
Table 4.12-17	UEA Impacted by Transformation Alternative B	4-243
Table 4.13-1	Eligible and Unevaluated Archaeological Resources within the APE.....	4-258
Table 4.13-2	Eligible and Unevaluated Architectural Resources within the APE.....	4-270
Table 4.13-3	Cemeteries within the APE	4-271
Table 4.13-4	Cultural Resource Affected Under the Action Alternatives	4-273
Table 4.14-1	Baseline Annual Weapons Use Fort Benning.....	4-280
Table 4.15-1	Transformation Related Future Project List	4-295
Table 4.15-2	Trip Generation Comparison – Cumulative Versus Transformation Alternative Actions	4-305
Table 4.15-3	Traffic at Two ACPs Under the No Action Alternatives.....	4-306
Table 4.15-4	Comparison of Existing, Projected, and Cumulative LUPZs	4-307
Table 4.15-5	Comparison of Noise Sensitive Receptors Noise Contours.....	4-309
Table 4.15-6	Criteria Pollutant Construction Emissions Tons per Year	4-310
Table 4.15-7	Eligible and Unevaluated Archaeological Site Affected, Cumulative.....	4-315
Table 4.15-8	Eligible and Unevaluated Architectural Resources Affected, Cumulative	4-316
Table 4.15-9	Cemeteries Affected, Cumulative.....	4-316

LIST OF FIGURES

Figure ES-1	Overview of Fort Benning Transformation Actions.....	ES-4
Figure 1.1-1	Fort Benning Vicinity	1-2
Figure 2.2-1	Fort Benning Cantonment Areas and Training Ranges	2-2
Figure 2.2-2	Overview of Fort Benning Transforming Actions.....	2-5
Figure 2.4-1	Fort Benning Cantonment Areas	2-9
Figure 3.2-1a	Alternative A Cantonment Area Transformation Development	3-5
Figure 3.2-1b	Alternative B Cantonment Area Transformation Development	3-6
Figure 3.2-2	Transformation Alternative A North of U.S. Highway 27/280 Range Development....	3-15
Figure 3.2-3	Transformation Alternative A South of U.S. Highway 27/280 Range Development....	3-16
Figure 3.2-4	Transformation Alternative A Heavy Maneuvering Use Area	3-17
Figure 3.2-5	Transformation Alternative B North of U.S. Highway 27/280 Range Development....	3-21

Figure 3.2-6	Transformation Alternative B South of U.S. Highway 27/280 Range Development....	3-22
Figure 3.2-7	Transformation Alternative B Heavy Maneuver Use Area	3-23
Figure 4.2-1	Fort Benning Operational Land Use	4-8
Figure 4.2-2	Region of Influence for Land Use in Muskogee and Chattahoochee Counties	4-22
Figure 4.2-3	Existing Land Use Cover Data for Counties in the Vicinity of Fort Benning	4-25
Figure 4.4-1	Census Blocks in the Region of Influence	4-58
Figure 4.5-1	Fort Benning ACPs	4-61
Figure 4.5-2	Road Network and Intersections Analyzed at Fort Benning.....	4-66
Figure 4.5-3	Existing Levels of Service, Morning Peak	4-69
Figure 4.5-4	Existing Level of Service, Evening Peak.....	4-70
Figure 4.5-5	LOS Resulting From No Action Alternative: Morning Peak	4-74
Figure 4.5-6	LOS Resulting From the No Action Alternative: Evening Peak	4-75
Figure 4.5-7	LOS Resulting From the Transformation Alternative A: Morning Peak.....	4-79
Figure 4.5-8	LOS Resulting From the Transformation Alternative A: Evening Peak	4-80
Figure 4.7-1	Existing Noise Contour Levels Generated from Large Caliber Weapons	4-97
Figure 4.7-2	Existing Noise Level Contours at Lawson AAF.....	4-98
Figure 4.7-3	Common Construction Noise Levels	4-102
Figure 4.7-4	Projected Noise Contour Levels Generated from Large Caliber Weapons under Alternatives A and B.....	4-105
Figure 4.10-1	Fort Benning Watershed Management Units.....	4-132
Figure 4.10-2	Surface Waters Found at Fort Benning—Alternative A	4-137
Figure 4.10-3	Surface Waters Found at Fort Benning—Alternative B	4-138
Figure 4.11-1	Soil Associations in Relation to Transformation Actions Alternatives A and B	4-171
Figure 4.12-1	Ecological Groups – Northern Installation	4-182
Figure 4.12-2	Ecological Groups – Southern Installation	4-183
Figure 4.12-3	Known Occurrence of Federally Listed Species and Unique Ecological Areas	4-195
Figure 4.12-4	Known Occurrence of State Listed Species and Unique Ecological Areas	4-196
Figure 4.12-5	Red-cockaded Woodpecker Clusters Under Transformation Alternative A.....	4-197
Figure 4.12-6	Red-cockaded Woodpecker Clusters Under Transformation Alternative B	4-198
Figure 4.14-1	Typical SDZ.....	4-279
Figure 4.14-2	Existing SDZs	4-283
Figure 4.14-3	Proposed SDZs Under Transformation Alternatives A and B	4-285
Figure 4.15-1	Projects Considered for Cumulative Effects	4-288
Figure 4.15-2	Actions for Cumulative Impact Analysis at Fort Benning.....	4-294
Figure 4.15-3	Cumulative Noise Contour Levels Generated by Large Caliber Arms Weapons.....	4-308

1.0 PURPOSE, NEED, AND SCOPE

1.1 INTRODUCTION

The Department of Defense (DoD) is reorganizing doctrine, force structure, and Installation infrastructure, to support more effectively its mission, increase operational readiness, and facilitate new ways of doing business. A primary vehicle for this reorganization effort and the overall military transformation process is the Base Realignment and Closure (BRAC) process. On September 8, 2005, the Defense Base Closure and Realignment Commission (“BRAC Commission”) recommended a set of domestic realignment and closure actions (BRAC Commission 2005). These recommendations were approved by the President on September 15, 2005, and forwarded to Congress (DoD 2005). The Congress did not alter any of the BRAC Commission’s recommendations, and on November 9, 2005, the recommendations became law (DoD 2006). The BRAC Commission recommendations must now be implemented as provided for in the Defense Base Closure and Realignment Act of 1990, Public Law (PL) 101-510, as amended (BRAC Law).

In addition, to the BRAC Commission recommendations becoming law in October 1999, the Secretary of the Army and the Chief of Staff articulated a vision about people, readiness, and Transformation of the U.S. Army (Army) to meet the demands of the 21st century (USACE 2002a). In what is termed the Army Modular Force (AMF) initiative, the Army is transitioning from a division-centric design to a standard brigade organization. The resultant combat arms brigades will be task-organized with organic combined arms capabilities; supporting brigades will have standardized headquarters but variable subordinate units (Eastin 2006). The reshaping of the domestic military infrastructure also includes provision for the return of units currently based overseas as part of the Global Defense Posture and Realignment (GDPR) (Commission on Review 2005). Finally, discretionary stationing actions (activations, inactivations, realignments, and relocations) authorized by Army Regulation (AR) 5-10, Stationing (U.S. Army 2001), can contribute to and be interrelated with the Transformation process.

In accordance with 40 Code of Federal Regulation (CFR) Section 1502.4 of the National Environmental Policy Act (NEPA) implementing regulation, and the Army NEPA Regulation (32 CFR 651, also known as AR 200-2), the Army has determined that the BRAC, AMF, GDPR, and other stationing actions and development at Fort Benning are all Transformation activities closely related to each other and would be implemented in the same timeframe on Fort Benning. Thus, these Transformation actions have been grouped into one proposed action and the potential environmental effects of these Transformation actions are being evaluated together in this environmental impact statement (EIS).

Fort Benning consists of 181,275 acres of federally-owned land south and east of Columbus, Georgia (GA), south of Phenix City, Alabama (AL), on the banks of the Chattahoochee River (Figure 1.1-1). Virtually all of the training facilities and 93 percent of the total land area is in Georgia, within Chattahoochee and Muscogee counties. The remaining southwestern corner of the Installation,




Figure 1.1-1: Fort Benning Vicinity

approximately 12,000 acres, is located in Russell County, AL. Among DoD Installations, Fort Benning is the sixth largest in terms of land area and the third largest in terms of troop numbers. Currently, there are approximately 17,800 military personnel, 9,400 students (daily average of the number of students being trained on any one day, based on a total annual attendance), and 8,700 civilian employees stationed at Fort Benning (Fort Benning 2006a, USACE 2003a).

The largest-scale Transformation activity considered in this EIS is the BRAC action to relocate the Armor School and Center from Fort Knox to Fort Benning. Once relocated to Fort Benning, the Armor School and Center would be combined with the existing Infantry Center and School to create a Maneuver Center of Excellence for ground forces training and doctrine development. A gain of approximately 13,000 personnel at Fort Benning (57 percent of whom would be students who are temporarily assigned to Fort Benning without their family members for a relatively short-term training period) is expected with implementation of this Armor School and Center relocation. The other Transformation activities evaluated in this EIS (inclusive of other BRAC commission recommendations, GDPR, AMF, and certain other discretionary stationing actions) are smaller in scale, ranging from gains of 70 to over 670 personnel and with the Armor School and Center, represent a combined net gain of approximately 16,600 personnel (military, civilian, contractor, and student) at Fort Benning. Under these programs, which are described below, Fort Benning would receive additional troops; restructure its forces; realign existing missions in response to all of the Transformation actions; and implement new training programs. Carrying out these proposed Transformation actions would involve:

- constructing new facilities and renovating/upgrading existing facilities and infrastructure to support additional Soldiers and their family members;
- constructing and modifying ranges and training areas; and
- increasing the use of live fire training ranges and maneuver areas at Fort Benning.

1.2 PURPOSE AND NEED

The underlying purpose of the Army's proposed action is to implement Transformation actions (BRAC, GDPR, AMF, and certain other stationing actions) that are interrelated to such an extent that they are, in effect, a single course of action. The overarching need for the proposed action is to improve the ability of the nation to respond rapidly to challenges of the 21st century. The Army mission is to defend the United States and its territories, support national policies and objectives, and defeat nations responsible for aggression that endanger the peace and security of the United States. To carry out these tasks, the Army must adapt to changing world conditions and improve its capabilities to respond to a variety of circumstances across the full spectrum of military operations. The following discusses the major initiatives that contribute to the Army's need for the proposed action.

Base Realignment and Closure. The Army needs to carry out the BRAC-directed actions at Fort Benning in order to achieve the objectives for which Congress established the BRAC process. The 2005 BRAC represents the fifth round of BRAC. Unlike prior BRAC rounds, the BRAC Commission evaluated DoD's recommendations in the context of a stable or increasing force structure, an ongoing

conflict in Southwest Asia, and the projected redeployment of 70,000 service and their family members from Europe and Asia to the United States. In previous rounds of BRAC, the explicit goal was to save money and downsize the military in order to reap a “peace dividend.” While acknowledging the importance of savings as a BRAC goal in this round, the BRAC Commission went beyond a business model analysis of DoD’s recommendations and weighed the strategic environment within which recommendations would be implemented and their effect on DoD’s Transformational goals. The purpose of many 2005 BRAC recommendations was to advance the goals of Transformation, improve capabilities, and enhance military value (BRAC Commission 2005).

The *BRAC-directed actions* at Fort Benning, as defined by the BRAC Commission recommendations, are reiterated here:

- Armor School and Center: relocate from Fort Knox to Fort Benning.
- 81st Regional Readiness Command (RRC) Equipment Concentration Site (ECS): relocate to Fort Benning as part of the closure of Fort Gillem, GA.
- U.S. Army Reserve Centers (USARC): close the reserve center in Columbus, GA and relocate and consolidate those units, together with the existing units at Fort Benning, to create a new USARC at Fort Benning.
- Drill Sergeant School: relocate the existing school (with 400 students) at Fort Benning to create a single Drill Sergeant School at Fort Jackson, South Carolina (SC) (BRAC Commission 2005).

The need for the proposed *BRAC-discretionary actions* is closely related to the BRAC-directed actions. The U.S. Army Base Realignment and Closure Manual for Compliance with the National Environmental Policy Act (U.S. Army 2006b, Section 3.5.2) states that BRAC-discretionary actions, at installations receiving BRAC-directed realignments (such as Fort Benning), should be considered part of the proposed action. In this case, these discretionary actions address functions that are currently located at two Georgia installations that are directed for closure under BRAC (Fort McPherson and Fort Gillem). While not specifically directed in the BRAC recommendations, most of these functions have been relocated to join similar missions at Fort Benning or retained in Georgia to accomplish their regional missions. The following BRAC-discretionary actions would be implemented at Fort Benning:

- Criminal Investigation Command (CID) 86th Military Police (MP) Detachment from Fort McPherson and the 3rd MP Group (brigade headquarters) from Fort Gillem would be relocated due to the BRAC-directed actions at both installations and join the existing CID operational battalions at Fort Benning (personal communication, J. Brown III 2007).
- Veterinary Clinic would be relocated due to the closure of Fort McPherson’s Veterinary Clinic. In addition, Fort Benning is increasing the number of military working dog teams due to Transformation actions and the existing on-Post veterinary clinic is not large enough to support the increased number of military working dog units (personal communication, J. Brown III 2007).
- The Blood Donor Center would be relocated from Fort Knox. Currently, Fort Benning is serviced by the Blood Donor Center at Fort Gordon. With the Armor School and Center

population move to Fort Benning, the Fort Knox center loses a great number of donors and it would be more efficient and effective to have an on-site blood donor center at Fort Benning with the increased number of potential donors (personal communication, J. Brown III 2007).

- U.S. Army Audit Agency (USAAA) office auditors relocated to Fort Benning due to closure of Fort McPherson. This unit would remain a field office providing continued independent auditing services in the southeast region.

Army Modular Force (AMF). The strategic significance of land forces continues to lie in their ability to fight and win wars and provide options to shape the global environment to benefit the United States and its allies. Transformation responds to the Army's need to become more strategically responsive and dominant at every point on the spectrum of operations. In March 2002, the Army published its *Programmatic Environmental Impact Statement for Army Transformation* for its proposal to conduct a multi-year, phased, and synchronized program of Transformation. This EIS covers a series of Transformation activities affecting virtually all aspects of Army doctrine, training, leadership development, organizations, Installations, materiel, and Soldiers to occur over a 30-year time period. On April 11, 2002, the Army issued a Record of Decision (ROD) reflecting its intent to transform the Army (USACE 2002a).

The AMF initiative involves converting to a modular force to make the Operational Army more powerful, more flexible, and more rapidly deployable. That modular conversion effort is driven both by wartime necessities and the need to support the homeland. AMF is the greatest restructuring of Army forces since World War II and it affects nearly every combat and support organization in the Army's inventory. AMF is aimed at increasing the quality and the effectiveness of the Army through the creation of Brigade Combat Teams (BCTs), which are the Army's essential fighting units and standardizing Support Brigades, Theater Commands, and Headquarters that are all organized for immediate deployment and employment. The Army's three primary goals for reorganizing into a modular, brigade-based force are as follows:

- Increase the number of available brigades to meet operational commitments while maintaining combat effectiveness that is equal to or better than that of previous divisional BCTs.
- Create brigade-based combat and support formations of common organizational designs that can be easily tailored to meet the varied demands of the Geographic Combatant Commanders—reducing joint planning and execution complexities.
- Redesign organizations to perform as integral parts of the Joint Force—making them more effective across the range of military operations and enhancing their ability to contribute to joint, interagency, and multinational efforts (Army 2006a).

The Army's plan is to form a rotational pool of 70 BCTs in order to sustain global commitments, surge forces for unforeseen contingencies, and reduce stress on Soldiers and equipment. Of this rotational pool of 70 BCTs, 42 will be in the active component and 28 will be in the Army National Guard. These BCTs will be organized into one of three standard designs: Infantry, Heavy, or Stryker. More than 200 active

and reserve Support Brigades will support these BCTs to enable the BCTs to accomplish a broad range of missions and provide essential capabilities to support civil authorities in homeland defense missions, including consequence management (i.e., actions taken to counter the effects of an attack from nuclear, chemical, biological weapons of mass destruction) and disaster relief (Army 2006a). The Secretary of Defense justification for the BRAC recommendations, to relocate the Armor School and Center allows for AMF Transformation at Fort Knox (BRAC Commission 2005). At Fort Benning, these AMF initiatives, which have previously been completed, include Transformation of the 3rd Brigade 3rd Infantry Division (3 ID) Mechanized and the 36th Engineer Company's establishment of the Multi-Role Bridge Company (MRBC).

Global Defense Posture Realignment (GDPR). At the request of the Chairman of the Joint Chiefs of Staff, combatant commanders submitted a series of recommendations for overseas basing plans for their respective areas of responsibility. The recommendations were part of an interagency assessment of the DoD's long-term overseas force projection and basing needs. The assessment resulted in a series of recommendations known as the GDPR, which provides the blueprint outlining the size, character, and location of long-term overseas force presence. On the basis of the GDPR results, the Secretary of Defense announced that some forces currently based overseas will return to the United States over a period of years (Commission on Review 2005). The 2005 BRAC recommendations take into account and adopt some of the basing recommendations of the GDPR. The Secretary of Defense justification for the relocation of the Armor School and Center to Fort Benning includes freeing up the use of Fort Knox facilities, ranges, and training land for the relocation of GDPR-related units returning from overseas and the activation of units as part of the AMF initiatives at Fort Knox (BRAC Commission 2005).

Other Actions. Special Operations Command (SOCOM) would also experience changes, due to Transformation activities across the Army, and move personnel to Fort Benning in accordance to Army initiative RANGER XXI whereby each operational battalion is assigned a weapons company and a regiment (such as the existing 75th Ranger Regiment at Fort Benning) would receive a brigade support battalion (Personal communication, Jay Brown III, 2007).

1.3 SCOPE OF ENVIRONMENTAL IMPACT STATEMENT

This EIS identifies, documents, and evaluates environmental effects of Transformation activities at Fort Benning, GA in accordance with the National Environmental Policy Act (NEPA) of 1969 and implementing regulations issued by the President's Council on Environmental Quality (CEQ) (40 CFR Parts 1500-1508) and the Army (32 CFR Part 651). The purpose of the EIS is to inform decisionmakers and the public of the possible and probable environmental consequences of the proposed action and alternatives and associated mitigation. The range of actions, alternatives, and impacts considered in this EIS are intertwined with the requirements for BRAC analysis and the *Programmatic Environmental Impact Statement for Army Transformation* ROD (USACE 2002a). As further described below, the scope of this EIS includes the geographic area potentially influenced by the Transformation activities at Fort Benning as well as the area of potential environmental effect, which varies by resource.

1.3.1 BRAC and Transformation NEPA Context

BRAC Law Context. The Defense Base Closure and Realignment Act of 1990, as amended, specifies that NEPA does not apply to actions of the President, the BRAC Commission, or the DoD, except “(i) during the process of property disposal, and (ii) during the process of relocating functions from a military Installation being closed or realigned to another military Installation after the receiving Installation has been selected but before the functions are relocated” (BRAC Law, as amended). The law further specifies that in applying the provisions of NEPA to the process, the Secretary of Defense and the secretaries of the military departments concerned do not have to consider “(i) the need for closing or realigning the military Installation which has been recommended for closure or realignment by the Commission, (ii) the need for transferring functions to any military Installation which has been selected as the receiving Installation, or (iii) military Installations alternative to those recommended or selected” (Sec. 2905(c)(2)(B)).

Accordingly, this EIS does not address the need for realigning Fort Knox by relocating the Armor School and Center to Fort Benning; the closure of Fort Gillem or Fort McPherson; the closure of Army Reserve Center in Columbus, GA and consolidation with Army Reserve units currently at Fort Benning; or the realignment of the Drill Sergeant School to Fort Jackson. As appropriate, separate NEPA documents are being prepared for the redevelopment and/or realignment of these Installations. Additionally, this EIS does not consider the need for transferring the BRAC-directed functions to alternative military Installations.

Transformation NEPA Context. As mentioned above, BRAC-discretionary actions at installations receiving BRAC-directed realignments (such as Fort Benning), are considered as part of the proposed action (U.S. Army 2006b). For the GDPR and AMF actions, the ROD resulting from the *Programmatic Environmental Impact Statement for Army Transformation* calls for site-specific NEPA analyses (such as this EIS) prior to implementing overseas and AMF modular force relocation actions (USACE 2002a). Other Army actions are being covered as part of this Transformation action because of the relocations due to BRAC actions at other installations across the Army and their interrelatedness with existing Fort Benning missions. Accordingly, this EIS is addressing the potential environmental impacts of implementing all of these interrelated Transformation actions at Fort Benning.

1.3.2 Scope of Environmental Analysis

The Army’s NEPA Regulation calls for the environmental analysis to be proportionate to the nature and scope of the action, the complexity and level of anticipated effects on important resources, and the capacity of Army decisions to influence those effects in a productive, meaningful way from the standpoint of environmental quality. The environmental analysis for this EIS is necessarily broad, commensurate with the planning horizon and diverse array of actions associated with Transformation at Fort Benning. The actual process of change at Fort Benning will begin following a decision on this EIS (a ROD is scheduled to be signed and made public by the Fall of 2007; necessary consultations and permits will also need to be in place) and will be marked by a period of a high volume of construction and long-term changes in the operational and training environment at the Installation. Specific activities and related timeframes and locations for each of the projects have been identified to the fullest extent possible for

those occurring through 2013; however, while projects and locations have been identified for those occurring after 2011, the timing, scope, and location may change due to Congressional funding or other considerations. To evaluate conservatively the environmental impacts of all these actions, the analysis approach taken here is conducted at the scale appropriate for addressing potential environmental impacts, such as those that may impact threatened and endangered species habitat and the watershed. This approach will also assist in consultations with participating regulatory agencies such as the U.S. Fish and Wildlife Service (USFWS) and GEPA.

For this Transformation proposal some project footprints and/or year of construction start may be modified through the consultation and design process. Should this occur, follow-on NEPA evaluations will be made by the Army to determine the level of NEPA analysis required for such changes. The associated agency consultation, coordination, and permitting/plan development and submittals will also take place if the changes warrant such actions. CEQ regulations address “tiering” for subsequent narrower analyses that will rely on and incorporate the information as provided in this EIS. Tiered analysis, if necessary, will focus on specific project details and more narrow and specific environmental issues.

An interdisciplinary team of environmental scientists, biologists, planners, economists, engineers, archaeologists, historians, attorneys, and military technicians has analyzed the proposed action and alternatives in light of existing conditions and has identified relevant beneficial and adverse effects and proposed mitigation. The proposed action is described in Section 2.0, and alternatives, including the no action alternative, are described in Section 3.0. A general description of baseline operational conditions is also provided in Section 3.0 since the no action alternative is evaluated as the continuation of the missions at Fort Benning as they were being performed in November 2005. Section 4.0, Affected Environment and Environmental Consequences, presents the potential environmental and socioeconomic effects of the proposed action and alternatives as compared to the baseline condition of specific environmental resources. Section 4.0 also addresses the potential for cumulative effects, and mitigation measures where appropriate.

Environmental resources addressed in this EIS are land use, aesthetics and visual resources, noise, socioeconomics, transportation, utilities, hazardous and toxic substances and waste, air quality, water resources, geology and soils, biological and cultural resources, and safety.

1.4 PUBLIC INVOLVEMENT

1.4.1 General Public Involvement Process

The Army invites public participation in the NEPA process. Consideration of the views and information of all interested persons promotes open communication and enables better decision making. All agencies, organizations, and members of the public having a potential interest in the proposed action, including minority, low-income, and/or disadvantaged groups, are urged to participate in the decision making process. The term “public” is used within the Notice of Intent (NOI) to describe individuals who reside in communities near the project proposal area or who might be interested or affected by the proposed

action; “stakeholders” include federally-recognized Indian Tribes associated with the Fort Benning area (Tribes); federal, state, and local governmental agencies with regulatory authority over Fort Benning (e.g., USFWS and GEPA); special interest groups with a charter involving environmental or military matters; and any other person that may have a particular interest in Fort Benning.

Public participation opportunities with respect to this EIS and decision making on the proposed action are guided by Army NEPA regulation, which requires the preparation and implementation of a Public Involvement Plan (PIP) to guide the public and stakeholder involvement process throughout the EIS process. The PIP is available upon request in hard copy from Mr. John Brent, Fort Benning Directorate of Public Works, Environmental Management Division, Bldg #6 (Meloy Hall), Room 310, Fort Benning, GA 31905, or by visiting the website at http://www.hqda.army.mil/acsim/brac/nepa_eis_docs.htm.

1.4.2 Notice of Intent

The Army published a Notice of Intent (NOI) announcing the development of eight EISs for realignment actions resulting from the 2005 BRAC Commission’s Recommendations in the *Federal Register* on November 23, 2005 (Volume 70, Number 225, Pages 70793-70795). Appendix A provides a copy of the NOI.

1.4.3 Scoping Process

1.4.3.1 Project Mailing List

A mailing list has been developed for this project. It includes federal and state agencies, elected officials, American Indian representatives, interest groups, libraries, and media points of contact. The list was continually updated throughout the NEPA process.

1.4.3.2 Public Scoping Process

Scoping is an early and open process for (1) actively bringing the public into the decision-making process, (2) determining the scope of issues to be addressed, and (3) identifying the major issues related to a proposed action (40 CFR 1501.7). CEQ and Army NEPA regulations require a scoping process in the development of an EIS. The scoping period began on May 16, 2006 with the announcement of the scoping meeting and comment period in the local Columbus newspapers, starting with *Ledger-Enquirer* on May 16. The scoping meeting was held on May 23, 2006 at Founders Hall, Columbus State University in Columbus, GA. Forty-three people attended. In addition to the general public, the Mayor of Columbus; a member of the Muscogee County School Board; representatives from federal, state, and local agencies; and a reporter from the *Ledger-Enquirer* were in attendance. The public was informed that comments would be accepted throughout the NEPA process, but encouraged to submit scoping comments no later than June 14, 2006.

1.4.3.3 Scoping Summary of Issues and Concerns

In total, 10 written comments, 5 oral comments, and 1 petition signed by 63 individuals were received during the official scoping period. The following summarizes the comments/issues raised to the Army representatives. in these comments and/or during the scoping meeting.

- Concerns for impacts in the Chattsworth Road area expressed by citizens living in this area regarding quality of life and property values; noise, health (lead from ammunition and smoke generation from pyrotechnics), and safety impacts that may occur from range operations; and dust generation from military traffic on adjacent Installation roads.
- A comment suggested examining the impacts on habitat, green space, water quality, and air quality not only from the physical impacts of new infrastructure but also from the “ripple effect” through population, development, and traffic off Post.
- A suggestion to convert Lindsay Creek from a concrete culvert to a more naturalized park-like setting.
- A perceived need for another Fort Benning commissary on the main Post or an extension to the one at the mall.
- A request from the Alabama Historical Commission for additional information in order to complete the review of the project.
- A suggestion that the Army have a better Army Compatible Use Buffer (ACUB) program for Fort Benning.
- An issue to evaluate potential noise due to increases in helicopter traffic.
- A concern about the potential for noise from the Installation that could affect classroom instruction.
- A citizen who owns land adjacent to Fort Benning has a wetland area that the citizen would like the Army to consider as a potential bank through which to mitigate wetland impacts.

These issues and concerns are addressed in Section 2.0 (Proposed Action) where the Army’s proposal for any new access points and gates is presented. Sections 4.1 (Land Use), 4.2 (Aesthetics), and 4.4 (Socioeconomics) evaluate quality of life, property values, and natural settings; Sections 4.7 (Noise), 4.8 (Air Quality), 4.10 (Water Resources), and 4.14 (Safety) present analysis of construction/demolition activities as well as range operational impacts such as ordnance safety zones and unexploded ordnance (UXO) on the human and natural environment. Section 4.13 (Cultural Resources) addresses potential impacts to archaeological and historic resources and consultation with the GA and AL State Historic Preservation Offices (SHPOs) as well as with American Indian Tribal representatives during the NEPA process. Section 4.16 (Mitigation Summary) addresses mitigation measures that would be undertaken to minimize impacts to the environment.

In addition to the concerns highlighted above, the following suggestions were offered for evaluation in the EIS, followed by an explanation of the approach that the Army is taking in this EIS (in italicized text):

- A new access road into the northern ranges; for instance, from 10th Division Road instead of Chattsworth Road was suggested. *From the beginning, the Army has never intended to use Chattsworth Road as an access to the new ranges, thus the reason for proposed new roads and existing road upgrades within the Installation to be detailed in Section 2.1.*
- Another suggestion was to locate the small arms ranges farther away from the Installation northwestern boundaries or move to them to another location within the Installation. *Every endeavor was taken to maximize the distance between the ranges, the Installation boundary, and adjacent communities. Fencing near the Installation boundary is planned for the Oscar Range areas. When siting the proposed ranges, many criteria were applied: 1) safety constraints such as surface danger zones prescribed by weapons footprints; 2) environmental constraints such as noise, wetlands, threatened and endangered species and associated habitat, slope and aspect of topography, and archaeological and historic resources; 3) accessibility; 4) line of sight; and 5) construction costs. These criteria were applied when evaluating proposed new range locations.*
- Another suggestion was to construct a public access road off of Lynch Road. *At this time, the Army has no plan to construct a public access point to the northern range via a new road outside the Installation, but would upgrade and/or expand the existing road network within the Post boundaries for internal traffic.*
- There was an additional suggestion to mitigate and minimize impacts through investment, partnership, and collaboration with local landowners and the greater community. *The Army has been working closely with the community throughout the BRAC process to ensure the quality of life is not endangered, but is enhanced by these Transformation activities. Fort Benning has also been engaged in the ACUB program that supports the Army's responsibility as a federal agency to protect endangered species habitat. By working in partnership with conservation organizations, ACUBs coordinate habitat conservation planning at the ecosystem level to ensure that greater benefits are realized towards species and habitat recovery.*

1.4.4. Public Comment Process

The Army prepared the draft EIS and the U.S. Environmental Protection Agency (USEPA) published a Notice of Availability (NOA) for the draft EIS in the *Federal Register* on April 20, 2007. Official notification of the public comment period began with this NOA. The 45-day comment period provided an opportunity for early and meaningful public and agency participation on the EIS prior to a decision being made by the responsible Army official. On April 20th, the NOA was announced in three local newspapers *Columbus Ledger Enquirer*, *Tri-County News*, and the *Bayonet*. Advertisements ran three times in each of the three newspapers prior to the May 10 meeting. The information contained in the advertisements included the date, time, and location of the meeting; the meeting format; repositories where the draft EIS could be reviewed; website where the document could be reviewed electronically; duration of comment period; and contact information.

Public Meeting and Comments

The meeting was set up in an open house format with informative posters and fact sheets. Fort Benning and Fort Knox personnel “manned” the displays and other Army staff were available to answer any questions the public might have on the analysis presented in the draft EIS. A total of 53 individuals attended the meeting. Out of this total, three individuals submitted written comments by using the provided comment sheets and seven provided oral comments to the court reporter. During the 45-day comment period, four additional members of the public and three agencies provided their comments on the draft EIS. Volume III of the EIS provides a copy of these comments.

In accordance with NEPA and CEQ regulations, the Army made reasonable accommodation for public review of the draft EIS. The draft EIS (in either hard-copy or compact disc format) was sent to over 200 members of the general public; elected officials; federal, state, and local officials; and American Indian Tribal representatives. The draft EIS was sent to six local libraries as well as the Fort Benning public library, it was available through the internet, and the public could receive a copy by contacting the Fort Benning representative noted on the advertisements.

Comments received ranged from thanking the Army for providing all the information found in the draft EIS to specific criticisms of and questions about particular analyses in the draft EIS. Some of the comments covered topics beyond the scope of the EIS; for instance purchasing land for the Army compatible use program. Some comments addressed more substantive, relevant issues including data used in support of the socioeconomic analyses and placement of ranges. Each comment was reviewed and considered. Volume III provides copies of all comments, with the relevant issues marked with brackets, and followed by responses to these bracketed comments.

Volumes I and II of this final EIS remain substantially the same as the draft EIS; however, in accordance with 40 CFR 1503.4, some analytical supplements, improvements, or modifications and factual corrections have been made to Volumes I and II in response to comments on the draft EIS.

1.5 Impact Analyses Performed

For this Transformation EIS, the analysis of potential impacts is focused on the cantonment and training areas. The four cantonment areas (Main Post, Kelley Hill, Sand Hill, and Harmony Church) are located in the western portion of the Installation east of the Chattahoochee River (GA/AL state boundary) and south and east of Columbus, GA. Cantonment areas, a term used for administrative and residential areas of Army installations, are where living and working populations are concentrated and buildings and infrastructure are developed to support those populations. Other areas of the Installation may contain some buildings, structures, and infrastructure, but primarily serve various maneuver and range training purposes (including safety buffers). The maneuver, training, and range areas are generalized as north and south, with U.S. Highway 27/280 and Georgia State Route 1/520 (hereafter, referred to as U.S. Highway 27/280) bisecting the Installation northwest to southeast (see Figure 1-1), acting as the dividing line between these areas. Section 2.0 provides further definition of these geographic areas.

1.6 Framework for Transformation Activities

Army and CEQ NEPA regulations define the steps and milestones in the environmental impact analysis process. The major milestones include:

1. *Announce that an EIS will be prepared.* For this EIS, a Notice of Intent was published November 23, 2005 in the *Federal Register*.
2. *Conduct Scoping.* This is the first major step in identifying the relevant issues to be analyzed in depth and eliminate the issues that are not relevant. Within this process we are very active in soliciting comments from the public, local governments, federal and state agencies, American Indian Tribes, and environmental groups to ensure their concerns and issues about the proposed Transformation action are included in the analyses. For this EIS, the Army held a scoping meeting in May 23, 2006 in Columbus, GA. In addition, over 200 notices were sent to the public, elected officials, federal, state, and local regulatory agencies announcing the proposed Transformation action and the scoping meeting date, time, and location.
3. *Prepare a draft EIS.* The first comprehensive document for public and agency review is the draft EIS. This document examined the environmental impacts of the Transformation action that were determined to be relevant from our scoping initiatives, and analyzed all reasonable alternatives, and a no action alternative. This draft EIS was distributed to agencies, the public who have requested copies, and numerous repositories, as well as posted on a public website, to ensure the widest dissemination possible. The NOA of this document was filed with the USEPA and announced in the *Federal Register* on April 20, 2007; advertisements were placed in local newspapers on the same day. This initiated the 45-day public comment period which ended on June 4, 2007.
4. *Have a public comment period.* Our goal during this process was to ensure we receive any oral and written comments about the analysis presented in the draft EIS. We accomplished this through receipt of comments through the mail as well as at the public meeting. This meeting provided an open forum for discussion of the Transformation action and its alternatives and provided a direct feedback mechanism for the public and agencies to orally address or submit written comments directly to the Army. We provided a written response to all substantive comments we received during the public comment period as well as the issues presented at the public meeting. These issues are considered in the preparation of this final EIS. All of the comments were documented in this phase of the NEPA process and are disclosed to the decisionmaker as part of the final EIS, Volume III.
5. *Prepare a final EIS.* Following the draft EIS public comment period, a final EIS is prepared. This document is a revision of the draft EIS, includes consideration of all relevant public and agency comments and the Army's responses, and provides the decisionmaker a comprehensive review of all the alternatives, their environmental impacts, and mitigation measures to minimize these impacts.

6. *Issue a Record of Decision (ROD).* The final step in the NEPA process is the ROD. It identifies which alternative has been selected by the decisionmaker and what mitigation measures will be carried out by the Army to reduce impacts to the environment.

For the EIS, the Army has invited cooperating agency status; however, no agencies requested such designation.

1.6.1 BRAC Procedural Requirements

As noted in Section 1.3.1, the Defense Base Closure and Realignment Act of 1990 specifically addresses the applicability of NEPA to BRAC-directed actions, the Congressional waiver of the procedural elements of NEPA to the actions of DoD and the BRAC Commission in recommending bases for closure and realignment, and to the actions of the President in approving or disapproving the BRAC Commission's recommendations. The BRAC Commission procedures for identifying affected Installations and bases are specified by this law and include the DoD Force Structure Plan, selection criteria (published in the *Federal Register* for public comment) (Volume 70, Number 225, Pages 70793-70795), DoD recommendations, review and recommendations by the BRAC Commission, and review by the President.

Additionally, the Defense Base Closure and Realignment Act of 1990 requires that all BRAC-directed closures and realignments must be initiated within 2 years of the date on which the President transmits the BRAC commission's report to Congress (Sec. 2904 (a)(3) PL 101-510, as amended). All such closures and realignments must be completed within 6 years of that same date (Sec. 2904(a)(4), PL 101-510, as amended). President Bush approved the recommendations and forwarded the report to Congress on September 15, 2005. Therefore, the BRAC actions at Fort Benning must be initiated no later than September 15, 2007 and completed no later than September 15, 2011.

1.6.2 Other Procedural Requirements and Consultation

In accordance with Section 7(a)(2) of the Endangered Species Act, the Army must consult with the Secretary of the Interior to ensure that implementation of the proposed action is not likely to jeopardize the continued existence of any federally threatened or endangered species or result in the destruction or adverse modification of any habitat determined to be critical to threatened or endangered species. Formal consultations are required prior to federal agencies authorizing, funding, or implementing proposed actions that may adversely affect a threatened or endangered species or its critical habitat. Fort Benning does not support any designated critical habitat so that will not be discussed further in this EIS. Preparation of a biological assessment (BA) (evaluating the potential impact to federally threatened or endangered species) is required before initiation of formal consultation. Formal consultation involves up to a 90-day consultation period, and an additional 45-day period for the USFWS to prepare a biological opinion (BO) (135 days total). A BO is a written statement from the USFWS regarding its opinion of the biological assessment and a summary of the information on which the BO is based, detailing how the agency action affects the species. The BO provides measures that the USFWS deem should be

implemented in conjunction with a proposed action to avoid or minimize impacts. The USFWS also provides nonbinding conservation recommendations as part of the BO.

Section 106 of the National Historic Preservation Act (NHPA) requires all federal agencies to take into account the effects of their actions on properties listed or eligible for inclusion on the National Register of Historic Places. The Advisory Council on Historic Preservation (ACHP) is also provided an opportunity to comment on those actions and their potential effects. The proposed action is subject to Section 106 review. In accordance with the ACHP's implementing regulation (36 CFR Part 800), the Army is required to consult with the GA and AL State Historic Preservation Officers (SHPO), concerned federally recognized Indian Tribes, and others, about the proposed action and its potential effects on eligible properties. For the Transformation actions addressed in this EIS, the Army is using its Army Alternate Procedures (as allowed under 36 CFR 800.14) for compliance with Section 106 of the NHPA, as detailed in Fort Benning's Historic Property Component Plan. Alternate procedures include among other actions, timely consultation with Stakeholders via NEPA documentation and processes should adverse effects to historic properties be expected, but only yearly summaries of actions, should actions with no adverse effect be contemplated as determined by Fort Benning. Only those historic properties determined eligible for, or already on, the National Register of Historic Places (NRHP) are managed with preference for avoidance of impacts as the best management practice. Evaluations of historic properties to determine eligibility for their inclusion on the NRHP will be completed prior to any proposed disturbance by Army Transformation activities. The Army is seeking input and concurrence from GA SHPO and Tribes via the NEPA process and this EIS.

The 1972 amendments to the Federal Water Pollution Control Act (FWPCA), also referred to as the Clean Water Act or (CWA) prohibit the discharge of any pollutant to waters of the United States from a point source unless the discharge is authorized by a National Pollutant Discharge Elimination System (NPDES) permit. Efforts to improve water quality under the NPDES program have focused traditionally on reducing pollutants in discharges from industrial and municipal wastewater treatment plants. Prior to 1990, efforts to address storm water discharges under the NPDES program have generally been limited to a few industrial categories with storm water effluent limitations.

Phase I of the USEPA's storm water program was promulgated in 1990 under the CWA. Phase I relies on NPDES permit coverage to address storm water runoff from: (1) "medium" and "large" municipal separate storm sewer systems (MS4s) generally serving populations of 100,000 or greater, (2) construction activity disturbing 5 acres of land or greater, and (3) eleven categories of industrial activity. Georgia has been delegated the NPDES program and is therefore responsible for implementation of a program to control storm water discharges. GA Environmental Protection Division (GEPD) has issued NPDES MS4 permits for the Phase I large and medium municipal areas and a general permit for the ten categories of industrial activity. A general permit for construction activity disturbing 5 acres of land or greater was issued on June 12, 2000 with an effective date of August 1, 2000.

On December 8, 1999 USEPA published the Storm Water Phase II Final Rule, which expanded the Phase I program by requiring additional operators of small MS4s and operators of small construction sites (1 to

5 acres) to be covered by NPDES permits and to implement programs and practices to control polluted storm water runoff. In conjunction with the federal regulations, the GEPD amended the Georgia Rules and Regulations for Water Quality Control (Rules) in April 2001 to incorporate all Phase II regulations.

GEPD has issued three NPDES general permits that authorize the discharge of storm water from three distinct types of construction activity. These permits became effective in August of 2003, and regulate all construction activity disturbing 1 or more acres. The first permit regulates stand-alone construction activity (GAR100001); the second regulates infrastructure (i.e., linear) construction sites (GAR100002); the third regulates common development construction (GAR100003). Each permit contains significant common language and requirements as well as individual differences specific to each type of activity.

The permits were issued pursuant to the authority contained in O.C.G.A. §§ 12-5- 27 and 12-5-30. As required, the permits incorporated the applicable provisions of O.C.G.A. §§ 12-7-6. The permits include the requirement that regulated activities perform turbidity sampling on all receiving water(s), or all storm water outfalls, or a combination of receiving water(s) and outfall(s). The numbers applicable to the alternative outfall monitoring were established as estimated surrogates for the otherwise applicable in-stream turbidity levels using factors applicable on average basis statewide.

The permits define construction activities as those disturbing a land area of 1 acre or greater, or tracts of less than 1 acre that are part of a larger overall development with a combined disturbance of 1 acre or greater (i.e., common plan of development or sale). GEPD can require an applicant to submit an NPDES permit application for an individual NPDES permit upon written notification to the applicant. In addition to storm water discharges, the proposed general NPDES permits authorize certain non-storm water discharges such as fire fighting water and uncontaminated groundwater. The proposed general permits are valid for a term of 5 years.

The major provisions of the proposed permits include a notification of the facility/site's intent to comply with the permit by submitting a NPDES NOI, an Erosion, Sedimentation and Pollution Control Plan (ESPCP), and implementation of this Plan. Coverage under the permits is achieved by submitting a NOI to GEPD by the permittee(s). A permittee structure for common developments remains similar to the previous permit. A primary permittee is the facility/site owner or operator. A secondary permittee is a home builder, a utility contractor, or similar entity conducting land disturbance activities within a common development. Both stand-alone and infrastructure construction activities have primary permittees only. NOIs are required to be submitted to GEPD by all permittees at least 14 days prior to the commencement of the construction activity, with certain exceptions specified in the permits. The NOI includes basic information about the facility/site including the specific waters of Georgia where the discharges will occur, except in the case of Blanket NOIs for utility companies and utility contractors that are secondary permittees. Specific forms are available from GEPD and must be used for the NOI. Coverage by the general NPDES permit is provided without acknowledgment from GEPD. When final stabilization of the facility/site is achieved, the permittee must notify GEPD they are terminating coverage under the general NPDES permit by submitting a Notice of Termination (NOT).

The ESPCP details those best management practices to be used at the facility/site to control erosion, sedimentation and other pollutants. The primary permittee is responsible for developing and implementing the ESPCP for the entire infrastructure, stand-alone or common development construction site. The plan must be prepared, on the behalf of the primary permittee, by an individual licensed by the State of Georgia in the field of engineering, architecture, landscape architecture, forestry, geology or land surveying; or by a person that is a Certified Professional in Erosion and Sediment Control (CPESC) with a current certification by the International Erosion Control Association.

The plan is also required to establish procedures to collect and analyze samples from the receiving stream(s) or the storm water outfall(s) based on the methodologies set forth in the proposed permits. Permittees are required to perform sampling of turbidity levels as a means of determining whether an additional violation of the permit terms and conditions has occurred in the event best management practices (BMPs) were not properly designed, installed, or maintained. Sampling shall be performed during qualifying rain events following distinct points in the construction process as outlined in the permits.

Permittees must maintain records of their activities relative to compliance with the terms and conditions of the proposed general NPDES permits. These records include copies of the NOI, plan, site inspections, sampling results and NOT. For new facilities/sites disturbing more than 50 acres, the Plan must be submitted to GEPD with the NPDES NOI. For new facilities/sites disturbing between one and 50 acres and where there is no local issuing authority pursuant to the Georgia Erosion and Sedimentation Act, the plan must be submitted to GEPD with the NPDES NOI.

No federal agencies or other entities are acting as cooperating agencies on this EIS; and, therefore no procedural requirements for cooperating agencies apply.

In addition to the completed and signed ROD on this EIS, the BO must be issued and other permits for specific projects, such as those for the protection of wetlands, water quality, air quality, etc., must be in place prior to breaking ground on any of those projects addressed as part of the Transformation action.

1.6.3 Relevant Statutes, Executive Orders, and Permits

In accordance with CEQ NEPA regulations (40 CFR 1502.25), the Army has prepared this EIS concurrently with and integrated with environmental impact analyses and related surveys and studies required by the Fish and Wildlife Coordination Act (16 U.S. Code [USC] 661 *et seq.*), the National Historic Preservation Act of 1966 (16 USC 470 *et seq.*), the Endangered Species Act of 1973 (ESA, 16 USC 1531 *et seq.*), and other environmental review laws (and their implementing regulations), and Executive Orders (EOs) outlined by environmental resource in Table 1.6-1.

**Table 1.6-1: Other Major Environmental Statutes, Regulations,
and Executive Orders Applicable to Federal Projects**

Environmental Resources	Statute, Regulation, or Executive Order
Air Quality	Clean Air Act (CAA) of 1970 (PL 95-95), as amended in 1977 and 1990 (PL 91-604); U.S. Environmental Protection Agency (USEPA), Subchapter C-Air Programs (40 CFR 52-99); 40 CFR Part 63 Subpart P, National Emissions Standards for Hazardous Air Pollutants (NESHAP); Georgia Rules for Air Quality Control (Chapter 391-3-1).
Noise	Noise Control Act of 1972 (PL 92-574) and Amendments of 1978 (PL 95-609); USEPA, Subchapter G-Noise Abatement Programs (40 CFR 201-211).
Geology and Soils	National Pollutant Elimination Discharge System (NPDES) Construction Activity General Permit (40 CFR 122-124); Georgia Erosion and Sediment Control Act of 1975.
Water Resources	Federal Water Pollution Control Act (FWPCA) of 1972 (PL 92-500) and Amendments; Clean Water Act (CWA) of 1977 (PL 95-217); National Pollutant Discharge Elimination System (NPDES) Construction Activity General Permit (40 CFR 122-124), NPDES Industrial Permit and NPDES Municipal Separate Storm Sewer System (MS4) Permit; CWA 40 CFR 112 Spill Prevention Control and Countermeasure (SPCC); USEPA, Subchapter D-Water Programs (40 CFR 100-145); Water Quality Act of 1987 (PL 100-4); USEPA, Subchapter N-Effluent Guidelines and Standards (40 CFR 401-471); Safe Drinking Water Act (SDWA) of 1972 (PL 95-923) and Amendments of 1986 (PL 99-339); USEPA, National Drinking Water Regulations and Underground Injection Control Program (40 CFR 141-149).
Biological Resources	Migratory Bird Treaty Act of 1918; Fish and Wildlife Coordination Act of 1958 (PL 85-654); Sikes Act of 1960 (PL 86-97) and Amendments of 1986 (PL 99-561) and 1997 (PL 105-85 Title XXIX); Endangered Species Act of 1973 (PL 93-205) and Amendments of 1988 (PL 100-478); Fish and Wildlife Conservation Act of 1980 (PL 96-366); Lacey Act Amendments of 1981 (PL 97-79); Responsibilities of Federal Agencies to Protect Migratory Birds (EO 13186).
Wetlands and Floodplains	Section 401 and 404 of the Federal Water Pollution Control Act of 1972 (PL 92-500); USEPA, Subchapter D-Water Programs 40 CFR 100-149 (105 ref); Floodplain Management-1977 (EO 11988); Protection of Wetlands-1977 (EO 11990); Emergency Wetlands Resources Act of 1986 (PL 99-645); North American Wetlands Conservation Act of 1989 (PL 101-233).
Cultural Resources	NHPA (16 USC 470 <i>et seq.</i>) (PL 89-865) and Amendments of 1980 (PL 96-515) and 1992 (PL 102-575); Protection and Enhancement of the Cultural Environment-1971 (EO 11593); Indian Sacred Sites-1966 (EO 13007); American Indian Religious Freedom Act (AIRFA) of 1978 (PL 94-341); Antiquities Act of 1906; Archaeological Resources Protection Act (ARPA) of 1979 (PL 96-95); Native American Graves Protection and Repatriation Act (NAGPRA) of 1990 (PL 101-601); Protection of Historic Properties (36 CFR 800) – Fort Benning has a Historic Properties Component of the Integrated Cultural Resource Management Plan (ICRMP) in lieu of these regulations for Section 106 compliance of the NHPA (Fort Benning 2004a).
Hazardous and Toxic Substances and Waste	Resource Conservation and Recovery Act (RCRA) of 1976 (PL 94-5800), as Amended by PL 100-582; USEPA, subchapter I-Solid Wastes (40 CFR 240-280); Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) of 1980 (42 USC 9601) (PL 96-510); Toxic Substances Control Act (TSCA) (PL 94-496); USEPA, Subchapter R-Toxic Substances Control Act (40 CFR 702-799); Federal Insecticide, Fungicide, and Rodenticide Control Act (40 CFR 162-180); Emergency Planning and Community Right-to-Know Act (40 CFR 300-399); Federal Compliance with Pollution Control Standards-1978 (EO 12088), Superfund Implementation (EO 12580); Greening the Government Through Waste Prevention, Recycling, and Federal Acquisition (EO 13101), Greening the Government Through Efficient Energy Management (EO 13123), Greening the Government Through Leadership in Environmental Management (EO 13148); Georgia Hazardous Waste Management Act.
Socioeconomics	Federal Action to Address Environmental Justice in Minority Populations and Low-Income Populations (EO 12898); Protection of Children from Environmental Health Risks and Safety Risks (EO 13045).

2.0 DESCRIPTION OF THE PROPOSED ACTION

2.1 INTRODUCTION

This section describes the Army's proposed action for carrying out the BRAC-directed actions of relocating the Armor School and Center to Fort Benning; relocating the 81st RRC ECS to Fort Benning as part of the closure of Fort Gillem, GA; closing the USARC in Columbus, GA and consolidating it with other Fort Benning Army Reserve units at a new USARC at Fort Benning; and relocating the existing Drill Sergeant School from Fort Benning to Fort Jackson, SC (BRAC Commission 2005). In addition to these BRAC-directed actions, the Army is undertaking further, interrelated Transformation activities associated with GDPR, the AMF initiative, and other stationing actions associated with AR 5-10.

2.2 PROPOSED ACTION

Under the proposed action, the Army would provide the facilities, infrastructure, and equipment needed to support the Transformation activities at Fort Benning first identified in Section 1.0: 1) BRAC, 2) GDPR (overseas re-stationing), 3) AMF, and 4) other related stationing activities. The construction activities associated with the proposed action would occur within the bounds of Fort Benning. The proposed construction of administrative, supply/storage, maintenance, barracks, commercial services, community facilities, medical and dental, and recreation facilities is focused on the cantonment areas. A combination of redevelopment (e.g., renovation), development, and expansion would occur at the four cantonment areas: Main Post, Kelley Hill, Sand Hill, and Harmony Church (Figure 2.2-1). Training assets, in the form of ranges and maneuver areas, are found throughout the Installation. The proposed improvements/upgrades to existing ranges and maneuver areas and proposed new ranges were sited to align with these existing assets.

The following describes the missions being relocated, activated, and inactivated under the proposed action; the personnel, force structure, or mission changes associated with these Transformation efforts; the construction activities supporting these mission changes and relocations; operation and maintenance of all types of facilities; as well as the associated equipment use and operational needs. Personnel gains/losses are as reported in the most recent G-3 Force File, Army Stationing and Installation Plan (ASIP), and Pending Unit Action List (PUAL) as of July 2006.




Figure 2.2-1: Fort Benning Cantonment Areas and Training Ranges

2.2.1 BRAC-Directed Stationing Actions

The BRAC Commission recommended the following actions at Fort Benning:

1. Relocating the Armor School and Center from Fort Knox to Fort Benning. The U.S. Army Armor School (USAARMS) trains armor and cavalry Soldiers, noncommissioned officers, and officers to fight in full spectrum operations to meet the requirements of the Army in the contemporary operational environment. The USAARMS serves as the trainer of the current mounted force and develops the tools for the future mounted force. The School also trains Marines as M1A1 (Abrams) tank crewmen and tank mechanics; this training includes basic and advanced instruction for commissioned and noncommissioned officers. Once the Armor School and Center are relocated, they would join the existing Infantry Center and School at Fort Benning to create the Maneuver Center of Excellence where Soldiers would be trained in both armor and infantry tactics. Section 2.3 provides a more detailed description of the Armor School and Center missions since they drive the majority of the Transformation activities under this proposed action.
2. Relocating the 81st RRC ECS from Fort Gillem, GA to Fort Benning. In general, the 81st RRC has command and control of units assigned to prepare for successful mission performance and mobilization. The RRC ECS supports the equipment used for mission performance and mobilization.
3. Closing the USARC in Columbus, GA and relocating and consolidating the units (together with Army Reserve Units currently on Fort Benning) into a new USARC on Fort Benning (U.S. Army Reserve 2006). The Army Reserve's mission is to provide trained and ready Soldiers and units with the critical combat support capabilities necessary to support national strategy during peacetime, emergency contingencies, and war.
4. Relocating the Drill Sergeant School from Fort Benning to Fort Jackson, SC. The Drill Sergeant School trains noncommissioned officers in the duties and responsibilities associated with Drill Sergeants so that they can train, supervise, and lead initial entry Soldiers.

2.2.2 BRAC-Discretionary Stationing Actions

BRAC-discretionary Transformation actions are those activities and/or missions that were not specifically directed by the BRAC Commission but were indirectly impacted because their current Installations' mission might have changed, closed, and/or should be relocated due to BRAC-directed actions. At Fort Benning these discretionary actions include:

1. Relocating the CID function from Fort McPherson to Fort Benning. CID's mission is to investigate and deter serious crimes in which the Army has an interest. CID collects, analyzes, processes, and disseminates criminal intelligence; conducts protective service operations; provides forensic laboratory support to all DoD investigative agencies, and maintains Army criminal records. CID also provides criminal investigative support to all Army elements and deploys on short notice in support of contingency operations worldwide. CID is a worldwide command with fewer than 2,000 Soldiers and civilians and approximately 900 special agents. CID special agents primarily

investigate felony-level crime across the Army and provide investigative support to field commanders. They conduct a wide variety of investigations to include deaths, sexual assault, armed robbery, procurement fraud, computer crimes, counter-drug operations, and war crimes. CID agents also provide counter-terrorism support, criminal intelligence support, force protection, forensic laboratory investigative support, and protective services for key DoD and senior Army leadership.

2. Relocating the 3rd MP Grp (CID) from Fort Gillem to Fort Benning. As part of centralizing the CID functions, this MP Grp will relocate to Fort Benning. It supports commanders by conducting criminal investigations of serious, sensitive, or special interest matters; preventing crime; preserving the force and Army resources in peacetime; and support combat and contingency operations throughout the group's area of operations. The 3rd MP Grp is responsible for all felony criminal investigation matters with an Army interest throughout the eastern half of the United States, the Caribbean, Central America (less Mexico), and South America.
3. Relocating the Veterinary Clinic from Fort McPherson to Fort Benning. The clinic provides quality, economical animal care and preventive medicine for all pets of authorized personnel. The clinic's area of concentration is in the prevention and control of diseases, which may be transmissible to humans or animals, or situations that may be community health problems, or are of significant public interest to the pets of military personnel.
4. Relocating the Blood Donor Center from Fort Knox, KY to Fort Benning. The donor center helps Soldiers by collecting blood from the military community, for the military community. It provides quality blood products, blood substitutes, and services for all worldwide Soldiers in peace and war.
5. Relocating the 86th MP Detachment (CID) from Fort McPherson to Fort Benning. Its mission is similar to that described for the 3rd MP Grp from Fort Gillem.
6. Reassigning field auditors from the U.S. Army Audit Agency (USAAA) in Atlanta, GA to Fort Benning. The USAAA provides objective and independent auditing services to assist the Army in making informed decisions, resolving issues, using resources effectively and efficiently, and satisfying statutory and fiduciary responsibilities.

2.2.3 GDPR Transformation

For the GDPR, the 286th MP (CID) would relocate from overseas to Fort Benning and join other CID units being relocated under BRAC. In addition, an Explosive Ordinance Disposal Company and a Movement Control Team would be moved to Fort Benning from overseas.

2.2.4 AMF Transformation

Under AMF, one brigade from the 3rd Infantry Division (3 ID) would continue to transform to create a new heavy BCT force structure at Fort Benning. The 36th Engineer Group (ENG) would continue to realign as a Sustainment Brigade, which includes the MRBC. The 63rd Engineer Company (Combat Support Equipment [CSE]) would be converted to the 11th Engineer Battalion and the 507th Sustainment Group would be activated at Fort Benning in 2011.

2.2.5 Other Army Stationing

For AR 5-10 stationing activities, the SOCOM (75th RGR Regt) at Fort Benning would gain personnel from other locations across the United States.

Figure 2.2-2 and Table 2.2-1 provide an overview of the Transformation activities that would occur at Fort Benning under the proposed action.




Figure 2.2-2: Overview of Fort Benning Transformation Actions

Sources: Personal communication J.W. Brown III December 2006 and Fort Benning 2006a

Note: This figure does not account for all growth which might be needed for Fort Benning. It includes military, DA civilians, and military students/trainees. It does not include contractor growth or garrison growth anticipated to support the overall expansion of Fort Benning. The figure is an Army tool used to calculate anticipated changes in military, Army civilian, and student population resulting directly from Transformation Actions.

Table 2.2-1: Personnel Breakdown For Transformation Actions

Transformation Action	PERSONNEL			
	Military ¹	Civilian ²	Students ³	Total
BRAC-DIRECTED				
Relocate Armor School and Center, Fort Knox, KY	4,374	997	7,638	13,009
Relocate USARC Columbus, GA	0	9	0	9
Relocate 81 st RRC ECS, Fort Gillem, GA	0	85	0	85
Relocate Drill Sergeant School to Fort Jackson, SC	-20	0	-400	-420
TOTAL BRAC-DIRECTED	4,354	1,091	7,238	12,683
OTHER ACTIONS				
BRAC-Discretionary relocation of Veterinary Clinic, Blood Donor Center, 3 rd MP Grp (CID), USAAA	251	135	0	386
SOCOM (75 th Ranger Regiment)	258	0	0	258
TOTAL OTHER	509	135	0	644
AMF				
Inactivate 63 rd Engineer Co	-162	0	0	-162
Activate 11 th Engineer Battalion	528	0	0	528
Activate 507 th Sustainment Brigade	305	0	0	305
TOTAL AMF	671	0	0	671
GDPR				
EOD Co	30	0	0	30
Movement Control Team	20	0	0	20
286 th MP Det (CID)	21	0	0	21
TOTAL GDPR	71	0	0	71
SUBTOTAL:	5,605	1,226	7,238	14,069
Contractor Growth	0	2,000	0	2,000
Garrison Growth	0	545	0	545
TOTAL: GAIN AT FORT BENNING	5,605	3,771	7,238	16,614

Source: Fort Benning 2006b; *student totals represent the average daily number of students on Fort Benning
 Personal communications, J.W. Brown III December 2006, September 2007.

¹ Includes Full-time Military Authorizations, PCS Students and Other Military Service Personnel

² Includes Full-Time US Direct Hire Civilian Authorizations, Full-Time Equivalent (FTE) Contractors, Other Services, Private Organizations, Overhires, NAF, AAFES, etc., TDY Student loads, and Transient and Rotational Student loads.

³ Group includes TDY Students and Trainees Military and Transient and Rotational Military. Student totals represent the average daily number on Fort Benning.

Note: “Contractor Growth” and “Garrison Growth” increases in the civilian population column of this table are not included in the figure on the preceding page. Also, 1,119 of the Fort Knox Armor School students shown on Figure 2.2-2 are authorized a Permanent Change of Station transfer to Fort Benning with family members. As a result, for purposes of this analysis, these students were considered “military” personnel and were re-allocated from the “students” category to the “military” category in this table.

As presented in Figure 2.2-2 and Table 2.2-1, approximately 90 percent of the Transformation personnel realignment (military, civilian, and students) is related to BRAC-directed actions. Once all Transformation activities are complete, there would be a 46 percent increase (i.e., 16,614) in Fort Benning personnel (military, civilian, contractor, and student). It is assumed that all BRAC personnel will arrive at Fort Benning no later than 15 September 2011 in accordance with the BRAC legislation.

2.3 ARMOR SCHOOL AND CENTER MISSION

The Armor School and Center comprise the majority of construction activity and personnel reassignments considered in this Transformation EIS. With the move from Fort Knox to Fort Benning, the mission and operations of the Armor School and Center would remain unchanged.

2.3.1 Armor School Mission

The Armor School's mission is to provide basic combat training to Soldiers and Marines in tank and fighting vehicle operation, weapons system deployment, and armor vehicle maintenance. Armor crewmen (tankers) work as part of a team to operate armored equipment and fire weapons to destroy enemy targets. During peacetime, tank and armor units must stay ready to defend the United States and U.S. national interests and international policy, anywhere in the world. During combat, their role is to operate tanks and amphibious assault vehicles to engage and destroy the enemy. Tanks (like the M1A1 and M1A2 Abrams) use mobility, firepower, and shock effect to engage enemy forces.

2.3.2 Armor Center Mission

The Armor Center consists of agencies, directorates, and units that oversee and support operations for the Armor Force; most of these activities are of an administrative nature and would not require the breadth of facility and range construction found with the establishment of the Armor School (U.S. Army 2006c). Some of the agencies and directorates associated with the Center include:

Directorate of Training, Doctrine and Combat Development (DTDCD): This organization develops and provides Doctrine, Training Products, Systems and Organizations to enhance the combat effectiveness of the current and future Armor and Reconnaissance/Cavalry Force.

TRADOC System Manager (TSM) for the Abrams Series of Tanks and TRADOC Capability Manager for Platform Battle Command/Combat Identification: These organizations function as the Army's centralized managers for all combat developments and user activities associated with Platform Battle Command and Combat Identification mission areas. Combat Identification is the process of attaining an accurate characterization of detected objects in the joint battlespace to the extent that high confidence, timely application of military options, and weapons resources can occur.

2.4 PROPOSED TRANSFORMATION DEVELOPMENT ACTIONS

2.4.1 Overview

Proposed action implementation would require construction, demolition, renovation, additions, and infrastructure improvements throughout the approximate 2,010 acres of Fort Benning cantonment areas

(Figure 2.4-1): Harmony Church 1,118 acres; Kelley Hill 85 acres; Main Post 562 acres; and Sand Hill 246 acres (Fort Benning Geographic Information System [GIS] data 2006d). Throughout the cantonment areas, new facility construction was sited to coincide with and/or be a complement to:

- existing missions;
- facility operations and functions;
- using existing infrastructure to the greatest extent possible;
- minimizing potential impacts to the environment (e.g., avoid sensitive species habitat); and
- locating Transformation activities on previously disturbed/developed locations.

Training range and maneuver area construction and operation/maintenance activities would be implemented on approximately 157,000 acres set aside for such activities. For ease of explanation in this document, these areas are presented in text and figures as follows: 1) those Transformation activities proposed within ranges located in the northern part of the Installation (north of U.S. Highway 27/280) and 2) those south of the highway.




Figure 2.4-1: Fort Benning Cantonment Areas

2.4.2 Proposed Cantonment Area Development

The proposed development under the proposed action would occur within the four cantonment areas and training ranges (both north and south of U.S. Highway 27/280). The precise locations of project siting, within the cantonment and training range areas, may change following finalization of design. It is anticipated that due to the similarity of these areas in habitat and topography, and the relationship with adjacent missions and land uses, the final locations should not demonstrably change the overall analysis presented in this EIS. As discussed in Section 1.0, other NEPA documentation may be required and undertaken following the ROD if some projects are relocated or change dramatically in their scope (e.g., size). The following provides a general description of the proposed development within the cantonment areas.

In general, cantonment area development to support Transformation activities include: headquarters buildings/facilities supporting administrative and operational functions, numerous barracks complexes to house Armor School student trainees; instructional/training classroom facilities; vehicle maintenance instruction facilities; vehicle maintenance shops, motor pools, and wash stands. In addition, to support the increased Fort Benning population, utility, road, and communication systems would need to be upgraded or built depending on the facility location; the existing hospital would be replaced; dental and medial clinics built and some existing health facilities expanded; child development centers established to meet increased pre- and elementary-school numbers; as well as a physical fitness center, chapel, lodging, and dining facilities (Fort Benning 2005a). Section 3.2 provides specific location and size for these Transformation development activities.

2.4.3 Proposed Range and Training Area Requirements

The range and training operations requirements of the proposed action are primarily driven by the gain of the Armor School and Center; however, they are also interrelated and synergistic with other Transformation activities and existing missions at Fort Benning. Range and training operation requirements are reflected in the equipment to be used, the operations undertaken, and the ranges and maneuver areas proposed. The equipment used by units/organizations to be relocated to Fort Benning include tanks, Bradley Fighting Vehicles (BFVs), High Mobility Multipurpose Wheeled Vehicles (HMMWVs), trucks, and trailers for operational needs as well as maintenance instruction. Table 2.4-1 provides an overview of these vehicles currently in the Armor School inventory and projected to move to Fort Benning.

Table 2.4-1: Armor School Vehicle Inventory Projected at Fort Benning

Vehicle	Type	Armor School
Tracked Armor Equipment	Includes Tanks, Armored Personnel Carriers, BFVs, Recovery Vehicles, Tanks With Assault Bridges, And Mine Clearers.	530
Wheeled Heavy Equipment	Stryker, HMMWVS (Carriers, Cargo, Armament, And Heavy Weight Trucks).	311
Wheeled Heavy Trucks	Heavy Cargo Equipment Transport, Fuel Tankers, Wrecker/Recovery Vehicles.	37
Wheeled Trailers	Low-Bed Trailers For Armaments, Water, And Utility Towing.	67
Wheeled Medium/Light Trucks	Fork Lifts, Cargo, And General Personnel Carriers.	90
Total Vehicles		1,040

Source: Personal communication, Bartlett Nov 2006, Fort Knox Nov 2006a.

The construction and operation of the numerous new range training facilities identified to support the Transformation activities at Fort Benning would support Armor School training requirements. Training units of the Armor School include the 1st Armor Training Brigade, 16th Cavalry Regiment, and U.S. Army Noncommissioned Officer Academy (NCOA). The 1st Armor Training Brigade's mission is to conduct Initial military training to standard, producing soldiers who are technically and tactically competent, focused on teamwork, infused with the warrior ethos, and ready to take their place in the values-based Army at war. Additionally, it prepares and executes stages of the Fort Knox Mobilization plan, sustains programs, and on order, executes support functions for Fort Knox and the Armor Force. The mission of the 16th Cavalry Regiment is to support the nation at war by developing agile, adaptive, and competent leaders skilled in mounted maneuver and prepared to conduct Full Spectrum Operations in the contemporary operating environment. The mission of the NCOA is to conduct tough and demanding primary, basic, and advanced level courses which develop adaptive, self-confident leaders who motivate teams to solve complex problems, while operating in a full spectrum and contemporary operating environment in an army transforming into the future force (personal communication, Stoinoff 2007).

The training that is currently conducted at Fort Knox in more than 70 training courses ranging in length from 20 weeks to 1 week courses would be shifted to Fort Benning. The Armor Crewman/Scout Advanced NCO Course (ANCOC) is combining with the Infantry ANCOC to form the Maneuver ANCOC. The Armor Captains Career Course and the Infantry Captains Career Course are combining to form the Maneuver Captains Career Course. Both of these new courses will be taught by a mixture of infantry and armor Soldiers and officers and include a mixed student population from both branches. These courses will train graduates in the skills common to mounted and dismounted Soldiers and leaders, as well as in the unique skills specific to their military occupational specialty and unit of assignment. The courses will occur at both Fort Benning and Fort Knox until Fort Benning has the training facilities, ranges, classrooms, and billets to accommodate this training by 2011.

Proposed Range Facilities

- *Rifle/Machine Gun Zero Ranges* – used to train individual Soldiers on the skills necessary to align the sights and practice basic marksmanship techniques against stationary targets. The range is designed for training in shot-grouping and zeroing exercises with the M16 and M4 series rifles as well as crew-served machine guns (U.S. Army 2004a).
- *Modified Record Fire Ranges* – used to train and test individual Soldiers on the skills necessary to identify, engage, and defeat stationary infantry targets for day/night qualification requirements with the M16 and M4 rifles. This range combines the capabilities of automated field fire, automated record fire, and automated night fire ranges to reduce land and maintenance requirements and increase efficiencies (U.S. Army 2004a).
- *Automated Combat Pistol/Multi-Purpose Firearm Qualification Complex* – used to train and test Soldiers in the skills necessary to detect, identify, engage, and defeat stationary targets in a tactical array. The complex satisfies the training and qualification requirements of the 9mm, 0.38-caliber, and 0.45-caliber pistols (U.S. Army 2004a).
- *Multi-Purpose Machine Gun Ranges* – used to train and test Soldiers on the skills necessary to zero various machine gun and semi-automatic weapons systems, detect, identify, engage, and defeat stationary infantry targets in a tactical array (U.S. Army 2004a).
- *Fire and Movement Ranges* – used to train individual Soldiers and teams on basic fire and movement techniques against stationary infantry targets. Soldiers show their ability to select covered and concealed positions, move while under fire, apply principles of teamwork, and use suppressive fire on enemy Soldier targets (U.S. Army 2004a).
- *Tank/Fighting Vehicle Stationary Gunnery Ranges* – used to train Soldiers in conducting weapons system bore sighting, screening, zeroing and/or harmonization (U.S. Army 2004b).
- Under the proposed action, Transformation activities would also include an increase in weapons use at existing and new ranges. Table 2.4-2 provides an overview of small caliber (i.e., those used in rifles, pistols, shotguns, and grenade launchers) and large caliber (i.e., inert and high explosive field artillery and mortar shells from howitzers, tanks, and BFVs); a more detailed list is provided at Appendix B.

Table 2.4-2: Projected Annual Weapon Ammunition Use for Transformation Actions

Weapon	Day	Night	Total
Small Caliber	7,629,799	745,596	8,384,395
Percent Day/Night	91	9	
Large Caliber	416,231	67,759	483,990
Percent Day/Night	86	14	

Source: Fort Benning 2006a and U.S. Army Center for Health Promotion and Preventive Medicine (USACHPPM) 2006a.

Proposed Tracked Vehicle Drivers Training Course, Off-Road Drivers Training Area, Vehicle Recovery Area, Heavy Maneuver Areas, and Range Roads

- *Tracked Vehicle Drivers Training Course* – used to teach the basic driving skills of steering and gear shifting on a level course. Primary facilities include a variety of paved and unpaved driving courses with terrain variations and slopes, road crossovers, observation tower, lighting, maintenance building, hardstand, standard small range operations area.
- *Off-Road Drivers Training Area* – used to provide basic training for off-road driving. Training would occur on existing heavy maneuver areas and tank trails but in a location specifically designated and scheduled for Armor School training.
- *Vehicle Recovery Area* – used to train Soldiers on how to retrieve tracked vehicles when mired and/or overturned. This includes maintaining the towing equipment (brakes, hydraulics, and winches), towing techniques, and driving the tow vehicles while towing the tracked vehicles.
- *Heavy Maneuver Areas* – used to conduct force-on-force heavy maneuver training, field training exercises, and situational training exercises using various types of vehicles and equipment, including tracked vehicles movements and tactics by individual units or multiple units supporting one another (combined arms) (U.S. Army 2004b). The Armor School heavy maneuvering occurs in those areas and corridors that would be available to and managed and scheduled primarily to accommodate the Armor School heavy maneuver training requirements.



Heavy maneuver training in the maneuver corridors would include off-road tank formations similar to those pictured here at Fort Knox.

Key Armor School training events that drive maneuver requirements, including end of cycle training, situational training exercises (STXs) and field training exercises (FTXs), are summarized in Table 2.4-3.

Table 2.4-3: Armor School Maneuver Training Requirements

Course	Scope	Training Event	Duration (Days)	Number of Classes/Year	Total Annual Days
1st Armor Training Brigade (ATB)					
19D OSUT Cavalry Scout	Basic combat training tasks; Army values; physical fitness; first aid; nuclear, biological and chemical threats; engineer; communications; land navigation; weapons; individual tactical training; intelligence; M3 Bradley and M1025 series HMMWV operation and maintenance.	End of cycle exercise	2	26	52
19K OSUT A1A Abrams Armor Crewman	Same as above, but includes M1A1 tank operation and maintenance.	End of cycle exercise	2	26	52
63A10 OSUT M1A1 Abrams Tank System Maintainer	Test and troubleshoot systems; inspect, service, lubricate, replace and adjust components; use of publications, special tools, test measurement and diagnostic equipment; fundamentals and principles of engine, fuel, exhaust, cooling, and electrical systems; track, suspension, steering control, hydraulic systems, engine power train and hull of the M1A1 Abrams tank, perform preventive maintenance checks and services; inspect, service, lubricate, replace, remove, install, adjust, test, purge, and troubleshoot components and control of electrical, mechanical, fire control components on the M1A1 tank turret.	STXs, FTXs	18	23	414
63M10 M2/M3 Bradley Fighting Vehicle (BFV) System Maintainer	Same as above, but for the M2/M3 BFV.				
ASI H8 Tank Vehicle Recovery Specialist	Test and troubleshoot systems; inspect, service, lubricate, replace and adjust components; starting, charging, auxiliary power units, brakes, and main winch systems; operating, servicing and using track recovery vehicles and equipment; procedures used in rigging, recovering and towing of track vehicles.	Field Training	9	25	225
U.S. Marine Corps	Similar training to the 19 K OSUT, A1A Abrams Armor Crewman, and 63A10 OSUT, M1A1 Abrams Tank System Maintainer, but for the Marine Corps.	Field Training	20	9	180

Table 2.4-3: Armor School Maneuver Training Requirements

Course	Scope	Training Event	Duration (Days)	Number of Classes/Year	Total Annual Days
16th Cavalry Regiment					
Basic Officer Leader Course (BOLC) III	Indoctrination of Army programs and initiatives; military problem solving; risk management; after action review; suicide prevention; combat stress; 9mm pistol qualification; and a two-day field exercise designed to validate pre-commissioning skills. Hands-on equipment oriented instruction is used to train preventive maintenance, checks and services and the M1A1 tanks, tank crew station tasks, and pre-gunnery skills culminating with the tank crew gunnery skills test; property accountability; platoon maintenance operations; and individual and crew nuclear, biological, and chemical operations. Fundamentals of platoon offensive and defensive operations and FTX including force-on-force, free-play, offensive/defensive exercise with opposing forces, conduct troop leading procedures; pre-deployment and deployment operations; and Post-exercise inspections. Also includes tank gunnery, completion training, and cavalry enhancement training.	STXs, FTXs	28	11	308
2E-F137/521-F2 Scout Leaders Course	Identify and operate within the contemporary operating environment, applying the skills, knowledge and capabilities necessary to ascertain and communicate the nature of the threat with respect to the operating environment to ensure mission success. Involves constructive, virtual, live and computer based training. Includes intelligence preparation of the battlefield and practical exercises to plan and conduct advance reconnaissance and security missions on linear and nonlinear modern day battlefields. Tactical and technical proficiency in all aspects of mounted and dismounted reconnaissance and security operations.	Mounted Tactical Training	5	14	60

Table 2.4-3: Armor School Maneuver Training Requirements

Course	Scope	Training Event	Duration (Days)	Number of Classes/Year	Total Annual Days
NCOA					
19D BNCOC	In a combat simulated cavalry scout platoon environment: mine warfare; secure communications; tactical movements; demolitions; nuclear, biological, chemical threats; maintenance; safety; troop leading procedures; physical fitness training; training management; tactics; conduct of fire training; BFV gunnery; Field FTXs; Common Leader Training ; Common Military Training; and tactical seminars in a 24-hour a day NCOA environment.	Field Training	3	5	15
19K BNCOC	In a combat-simulated tactical environment: armor tactics; secure communications; maintenance; tank gunnery; mine warfare; tank weapons; tank crew gunnery skills test; safety; troop leading procedures; physical fitness training; conduct of fire trainer; STXs; and tactical seminars in a 24-hour a day NCOA environment.	Field Training	3	5	15

Sources: Fort Knox 2006a and Army Training Requirements and Resources System 2006

- **Other Heavy Maneuver Training Lands** – The heavy maneuver training that is not conducted within the proposed maneuver areas would be conducted within the other training lands that Fort Benning has identified for heavy maneuver training. Of the approximately 63,900 acres of total Fort Benning heavy maneuver training lands (Fort Benning 2006a), about 10,000 acres would become dedicated to Armor School maneuver areas/corridors, an approximate 16 percent reduction of training land availability in the existing heavy maneuver areas. Therefore, there would be approximately 53,900 acres of heavy maneuver area left to maintain existing training levels. Surface Danger Zones (SDZs), at an existing 52,396 acres, would increase by about 9 percent, or 4,529 acres, with the creation of the new heavy maneuver area/corridors and SDZs (at 14,529 acres). Section 4.14 (Safety) addresses SDZs specifically but they are areas designated to ensure military personnel and public safety when the ranges are active. Total existing heavy maneuver areas available for training would be reduced by about 23 percent if all ranges were active at the same time. While this situation would be unlikely and would not impact existing training, there would be a net decrease in available maneuvering areas for existing training, with the addition of the Armor School.

Within this 49,371-acre area, heavy maneuver impacts would most likely occur in the vicinity of existing tank trails and firing points. Currently, there are approximately 82 miles of tank trails.

Approximately 10 to 20 miles of existing tank trails would become dedicated to Armor School use under the proposed action and support an estimated 80 percent of Armor School training.

The estimated 20 percent of Armor School training that would not occur within the maneuver area and/or corridors, along with existing Fort Benning heavy maneuver training displaced by the proposed action, would become more concentrated along existing tank trails outside of the proposed maneuver area and corridors.

- *Range Roads* – Under the proposed action, up to 35 miles of new tank trails could be constructed. The disturbance area for the establishment of new tank trails is estimated at 60 feet (ft) from the centerline, or 120-ft wide, to include berms and erosion control measures. Once trails are established it is expected that the ongoing average operational width of the road would be 30 ft, including the berms to support the variety of wheeled and tracked vehicles (BFVs to HMMWVs) used for Armor School training.

Up to 24 new water crossings would be established along these proposed range roads and a 25-ft buffer would be identified adjacent to any streams. The low water crossings would be about 30 ft wide and use metal culverts, topped with concrete to ensure access road and streambank stability.

Existing tank trails in the maneuver corridors would be upgraded. Outside of the maneuver corridors, up to 60 miles of existing tank trails would be upgraded. The disturbance area associated with these upgrade projects is 40 ft from the road centerline (or 80 ft wide) and the operational width following the upgrade would be the same as for new tank trails, 30 ft wide.

- *Changes in Maneuver Operational Tempo* – In accordance with the methodology defined in Army Training Circular 25-1 (TC 25-1), Fort Benning completed a Range and Training Land Program (RTLTP) Development Plan in June 2006 (Fort Benning 2006a). One purpose of the study was to identify the heavy maneuver training requirements associated with the Armor School programs of instruction (POIs) in support of the proposed action.

Heavy maneuver requirements were calculated in terms of square kilometer days (km^2 days) using methodology from TC 25-1, which takes into account the area needed to complete a task, the number of units involved, number of days per task, and the number of iterations conducted per year. An example is shown below:

$$\frac{\text{Area (km}^2\text{)}}{24} \times \frac{\text{Number Iterations}}{4} \times \frac{\text{Days/ Iteration}}{2} \times \frac{\text{Number Units}}{6} = \frac{\text{km}^2 \text{ days}}{1,152}$$

Using the current POI requirements for the Fort Benning Infantry School, the study indicated that the 3rd Brigade has an existing heavy maneuver requirement of 42,625 km^2 days. Further, the study determined that the heavy maneuver requirements to support the Armor School POIs would total 105,425 km^2 days. This represents an increase in maneuver training of more than 247 percent upon implementation of the proposed action.

Range Logistics. To the north of the Harmony Church cantonment area, existing logistical facilities would be expanded as a result of the proposed action with two projects. A project programmed for fiscal year (FY) 2008 would construct additional ammunition storage igloos in the existing ammunition storage area. A project programmed for FY 2012 would expand the rail car storage/loading area to support the increased number of units stationed at Fort Benning. Both of these areas are located within Training Area P1 in the northern range area.

3.0 ALTERNATIVES

3.1 INTRODUCTION

Alternatives form the core of the NEPA process. In compliance with Army NEPA and CEQ regulations, the Army must consider reasonable alternatives to the proposed action. Only those alternatives determined as reasonable relative to their ability to fulfill the need for a proposed action warrant detailed analysis. To be considered reasonable, an alternative must not only fulfill the purpose and need for the action, it must be technically and fiscally feasible. Through a rigorous evaluation, an agency needs to examine a range of alternatives, determining those deemed reasonable, and summarize those not carried forward for detailed analysis.

In conformance with these requirements, the Army explored potential alternatives. Options considered in this examination included alternative locations for facilities, activities, and ranges; phasing of implementation; and modifying personnel realignments. As discussed below, few of these options proved reasonable relative to the purpose and need. In particular, the directed realignments of functions, units, and personnel, as specified under the BRAC Law must, according to law, be implemented. BRAC Law states that the provisions of NEPA shall not apply to the consideration of alternatives for BRAC-directed actions to the military installation which has been recommended for realignment, or alternatives for transferring functions to any military Installation selected as the receiving installation. Since these realignment actions (e.g., Armor School and Center) constitute the majority of the proposed action and cannot be substantively modified, options for the remainder of the related (but non-BRAC) actions to support the realignments are, necessarily, constrained.

3.2 ALTERNATIVES

Criteria used in screening potential alternatives from further consideration are presented in Table 3.2-1. Only alternatives that would meet these criteria were carried forward for further analysis. Following application of these criteria it was determined that two action alternatives would meet the purpose and need of the proposed action: Transformation Alternative A and Transformation Alternative B. In addition to the two alternatives (A and B), the No Action Alternative is also carried forward for further analysis. The No Action Alternative, while not a viable one for BRAC-directed projects, serves as the baseline against which the environmental impacts of the two action alternatives are measured.

Table 3.2-1: Alternatives Screening Criteria

Transformation – each alternative must:
• Implement the BRAC Commission recommendations for Fort Benning • Support the initiation of BRAC-directed actions at Fort Benning no later than September 15, 2007 and the completion of these actions no later than September 15, 2011 • Provide for the implementation of the AMF actions at Fort Benning • Provide for the implementation of the GDPR actions at Fort Benning • Provide for the implementation of the AR 5-10 stationing actions at Fort Benning <i>Note: each of these is identified in the description of purpose and need for the proposed action (Section 1.2).</i>
Range and Training Operations – each alternative must:
• Result in no net loss in existing range capabilities • Provide the range and training lands needed to meet existing and proposed mission requirements • Meet Army training and safety requirements • Utilize existing ordnance impact areas where there is capacity
Land Use Compatibility – each alternative must:
• Protect the safety of the public and military personnel • Ensure that land uses do not interfere with the military mission • Prioritize the optimal siting of land use functions most crucial to Fort Benning’s mission (per AR 210-20) • Address land use compatibility for mission support and personnel support functions
Sustainability – each alternative must:
• Provide for a sustained natural environment to allow the Army to train and maintain those military readiness functions assigned to Fort Benning in accordance with The Army Strategy for the Environment (U.S. Army 2004c)

The Army has identified Alternative B as their preferred alternative because it best meets the purpose of the Transformation action, better meets the training needs of the Armor School, and would minimize impacts to the Red-cockaded woodpecker; Alternative A would also meet Army Transformation purpose and needs but is not the preferred option due to its magnitude of impacts on the Red-cockaded woodpecker. Section 3.2.2 provides a detailed description of the alternatives carried forward for further analysis.

3.2.1 Alternatives Considered But Not Addressed in Detail

As noted above, the Army considered three options for developing alternatives to the proposed action. These included relocating facilities and activities, phasing of implementation, and modifying personnel realignments.

3.2.1.1 Alternative Locations

One alternative considered was a different location of cantonment area facilities and activities to accommodate the Transformation functions and units at Fort Benning. While AR 210-20, *Master Planning for Army Installations* (U.S. Army 2005c), establishes Army policy to maximize use of existing facilities, the planning effort determined that realignment would require new construction and development. Such new construction is necessary to meet mission needs and maintain operational efficiency. Furthermore, Fort Benning lacks adequate underutilized facilities to meet mission needs. Similarly, use of off-Post rented facilities would hinder the synergy needed to incorporate the relocated units and personnel. Indeed, the entire point of the realignment was to establish those units and functions at Fort Benning; placing them off Post would not meet that objective. In addition, the nature and number of facilities needed to support

realignment preclude alternative siting of cantonment-area construction. For example, barracks should ideally be located near similar or support functions, generally within the cantonment areas. For these reasons, alternatives that relocated facilities or activities outside cantonment areas, or involved re-siting of construction outside Installation boundaries would not be reasonable and are not analyzed further.

In terms of alternative locations for proposed range facilities, range and training operations were evaluated using the existing Fort Benning capabilities and those required to support the Transformation proposal. Activities associated with the BRAC-directed Armor School and Center realignment would require additional range and training operations because existing Fort Benning assets would not be able to fulfill these new missions. The locations for the various training assets presented in the proposed action were identified through a thorough application of environmental and operational constraints and the sites chosen represent this screening analysis. Alternative locations were identified for the heavy maneuver area, drivers training course, and vehicle recovery area. Siting for the Transformation activities was driven by the Army's overriding priority to protect the safety of the public and military personnel. These locations were also selected as part of the Installation's goal to minimize interference with its military mission, and its need to address compatibility issues with adjacent land uses, missions, and functions. In siting the proposed facilities, the Army wanted to ensure that performing the activities associated with the facilities would be compatible with mission requirements and sustaining the natural environment. Therefore, only the two alternatives are reasonable for range facilities.

3.2.1.2 Implementation Phasing Alternative

Another alternative considered was a different phasing of implementation. Factors influencing alternatives for scheduling of implementing realignment actions include the availability of facilities to house relocated personnel and functions, avoiding disruption of mission activities, and reaping the benefits of the realignment as early as possible. A majority of Transformation activities must be implemented by 2011 to meet BRAC requirements; shifting construction from one year to another would only change the timing of the potential impacts. The schedule for implementation of the proposed action must be aligned with facilities construction timeframes, arrival dates of inbound units, and stand-up dates of newly-established activities. All of these activities for BRAC-directed actions must be completed within the 6-year limitation of the BRAC Law. Due to the required time for facility construction, alternative schedules for realignment earlier than under the proposed action are not feasible. Shifting of schedules to accomplish realignment at a later date would unnecessarily delay accrual of its benefits and potentially affect Army-wide efficiencies. Since earlier implementation is not possible, and since delay is avoidable and unnecessary, alternative schedules are not further evaluated in this EIS.

3.2.1.3 Modifying Personnel Alternative

Yet another alternative considered was to modify personnel relocations. As noted previously, the BRAC Law specified the units and personnel designated for relocation for BRAC-directed actions; so this EIS is limited to analyzing the implementation of those actions at Fort Benning. Changing these relocations would be contrary to the law, and therefore, would not constitute a reasonable alternative. Personnel

relocations for BRAC-discretionary, AMF, GDPR, and other Army actions were considered; however, BRAC-directed actions at other installations, overseas troop repositioning to the United States, and the need to support similar missions with the BRAC-directed actions precluded consideration of personnel relocations at other installations as an alternative.

3.2.2 Alternatives Carried Forward for Further Analysis

3.2.2.1 Cantonment Area Transformation Development Common to Both Alternatives A and B

Under both alternatives, cantonment area development would be the same, with the exception of the Harmony Church interchange. For each project, Table 3.2-2 indicates general location, the project type/title, the year in which the project is constructed, and building/facility footprint (total area disturbed, per year of construction is provided in Sections 3.2.2.2 and 3.2.2.3). Figures 3.2-1a and 3.2-1b illustrate the cantonment-area development locations under Alternatives A and B. The figures present the disturbance areas required for construction, landscaping, and infrastructure improvements, as well as the year in which these activities would take place. These larger-area footprints (or polygons) were used to evaluate the potential impacts throughout this EIS.




Figure 3.2-1a: Alternative A Cantonment Area Transformation Development




Figure 3.2-1b: Alternative B Cantonment Area Transformation Development

Table 3.2-2: Projected Cantonment Area Development: Transformation Alternatives A and B

Action	Project Title	Year Constructed	Facility Footprint (Acres)
BRAC	Infrastructure Support (includes Fire Station, Ammunition Supply Point, Access Control Points, Marne Rd./ Lindsay Creek Pkwy Intersection Improvements)	2008	21.00
BRAC	Construct Installation-Wide Roads, Paved	2010	94.39
Harmony Church			
BRAC	Initial Entry Training (IET) Brigade Headquarters Building	2007	7.59
BRAC	Trainee Barracks Complex 1	2007	60.00
BRAC	Training Support Brigade Complex (Phase 1 and 2)	2007-2008	100.00
NON-BRAC	Trainee Barracks Complex 3	2008	60.00
NON-BRAC	Maneuver Center Simulation Facility	2008	8.00
BRAC	Unit Maintenance Activity Facility	2008	20.00
BRAC	Troop Medical Clinic	2008	12.00
BRAC	16 th CAV Regt HQ Building Complex (BDE, BN, and Company Operations Facilities (COFs))	2008	16.00
BRAC	Armor Officer Basic Course Headquarters Complex Conversions	2009	1.00
BRAC	Vehicle Maintenance Instruction Facility	2009	20.00
NON-BRAC	Centralized Wash Facility with Soaking Capability	2009	25.00
BRAC	U.S. Army Reserve Center (USARC)	2010	6.20
BRAC	Equipment Concentration Site (ECS)	2010	9.86
NON-BRAC	Recreation Center, Harmony Church	2011	7.00
NON-BRAC	Physical Fitness Center with Pool	2011	20.00
NON-BRAC	3 ID BCT (Heavy) Complex	2011	4.09
NON-BRAC	Battle Command Training Center	2012	7.00
NON-BRAC	Chapel	2012	4.00
Kelley Hill			
BRAC	Warehouse Complex Replacement	2008-2010	36.00
NON-BRAC	Direct Support/General Support (DS/GS) Vehicle Maintenance Facility	2012	37.00
Main Post			
BRAC	Child Development Center 6-10 Years	2007	9.00
NON-BRAC	Maneuver Center Renovations, Building 4	2008-2010	1.84
BRAC	General Instruction Building Complex (includes Student Dining Facility and Main Post Quartel, Unaccompanied Personnel Housing (UPH) Billeting Space to Transient UPH Advanced Skills Training, Infantry Officer Basic Course Headquarters Complex Building Conversions/Renovations)	2008-2010	0
NON-BRAC	Special Operations Forces (SOF) Special Troops Battalion HQ Building	2008	2.02
NON-BRAC	SOF Ranger HQ Addition	2008	0.29
NON-BRAC	SOF Vehicle Maintenance Shop	2008	1.23
NON-BRAC	Museum Operations Support Buildings	2009	22.30
NON-BRAC	CIDC Group/BDE Headquarters Building	2009	0.24
BRAC	Consolidated Troop Medical Clinic	2009	1
BRAC	Hospital Replacement	2009-2010	51.00

Table 3.2-2: Projected Cantonment Area Development: Transformation Alternatives A and B

Action	Project Title	Year Constructed	Facility Footprint (Acres)
BRAC	Maneuver Center Headquarters Building Expansion and Capabilities Development and Integration (CDI) Directorate Facility	2010	10.00
NON-BRAC	SOF Ranger Support Company HQ	2011	0.94
NON-BRAC	Barracks Complex	2011	20.00
NON-BRAC	Headquarters Complex, 14th Combat Support Hospital	2012	1.90
NON-BRAC	Child Development Center Under 6 Years	2013	3.00
Sand Hill			
BRAC	Trainee Barracks Complex 2	2007	60.00
BRAC	Health Clinic Expansion - Winder	2008	1.50
BRAC	Solomon Dental Clinic Expansion	2008	1.30
BRAC	Training Aids Center Building Conversions	2008	2.60
NON-BRAC	Reception Station Barracks and Processing Center	2008-2010	20.00
NON-BRAC	Chapel	2012	4.00

In accordance with Army policy, all vertical building construction projects starting in FY 2008 will comply with the Leadership in Energy and Environmental Design (LEED) at the Silver Level for new construction. LEED is a rating system for sustainable building design, construction, and maintenance developed and maintained by the U.S. Green Building Council (<http://www.usgbc.com>). Army uses these measures to meet the requirements set forth in the 2001 Army Technical Letter No. 1110-3-491, *Sustainable Design for Military Facilities*.

The LEED rating system is based on meeting prescribed green building attributes that have a point system associated with these attributes. These attributes include, but are not limited to, building a facility at a sustainable site, have water efficient systems, minimizing energy use for facility operations, using recyclable materials in facility construction, applying innovative designs in the building process, and improving indoor environmental quality. For each attribute there are points awarded: 26 to 32 points is a LEED certified facility, 33 to 38 points equate to a Silver-level LEED certified facility, 39 to 51 points equate to a Gold-level LEED certified facility, and 52 to 69 points equate to a Platinum level LEED certified facility.

Some common LEED characteristics include:

- construction connected to the energy monitor and control system and Installation of an intrusion detection system and fire protection/alarm system;
- facilities built to comply with requirements under the Americans with Disabilities Act;
- vehicle maintenance facilities with wash racks;
- a wastewater collection system constructed to connect the vehicle maintenance facilities with the existing wastewater treatment plant;

- construction and post-construction stormwater controls designed to prevent offsite impacts from stormwater runoff;
- construction procedures implemented to mitigate potential impacts to migratory birds;
- construction permits (such as a Stormwater General Permit) acquired before construction begins;
- anti-terrorism/force protection system provided by constructing structures to resist progressive collapse, installing special windows and doors, and incorporating site measures (for example, setbacks and landscaping allowing line of sight); and
- heating and air conditioning provided by self-contained units.

Horizontal construction, such as ranges, roads, and airfields, will continue to incorporate sustainable design and development features to the maximum extent possible. Projects constructed prior to the FY 2008 program will continue to use the Army's Sustainable Project Rating Tool and achieve the GOLD level. Such projects may be scored using LEED New Construction if the LEED SILVER rating level can be achieved within the program budget established for the project.

Harmony Church. More than half of the Transformation development would occur by expanding the existing 776-acre Harmony Church cantonment area. This area currently (and historically) supports a diverse assortment of low density facilities including semi-permanent barracks, the infantry fighting vehicle maintenance and gunnery training facility, motor pool facilities, administrative facilities, and various recreational fields. The area south of the cantonment area, in training areas EE1 and EE2, contains various administrative and training facilities that support the Sniper and Ranger schools. The proposed action would provide for continued infill development and expansion of the Harmony Church cantonment area primarily to support troop housing and maintenance facilities, but also other administrative, training, operational, community facilities, and medical dental uses. The proposed action would roughly double developed land within this cantonment area. Training associated with AO Brown and EE1 and EE2 light maneuver areas would need to be moved to accommodate development of cantonment facilities; the displaced training can be supported throughout the other designated training areas across the Installation.

The proposed action would construct two trainee barracks complexes in Harmony Church, one of which is programmed for FY 2007 and one for FY 2008, southwest of U.S. Highway 27/280 between Fourth Division Road and Axton Road. Each of these barracks is planned in a configuration of five separate wings of 3-story buildings (the first floor of each building is used for operations and training and the second and third floors are used for housing trainees), company operations facilities, classroom space, covered training areas, battalion headquarters, a dining facility, storage, energy plant, and a running track. A Training Support Brigade Complex to include barracks, brigade and battalion headquarters, company operations facilities, dining facilities, and associated facilities is programmed to begin in FY 2007 northeast of the intersection of Fourth Division Road and U.S. Highway 27/280.

The maintenance facilities to be constructed at Harmony Church would consist of a unit maintenance activity facility (standard vehicle maintenance shop) programmed for FY 2008, a centralized wash facility

with soaking capability programmed for FY 2009, the Army Reserve ECS vehicle maintenance shop programmed for FY 2010, maintenance-related instructional facilities would include a vehicle maintenance instructional building with a concrete apron and tactical vehicle hardstand programmed for FY 2009. These facilities would generally be located along Eighth Division Road, east of U.S. Highway 27/280. The 3 ID BCT (Mechanized) Complex (replacement and maintenance facilities to support the reorganization of the 3 ID BCT) is programmed for FY 2011.

Other training facilities, included in the proposed action for Harmony Church, are the Maneuver Center Simulations facility, programmed for FY 2008, which would support Armor School training in constructive and virtual simulations. A similar facility to support battle staff training and constructive simulations would be provided by the construction of a standard design small Battle Command Training Center programmed for FY 2012. A new USARC and operational maintenance shop, programmed for FY 2010, would be constructed to accommodate the closing of the USARC in Columbus, GA and consolidate it with other Fort Benning Army Reserve units. This facility would be co-located with the ECS in an area southeast of the existing Harmony Church cantonment area.

Administrative facilities to be constructed at Harmony Church would include the Initial Entry Training (IET) Brigade Headquarters, 16th Cavalry Regiment Headquarters Building Complex, and Armor Officer Basic Course Headquarters Complex. The IET Brigade Headquarters, programmed for FY 2007, would provide adequate headquarters facilities to support elements of new Armor IET and include brigade headquarters, company headquarters, general purpose administrative facilities, and associated parade/graduation field with covered bleachers. Existing facilities north of Eighth Division Road would be used for the 16th Cavalry Regiment Headquarters Building Complex which supports administrative and general instruction functions (programmed for FY 2008) and the Armor Officer Basic Course Headquarters Complex (programmed for FY 2009).

Proposed community facilities are appropriately sited with planned land uses and include a fire station programmed for FY 2007, a troop medical clinic programmed for FY 2008, a recreation center and physical fitness center with a pool programmed for FY 2011, and a chapel programmed for FY 2012.

In addition, the proposed action includes the construction of access control facilities and infrastructure into the Harmony Church cantonment area. This includes a new interchange at U.S. Highway 27/280 to the southeast of the existing cantonment area at Cusseta Road as well as improvements at the existing First Division Road interchange at the northwestern corner of the cantonment area. Improvements would include a visitor control center, entry control points, and traffic control devices. This project, which is currently programmed for FY 2007, may require the movement of the existing material recycling facility to another location. Because the new location of the recycling facility is unknown, future NEPA compliance may be required for this action.

Kelley Hill. Kelley Hill, which is principally accessed by Marne and Ivy roads, currently supports a concentrated area of development for troop housing, community, and maintenance facilities. At approximately 400 acres, this cantonment area is relatively small. As part of the proposed action, various

buildings within Kelley Hill are proposed for conversion (i.e., internal renovations and expansions) to accommodate the 3 ID BCT (programmed between FY 2008 and 2010). In addition, a vehicle maintenance facility is proposed in FY 2012, as well as road and infrastructure improvement projects along the Marne and Ivy road corridors starting in FY 2008.

Main Post. The existing 8,850-acre Main Post cantonment area includes a mix of low- to high-density land use including troop and family housing; administration and community facilities; maintenance, supply and storage; outdoor recreation; training ranges; and medical and industrial facilities. Lawson Army Airfield (AAF) is located on the southwest side of Main Post.

The proposed action includes infill development for various uses, including medical, administrative, troop housing, community facilities, and operational facilities.

A hospital replacement project would be constructed just west of the existing hospital at the northwest intersection of Interstate 185 and Marne Road and is scheduled for FY 2009 through FY 2011. An addition would be made to expand the existing troop medical clinic, located in a central portion of the Main Post, programmed for FY 2009.

To increase needed administrative facilities, Building 4, which currently provides administrative facilities for the Infantry School, would be renovated (starting in FY 2008) and in FY 2010 the building would be expanded to serve as the Maneuver Center Headquarters and include a co-located Capabilities Development and Integration Facility. Additionally, approximately six existing buildings would be converted for administrative and instructional use for the Infantry Officer Basic Course, Officer Candidate School, and Non-Commissioned Officer Academy in FY 2007 through FY 2010. A new headquarters complex would be constructed to support the new mission of the 14th Combat Support Hospital in FY 2012. In the southern portion of the Main Post, several Special Operations Forces (SOF) projects programmed for FY 2008 would be constructed to include administrative headquarters facilities as well as a co-located vehicle maintenance shop.

In the southern portion of the Main Post, existing motor pool facilities would be replaced by additional troop housing for the 75th Ranger Regiment (programmed for FY 2011). Improvements in this portion of the Main Post would be made at the interchange of Marne Road and Lindsay Creek Parkway and at Lindsay Creek Parkway and Eighth Division Road.

Proposed community facilities include two child development centers. One of the proposed child development centers, programmed for FY 2007, would be for 6- to 10-year olds and would be co-located with existing schools north of Dixie Road near the intersection of Ingersoll Street. The second child development center, programmed for FY 2013, would be for children under 6 and would be located in the southeastern portion of the Main Post.

Sand Hill. Within the 2,510-acre Sand Hill cantonment area, existing land use consists primarily of reception station and trainee barracks and supporting community facilities (refer to Figure 2.3-6). The proposed action would develop additional acres by providing additional barracks and community facilities

(including expansion of the health and dental clinic and a chapel) and would introduce instructional uses through the conversion of an existing building into a training aids center.

A trainee barracks complex (similar to those proposed in Harmony Church) programmed for FY 2008 would be constructed in the eastern portion of Sand Hill cantonment area, necessitating the relocation of training activities associated with the existing Land Mine Training Area. The future location of this training area will be selected using appropriate NEPA documentation and be consistent with adjacent facilities. A reception station barracks and processing center programmed for FY 2008 would be constructed in the western portion of Sand Hill. This phased project would include reception station processing center, barracks, company operations facilities, dining facility, Soldier community building, storage building, central energy plant, and an associated physical fitness training area including a quarter-mile running track.

The existing Winder Health Clinic and existing Solomon Dental Clinic, both centrally located within the Sand Hill cantonment area, would be expanded to accommodate the additional personnel that would require health and dental services under the proposed action. Both of these projects are programmed for FY 2008. An existing facility (Building 3020) would be converted to a training aids center with a project programmed for FY 2008. The facility would provide training aid support for the increased IET that would occur at Fort Benning under the proposed action. Finally, a new chapel would be constructed in the northeastern portion of this cantonment area. This project is programmed for FY 2012.

Infrastructure support projects within Sand Hill include the expansion and paving of additional areas at the transportation motor pool, improvements at the main intersection entering the Sand Hill cantonment area, and utilities infrastructure improvement projects programmed for FY 2007 and FY 2008.

Other Actions across the Installation. Other Transformation actions approved prior to BRAC are analyzed under separate NEPA and are included in the cumulative analysis. There are other actions that are not essential to implement the BRAC Commission recommendations; have not received funding; and/or might change depending on future mission needs and those comprise the projects identified for implementation beyond 2013 (the planning horizon for this EIS). These activities are evaluated within the cumulative impacts section, but would require specific NEPA documentation for implementation.

3.2.2.2 Transformation Alternative A

Under this alternative, cantonment area development would occur as presented in Section 3.2.2.1. In order to support the training range requirements, small- and large-caliber weapons ranges, heavy maneuver areas and corridors, a drivers training course, off-road drivers, training area, and vehicle recovery area would need to be constructed. Table 3.2-3 lists these projects and Figure 3.2-2 and 3.2-3 provide their location under Alternative A. Figure 3.2-4 provides the identified area of greatest use anticipated in the heavy maneuver area and corridors, as well as the targets (including the ordnance impact zones and areas that would be impacted from routine maintenance and ordnance cleanup activities associated with these targets—or what is called the range heavy use areas), drivers training, vehicle recovery, and off-road drivers training areas.

Table 3.2-3: Transformation Alternative A – Projected Range Development Projects

North of U.S. Highway 27/280			
Action	Location	Year Constructed	Facility Footprint (Acres)
BRAC	Tank/Fighting Vehicle Stationary Gunnery Range-ST1	2007	741.00
BRAC	Fire and Movement Range-FM1	2007	3.00
BRAC	Modified Record Fire Range-MRF2	2007	24.00
BRAC	Modified Record Fire Range-MRF4	2008	24.00
BRAC	Modified Record Fire Range-MRF6	2008	24.00
BRAC	Modified Record Fire Range-MRF3	2008	24.00
BRAC	Automated Combat Pistol Qualification Course	2008	2.00
NON-BRAC	Rifle/Machinegun Zero Range-Z1	2008	1.00
NON-BRAC	Rifle/Machinegun Zero Range-Z2	2008	1.00
NON-BRAC	Rifle/Machine Gun Zero Range-Z4	2008	1.00
NON-BRAC	Heavy Maneuver Corridor – South	2009	81.00
NON-BRAC	Basic and Advanced Drivers Training Course, Off-Road Drivers Training, and Vehicle Recovery Area	2009	48.00
NON-BRAC	Heavy Maneuver Area – North	2009	16.11
BRAC	Modified Record Fire Range-MRF5	2009	24.00
NON-BRAC	Rifle/Machine Gun Zero Range-Z5	2009	1.00
NON-BRAC	Combined Arms Collective Training Facility, Phase II (CACTF)	2009	9.80
NON-BRAC	Rifle/Machinegun Zero Range-Z3	2009	1.00
BRAC	Tank/Fighting Vehicle Stationary Gunnery Range-ST2	2009	741.00
NON-BRAC	Repair Existing Training Area Roads, Paved	2010	0.00
BRAC	Fire and Movement Range-FM3	2010	3.00
NON-BRAC	Multi-Purpose Machine Gun Range-MPMG3	2011	238.00
NON-BRAC	Rail Car Storage and Tracks for Deployment	2012	22.00
South of U.S. Highway 27/280			
NON-BRAC	Qualification Training Range-QTR	2011	238.00

This page left intentionally blank.




Figure 3.2-2: Transformation Alternative A North of U.S. Highway 27/280 Range Development




Figure 3.2-3: Transformation Alternative A South of U.S. Highway 27/280 Range Development

3.2.3 Transformation Alternative B (Preferred Alternative)

Under preferred alternative, Alternative B, all cantonment area construction would be the same as that described in Alternative A, with the exception of the Harmony Church interchange. Under Alternative B, this interchange would be constructed just south of Eighth Division Road within an area already experiencing disturbance due to other Transformation actions in Harmony Church. In total, approximately 2,011 acres would be developed within the cantonment areas. Under Transformation Alternative B several of the training areas presented under Alternative A would move or change.

- The Heavy Maneuver Area – North, as delineated in Alternative A, would be used for both light and heavy maneuver training for all Fort Benning units, not just for the Armor School. It would be used to support some of the light maneuver training displaced by the establishment of the Good Hope Maneuver Area in the southern portion of the Installation.
- The heavy maneuver area, under B, would be established in existing training areas Q4-7, B1-6, CC1, and DD1-3 and would be called the Good Hope Maneuver Area.
- In order to access the Good Hope Maneuver Area, tracked vehicles stationed in Harmony Church would need to move from one side of U.S. Highway 27/280 to the other. Existing tank trails would need to be upgraded, new ones constructed, and U.S. Highway 27/280 bridged depending on the access option chosen. Option 1 would use an existing tank trail around and to the north of Harmony Church that would require upgrading and/or reinforcement. Option 2 would also bridge U.S. Highway 27/280 but just south of Eighth Division Road. Option 3 would use an existing tank trail and underpass (about a mile south of the existing Harmony Church access point); however, the underpass would need widening since it cannot accommodate the larger tracked vehicles and tanks used by the Armor School. An option will be chosen that provides the safest route for tracked vehicle movement. This will be done in consultation with the Georgia Department of Transportation; the appropriate level of NEPA evaluation will be undertaken once the final option is chosen. Regardless of the option choice, Jamestown Road would need upgrading to the Good Hope Maneuver Area.
- The vehicle recovery area would be established at an area adjacent to Harmony Church in training area R1.
- The basic/advanced driving course would be established at R2, just east of the existing drivers training area in Harmony Church.
- The area identified under Alternative A (L1, L2, and L5 training areas) for basic/advanced and off-road drivers training and the vehicle recovery area would still be used for Armor School training but would support off-road drivers training throughout the entire area.
- The Heavy Maneuver Corridor – South (as delineated in Alternative A and proposed in portions of the D, E, I, F, G, J, and T training areas), would be reconfigured to exclude the use of the corridor that is in the T and J portions, and would begin at Hourglass Road. Tracked vehicles and tanks would use existing tank trails to transit from the Combined Arms Collective Training Facility to the southern maneuver corridor east of Hourglass Road for heavy maneuver training.

Table 3.2-4 lists these range projects under Alternative B and Figures 3.2-5 and 3.2-6 provide the locations of these range assets. Figure 3.2-7 identifies areas of greatest use anticipated in the maneuver corridors and the drivers training area. Heavy use within the Good Hope Maneuver Area would comprise the entire polygon.

Table 3.2-4: Transformation Alternative B – Projected Range Development Projects

North of U.S. Highway 27/280			
Action	Location	Year Constructed	Facility Footprint (Acres)
BRAC	Fire and Movement Range-FM1	2007	3.00
BRAC	Tank/Fighting Vehicle Stationary Gunnery Range-ST1	2007	741.00
BRAC	Modified Record Fire Range-MRF2	2007	24.00
BRAC	Modified Record Fire Range-MRF4	2008	24.00
BRAC	Modified Record Fire Range-MRF6	2008	24.00
BRAC	Modified Record Fire Range-MRF3	2008	24.00
BRAC	Combat Pistol Qualification Complex	2008	2.00
NON-BRAC	Rifle/Machinegun Zero Range-Z1	2008	1.00
NON-BRAC	Rifle/Machinegun Zero Range-Z2	2008	1.00
NON-BRAC	Rifle/Machine Gun Zero Range-Z4	2008	1.00
BRAC	Tank/Fighting Vehicle Stationary Gunnery Range-ST2	2009	741.00
NON-BRAC	Modified Heavy Maneuver Corridor – South	2009	81.00
NON-BRAC	Basic/Advanced Drivers Training Course	2009	48.00
NON-BRAC	Vehicle Recovery Area	2009	NA
NON-BRAC	Off-Road Drivers Training	2009	16.11
NON-BRAC	Modified Record Fire Range-MRF5	2009	24.00
NON-BRAC	Rifle/Machine Gun Zero Range-Z5	2009	1.00
NON-BRAC	Combined Arms Collective Training Facility, Phase II (CACTF)	2009	9.80
NON-BRAC	Rifle/Machinegun Zero Range-Z3	2009	1.00
BRAC	Fire and Movement Range-FM3	2010	3.00
NON-BRAC	Repair Existing Training Area Roads, Paved	2010	0.00
NON-BRAC	Multi-Purpose Machine Gun Range-MPMG3	2011	238.00
NON-BRAC	Rail Car Storage and Tracks for Deployment	2012	22.00
South of U.S. Highway 27/280			
NON-BRAC	Good Hope Maneuver Area	2009	16.11
NON-BRAC	Road access, tank trail upgrades	2009	72 miles
NON-BRAC	Qualification Training Range-QTR	2011	238.00

Table 3.2-5 provides a comparison, of disturbance areas, under Alternatives A and B. These disturbance areas include the construction footprint for facilities, infrastructure improvements, road construction/upgrades, range establishment (including ordnance impact zones and heavy use areas where training activities would occur, and heavy use within the maneuver corridors and areas). In summary, cantonment area disturbance, would be the same for both action alternatives; however, Alternative A range improvements disturbance area would total 8,730 acres, whereas the preferred Alternative B range

improvements would total 17,089 acres. Alternative B includes greater acreage to allow for more training flexibility and avoidance of many sensitive environmental resources.

Table 3.2-5: Summary of Potential Effect by Geographic Area in Acres

ALTERNATIVE A								
	2007	2008	2009	2010	2011	2012	2013	Total
Cantonment Areas								
Harmony Church	519	141	136	71	56	195	0	1,118
Kelley Hill	78	0	0	0	0	7	0	85
Main Post	220	119	181	0	0	34	8	562
Sand Hill	27	209	0	0	0	10	0	246
Cantonment Area Subtotals	844	469	317	71	56	246	8	2,011
Ranges								
Range Facilities North of U.S. Highway 27/280	1,338	736	1,312	95	407	95	0	3,983
Range Facilities South of U.S. Highway 27/280	0	0	0	15	433	0	0	448
Heavy Maneuver Area – North (North of U.S. Highway 27/280)	0	0	943	0	0	0	0	943
Heavy Maneuver Corridor – South (North of U.S. Highway 27/280)	0	0	2,734	0	0	0	0	2,734
Drivers Training Area (includes Basic and Advanced Drivers Training Courses, Vehicle Recovery, and Off-Road Drivers Training) (North of U.S. Highway 27/280)	0	0	622	0	0	0	0	622
Range Area Subtotals	1,338	736	5,611	110	840	95	0	8,730
ALTERNATIVE A TOTALS	2,182	1,205	5,928	181	896	341	8	10,741
ALTERNATIVE B								
	2007	2008	2009	2010	2011	2012	2013	Total
Cantonment Areas								
Harmony Church	331	141	136	71	56	195	0	930
Kelley Hill	78	0	0	0	0	7	0	85
Main Post	220	119	181	0	0	34	8	562
Sand Hill	27	209	0	0	0	10	0	246
Cantonment Area Subtotals	844	469	317	71	56	246	8	1,923
Ranges								
Range Facilities North of U.S. Highway 27/280	1,395	736	1,312	95	419	95	0	4,052
Range Facilities South of U.S. Highway 27/280	22	0	29	15	433	0	0	499
Good Hope Maneuver Area (South of U.S. Highway 27/280)	0	0	9,499	0	0	0	0	9,499
Modified Heavy Maneuver Corridor – South (North of U.S. Highway 27/280)	0	0	1,866	0	0	0	0	1,866
Basic and Advanced Drivers Training Courses (Harmony Church)	0	0	201	0	0	0	0	201
Vehicle Recovery Area (Harmony Church)	0	0	513	0	0	0	0	513
Off-Road Drivers Training Area (North of U.S. Highway 27/280)	0	0	459	0	0	0	0	459
Range Area Subtotals	1,417	736	13,879	110	852	95	0	17,089
ALTERNATIVE B TOTALS	2,261	1,205	14,196	181	908	341	8	19,100




Figure 3.2-5: Transformation Alternative B North of U.S. Highway 27/280 Range Development




Figure 3.2-6: Transformation Alternative B South of U.S. Highway 27/280 Range Development




Figure 3.2-7: Transformation Alternative B Heavy Maneuver Use Area

3.3 NO ACTION ALTERNATIVE

The CEQ regulations that implement NEPA require that, for a clear basis for choice among options by the decision maker and the public, a No Action Alternative must be included and analyzed (40 CFR 1502.14[d]). The No Action Alternative would continue the missions at Fort Benning as they were being performed in November 2005, when the BRAC Commission recommendations became law. Because the Digital Multi-Purpose Range Complex (DMPRC) was approved and under construction at that time and a separate EIS and ROD was completed, the baseline also includes the conditions that are expected once the DMPRC becomes operational (scheduled for 2007). Because the BRAC Law mandates closure and realignment of Installations, the No Action Alternative for BRAC-directed actions is not possible. Nevertheless, the No Action Alternative serves as a baseline alternative against which environmental impacts of the two action alternatives are measured. An overview of the operational baseline is provided below. For individual environmental resource areas, baseline conditions that establish the environmental setting against which environmental effects of the alternatives are evaluated are provided in Section 4.0.

3.3.1 Fort Benning Baseline Mission

Fort Benning is the home of the Army Infantry School and Center and is one of the world's premier war fighting schools and deployment centers. The formal baseline mission of Fort Benning is to:

- provide the nation with the world's best trained Infantry Soldiers and adaptive leaders imbued with the Warrior Ethos;
- act as a Power Projection Platform capable of deploying and redeploying Soldiers, civilians, and units anywhere in the world on short notice; and
- define Infantry requirements for material developers to meet the needs of the future force (Fort Benning 2006b).

Since the establishment of the Infantry School at Fort Benning in 1918 (when it was moved to Fort Benning from Fort Sill, OK), it has had a far-reaching impact in training our armed forces. Even Soldiers never stationed or assigned temporary duty at Fort Benning are exposed to the training standards, Field Manuals, and textbooks published by the Infantry School. With the Infantry, the so-called "Queen of Battle," as the Post's nucleus, Fort Benning has added other significant missions over the years, including: Airborne School, where Soldiers learn to engage in battle from the sky; Ranger School, where Soldiers learn advanced warfare tactics and skills; and the 29th Infantry Regiment, where Soldiers learn how to operate and maneuver the BFV in combat. Fort Benning's 36th Engineer Group has been at the forefront of the Army's Post-Cold War mission of providing aid; and Fort Benning future technology in Battlelabs is shaping the way the military of the 21st Century will fight its wars (Fort Benning 2006b).

Fort Benning supports the TRADOC mission to conduct initial entry training for Infantry Soldiers and officers; basic- and advanced-level noncommissioned officer (NCO) and officer training courses; the Army's airborne and Ranger schools; and continued study, testing, and development of future joint and combined infantry doctrine, weapon systems, and tactics, techniques, and procedures. Further, Fort Benning provides the home station training facilities for Forces Command's (FORSCOM's) 3rd Bde,

3rd ID; SOCOM's 75th Ranger Regiment; and numerous other active duty deployable units. It also is the home to the Western Hemisphere Institute for Security Cooperation, which has the mission to train cadets, NCOs, and officers from numerous Latin American countries. Baseline Fort Benning workforce and student levels are shown in Table 3.3-1.

Table 3.3-1: Baseline Fort Benning Workforce Levels And Student Populations

	Military	Civilian	Students*	Total
Baseline	17,771	8,690	9,386	35,847

*Sources: Fort Benning 2006b and 2006c; *student totals represent the average daily number of students on Fort Benning.*

3.3.2 Fort Benning Baseline Training Assets

To support the numerous training and operational missions at the Post, Fort Benning offers the following training assets:

- 38 basic marksmanship ranges (ranges used to qualify or train on rifles, pistols, sniper rifles, grenade launchers, subcaliber light anti-armor weapons, shotguns, machine guns, and grenade machine guns);
- 9 direct fire gunnery ranges (ranges used to qualify and train tank and Bradley crews, including ranges used to qualify anti-armor weapons systems using service ammunition);
- 19 collective live fire ranges (ranges used for collective training events, such as Infantry Squad Battle Course (ISBCs) and Infantry Platoon Battle Course (IPBCs), multipurpose range complexes, and aerial gunnery ranges);
- 36 indirect firing facilities (ranges or dedicated firing points used for the qualification and training of mortars, field artillery, or air defense artillery and observation Posts);
- 7 special live fire ranges (ranges and training areas used for qualification and training of demolitions, live hand grenades, and claymores);
- 21 other, non-live fire facilities (assets that are used to train Soldiers without the use of weapons such as rappel towers, drop zones, obstacle courses, gas chambers, and other facilities not covered in the previous categories);
- 35 drop/landing zones;
- 83 light maneuver training areas (48,171 designated acres);
- 86 heavy maneuver training areas (62,958 designated acres);
- One 15,554-acre duded impact area (live ordnance impact area with the potential to produce UXO); and
- One 30,342-acre non-duded impact area (inert ordnance impact area without potential to produce UXO) that can be used for light maneuver training (Fort Benning 2006a).

The DMPRC will provide a state-of-the-art range facility, meeting the Installation's training needs for conducting effective advanced gunnery exercises in a realistic training environment. Changes in training on other existing ranges (Carmouche and Hastings) will occur to incorporate the new DMPRC. Basic and intermediate Tank and BFV training will take place at the Carmouche and Hastings ranges.

3.3.3 Fort Benning Baseline Operations

In order to fulfill the variety of Fort Benning missions, more than 200 training ranges and maneuver areas are available for Soldier training. Training operations include a variety of weapons systems from small arms to field artillery. Table 3.3-2 provides an overview of small caliber (i.e., munitions used in rifles, pistols, shotguns, and grenade launchers) and large caliber weapons (i.e., inert and high explosive field artillery and mortar shells from howitzers, tanks, and BFVs) used on the various ranges as of 2004, and prior to the approved DMPRC becoming operational. The baseline operations reflect that tank training will not occur at Hastings Range under normal circumstances after the DMPRC is operational.

Table 3.3-2: Baseline Annual Weapons Use Fort Benning

	Day	Night	Total
Small Caliber	30,120,421	2,978,943	33,099,363
Percent Day/Night	91%	9%	
Large Caliber	246,046	40,054	286,100
Percent Day/Night	86%	14%	

Source: USACHPPM 2006a and Fort Benning 2004b, includes DMPRC operational data

In addition to small- and large-caliber weapon system training, Soldiers train alongside the M1 Abram tanks, M2s, BFVs, Strykers, HMMWVs, and other tactical vehicles (e.g., tractor-trailer combinations, troop transport vehicles, and a variety of trailers for water and fuel transport) (Fort Benning 2006e). Fort Benning currently supports 2,595 pieces of equipment in its inventory (Personal communication, Bartlett 2006; Fort Benning 2006f); of these, 938 are vehicles (Table 3.3-3).

Table 3.3-3: Fort Benning Vehicle Inventory

Vehicle	Type	Fort Benning Existing
Tracked Armor Equipment	Includes Tanks, Armored Personnel Carriers, BFVs, Recovery Vehicles, Tanks With Assault Bridges, And Mine Clearers.	201
Wheeled Heavy Equipment	Stryker, HMMWVS (Carriers, Cargo, Armament, And Heavy Weight Trucks).	328
Wheeled Heavy Trucks	Heavy Cargo Equipment Transport, Fuel Tankers, Wrecker/Recovery Vehicles	141
Wheeled Trailers	Low-Bed Trailers For Armaments, Water, And Utility Towing.	216
Wheeled Medium/Light Trucks	Fork Lifts, Cargo, And General Personnel Carriers.	193
Total Vehicles		938

Fort Benning is also home to the airborne school and Lawson AAF, which supports both fixed-wing and rotary aircraft. While no additional aircraft would be associated with the Transformation activities, these baseline airfield operations contribute to the Installation mission and consequently to its noise environment.

Baseline training throughput (or the average number of students that are trained throughout the year on any given day) is noted in Table 3.3-4.

Table 3.3-4: Baseline Training Throughput at Fort Benning

Type of Training		Number of Students
<i>Infantry School</i>		
Total Student Input		29,915
Daily Average Load		3,305
<i>Infantry Training Brigade</i>		
Total Student Input		19,256
Daily Average Load		5,008
<i>Basic Combat Training Brigade</i>		
Total Student Input		5,319
Daily Average Load		946
<i>Western Hemisphere Institute for Security Cooperation (WHINSEC)</i>		
Total Student Input		450
Daily Average Load		97
<i>Medical Department Activity (MEDAC)</i>		
Average Load		30

Source: Fort Benning 2006b

4.0 AFFECTED ENVIRONMENT AND ENVIRONMENTAL CONSEQUENCES

4.1 INTRODUCTION

Potential environmental impacts cannot be determined without first understanding the existing conditions in the affected environment. For this reason, the impact analysis process involves two steps. First, this EIS helps the reader develop an understanding of the existing environmental setting and conditions by identifying the “affected environment” or “region of influence (ROI).” The geographic extent of this area is determined by the potential for impacts, due to construction, operations, and/or maintenance, associated with the various resources. The ROI can change depending on the resource category. For instance, soils may be impacted within Fort Benning so the ROI for soils would be Fort Benning; however, the air quality ROI would be the geographic extent that emissions could possibly impact the regional air quality. Second, the EIS uses details of the alternatives (see Chapter 3) to assess their impacts on the existing environment, or the “environmental consequences.” As required by NEPA and Army implementing regulations, this EIS addresses impacts associated with the No Action Alternative, as well as the two action alternatives—A and B. To better evaluate existing conditions, numerous studies and/or surveys were undertaken. A summary follows:

- Socioeconomics Assessment – Impacts to the local community were assessed using the U.S. Army Economic Impact Forecast System (EIFS) modeling program. The results were integrated into the Section 4.4 Socioeconomics, and presented in Appendix C.
- Transportation Survey – Installation cantonment-area roads were evaluated to establish their ability to support the influx of personnel and families associated with the Transformation action. The results are presented in Section 4.5, Transportation and in Appendix D.
- Noise – The Fort Benning Range Division submitted small arms and large caliber operational data information to U.S. Army Center for Health Promotion and Preventive Medicine (USACHPPM) detailing current and future rounds fired on Fort Benning; this information was used to generate noise contours which are presented in Section 4.7 Noise.
- Air Quality – Emissions generated as a result of Transformation construction activities, as well as those associated with operations and maintenance were examined. Results are summarized in Section 4.8, Air Quality and criteria used to reach these results are found in Appendix E.
- Wetlands Assessment – Wetlands delineation was (or will be) conducted on all of the proposed constructions sites where wetlands were found. This delineation report will be forwarded to the Albany Field Office of the USACE Regulatory Branch, for delineation verification. Results are presented in Section 4.12, Biological Resources.
- Special Status Species Surveys – These included surveys of the Federally-protected Red-cockaded woodpecker (RCW) and Relict trillium and the state-protected Gopher tortoise. Results of these surveys are summarized in the Section 4.12, Biological Resources.

- Biological Assessment (BA)/Biological Opinion (BO) – In April 2007, Fort Benning submitted a BA to the USFWS for formal consultation; on August 21, 2007, the final BO was signed by USFWS. The BA and appendices are available for review at the following website: http://www.hqda.army.mil/acsim/brac/nepa_eis_docs.htm; the BO is attached in Appendix F.
- Cultural Resources Surveys – Cultural resources surveys (Phase I and/or II) have been conducted for all areas proposed for construction. Results are presented in Section 4.13, Cultural Resources. Formal consultation with both the GA SHPO and the Tribes has been requested regarding the potential impacts to and protection of these sites (Appendix G). Appendix G also contains the Executive Summary of the document to be used for Section 106 consultation. The complete document contains sensitive information on archaeological sites and is, therefore, not distributed to the public in accordance with Section 9 of the Archaeological Resource Protection Act (ARPA) and Section 304 of the NHPA.

The potential environmental consequences of the alternatives to 13 resources are presented below, followed by an examination of cumulative impacts.

4.1.1 METHODOLOGY

The impact analysis process requires collecting scientifically valid and up-to-date information. Data collection involves:

- reviewing previous studies, such as technical publications, agency databases, management plans, and other NEPA documents;
- talking to agencies and others with information on specific resources, such as the U.S. Fish and Wildlife Service, U.S. Army Corps of Engineers, Georgia Department of Natural Resources, Georgia SHPO, American Indian Tribal representatives, and community planners;
- reviewing public input during the scoping process; and
- conducting field studies.

The resources analyzed in this EIS are interdependent. For example, a change in soils might affect local vegetation, which in turn could affect wildlife that depends on the plants for food. The increase in range operation might affect noise conditions around the Installation and changes in noise could affect adjacent neighbors and wildlife. These types of interrelationships are recognized in 40 CFR 1502.6, which states “environmental impact statements shall be prepared using an inter-disciplinary approach which will insure the integrated use of the natural and social sciences and the environmental design arts.”

Assessment of environmental consequences is also based on an understanding that different resources are not equally sensitive to all elements of an action. For example, cultural resources—especially archaeological sites—are most likely affected by activities that disturb the ground (such as facility and range construction) and are usually not affected by noise. On the other hand, certain animal species may be more sensitive to short-term construction activities than long-term exposure to noise increases.

The environmental impact analysis process is designed to focus analysis on those environmental resources that could potentially be affected by the Transformation proposal. Potential effects may result from different aspects of an alternative—construction, operations, or maintenance. For this EIS, resources have been either grouped or analyzed individually according to resource categories. Thirteen resource categories, listed below, are analyzed for each alternative:

- Land use (Section 4.2) includes discussion of potential impacts of the alternatives to on Post and off-Post land use and management.
- Aesthetics and Visual Resources (Section 4.3) evaluate the visual character, visual compatibility, and viewer sensitivity to the landscape that could occur under the alternatives.
- Socioeconomics (Section 4.4) analyzes potential impacts as a result of the alternatives to economic development, demographics, housing, quality of life, environmental justice, and protection of children.
- Transportation (Section 4.5) presents the existing transportation network (both on Post and off Post) and analyzes the potential impacts the Transformation alternatives would have if any one of them were implemented.
- Utilities (Section 4.6) discusses the potential impacts of the alternatives to water use, wastewater, and storm water systems, energy/power sources, communications, and solid waste.
- Noise (Section 4.7) analyzes the existing noise environment and the potential increases in noise under the action alternatives. These increases are then evaluated in terms of how they might affect land use and adjacent communities.
- Air Quality (Section 4.8) presents the potential increase in criteria pollutants and fugitive dust emissions that could occur under the Transformation alternatives and the effect these emissions could have on regional air quality.
- Hazardous and Toxic Materials and Waste (Section 4.9) evaluates the materials and waste generated by the alternatives and potential impacts to the environment.
- Water Resources (Section 4.10) analyzes the potential effects to surface water, wetlands, hydrology, groundwater, floodplains, stormwater management, and sedimentation.
- Geology and Soils (Section 4.11) evaluates the potential effect of the Transformation alternatives on local geology and soil erosion potential.
- Biological Resources (Section 4.12) includes discussion of potential affects from the alternatives on vegetation, aquatic habitats, special status species, and unique ecological areas.
- Cultural Resources (Section 4.13) addresses potential affects to pre-historic, historic, and American Indian resources.
- Safety (Section 4.14) considers the safety aspects associated with training and operational activities proposed under the Transformation alternatives.

Existing management plans and procedures (as specified in each resource analysis), well as local, state, and federal requirements are not considered specific mitigation measures because they are already

included as part of the existing management regime, and will be undertaken regardless of the level of impacts. These ongoing management regimes are part of the proposed action and described under the affected environment and/or environmental consequences for the specific resources. Mitigation for potential adverse impacts, when applicable, is also discussed. Mitigation measures, per the Army NEPA Regulation and 40 CFR 1508.20, may include avoidance of effect; minimization of effect; repair, rehabilitation, or restoration of effect; reduction of effect; and/or compensation for effect.

Cumulative impacts are presented in Chapter 4 as well. The alternatives are evaluated for incremental impacts when considering the past, present, and reasonably foreseeable actions within Fort Benning and the adjacent communities.

4.1.2 FORT BENNING ONGOING ENVIRONMENTAL PROTECTION PROCESS FOR TRAINING ACTIVITIES

To address the potential for ongoing training activities to adversely affect the natural and cultural resources on Fort Benning, an environmental review must occur of the training plan prior to any on-the-ground activities. In accordance with Army NEPA Regulation, Headquarters U.S. Army Infantry Center Regulation 210-4, and Fort Benning Installations Range and Terrain Regulation (U.S. Army 2005b), all training activities must be preceded by the timely submission of the Fort Benning Range Division of a completed Fort Benning Form 144-R to the Environmental Management Division (EMD), Directorate of Public Works (DPW). The Form must include a training plan and provide sufficient detail of the training scenario to allow for a comprehensive analysis of the potential impact on the environment, including impacts to vegetation, threatened and endangered species, historical/archeological sites, soil erosion, wetland protection, hazardous materials spill prevention and/or control, noise management, etc. When existing NEPA documentation adequately covers a proposed training action, submission of the Form is still required. Repetitive actions scheduled for the same sites by the same units, using the same training scenarios, involving the same amount of troops, equipment, supply, ammunition, etc., are required to be submitted for environmental review and concurrence on a periodic basis (not to exceed 12 months). EMD reviews these submittals and renders concurrence/nonconcurrence with the proposed training activities. The concurrence may include conditions such as avoidance of sensitive areas, spill protocols, etc. A nonconcurrence is accompanied by reasons and conditions under which alternatives to the submittal can be favorably considered before the training can take place. In cases where restrictions identified by EMD may adversely impact training, Fort Benning EMD, training, and range personnel explore options to modify the exercise to meet mission needs and environmental requirements (U.S. Army 2005b). Following training activities, the area is surveyed by the Range Safety Officer to ensure safety and environmental compliance. If noncompliance is identified, the impact is reported via the Environmental Incident Report Form and mitigated per EMD direction. These processes and all other existing regulations (e.g., special status species protection, spill prevention, sedimentation controls) will remain in place and will be used to evaluate the training exercises both before and after they take place at Fort Benning under the proposed Transformation action.

4.1.3 ROLE OF INTEGRATED TRAINING AREA MANAGEMENT PROGRAM

Another tool used to manage resources and to minimize impacts to the environment (associated with training and operations), is the Integrated Training Area Management (ITAM) program. ITAM provides the Army with the capabilities to manage and maintain training and testing lands by integrating mission requirements with environmental and land management practices. The objectives of the Army's ITAM program are to:

- Achieve optimal sustained use of lands for the execution of realistic training and testing by providing a sustainable core capability that balances usage, condition, and level of maintenance.
- Implement a management and decision-making process that integrates Army training and other mission requirements for land use with sound natural resources management.
- Advocate proactive conservation and land management practices by aligning Army training land management priorities with the Army training and readiness priorities.

The ITAM program is formalized in Army Regulation 350-19, *The Army Sustainable Range Program*, which lays the groundwork and established responsibilities and procedures for the Sustainable Range Program (U.S. Army 2005a).

4.2 LAND USE

Land use often refers to human modification of land for residential or economic purposes. The attributes of land use include general land use and ownership, special use land areas, and land management plans. Land uses are frequently regulated by management plans, policies, ordinances, and regulations that determine the types of uses that are allowable or to protect specially designated or environmentally sensitive uses.

Both in terms of the affected environment and potential environmental consequences, this assessment first focuses on land use and management within the boundaries of Fort Benning. A discussion of land use, ownership, and special use land areas for lands on the perimeter of Fort Benning follows. The geographic setting and location of Fort Benning provides the context for this land use assessment. Fort Benning covers 181,275 acres in portions of Muscogee, Chattahoochee, and Russell counties. Approximately 80 percent of Chattahoochee County is within the boundaries of Fort Benning. The largest population center is the City of Columbus. The central business district of Columbus, GA lies approximately 8 miles north of the Main Post of the Installation. Columbus, GA is the third largest city in Georgia in terms of population and the largest city in Georgia in terms of land area (Columbus Consolidated Government 2006a). The City of Columbus and Muscogee County have a consolidated government (Columbus Consolidated Government, formed in 1971) and share the same jurisdictional boundaries (Columbus Consolidated Government 2006b). Phenix City, AL, the next largest incorporated city in the region, is located 9 miles southwest and across the Chattahoochee River from the Main Post area of Fort Benning. Phenix City shares close ties with the neighboring City of Columbus in terms of land use, as it is just west of the Chattahoochee River. The City of Cusseta, GA, the county seat of Chattahoochee County, is a small, incorporated city located south of Fort Benning. In 2003, the City of Cusseta and Chattahoochee County became the Unified Government of Cusseta-Chattahoochee County (Lower Chattahoochee Regional Development Center 2006). The remainder of the region is characterized by a few additional small, unincorporated communities and rural residences and predominantly agricultural and undeveloped vacant land used for farming and forestry. Other major urban areas within a 100 mile radius of Fort Benning include Albany and Macon, GA, and Montgomery and Dothan, AL.

The ROI for detailed analysis for perimeter land use is within a 3 mile zone of Fort Benning. This is consistent with the Army Compatible Use Buffer (ACUB) program, an Army program that identifies buffer planning zones around Army installations to limit effects of encroachment and maximize land inside the installation that can be used to support the installation's mission which focuses analysis on land use impacts, such as military activities and community development, which are potentially incompatible along the northeastern and western sides of Fort Benning. Because the Transformation actions occur primarily within the Georgia portion of Fort Benning, the Alabama/Russell County land use is not analyzed in as much detail as are other areas adjacent to Fort Benning.

Airspace use is described as part of the training land use environment, but is not analyzed in detail because the proposed Transformation actions would not affect the use, delegation, scheduling, or configuration of this airspace.

4.2.1 Affected Environment

4.2.1.1 Fort Benning Land Use

Ranges and Training Areas. The majority of training lands at Fort Benning are usable year-round. The primary land use document guiding military training is the Fort Benning RTLP Development Plan (Fort Benning 2006a). The RTLP Development Plan is prepared using the RTLP planning process as defined in AR 210-21, *Army Ranges and Training Land Program*, dated May 1, 1997 and AR 350-19, *The Army Sustainable Range Program*, dated August 30, 2005. The RTLP Development Plan provides a view of the available assets, identifies the users, and establishes their training needs based on Army training and resource doctrine. The RTLP process addresses managing range facilities and training areas by establishing current requirements and utilization levels for available training assets and providing a near- and long-term project plan for training, public works, and environmental planners. Table 4.2-1 provides a breakdown of the baseline land use designations at Fort Benning.

Table 4.2-1: Fort Benning Training Lands

Training Land Use Designation	Total Acres
Restricted Dudded Impact Area	1. 15,554
Maneuver Training	2. 141,471
Heavy Maneuver Areas	3. (62,958)
Light Maneuver Areas	4. (48,171)
Non-Dudded Impact Areas (can be used for light maneuver)	5. (30,342)
Other (non-range) Uses	6. 25,439

**Fort Benning Baseline Training Land Area
(by percentage of total Post acreage)**

The pie chart illustrates the distribution of training land at Fort Benning. The largest portion, 77%, is dedicated to Maneuver Areas. This category is subdivided into Heavy Maneuver (34%), Light Maneuver (26%), and Non-Dudded Impact Area (17%). Other (non-range) Uses account for 14% of the total, and the Dudded Impact Area accounts for 9%.

Category	Percentage
Maneuver Areas	77%
Heavy Maneuver	34%
Light Maneuver	26%
Non-Dudded Impact Area	17%
Other (non-range) Uses	14%
Dudded Impact Area	9%

Source: Fort Benning 2006a

The majority of training land use is dedicated to maneuver training. Figure 4.2-1 depicts the operational land use at Fort Benning. Training compartments are identified for the heavy maneuver training areas and the light maneuver training areas. Maneuver area lands are used for conducting force-on-force maneuver training associated with FTXs and STXs in the Army Training and Evaluation Programs (ARTEPs). Combined arms maneuvering integrates field artillery fire support, close air support, and Army aviation with the infantry and armor to attack or defend an objective. Light maneuver training




Figure 4.2-1: Fort Benning Operational Land Use

areas are used for dismounted foot traffic infantry, wheeled vehicles, and towed artillery training. Heavy maneuver training areas are used for training with both tracked and heavy wheeled vehicles and equipment, primarily on established trails, but also some free maneuvering (cross-country travel) of heavy equipment across appropriate terrain. All maneuver training areas are available for light forces. Heavy maneuver areas occupy 62,958 acres primarily in the northeastern portion of the Installation. Light maneuver lands occupy 48,171 acres primarily in the southwestern portion of the Installation (Fort Benning 2006a).

The Army identifies land use areas that receive live-fire ordnance as duded and non-duded impact areas. A duded impact area is an area that is known to contain unexploded live ammunition or a dud (an explosive ammunition that has been fired, has failed to function as designed, and as a result is of a hazardous or unpredictable condition). Access to duded impact areas is restricted to mission essential activities and coordinated with the controlling range office prior to entry. Non-duded impact areas are those that receive munitions that do not include high explosive or dud-producing ordnance (such as training rounds). Non-duded impact areas can be used for maneuver training at the expense of ceasing live-fire training when the associated SDZs overlap with the training area. At Fort Benning, duded and non-duded impact areas are concentrated in three locations on the Installation: the Oscar-Kilo Range Complex in the northeast corner of the Installation in the vicinity of the K-15 impact area, the Alpha Range Complex in the southern portion of the Installation in the vicinity of the A-20 impact area, and a smaller area in the Malone Range Complex on the western boundary of the Installation (see Figure 4.2-1).

Range areas include the 38 basic marksmanship ranges, 9 direct fire gunnery ranges, 19 collective live fire ranges, 36 indirect firing facilities, and 7 special live fire ranges listed individually in Section 3.2.2. It also includes the EOD Range. Indirect live fire ranges support field artillery and mortar whose training requirements call for an approved firing point and an appropriate impact area. The basic weapons ranges support the training requirements for pistols, rifles, machine guns (including submachine guns and grenades), shotguns, AT4s (light anti-armor weapon), and M203 grenade launchers. The direct fire gunnery ranges are designed for the M1 series tank, M2 BFVs, M114 HMMWVs, and associated ordnance. The collective live fire ranges provide squad-level and higher units the opportunity to conduct maneuver operations using live ammunition with M1 series tanks, M2 BFVs, and M114 HMMWVs. Special live fire ranges support live hand grenades and non-live fire facilities for bayonet training; hand-to-hand combat; mine warfare; confidence, obstacle, rappelling, land navigation, and tracked vehicle drivers courses; combat trail; and medium/heavy equipment training areas. Armor, artillery, and mortar firing occur from three established firing areas on the Installation. Ordnance firing is directed toward controlled duded impact areas (K-15, A-20, etc.). Other military training activities include the operation and maintenance of vehicles, academic/classroom military training, and physical training. Various support units, such as transport units and signal units, also participate in training activities.

The inventory of existing ranges is provided in Table 4.2-2 along with the average days used (computed on the basis of average use in the 3 previous fiscal years) and days required (days exceed 365 when multiple missions require use of the targets). The ranges used most heavily were the Urban Assault

Course (UAC), small Military Operations Urban Terrain (MOUT), and non-automated IPBC. Per the RTLP, overall utilization of range facilities was relatively steady for FY 2004 and FY 2005, but increased in FY 2006 based on utilization data for the first half of FY 2006 and projected utilization for the remainder of the year. These utilization rates were greatly affected by wartime deployments during these years. Projections of future requirements more accurately reflect baseline demand, but also include projected Armor School requirements. When this information is analyzed in context of projected range throughputs and range capacities, shortfalls are identified. Many of these shortfalls are because Fort Benning requires standard, modernized ranges for improved training in order to meet their mission requirements (Fort Benning 2006a).

Table 4.2-2: Range Training Inventory and Utilization

Range Title	Number of Facilities	Average Days Used	Days Required
Basic Weapons Marksmanship Ranges			
Basic 10/25 m Firing Range (M16 zero)	7	124	301
Automated Field Fire Range	1	118	295
Automated Record Fire Range Remote Target System	3	162	398
Modified Record Fire Range Remote Target System	2	118	179
Known Distance Range	4	120	371
Sniper Range	1	185	110
Nonstandard Small Arms Range	9	101	468
Combat Pistol Qualification Course/Military Police Firearms Qualification Course	1	75	182
Multipurpose Machine Gun	1	82	NA
Multipurpose Machine Gun Automated	2	70	303
M203 Grenade Launcher Range	2	47	140
Direct Fire Gunnery Ranges			
Antiarmor Tracking and Live Fire Range	3	104	14
Field Artillery Direct Fire Range	1	30	11
Stationary Gunnery Range	1	46	287
Multipurpose Training Range (Non-Automated)	2	59	NR
Multipurpose Training Range (Automated) Carmouche	1	80	491
Aerial Gunnery Range	1	1	NR
Collective Live Fire Ranges			
Tank Platoon Battle Run (Cactus/Whitson)	1	36	NR
UAC	2	287	464
Shoot House	4 ^a	10	232
Infiltration Course	1	76	299
Fire and Movement	4 ^b	115	126
Squad Defense Range	1	19	269
ISBC (Non-Automated)	1	124	NR
IPBC (Non-Automated)	2	232	216
MOUT Small	2	258	NR
Convoy Live Fire	1	NR	170
Indirect Fire Facilities			
Mortar Scaled Range	1	49	NA
Mortar Range/Firing Points	19	123	46
Field Artillery Indirect Fire Range	22	101	18
Observation bunker	1	238	NA

Table 4.2-2: Range Training Inventory and Utilization

Range Title	Number of Facilities	Average Days Used	Days Required
Special Live Fire Ranges			
Hand Grenade Familiarization Range	1	49	306
Light Demolition Range	4	35	180
Other, Non-Live Fire Facilities			
Rotary Wing Runway Unsurfaced	31	53	NA
Nuclear, Biological, Chemical Chamber	2	91	259
Bayonet Assault Course	1	NA	270
Target Detection Range	3	73	NA
Hand-to-Hand Combat Pit	3	NA	348
Confidence Course	3 ^c	37	179
Leadership Reaction Course	1	70	19
Tracked Vehicle Drivers Course	1	NA	275
Tracked Vehicle Recovery Specialist	1	NA	225
Amphibious Vehicle Training Area	1	53	NA
Combat Trail	1	98	42
Rappelling Training Area	1	53	86
Obstacle Course	1	NA	384
Land Navigation Course	4	53	314
Maneuver Training Areas			
Maneuver/Training Area Light Forces	83	54	NA
Maneuver/Training Area Heavy Forces	86	84	NA

Source: Fort Benning 2006a.

- Notes:
- a. Construction on two of the four shoot houses was recently completed; utilization data are not available for inclusion.
 - b. One of the Fire and Movement Ranges is inactive
 - c. Utilization data were unavailable for two of the three confidence courses.
 - d. Maneuver/training area requirements are calculated based on km² days required. For light forces, 141,581 km² are required. For heavy forces, 155,909 km² are required.
- NA = not available NR = not requirement

Restricted access areas (see Figure 4.2-1) represent areas that are used for training activities that are incompatible with maneuver training activities and include Ruth, Hastings, Carmouche, Cactus, Concord, DMPRC, Camp Darby, Malone MOUT, Railroad Head, McKenna MOUT, and AO Brown in the northern range area and the Kunzig Range Complex and portions of the Dixie Road Range Complex in the southern range area.

As further discussed in Section 4.14.1, areas within SDZs are closed to all personnel not directly using the range complex during ongoing exercises. SDZs are activated when range complexes are in use. When they are not in active use, areas within SDZs are accessible for other compatible land uses such as training, maintenance, and land management activities.

There are four personnel/equipment drop zones, which are large, flat, cleared areas used for personnel and equipment to land following a parachute jump. These are: Lee Field (located in the northern range area between the Malone Range Complex and DMPRC), McKenna (located in the northern range east of Harmony Church cantonment area), Arkman (located in the southern range on the eastern boundary of the

Installation), and Fryar (located in Alabama in the southern range on the western boundary of the Installation).

Other, non-live fire facilities such as rappel towers, obstacle courses, gas chambers, and helicopter landing pads are dispersed through the Installation. The Ammunition Storage Area, used to accommodate ammunition storage requirements in magazines of varying size and capacity, is located north of the Harmony Church cantonment area and south of the Ochillee Rail Head. The Ochillee Rail Head is capable of staging up to 72 rail cars and deploying 144 rail cars per day (Fort Benning 2006a).

Lawson AAF is a fully instrumented airfield located within the southern portion of the Main Post Cantonment Area. To protect airspace in the vicinity of Lawson AAF, the groups of training compartments identified by V, W, X, Y, and Z and specific training areas A1, A2, A3, A4, A14, A18, A19, CC3, and CC4 are designated as controlled and limited training areas for compatible land use, refer to Figures 3.2-1 through 3.2-7 (Fort Benning 2006a).

Overflight of the Fort Benning Installation is restricted and is controlled by Notice to Airmen, issued by the Federal Aviation Administration (FAA). The designated areas specific to Fort Benning are Restricted Areas R-3002A through 3002F. Airspace restrictions are based on training activity scheduled by ground forces, the weapon systems being used, and the location of the training facility on the particular day the restriction is in effect. Range Division will only hold on to the necessary airspace needed to accommodate the scheduled training. Normal flight procedures require all aircraft to use a designated frequency (SKYWATCH) for advisories when operating within the boundaries of Fort Benning. For flights over areas not included within R3002, but overlying Fort Benning, coordination with Lawson AAF is required 24 hours in advance. Range Division monitors the SKYWATCH frequency to advise aircraft within the Fort Benning airspace, logging aircraft in and clear. Lawson AAF is responsible for coordinating Airletters, Notices to Airman, etc. (Fort Benning 2006a).

Cantonment Areas. Land use and management within the cantonment areas of Fort Benning is primarily in accordance with AR 210-20, *Real Property Master Planning for Army Installations*, dated 16 May 2005. The Real Property Master Plan for Fort Benning dates from 1994 (Harland Bartholomew and Associates 1994) and, while it provides a basis for orderly development of the Installation, the planning therein has largely been overcome by the events surrounding the unforeseen scale of development associated with the proposed Transformation. The major emphasis of the Real Property Master Plan includes: (1) eliminating or minimizing conflicts among incompatible functions, (2) improving the function efficiency of operations on the Installation, (3) improving the appearance of the Installation by buffering or relocating unattractive industrial, utility, or maintenance functions, and (4) improving the Installation environment by reducing motor vehicle use. Much of the planning in recent years has been charrette-style planning that draws from this foundation and is conducted in accordance with the guidelines of AR 210-20 and guiding the development associated with various proposals. Fort Benning's annual planning board addresses ongoing Real Property Management Planning by considering and prioritizing projects for future years. Other management guidance is included the Installation Design

Guide, Integrated Cultural Resource Management Plan (ICRMP) (in preparation), Integrated Natural Resources Management Plan (INRMP), and aforementioned RTLP Development Plan.

The Fort Benning Installation Design Guide (U.S. Army undated) provides basic standards for the appearance of elements to be built or installed at Fort Benning within administration, community facilities, housing, industrial, open space, and mission support land use zones (see Section 4.3 for more detail on application of the Installation design guidelines at Fort Benning). The INRMP (Fort Benning 2001) is a component of the Real Property Master Plan and serves as the decision document for natural resources management actions and compliance procedures. When finalized, the ICRMP will serve as the decision document for cultural resources management actions and compliance procedures. These documents guide land use by identifying potential conflicts between the Installation's mission and cultural and natural resources management, recommending compliance actions necessary to maintain the availability of mission-essential properties and acreage, and developing a comprehensive plan for deliberately managing cultural and natural resources to attain and sustain stewardship requirements while optimizing primary activities on mission land and, where compatible, conducting secondary activities. Cultural resources management is discussed in more detail in Section 4.13. Land use components principally guided by the INRMP include timber management, outdoor recreation, habitat management, and management for the 15 Unique Ecological Areas (UEAs) identified in the INRMP. The biological resources management components of the INRMP, including the UEAs, are addressed in more detail in Section 4.12.

Tables 4.2-3, 4.2-4, and 4.2-5 provide a breakdown of baseline community support facilities, improvements, and housing at Fort Benning. The Army has transferred ownership and responsibility of family housing to a private entity and issued a land lease on underlying Army land. This initiative is discussed in further detail in Section 4.15.2. Fort Benning's water, wastewater, gas, and electrical distribution systems have been privatized as part of the Army's initiative to obtain safe, technologically current, and environmentally sound utility systems from private entities at a relatively lower cost than they would under continued government ownership. In the privatization process, military installations shift from the role of owner-operators to that of utility service customers.

Table 4.2-3: Baseline Community Support Facilities at Fort Benning

Type/Facility	Number	Type/Facility	Number
Morale, Welfare, and Recreation (MWR) Facilities		Army and Air Force Exchange Service (AAFES) Facilities	
After hours Community Activity Center	1	Main Post Exchange	1
Officers' Club	1	Barber Shops	7
Golf Course (36 Holes)	1	Beauty Shop – Main Post Exchange	1
Auto Skills Center	1	Shoppettes/5 with gas stations	12
Libraries (1 MWR; 2 Technical)	3	Theater (10-Plex)	1
Recreation Areas		Military Clothing Sales	2
(Destin, Florida and Uchee Creek, AL)	2	Troop Stores	2
Video Arcade	1	Mini Mall	1
Laundromat	1	Class 6 Package Beverage Store	1
Gym/Fitness Centers	6	Car Wash	1
Recreation Centers	3	AAFES Food Establishments	15
Outdoor Equip Checkout/Storage Units	1		
Car Washes	2	Commissary	1
Bowling Centers	2		
Bingo Facility	1	Medical Facilities:	
School Age Services		Hospital	1
Youth Services Center	3	Emergency Room	1
Child Care Centers	1	Troop Medical Clinics	7
Museum Gift Shops	4	Primary Care Clinics	5
MWR Food/Beverage Outlets	7	Pharmacies	2
Lodging Hotel	1	Optical Fabrication Lab	1
		Dental Clinic	5
Other Facilities/Services		Veterinary Clinic	1
Dependent Schools	7		
Army Community Service Center	1		
Chapels	7		

Source: Fort Benning May 2006c

Table 4.2-4: Baseline Assets

Improvement	Measurement
Buildings	
Number	2,981
Square Feet	21,013,625
Grounds	
Total Acres	181,386
Improved	11,035
Other	170,351
Roads (Miles)	
Paved	494
Gravel	696
Dirt	1,228
Tank Trails	40
Railroad Track	5
Utilities (not Army owned; privatized)	
Electrical Distribution (Miles)	590
Water	201
Gas	111
Sewer	167

Source: Fort Benning May 2006c

Table 4.2-5: Military Housing Baseline

Type of Housing	Quantity
Married Personnel	
Available for Officers	685
Available for Enlisted	3,361
Bachelor Personnel	
Officer Quarters (in adequate condition)	108
Senior Enlisted Quarters(in adequate condition)	26
Enlisted Barracks	
Space Available	25,190
Temporary Lodging Facilities	1,157

Source: Fort Benning May 2006c

Land use categories, defined in Army Technical Manual 5-803-1, *Installation Master Planning* (U.S. Army 1986), are summarized in Table 4.2-6. The distribution of these land use types is discussed for each of the four cantonment areas (refer to Figure in 2.3-1).

Table 4.2-6: Land Use Categories

Land Use	Definition
Administration	Headquarters and office buildings to accommodate offices, professional and technical activities, records, files and administrative supplies.
Airfield	Includes landing and takeoff areas, aircraft maintenance areas, airfield operations and training facilities, and navigational and traffic aids.
Community Facilities	Commercial and service facilities, the same as are associated with towns in the civilian community.
Family Housing	Facilities to house military families, along with support and recreational facilities
Industrial	Includes activities for manufacturing Army equipment and material, utility plants, and waste disposal facilities.
Maintenance	Facilities and shops for maintenance and repair of all types of Army equipment found at the depot, Installation, and manning and equipment levels.
Medical	Facilities providing for both inpatient and outpatient medical and dental care for active duty and retired personnel.
Open Space	Safety clearances, security areas, utility easements, water areas, wetlands, conservation areas, forest stands, and grazing areas.
Outdoor Recreation	Outdoor athletic and recreational facilities of all types and intensities of use.
Supply/Storage	Depot, terminal, and bulk-type storage for all classes of Army supply.
Training/Ranges	Academic training areas required to support entry level and continuing education, and fire and movement/maneuver areas.
Unaccompanied Personnel Housing	Unaccompanied enlisted and officer personnel barracks, including dining, administration, supply, outdoor recreation, and community retail and service facilities.

Source: U.S. Army 1986

Main Post: At a current 8,850 acres, Main Post is the largest and most developed of the cantonment areas. It includes the Post Headquarters, Infantry School, Cuartels barracks complex, Martin Army Community Hospital, Post Exchange, Commissary, and various family housing areas. Lawson AAF is located in the southernmost portion of the Main Post. The areas of the Main Post adjacent to the Chattahoochee River and Upatoi Creek are largely green space. Family housing and outdoor recreation dominate the northern portion of the Main Post. The densely developed core of the Main Post includes unaccompanied personnel housing, community facilities, training facilities, supply and storage, maintenance, industrial, and medical land uses.

Harmony Church: The Harmony Church cantonment area lies 5 miles southeast of Main Post and south of U.S. Highway 27. The existing 775-acre Harmony Church cantonment area supports a diverse assortment of low density facilities including unaccompanied personnel housing, maintenance, training, administration, and outdoor recreation land uses.

Kelley Hill: The 400-acre Kelley Hill cantonment area is located 3 miles east of Main Post. Current land use, which is fairly concentrated, includes unaccompanied personnel housing, community, and maintenance facilities.

Sand Hill: The 2,510-acre Sand Hill cantonment area is located 4 miles northeast of Main Post. Land use in this cantonment area includes family housing, unaccompanied personnel housing, training, and community facilities.

Recreation Areas. On-Post recreation areas are dispersed throughout the Installation. Most recreation and leisure programs on Fort Benning are managed and administered by the Directorate of Morale,

Welfare, and Recreation (MWR). The operation and maintenance of those facilities and areas are the responsibility of MWR and the DPW. Fort Benning's undeveloped lands used for recreation, commonly called open space, may include golf courses, ball fields, or other similar recreation areas. Recreation areas adjacent to training areas include Uchee Creek Recreation Area, located off 101st Airborne Division Road at the junction of Uchee Creek and the Chattahoochee River in Alabama; Kings Pond recreation area, located off Hourglass Road; Twilight Pond, located off First Division Road at Dickman Field in Harmony Church area; and Weems Pond, located at Jamestown Road across from Warner Range. Use of these areas must be scheduled through Community Recreation Division, Directorate of Community Activities in accordance with USAIC Regulation 210-4. Other recreational opportunities, such as a pistol club range, bird-watching, fishing, hunting, and hiking, also occur on the Installation. Recreation within developed lands includes recreational and physical fitness facilities, child care programs, libraries, club activities, bowling, and other similar opportunities.

Fishing and recreational boating is permitted at largely undeveloped lands along the Chattahoochee River. There are fishing ponds throughout the Post that authorized personnel may use after acquiring a permit from Fort Benning and a fishing license from either Georgia Department of Natural Resources or Alabama Department of Conservation and Natural Resources (depending on which area of the Installation they fish). Issuance of the Fort Benning permit includes the acceptance by the permittee that ponds within training areas may be closed when the training areas are active. Before visiting any ponds, permittees must check if they are open for access.

Hunting on Fort Benning is regulated and coordinated with the schedule of field training exercise in the training compartments. As with fishing, a hunting license must be obtained from the state and a permit from Fort Benning. Permittees must check if access is allowed to any training range on any day before visiting. The areas open for hunting on a given day are determined by the amount of military training, range maintenance, and land management activities occurring in the training compartments.

The Uchee Creek Recreation Area, located on the southwestern side of Fort Benning, is the most developed recreation site at the Post. The Uchee Creek Army Campground and Marina provide active duty and retired military personnel, DoD civilians, their families, and other eligible personnel with various recreational opportunities. Facilities include recreational vehicle (RV) sites, log cabins, boat launching ramp, boat slips, docking facilities (with gas, water, and electrical hookups), boat rentals, RV Rally site and Activity Center, archery range, basketball and volleyball courts, a softball field, picnic pavilions, playground equipment, and shuffleboard courts (Fort Benning MWR 2006).

4.2.1.2 Off-Post Land Use and Management

Georgia Planning Requirements

Comprehensive planning is primarily conducted at the regional and local level, with the Georgia Department of Community Affairs monitoring State agencies and supervising local governments to ensure they conform to the State's long-term goals and objectives. In 1989, the Georgia General Assembly passed the Georgia Planning Act that established a coordinated planning program for the State

of Georgia. This program provides local governments with opportunities to plan for their future and to improve communication with their neighboring governments. In addition, the Planning Act assigns local governments certain minimum responsibilities to maintain “Qualified Local Government” status and, thus, be eligible to receive certain state funding.

The cornerstone of the coordinated planning program is the preparation of a long-range comprehensive plan by each local government in the state. This plan is intended to highlight community goals and objectives as well as determine how the government proposes to achieve those goals and objectives. It is intended that the comprehensive plan be used to guide local government decision-making on a daily basis. “Qualified Local Governments” are required to have a comprehensive plan in conformity with the minimum standards and procedures; establish regulations consistent with its comprehensive plan and with the minimum standards and procedures; and participate in the Department of Community Affairs mediation process in a good faith effort to resolve any conflict. The Georgia Department of Community Affairs designates levels of analysis appropriate for the county comprehensive plans. For those within the ROI, the department requires an advanced level comprehensive plan for Muscogee County only; Harris County is required to prepare an intermediate level comprehensive plan; and the remainder of the counties in the ROI is required to complete a basic level comprehensive plan (Georgia Department of Community Affairs undated).

The State Advisory Committee on Rural Development advises the Board of Community Affairs on matters related to rural development and prepares a biennial rural economic development plan. Regional Development Centers are boards established by the Board of Community Affairs and can prepare studies of the region’s resources as they affect existing and emerging problems of industry, commerce, transportation, population, housing, agriculture, public services, local governments, and any other matters relating to planning and development. They are also authorized to cooperate with local governments and planning agencies, required to develop a regional plan, and empowered to develop plans for counties and municipalities that request it. However, it is specifically provided that the provisions creating the Regional Development Centers do not impinge upon the zoning power of counties and municipalities.

In 2003, Title 36 of the Official Code of Georgia, relating to local government, was amended to require planning entities to investigate and make recommendations on proposed zoning decisions on land that is “adjacent to or within 3,000 ft of any military base or military Installation or within the 3,000-ft Clear Zone and Accident Prevention [*sic*] Zones Numbers I and II as prescribed in the definition of an Air Installation Compatible Use Zone of a military airport.” Specifically, given the proposed land use’s proximity to the military facility, planning entities are to determine the following:

- if the proposal will permit a suitable use;
- if the proposal will adversely affect the existing use or usability of nearby property;
- if the affected property has a reasonable economic use as currently zoned;
- if the proposed use could cause safety issues to such items as streets, transportation facilities, utilities or schools;

- if a land use plan has been adopted and, if so, if the proposed change conforms with the policy and intent of the land use plan; and
- if there are existing or changing conditions that would affect the use of nearby property.


At least 30 days prior to the zoning hearing, the planning entity must request that the military commander provide “written recommendation and supporting facts relating to the proposed land use change.” If the military commander does not submit a response by the date of the public hearing, then the proposed zoning change is presumed to not have an adverse effect. Any information received shall become part of the public record (Georgia Code 36-66-6).

Alabama Planning Requirements

Under Alabama state law, regional councils are mandated to “prepare a regional plan consistent with state comprehensive planning.” In the mid-1960s, local governments were either required to have community and “area wide plans” to qualify for grants-in-aid; or were provided increased federal assistance if projects conformed to existing plans. This direct incentive for planning; however, no longer exists in Alabama (Alabama Association of Regional Councils 2002). Lee-Russell Council of Governments (LRCOG) serves as the regional planning and development organization that serves member governments by managing programs, promoting collaborative efforts, and serving as a clearinghouse for federal, state, and local funds (LRCOG 2006).

Increasing Urbanization within the ROI

In recent decades, there has been increasing urbanization of the Phenix City/Columbus area located to the northwest of Fort Benning. Whereas, in 1955, there was geographic separation between the urban landscape and the Post, urbanization expanded to along the northwestern borders of the Post by the mid-1990s. Increasing urbanization adjacent to the north of the Post and southwestern portion of the Post is projected. This following series of graphics represent the historic urban growth of the Phenix City/Columbus area northwest of Fort Benning from 1955 through 1996 and projected growth through 2008. In 1955, the urbanized population was estimated at 118,485; by 2008, it is projected to be 338,750.



Sources: GAO 2003 and TNC 2006

Columbus Consolidated Government (Muscogee County and City of Columbus), GA

The City of Columbus and Muscogee County Planning Department is responsible for the following:

- preparing and updating the Comprehensive Plan;
- administering the subdivision regulations and reviewing site plans;
- preparing and recommending zoning ordinances to the City Council;

- administering the Georgia Greenspace Program for the City (to promote the permanent protection of at least 20 percent of the county's geographic area as greenspace);
- maintaining land use database; and
- providing technical support for city departments and agencies.

The *Muscogee County Comprehensive Plan, 1993-2013* (Columbus Consolidated Government 1993) as updated in 2003 (Columbus Consolidated Government 2003) is the current comprehensive plan for the Columbus Consolidated Government. The general land use and community development objectives are to guide future growth consistent with community objectives, encourage redevelopment of substandard and underutilized areas, and improve and protect existing development. The next update to the comprehensive plan is due to the Georgia Department of Community Affairs in October 2008 (personal communication, Woodruff 2006). Figure 4.2-2 depicts the existing land use for Muscogee County per the Land Use Portion of the 2003 Comprehensive Plan. A total of 13 planning districts have been established, five of which border Fort Benning (from southwest to northeast): Districts 12, 13, 11, 3, and 4. Although Planning District 10, located between Districts 13 and 11, does not border Fort Benning it is within the 3-mile adjacency planning area. Land use within each of these districts is discussed in more detail below.

Planning District 12 is located along the Chattahoochee River and abuts the southwestern corner of the Installation with Victory Drive serving as its northeastern boundary. It is characterized by the predominance of public facilities associated with disposal of solid waste and wastewater. The city's former sanitary landfill is located in this area. Sand, gravel, and clay mining also occur in this area. Most of this planning district is dedicated to open space associated with the Chattahoochee River. The northern portion of the planning district includes some low-density residential land use west of Lumpkin Road. East of Lumpkin Road and along Victory Drive, land use is mixed and includes medium-density residential, high-density residential, commercial, and some industrial and public facilities (see Figure 4.2-2). Plans for future development include encouragement for development of public institutions, such as the National Infantry Museum and the new marina, on South Lumpkin Road to tie in with the Oxbow Meadows Water Treatment site, the Oxbow Meadows Learning Center, and the Oxbow Meadows Golf Course. Like Planning Districts 10 and 13, this planning district is part of the Columbus South Redevelopment Area. The consolidated government has prepared more detailed planning for various redevelopment areas throughout the county. A primary objective in establishing this urban renewal area is to re-establish Columbus South as a viable commercial and residential area (Columbus Consolidated Government 2003).

Planning District 13 is a small district that extends eastward from Victory Drive to Cusseta Road. Land use in this area is primarily low-density residential, with some commercial development along Victory Drive (see Figure 4.2-2). Commercial development in this area is attributed to services to the Fort Benning population. Parks include Lindsay Creek, Benning Hills, Calhoun Tract, and South Columbus.




Figure 4.2-2: Region of Influence for Land Use in Muscogee and Chattahoochee Counties

Future plans for this area call for City review of all proposed development, rezoning, etc. for potential encroachment into the 3,000-ft area designated as an informal planning zone around the Installation. Like Planning Districts 10 and 12, Planning District 13 is part of the Columbus South Redevelopment Area.

Planning District 11 is a larger district that shares much of its southern boundary with Fort Benning. The predominant land use in this area is low-density residential. Residential land use is separated from other land uses that support major state and city public facilities by Schatulga Road (see Figure 4.2-2). These include the Jack Rutledge Correctional Institute, the Columbus Diversion Center, West Georgia Regional Hospital, offices and storage facilities of the Georgia Department of Transportation, Columbus Correctional Camp, the Metro Animal Shelter, and the city's sanitary landfill. East Columbus (Corporate Ridge) Industrial Park, with tenants that include the expanding Aflac insurance company, is located in the northeastern portion of this district. A segment of I-185 forms the western boundary of this district. The interchanges at Buena Vista and St. Mary's Roads provide east-west access to Fort Benning and other major employment centers and commercial land uses are located along these routes (see Figure 4.2-2). Bull Creek forms the northern boundary of this area. Parks include Shirley Winston, Carver, Belvedere, and Primus King. As is the case with Planning Districts 4 and 13, future planning for this area includes review of all proposed development, rezoning, etc. for potential encroachment into the 3,000-ft planning zone and discourages residential development from the zone if the developments are deemed too close to the firing ranges. A portion of Planning District 12 was part of a land exchange with Fort Benning, wherein the Army transferred land in this "North Tract" to the consolidated government of Columbus/Muscogee County for the "South Tract" located in Chattahoochee County. The North Tract now supports economic and development uses for Columbus/Muscogee County and the South Tract now supports military training uses (U.S. Army 1999).

Planning District 3 is a larger planning district that extends to the northward extent of the County, but shares only a portion of its southern boundary with Fort Benning. Garrett Road forms the eastern boundary of the district and Macon and/or Chattsworth roads form the southern boundary of the district. Existing land use includes low-density residential, rural residential, industrial, and park/open space associated with Flat Rock Park, John Rigdon Park, and Bull Creek Golf Course (see Figure 4.2-2). The land use plan for this area includes providing for long-range industrial, commercial, and various types of residential uses and support for light or heavy industrial development in the areas between Macon Road and the Fort Benning boundary.

Planning District 4 is a large planning district that includes lands north of Fort Benning to the Harris County line. This area, commonly referred to as the panhandle, remains largely undeveloped. Garrett Road serves as the western boundary of this planning zone and the Talbot County line serves as its eastern boundary. Land use in this planning district is rural residential with the exception of the western portion, which includes some industrial (Pratt and Whitney), low-density residential, and a small park located north of U.S. Highway 80/Macon Road (see Figure 4.2-2). Growth in this area is expected along this

highway as a result of increasing urbanization associated with Columbus. The Miller Tract, east of Pratt-Whitney, has been identified as a potential area for expansion of industrial land uses. The Land Use Plan recommends that the city review all proposed development, rezoning, etc. in this district for potential encroachment into the 3,000-ft planning zone. Proposed residential development should be discouraged from the zone if the developments are deemed too close to the firing ranges.

Planning District 10 is a relatively small, wedge-shaped planning district that is bound by the Central Railroad, Bull Creek, and Cusseta Road on the west and I-185 on the east. Land use is a mix between low, medium and high-density residential and mixed commercial-industrial. Industrial development along the railroad lines is the predominant land use factor. The Columbus South Redevelopment Area is located in this planning zone. A primary objective in establishing this urban renewal area was to re-establish Columbus South as a viable commercial and residential area.

Chattahoochee County, GA

This county is dominated by Fort Benning lands; the approximately 20 percent of the county that is not included within the Installation is located southeast of Fort Benning. Chattahoochee County does not have a comprehensive land use plan, but under the Georgia Planning Act, the County was scheduled to complete a comprehensive plan by February 2007 but the plan remains under development as of July 2007 (personal communication, Woodruff 2006 and Hobson 2007). A July 2006 draft community assessment for the unified government of Cusseta and Chattahoochee County included existing land use classifications for the county, which is depicted in Figure 4.2-2. The vast majority (84 percent) of the land use in the county and most lands adjacent to Fort Benning are characterized as agriculture/forestry. Approximately 12 percent of the county land use is low-density and rural residential land use occurs primarily within the City of Cusseta and along State Route 26 and U.S. Highway 27/280. Single-family detached housing is the predominant residential land use and manufactured housing is the second most frequently used housing type. Public/institutional land uses account for about 2 percent of all land uses and are located in close proximity to the Cusseta Town Center. Commercial and industrial land uses occur in association with the Cusseta Town Center (Lower Chattahoochee Regional Development Center 2006).

Marion County, GA

The County is located on the eastern boundary of Fort Benning. No major communities are located in this county adjacent to the Installation. The land uses adjacent to the Installation are primarily rural agricultural areas. Marion County does not have a comprehensive land use plan that meets the Georgia Department of Community Affairs planning standards. The county is scheduled to complete a partial update to their comprehensive plan this year and to complete a new comprehensive plan under Georgia Planning Act standards by October 2010 (personal communication, Woodruff 2006). Detailed land use mapping data are not available for this county; however, Figure 4.2-3 provides a general overview of the land use cover.




Figure 4.2-3: Existing Land Use Cover Data for Counties in the Vicinity of Fort Benning

Talbot County, GA

Talbot County is located on the northeastern boundary of Fort Benning and does not include any major communities in the area adjacent to the Post. The land uses adjacent to the Installation are primarily rural agricultural areas. Talbot County prepared a comprehensive plan in 2005, prior to the Department of Community Affairs adoption of new local planning requirements. The next plan update is due in 2015 and a partial update is required in 2010 to address the updates to the local planning requirements (personal communication, Woodruff 2006). Detailed land use mapping data are not available for this county.

Harris County, GA

This county is located to the north of Fort Benning and north of Muscogee County/City of Columbus. The county boundary is 2 miles north of the Installation boundary at its closest proximity. Land use in the southern portion of this county is primarily undeveloped with some rural residential and agriculture and forestry uses. Areas of concentrated and diversified land use are associated with the communities of Hamilton, Pine Mountain, Waverly Hall, Fortson, and West Point (Joint Harris County, City of Pine Mountain, City of Shiloh, City of Waverly Hall Comprehensive Planning Commission 1992). Detailed land use mapping data are not available for this county at a level applicable to provide data for analyses in this EIS.

Russell County, AL

There is no comprehensive plan for Russell County, AL. Land use zoning has only been established for the Phenix City area of this county. Land uses adjacent to Fort Benning are characterized as rural agricultural. Detailed land use mapping data are not available for this county at a level applicable to provide data for analyses in this EIS.

4.2.2 Environmental Consequences

Impacts on land use would be considered significant if one or more of the following occurs within the ROI for any of the action alternatives:

- the action is incompatible with surrounding land use; or
- the action changes land use in such a way that mission-essential training is degraded; or
- the action is inconsistent or in conflict with the environmental goals, objectives, or guidelines of a community or county comprehensive plan for the affected area.

4.2.2.1 No Action Alternative

Under the No Action Alternative, there would be no on-Post development associated with the Transformation actions outlined in the description of the proposed action and alternatives. Land use patterns both within and outside of the Installation would remain unchanged. The benefits of increased efficiency of land and facilities use that would be realized by the cantonment-area development, infrastructure improvements, and land use conversions that are incorporated into Transformation action alternatives would not occur.

Land use compatibility adjacent to the Installation would continue to be a factor potentially impacting existing military training. Completion and adoption of recommendations provided in the Installation Operational Noise Management Plan, Joint Land Use Study (JLUS), and ACUB, including working with local jurisdictions to implement land use controls, would continue to minimize inconsistencies and/or conflicts with adjacent land uses. The secondary impacts of induced growth and land use changes in the communities surrounding Fort Benning predicted in association with the Transformation action alternatives would not occur. Development of the communities surrounding Fort Benning, however, would be expected to continue at levels supported by other development opportunities in the region. Such opportunities have spurred growth in the Columbus-Phenix City and Cusseta areas in recent years. Increasing urbanization would be expected; however, the rate of change in land use patterns would be reduced from that which is predicted under the Transformation action alternatives.

4.2.2.2 Transformation Alternative A

Fort Benning Land Use and Management

Cantonment Areas. The planning process that was used to select sites of proposed facilities and associated land uses as proposed under the Transformation alternative was consistent with AR 210-20, *Real Property Master Planning for Army Installations*, and Technical Manual, TM 5-803-1, *Installation Master Planning*. GIS and charrette-style planning was used extensively in this process. Multi-disciplinary input was obtained from the ultimate users of proposed facilities, DPW, EMD, range management, and Garrison command staff. Among the factors considered when siting proposed facilities were compatibility with existing and proposed adjacent land uses, natural resource constraints and compatibility with the INRMP, cultural resource constraints, transportation and circulation, compliance with regulated environmental requirements (e.g., air quality, hazardous materials, water resources), and architectural/aesthetic compatibility. Therefore, cantonment area development associated with implementation of Alternative A would be compatible with surrounding land use and would enhance rather than degrade mission-essential training. Other changes to land use within the cantonment area would occur and are described below.

The greatest change in land use for the cantonment areas under Alternative A is the expansion of the Harmony Church cantonment area to almost double its current size (from approximately 775 acres to approximately 1,400 acres). The types of land uses proposed for the Harmony Church cantonment area would be consistent with the existing use of this area, predominantly expansion of the maintenance, unaccompanied personnel housing, training, administrative, and community facilities. Approximately 25 percent of the proposed development would be done using areas that are currently developed (or infill development). In addition, Alternative A includes the construction of access control facilities and infrastructure into the Harmony Church cantonment area that would be required for orderly vehicular access and circulation throughout the expanded cantonment area. Approximately half of the proposed construction in Harmony Church affecting land use would occur with FY 2007 funding. The remainder is proposed in relatively even amounts for FY 2008 through 2012.

Overall, the changes to land use in the Kelley Hill cantonment area are of the least magnitude. The Kelley Hill cantonment area would be expanded by 35 acres, primarily in the redevelopment of existing administrative and training facilities to accommodate the 3ID BCT and associated road and infrastructure improvement projects. Nearly all of the development affecting land use in the Kelley Hill area would occur with FY 2007 funding.

Within the Main Post cantonment area, Alternative A includes development for various uses, including medical, administrative, unaccompanied personnel housing, community facilities, and operational facilities. Major projects would include a hospital replacement project, various administrative headquarters facilities, conversion of historic supply and maintenance land uses to instructional training land uses, two child development centers, student dining facility, support facilities for the Armor Museum, and associated infrastructure improvements that would be required for adequate service to the cantonment area. The land use configuration at the Main Post with the development included under Alternative A would be more concentrated, but would provide for overall improvements in land use compatibility, circulation, and efficiencies that would be expected to result in an improved land use configuration. In terms of acreage, nearly 40 percent of the proposed development affecting land use at Main Post is slated for FY 2007 funding; approximately 20 percent is slated for FY 2008 and approximately 30 percent is slated for FY 2009. The remaining less than 10 percent of proposed development is slated for FY 2012 and FY 2013.

The proposed development within the Sand Hill cantonment area would provide for additional unaccompanied personnel housing and community facilities consistent with existing land uses. Instructional training land uses would be added and associated infrastructure support projects would address transportation utilities infrastructure requirements. Nearly all of this development is proposed for FY 2008 funding.

Recreation Areas. An increase in recreation demand is anticipated with the arrival of additional personnel at Fort Benning. Alternative A incorporates recreational considerations into the land use development plans for the cantonment areas. Much of the existing recreational facilities would not be affected by the proposed action. Access to lands for hunting and fishing, which is always subject to availability, would be expected to become more limited as range land use and operational use expands under Alternative A. In addition to the on-Post recreation opportunities, ample opportunities for recreation lie beyond the boundaries of the Post within the area immediately surrounding Fort Benning and the region.

Ranges and Training Areas. Implementation of Alternative A would result in the development of additional range facilities and intensification of heavy maneuver use within the proposed Maneuver Area – North, heavy maneuver corridor – South, and Drivers Training Area. These developments would meet the projected requirements for training in a manner that meets and does not degrade mission-essential training. There would be increased lands dedicated to range and training land uses throughout the Installation. The proposed development of these range and training areas is consistent with existing training land uses. In some cases, existing ranges or previously disturbed areas were selected for the

development of range facilities. In all cases, compatibilities with other operational land uses, including safety, scheduling, and SDZs, were incorporated into the planned development of these facilities. Furthermore, the RTL Development Plan provides the justifications for the range requirements identified for the proposed action.

With Alternative A, it is anticipated that training throughput would be increased to such a level that operational training land uses on Fort Benning would become more widely dispersed throughout the Installation. The development of the heavy maneuver area and corridor would direct much of the heavy free maneuver land use to these designated corridors; however, increased use of the heavy maneuver training areas is expected throughout the Installation. As a result of the increased use of training range lands, scheduling conflicts between various range users and land managers may occur more frequently but are not expected to degrade mission-essential training. There would potentially be less access and/or increased scheduling difficulties for management activities, such as implementation of ITAM projects (e.g., land rehabilitation), INRMP projects (e.g., prescribed burns), and natural and cultural resources surveys.

Off-Post Land Use and Management

Under Alternative A, changes in land use adjacent to Fort Benning would occur as a result of the secondary impacts of induced growth. Such changes, however, would not be inconsistent or in conflict with the environmental goals, objectives, or guidelines of the existing comprehensive plans. To the contrary, the communities surrounding Fort Benning have been planning for the anticipated growth that would be driven by the proposed Transformation. Fort Benning is working closely with these communities in the planning processes. In terms of land use, it is anticipated that primary changes would result from increased demand for residential land use and commercial and public services.

Under Alternative A, there could be the potential for increased incompatibility with existing rural residential land use along Chattsworth Road associated with proposed development in the Oscar Range Complex. Incompatibility issues include air quality (dust and smoke) and safety issues associated with range operations. The Columbus-Muscogee comprehensive plan addresses the potential conflict and includes provisions for review of all proposed development, rezoning, etc. for potential encroachment into the state-mandated 3,000-ft planning zone and states that proposed residential development should be discouraged from the planning zone if the developments are deemed too close to the firing ranges (Columbus Consolidated Government 2003). Therefore, the proposed development in the Oscar Range Complex is not in conflict with the goals, objectives, or guidelines of the comprehensive plan.

Increasing urbanization surrounding Fort Benning may increase encroachment pressures on the Installation. The ACUB initiatives, noise management planning, and cooperative efforts with the community could reduce the likelihood that encroachment would occur if the recommendations provided in these plans are adopted by the adjacent communities. If these recommendations were adopted, there would be less opportunity that mission-essential training would be degraded. Whether or not the proposed Transformation occurs, Fort Benning will continue to work with the counties and communities

surrounding the Installation as they plan for future growth and in the development and implementation of a JLUS and ACUB.

4.2.2.3 Transformation Alternative B (Preferred Alternative)

The potential land use impacts associated with implementation of Alternative B are the same as those described for Alternative A, with the following exceptions.

Fort Benning Land Use and Management

Ranges and Training Areas. Alternative B includes the establishment of the 11,260-acre Good Hope Maneuver Area to include the transition of 11,107 acres of land from light maneuver training area to heavy maneuver training area. The existing 74-acre Arkman Drop Zone would continue to serve its current function but would be surrounded by the Good Hope Maneuver Area. Proposed use of the Good Hope Maneuver Area would be compatible with ongoing use of the Arkman Drop Zone and associated overlying airspace, including the overlying “Purple” helicopter route. Mission effectiveness would not be compromised. Cole Range, which was formerly used as a scaled mortar range and is currently used to support light infantry training, is located in the northwest corner of the proposed Good Hope Maneuver Area. Use of this area in support of off-road heavy maneuver training requirements associated with the Alternative B would be consistent with existing land use.

Under Alternative B, there would not be a specified heavy maneuver training in the northern range as described for Alternative A (i.e., Heavy Maneuver Area – North). Land use in this area would be similar to existing heavy maneuvering with one exception, light maneuver training that is currently conducted within the Good Hope Maneuver Area could be displaced to some degree to the Oscar and Malone heavy maneuver training area compartments. Currently, the light maneuver requirements for the Ranger Battalion are met in the vicinity of the proposed Good Hope Maneuver Area. The Ranger light maneuver training attack, defend, and raid training requirements could be met within the Oscar and Malone heavy maneuver training area compartments. The Ranger training, however, currently occurs in close proximity to the Ranger facilities located between Harmony Church and the proposed Good Hope Maneuver Area. There would be some decreased efficiencies associated with the relocation of this training activity, but not to a degree where mission effectiveness would be compromised.

Cantonment Areas. Range support and driver training functions would result in some additional changes to land use in the Harmony Church cantonment area. The siting of the basic and advanced drivers training courses and vehicle recovery training areas adjacent to planned vehicle maintenance functions would provide for increased efficiencies in maintenance and operational functions as compared to action Alternative A. Compared to Alternative A, however, there is an increased potential for incompatibilities between these uses and adjacent existing and proposed troop housing, administrative, personnel support, and recreation functions as a result of noise and dust from driver training activities. Such incompatibilities would not be expected to rise to a level where mission effectiveness would be diminished. Furthermore, they would not be unlike other training that occurs within the cantonment area

such as the use of Victory Pond for BFV water operations and Rangers-in-action demonstration training area. This area has two land demolition pits and one underwater demolition area (Fort Benning 2006a).

Recreation Areas. The 79-acre Weems Pond is located within the area that would become the Good Hope Maneuver Area. Due to its proximity to Warner Range, Weems Pond is currently among those recreation sites on the Installation that require scheduled use through Community Recreation Division, Directorate of Community Activities. Recreational use of this area would be allowed to continue, subject to compatibility with the military activities. Given the anticipated increased use in the area, there would potentially be decreased availability for recreation at the Weems Pond area. There are ample opportunities, however, for similar recreational experiences within Fort Benning and the larger region and should not conflict with or minimize recreational pursuits across the Installation.

Off-Post Land Use and Management

Potential impacts to off-Post land use under Alternative B would be as described for Alternative A with the exception of the area in the vicinity of the proposed Good Hope Maneuver Area. Chattahoochee County abuts the southern and eastern edges of the proposed Good Hope Maneuver Area. In the comprehensive plan under development for Cusseta-Chattahoochee County, lands within 3,000 ft of Fort Benning are identified by the county as an area requiring special attention to address encroachment on the Post by non-compatible land uses. Existing issues of concern include the impact of smoke and noise from Fort Benning on neighboring properties and the impact of light from surrounding development on Fort Benning operations. In addition, recommended areas have been developed as part of the process to define future development activities. Those areas identified along the southern boundary of the proposed Good Hope Maneuver Area support a combination of agriculture and conservation activities. In the southeastern corner of the Good Hope Maneuver Area (abutting training compartments B3 and B4), some rural residential and scenic highway corridors have been identified. Along the eastern boundary of the proposed Good Hope Maneuver Area, there is a combination of major highway corridor and suburban area (developing and built out) (Lower Chattahoochee Regional Development Center 2006).

Implementation of Alternative B would be expected to increase the potential for incompatibility from the impact of smoke and noise from increased training activities to these adjacent residential areas. Lights from night training, including vehicle use along the road that forms the western boundary of Fort Benning, and use of pyrotechnics could potentially be incompatible with residential land uses. Additionally, lights from all types of land use developments can impair the effectiveness of night training missions. Further development of Cusseta could increase these incompatibilities. As with Alternative A, with the implementation of ACUB initiatives, noise management planning, and community JLUS, and Georgia's 3,000-ft planning zones around the Installation, land use impacts would not be significant. However, comparatively, there is a higher potential for incompatibility under Alternative B due to the increased training activity in the Good Hope Maneuver Area.

4.2.3 Mitigation Measures

Continued implementation of existing noise management and compatible land use programs would constitute all practicable means to avoid or minimize incompatible land uses under Alternative A, for which no significant impacts are anticipated. Under Alternative B, limiting nighttime training could minimize annoyance of communities adjacent to the Good Hope Maneuver Area; however, heavy maneuver training is required for Soldier training from 4:00 a.m. to 12:00 a.m. for half of the training days and from 6:00 a.m. to 12:00 a.m. for the other half. To minimize these impacts, the public will be notified of the training schedule through the existing Fort Benning website:

<https://www.infantry.army.mil>.

4.3 AESTHETICS AND VISUAL RESOURCES

4.3.1 Affected Environment

Studies of visual perception have shown that factors such as visual character, visual compatibility, and viewer sensitivity can be used as measures to determine impact significance. Visual character can be defined as landscapes composed with a distinctive variety of form, line, color, and /or texture. Visual compatibility (or incompatibility) is determined by the degree to which the introduction of an anomalous structure or element into the visual landscape blends in or is compatible with the existing landscape. Proximity and relative scale are factors used in defining compatibility.

The level of significance of modification to a viewshed is further defined by viewer sensitivity. Viewer sensitivity is a non-economic measure of public concern for scenic quality. It is a measure of the changes in the expectation of viewers and the relative importance of viewsheds to those who have views of a particular site. Examples would include those living in an area with a view of a project, persons traveling through an area that includes views of a project, and/or recreational or other use areas that may provide views of a project. The level of sensitivity is determined by the number of viewers of a particular viewpoint, the length of time the viewer may see the viewshed, and the proximity of relative scale of predominance of project elements within that viewshed. For purposes of this analysis the ROI would consist of the entire Installation.

The Main Post cantonment area is Fort Benning's largest and oldest community. Land use in this area is primarily residential and of varying styles and functionality. The Main Post Visual District also includes outlying areas such as Camp Darby, Camp Merrill, and Lawson AAF. The residential communities within this district include McGraw Manor, Custer Terrace, Upatoi Terrace, Battle Park Homes, and Bouton Heights and are characterized by a distinct identity, consistent building materials, and uniform setbacks. Kelley Hill and Harmony Church exhibit more diverse characteristics and a range of building materials and styles. The former is characterized by a series of masonry barracks while the latter is characterized by pre-fabricated wood frame buildings. Lawson AAF is characterized by a series of pre-fabricated hangar structures, storage, and maintenance facilities.

The Sand Hill Visual District is the basic training area that houses the Infantry Training Brigade and Basic Combat Training Brigade. This area is characterized by the most consistent architectural characteristics. The barracks buildings are almost identical three-story concrete structures with red brick columns and detailing with low sloped roofs. The other facilities in the Sand Hill District are one to two story red brick structures.

Main Post Cantonment Area

The selected sites for facilities and infrastructure improvements to implement the proposed action occur at dispersed locations throughout the Main Post Cantonment Area, including the following.

Museum Operations Support Buildings. This site is located along the western boundary of the cantonment area just west and south of the approved site for the new Infantry Museum (under development). The site is currently undeveloped forested land and is traversed by Benning Boulevard. The visual district does not extend to the west and east of this site. To the east of the site there is existing housing associated with Custer Road Terrace family housing area. Off Post, to the west of the site, there is some development associated with utility services for Columbus, GA.

Conversion of Unaccompanied Personnel Housing (UPH) Billeting Space to Transient UPH Advanced Skills Training, General Instruction Building Complex, and Student Dining Facility.

The proposed sites for these projects are along Vibbert Avenue in the northwest corner of the cantonment in the Main Post Historic Visual District. The proposed site for these facilities is generally bounded by Mitchell Avenue to the north, Ingersoll Street to the east, Anderson Street to the west, and Marchant Street to the south (see picture to the right). The proposed action would convert the warehouse and maintenance functions presently conducted in the area between Vibbert and Mitchell Avenues into a general instruction complex. Cuartel buildings 73, 75, and 83 would be converted to serve as transient unaccompanied personnel housing. The site for a new student dining facility would be in this vicinity as well, north of the center Cuartel between Vibbert Avenue and Uptown Street.



Infantry Officer Basic Course Headquarters Complex and General Instruction Building Complex. These proposed project sites are located adjacent to each other in the northeastern portion of the Main Post cantonment area. The first site is bordered by Marchant Street to the north, Ingersoll Road to the east, and Gaudette Street to the south. The second site, located northeast of the first site, is in an area occupied by Spanish eclectic style buildings with stucco exterior and red clay tiles roofs (see picture to the right). This site is bordered by Morrison Road to the north, Ingersoll Road to the west, and Lincoln Street to the east. Both sites are currently surrounded by developed areas.



Maneuver Center Headquarters Building

Expansion and CDI Facility. This proposed project would expand the existing Maneuver Center Headquarters Building to the south and will require new construction of a CDI Facility to the west. The Maneuver Center Headquarters is located between Karker Street and Burr Street with Holtz Street to the East. The existing building is a painted masonry exterior with irregular asphalt roofline (see photo to the right). The CDI facility would be located along Edwards Road between Burr Street and Eckel Street. To the south, west, and east of the project site are developed lands and open space.



Health Clinic Expansion, Main Post. The site is located at the northwest corner of Lundsford Street and Endl Street across from the small single family Indianhead Village apartment houses off Mehan Road to the west. Indianhead Village apartment house is located to the north and northwest and Barracks to the southeast.

Child Development Center 6-10 Years. The site is located to the southwest of Yeager Avenue and Ingersoll Road. The proposed facility would be located to the east of the existing Child Development Center on the Main Post off Yeager Avenue, between Jinks Street and Ingersoll Street. The proposed site is bordered to the south and west by small barracks structures and parking lots to the northeast.

Marne Road/Lindsay Creek Parkway Intersection Improvements and Infrastructure Support. This proposed project site is located at the east edge of the cantonment in the Main Post Cantonment Area. The site is located at the interchange between Marne Road and Lindsay Creek Parkway (Route 411). The development that surrounds the project site consists of large commercial and industrial buildings to the northwest and southeast of the interchange. There are low residential buildings along the southeastern edge of the site. The remaining area around the intersection is surrounded by heavily forested area.

Hospital Replacement. The proposed site is located north of Marne Road at the terminus of 1st Cavalry Division Road and is occupied by a complex of numerous small buildings, but is surrounded on all sides by densely forested area and a creek to the north.

SOF Complex. The proposed site for the four projects for SOF facilities in the Main Post is located to the west of Dixie Road and the east of Lawson AAF. The proposed site is bounded to the north and west by heavily forested area, to the south by Lawson AAF, and to the east by the Indianhead Terrace family housing area.

Harmony Church Cantonment Area

The majority of the project sites in the Harmony Church cantonment area are located near the intersection of U.S. Highway 27/280 and 8th Division Road. The existing facilities in this area include semi-permanent barracks, vehicle maintenance/motor pool facilities, administrative facilities, and various recreational fields. Much of the area is currently undeveloped and supports dense forest lands. The area south of the cantonment area contains various administrative and training facilities that support the Sniper and Ranger schools.

The existing visual environment for other areas of development within this cantonment area is as follows.

- The proposed site for the new USARC and ECS at Fort Benning is west of Old Cusseta Highway, south of Elcaney Road, east of Hershey Road and north of Longstreet Road. The proposed site has seen some development and most of the area has sparse tree cover. The sites have approximately five buildings and two large parking lots located between them.
- The proposed Battle Command Training Center is located west of the existing cantonment area boundary with Cusseta Road to the north, First Division Road to the south, and the intersection of U.S. Highway 27/280 to the east. The proposed site is currently undeveloped and is heavily forested.
- The proposed project site for the new AT/FP access control point is located where Crossie Road meets Columbus Cusseta Road. There is currently no road development where the interchange is planned. The proposed site is covered with dense forest.

Two range logistics projects, the Ammunition Storage Igloos and the Rail Car Storage Trackage for Deployment, are located to the north of the Harmony Church Cantonment Area. The ammunition storage igloo project site is located north of Ochillee Cutoff where it breaks into two different sections that connect to First Division Road in two different places. Several unidentified roads, which connect to Ochillee Cutoff, lie within the proposed site with a parking lot near the northeast quadrant of the intersection of Ochillee Cutoff and First Division Road and three to five buildings located adjacent to the parking lot. The surrounding area is occupied by dense forest. The rail car storage site is located in a currently undeveloped area adjacent to Ochillee Creek.

Kelley Hill Cantonment Area

Building conversions for the 3 ID BCT would affect existing facilities, which are densely developed with facilities supporting the 3rd brigade of the 3rd infantry battalion. Facilities associated with the General Instruction Building Complex and DS/GS Maintenance facility would be located adjacent to existing facilities located north of 8th Division Road at the intersection of Wood Road. The area is surrounded by heavily forested areas.

The sites for road and infrastructure improvement projects are located with Cusseta Road to the west, First Division Road to the east, and the intersection of U.S. Highway 27/280 to the south. To the east,

past First Division Road, is a large clearing with sparse development on the periphery. The proposed site is partially cleared, but is mostly heavily forested.

Sand Hill Cantonment Area

The existing facilities in this area include housing, barracks, administrative facilities, and various recreational fields. Development within this cantonment area includes:

- The proposed project site for the Child Development Center (Under 6 Years), is bordered by Custer Road directly to the north and Magrath Street and Brostrom Street indirectly to the north. The proposed project site and surrounding areas to the south, east, and west are densely forested.
- The two largest projects in the Sand Hill Cantonment Area are the Trainee Barracks Complex for the BCT, which is located on the eastern edge of the cantonment area and the Maneuver Center Reception Station Barracks, located in the northwestern portion of the cantonment area. The proposed site for the Trainee Barracks Complex for the BCT is bounded by the 2nd Armored Division Street to the south and Moye Road to the west. The proposed site has been cleared of trees, but is surrounded by heavily forested area and Steam Mill Creek to the south. The proposed site for the Maneuver Center Reception Station Barracks is located west of Custer Road and north of 2nd Infantry Division Road. To the west is the complex including Johnston Drive. The proposed site is covered with grass, shrubbery, and trees. South of the proposed site along 2nd Infantry Division Road, there are existing barracks facilities that are accessed via Johnston Drive.

The proposed project site for the Chapel and associated infrastructure support is located northwest of the intersection of the 2nd Infantry Division Road and Moye Road. The proposed project site is densely forested and undeveloped.

The proposed sites for the Winder Health Clinic Expansion and Solomon Dental Clinic Expansion are at existing facilities in a developed area located in the central portion of the cantonment area at the intersection of Dean Avenue and Corney Street.

There are various sites for infrastructure improvement within this cantonment area, including along the northern boundary of the cantonment area, at the existing intersection of Victory Drive and Wildcat Road, and north of Wildcat Road in support of expansion of the existing motor pool facilities. The proposed motor pool expansion site is currently developed with several structures on large parking lots surrounded on all sides by densely forested area.

Range Areas

The existing visual environment of proposed range areas can be generalized as undeveloped/forested areas interspersed with roadways and previously disturbed active and inactive training areas. Many of the proposed range facilities, the Drivers Training Area, and portions of the southern maneuver corridor are within or near previously disturbed areas. With the exception of existing roadways, the northern maneuver area consists of relatively undisturbed mature forest stands.

Transformation Alternative B. The affected environment for visual resources for Alternative B differs from Alternative A with respect to the location of proposed driver training and heavy maneuver training areas and their proximity to the cantonment area land uses.

The affected visual environment for the following training areas would be reduced as compared to the area affected by Alternative A.

- The western portion of the southernmost maneuver corridor (located north of U.S. Highway 27/280) would be narrowed to a single roadway west of Hourglass Road. The visual environment of this road segment is dominated by existing mature and relatively undisturbed forested areas and military vehicle use of the existing roadway.

The affected visual environment for the following training areas would be in addition to those described for Alternative A.

- The Vehicle Recovery Area would be located northeast of the existing Harmony Church Cantonment Area within the Main Post Visual District. The visual character of this area currently is undeveloped and densely forested area.
- The Basic/Advanced Drivers Training Course would be located to the east of the existing TA R2 portion of the Harmony Church cantonment area within the Main Post Visual District. The site is currently undeveloped and occupied by dense forest.
- The Good Hope Maneuver Area would be established in existing training areas Q4-7, B1-6, CC1, and DD1-3. The existing visual environment in this area is characterized as a contiguous block of forested/undeveloped area interspersed with existing roads and training areas used for light infantry training.
- Developments associated with the establishment of the Good Hope Maneuver Area would potentially affect the visual environment along Jamestown Road and the U.S. Highway 27/280 corridor through portions of Harmony Church. The visual environment in these areas is characterized as primarily forested/undeveloped, interspersed with some existing roadways.

4.3.2 Environmental Consequences

Impacts for visual assessments are considered to be significant if one or more of the following criteria is met.

- Changes at the site, including changes to form, line, color, and/or texture substantially degrade an existing viewshed or alter the character of a viewshed by the introduction of anomalous structures or elements.
- Changes at the site would result in changes in the expectations of viewers (measured against the relative importance of those views) and result in a negative impression of the viewshed. The emphasis of this criterion is on views from public view areas.

4.3.2.1 No Action Alternative

Under the No Action Alternative, no construction would occur within the proposed project sites. Consequently, there would be no impacts to the viewsheds encompassing these areas. There would be no large scale renovations and realignments to change the overall architectural character and site planning of the Installation.

4.3.2.2 Transformation Alternative A

Although no changes to the visual environment from the implementation of Alternative A would result in a significant impact to aesthetics and visual resources; changes to the visual environment, consistent with a military installation, which would occur at various sites are discussed below.

Main Post Cantonment Area

The selected sites for facilities and infrastructure improvements to implement the proposed action occur at dispersed locations throughout the Main Post.

Museum Operations Support Buildings. Construction of the proposed Museum Operations Support Buildings would change the visual character of the site from a forested setting to a more urbanized setting with new structures and elements that would have long-term negative impacts to the existing forested viewsheds. The viewers' sensitivity to this visual change would be likely, especially for those who reside or work in the vicinity of the project. Traffic volumes in the near vicinity of the proposed buildings would not be notably changed from existing conditions.

Conversion of UPH Billeting Space to Transient UPH Advanced Skills Training, General Instruction Building Complex and Student Dining Facility. Conversion of the Cuartels Buildings would not be anticipated to significantly change the aesthetic viewshed. The functionality of the buildings would be changed, but the landscape would remain largely unaltered. Aesthetic changes to the buildings themselves would be minimized by adhering to the Installation Design Guide and any cultural resource management requirements that mandate new construction maintain the consistency of materials, colors, and styles of adjacent buildings. An increase in vehicle traffic accessing these facilities would be likely to occur but would not adversely impact the viewshed or aesthetic values.

Maneuver Center Headquarters Building Expansion and CDI Facility. The expansion and new construction of the Maneuver Center Headquarters Buildings would change the viewshed in that the existing CDI Facility would appear more voluminous and additional buildings constructed near existing buildings would give the site a more urbanized landscape; however, this would not be significant since it is in keeping with the surrounding military facilities. Aesthetic changes to the CDI Facility would be minimized by adhering to the Installation Design Guide and any cultural resource management requirements that mandate new construction maintain the consistency of materials, colors, and styles of adjacent buildings. Increased volumes of traffic would be anticipated on transportation routes used to access and egress these facilities.

Health Clinic Expansion. Expansion of the Health Clinic would not be anticipated to change the overall aesthetic viewshed. The functionality of the buildings would remain the same. Aesthetic changes to the buildings themselves would be minimized by adhering to the Installation Design Guide and any cultural resource management requirements that mandate new construction maintain the consistency of materials, colors, and styles of adjacent buildings. An increase in vehicle traffic accessing these facilities would be likely to occur but would not adversely impact the viewshed or aesthetic values.

Child Development Center 6-10 Years. The construction of the Child Development Center would be expected to be visually compatible with existing structures in close proximity. The visual character of the site is expected to be improved and may provide a greater sense of community. Increased volumes of traffic would be anticipated on transportation routes used to access and egress these facilities but would not adversely impact the viewshed or aesthetic values.

Marne Road/Lindsay Creek Parkway Intersection and Infrastructure Support. The construction of the intersection would be anticipated to have notable long-term aesthetic impacts by removing the existing forested vegetation. Improving the intersection would be anticipated to increase the prominence of the existing transportation elements within the project area.

Hospital Replacement. Construction of the hospital would change the aesthetic viewshed in that the current hospital will be replaced with a larger facility on the same site. While aesthetic values in the area would change, the impacts would be minimized by adhering to the Installation Design Guide and any cultural resource management requirements that mandate new construction maintain the consistency of materials, colors, and styles of adjacent buildings. An increase in vehicle traffic accessing these facilities would be likely to occur but would not adversely impact the viewshed or aesthetic values.

SOF Complex. Construction of the proposed SOF complex would change the visual character of the site from a forested setting to the north and west and residential setting to the east to a more urbanized setting with new structures and elements that would have long-term impacts to the existing viewsheds. The viewers' sensitivity to this visual change would not be notable, because this development is consistent with surrounding buildings and land uses. Traffic volumes in the near vicinity of the proposed buildings would not be changed from existing conditions.

Harmony Church Cantonment Area

Alternative A would introduce aesthetic impacts on Harmony Church cantonment area. The current area is sparsely developed and the introduction of any dense development would likely change the expectations of viewers. However, it is not anticipated that the new viewshed would leave a negative impression. Although the character of a viewshed would be altered by the introduction of new structures, they would not necessarily be inconsistent with the area, since the current site lacks a density of structures with which to conflict. In addition, this area has historically been developed and would introduce no new aesthetic values that have not been apparent in the past. This would help to establish a visual presence and consistency to a currently semi-developed area.

USARC and ECS, Battle Command Training Center, and Access Control Point. Construction of the proposed projects would change the visual character of the site from a forested setting with sparse development to a more urbanized setting with new structures and elements that would have long-term negative impacts to the existing forested viewsheds. The proposed development would transform the visual corridor along that portion of U.S. Highway 27/280 that would cross the expanded cantonment area to include a new access control point to the south of the existing cantonment area. The viewers' sensitivity to this visual change would be noticeable but would not be significant due to its consistency with the surrounding military facilities.

Kelley Hill Cantonment Area

Building Conversion for 3 ID BCT. Conversion for 3 ID BCT would not be anticipated to cause a notable change to the aesthetic viewshed. The functionality of the buildings would be changed, but the landscape would remain largely unaltered. Aesthetic changes to the buildings themselves would be minimized by adhering to the Installation Design Guide and any cultural resource management requirements that mandate new construction maintain the consistency of materials, colors, and styles of adjacent buildings. An increase in vehicle traffic accessing these facilities would be likely to occur but would not adversely impact the viewshed or aesthetic values.

Various Road and Infrastructure Improvements. Improvements to infrastructure including roadway improvements would be anticipated to have aesthetic impacts. Improvements to existing infrastructure is expected to increase the prominence of these elements within an area that is partially cleared but mostly densely forested. The current area is semi-developed and the introduction of dense development will likely change the expectations of viewers. However, it is not anticipated that the new viewshed will leave a negative impression since it will maintain its military mission and be compatible with adjacent development and visual aspects.

Sand Hill Cantonment Area

Trainee Barracks Complex for the BCT. Construction of the proposed Barracks would change the visual character of the site from a forested setting to a more urbanized. The viewers' sensitivity to this visual change would be noticeable but would not be adverse because it would be consistent with adjacent military facilities. Traffic volumes in the near vicinity of the proposed buildings would not significantly change from existing conditions.

Maneuver Center Reception Station Barracks. Construction of the proposed Barracks would change the visual character of the site from an undeveloped vegetated area to a more urbanized setting with new structures and elements that would have negative impacts to the existing forested viewsheds. The viewers' sensitivity to this visual change would be noticeable but would not be adverse because they would be consistent with adjacent military facilities. Traffic volumes in the near vicinity of the proposed buildings would not change significantly from existing conditions.

Chapel. Construction of the proposed Chapel and infrastructure support would change the visual character of the site from a forested setting to a more urbanized setting. The viewers' sensitivity to this visual change would not be notable because it is consistent with adjacent facilities. Traffic volumes in the near vicinity of the proposed buildings would not change significantly from existing conditions.

Winder Health Clinic Expansion and Solomon Dental Clinic Expansion. Expansion of the health clinic and dental clinic would not be anticipated to create a notable change to the aesthetic viewshed. The functionality of the buildings would remain the same. Aesthetic changes to the buildings themselves would be minimized by adhering to the Installation Design Guide and any cultural resource management requirements that mandate new construction maintain the consistency of materials, colors, and styles of adjacent buildings. An increase in vehicle traffic accessing these facilities would be likely to occur but would not significantly impact the viewshed or aesthetic values.

Child Development Center. Construction of this project would not significantly change the visual character of the presently undeveloped site along Custer Road. This site; however, is currently cleared of vegetation and is in close proximity to adjacent facilities with similar functions such as an elementary school.

Various Road and Infrastructure Improvements. Improvements to infrastructure including roadway improvements are anticipated to have minor long-term aesthetic impacts. Improvements to existing infrastructure would be anticipated to increase the prominence of these elements within an area that is dense forest. Traffic would increase but would not significantly impact the viewshed or aesthetic values.

Range Areas

The proposed development of range facilities, driver training areas, and heavy maneuver areas under Alternative A would change the visual character of some training areas by increasing land disturbance and introducing range facilities. Viewers' sensitivities to changes in form, line, color, and/or texture are not a consideration within a training range area. Such sensitivities also are not a concern with regard to adjacent cantonment areas because such changes would not be inconsistent with viewer expectations. Views from north of the Oscar Ranges would be buffered from the public by enough distance that there would not be a negative impression created.

4.3.2.3 Transformation Alternative B (Preferred Alternative)

The environmental consequences for proposed actions in Alternative B would be anticipated to match those of Alternative A, with the following exceptions.

- The changes to the visual environment that would result from the development of the vehicle recovery area, basic/advanced drivers training course, and development of the Good Hope Maneuver Area may affect adjacent views in the Harmony Church cantonment area. This would not be a significant impact because viewers' expectations of the viewshed (i.e., training ranges) would not change.

- The proposed development of a bridge or underpass along the U.S. Highway 27/280 would be in addition to the impacts to this visual corridor as described for Alternative A. No significant impacts are anticipated because the construction would be consistent with existing viewshed.
- Training in the Good Hope Maneuver Area would include night training involving illumination of field areas. Although night training associated with existing Ranger light infantry training currently occurs in this area, there would potentially be additional light from use of vehicles for heavy maneuver training at night or a change in the types, location, and amount of pyrotechnics used in night training. Impacts are considered moderate but not significant since it is consistent with existing viewshed expectations as a military training range.

4.3.3 Mitigation Measures

Visual compatibility within the cantonment areas of new structures would be maintained through design, by ensuring the new facilities are consistent with the form, line, color, and texture of adjacent manmade and natural features. Viewsheds pertaining to training areas would remain consistent with the historic training that has occurred at Fort Benning for over 40 years.

4.4 SOCIOECONOMICS

4.4.1 Affected Environment

The ROI for Fort Benning consists of Muscogee, Chattahoochee, Harris and Marion Counties, Georgia, and Russell County, Alabama. The ROI constitutes the area where the predominant socioeconomic effects of the proposed action and alternatives would take place. The geographical extent of the ROI is based on residential distribution of the Installation's military, civilian, and contracting personnel and the location of businesses that provide goods and services to the Installation and its employees. The baseline year for the socioeconomic analysis is 2006, although much of the economic and demographic data for the ROI are available only through the year 2005. Wherever possible, the most recent data available is presented so that the affected environment descriptions are reflective of current conditions in the ROI.

4.4.1.1 Economic Development

Regional Economic Activity. The ROI labor force in 2005 totaled 127,901, with 120,568 employed (USBLS 2005). In 2005, the unemployment rate for the ROI averaged 6.2 percent, compared to 5.3 percent for the state of Georgia, 4 percent for the state of Alabama, and the national unemployment rate of 5.1 percent. During the last 5 years, the ROI unemployment rate has increased from a low of 4.7 percent in 2000.

Retail trade, manufacturing, and private business sectors are the major sources of employment in the ROI. Together, these three sectors generated approximately 73 percent of the ROI's jobs in 2005. In Muscogee County, the largest of the five ROI counties, private sector employment accounted for 82.3 percent of the total jobs. The Bureau of Labor Statistics states that in Muscogee County, health care and social assistance is the largest of the 20 major sectors. Information and management of companies sectors only constitute a small percentage of the total sectors in the ROI. In the State of Georgia, retail trade is the largest of the 20 major sectors.

The ROI per capita personal income (PCPI) for Chattahoochee County was \$18,492 in 2004, 56 percent of the national PCPI and lower than the state of Georgia's PCPI of \$29,782. Muscogee County's 2004 PCPI (\$33,050) was \$29,460 and Marion County's was \$23,696. Russell County, Alabama had a PCPI of \$22,611 (USBEA 2004). The highest per capita personal income in the ROI was in Harris County (\$33,498) at 101.4 percent of the nation's.

Installation Contribution to the Local Economy. Fort Benning employs a total of 26,461 (excluding students): 17,771 military personnel; 3,307 civilian employees; and 5,383 contract workers. The Installation workforce accounts for about 34 percent of all ROI employment which presents a substantial economic contribution to the local economy. Installation expenditures in the ROI totaled \$2,266,490,543 during 2005 (Directorate of Resource Management 2005). Payroll expenditures, which reached \$1,054,214,521 in 2005, have increased by almost 29 percent since 2000. The average annual salary for civilian workers at Fort Benning is \$29,377 and salaries for permanent military personnel at Fort Benning averaged \$24,378 in 2005.

4.4.1.2 Demographics

The five counties comprising the economic ROI are primarily rural in character. Demographic and economic trends over the last three decades have contributed to a growing disparity in population and income levels among the five counties. With a population of 185,271, Muscogee County is the most heavily populated county in the ROI. Growth rates for the five counties have diverged greatly over the past three decades. The population of Chattahoochee County has actually decreased by 32.5 percent since 1980, falling from 21,732 to 14,679. In stark contrast, Harris County has experienced 79.6 percent population growth over this period, far above the national growth rate of 19.1 percent. The smallest of the counties, Marion County, has grown 36.8 percent during that time. Muscogee and Russell counties have experienced modest growth at 8.9 percent and 4.2 percent respectively. Population data for ROI counties and the United States are also provided in Table 4.4-1 for comparison purposes.

Table 4.4-1: ROI Population Growth 1980 -2005

Location	1980	1990	2000	2005
Chattahoochee	21,732	16,934	14,882	14,679
Muscogee	170,108	179,280	186,291	185,271
Russell	47,356	46,860	49,756	49,326
Harris	15,464	17,788	23,695	27,779
Marion	5,297	5,590	7,144	7,244
ROI	259,957	266,452	281,768	284,299
United States	226,545,805	248,709,873	281,421,906	296,410,404

Source: Stats Indiana 2006a, and U.S. Census Bureau 2005 and 1995.

4.4.1.3 Housing

The ROI housing stock is summarized in Table 4.4-2, which identifies both owner-occupied and renter-occupied homes, along with median home values, for each county in the ROI. The housing units identified in Table 4.4-3 include all structure types (e.g., single-family homes, apartments, and mobile homes).

Table 4.4-2: Housing Characteristics for the ROI

	Chattahoochee County	Muscogee County	Russell County	Harris County	Marion County
Total Housing Units	3,316	76,182	22,831	10,288	3,130
Occupied Housing Units	2,932	69,819	19,741	8,822	2,668
Owner-occupied	793	39,350	12,341	7,600	2,084
Renter-occupied	2,139	30,469	7,400	1,222	584
Vacant Housing Units	384	6,363	3,090	1,466	462
Vacant for Seasonal, Recreational, or Occasional Use	6	362	295	907	145
Median Home Value (Owner-occupied)	107,855	280,799	155,118	254,783	151,250

Source: U.S. Census Bureau 2000a and Trulia 2007.

As with other economic indicators, the five counties have very different housing markets. The estimated median values of owner-occupied units in Chattahoochee, Marion, and Russell counties are substantially lower than the current estimated nationwide median home value of \$222,000. Muscogee and Harris Counties, however, support home values of more than 25 percent above the national median (Trulia 2007). In 2005, it was estimated that the total number of housing units in Chattahoochee and Marion counties barely increased. However, Muscogee increased its housing units from 76,182 to 81,008. Russell and Harris County housing markets are estimated to have risen approximately 2,000 units each. Within the ROI, there are many programs to aid the homeless including approximately nine shelters (Homeless Resource Network 2006). Military housing is addressed in the Quality of Life Section.

4.4.1.4 Quality of Life

Quality of Life refers to those amenities which are available to the Installation's military personnel, their family members, and civilian employees and which contribute to their well being. The relative importance of these amenities to a person's well-being is subjective (e.g., some individuals consider educational opportunities essential to their well-being, others may place a high value on the availability of health care services, and still others may hold public safety as their primary quality-of-life concern). BRAC quality-of-life analyses typically address issues relating to potential impacts of the proposed action and alternatives on the availability of public services and leisure activities that contribute to quality of life of the affected Installation's workforce and their family members. For purposes of this study, the affected environment (i.e., elements or factors) for quality of life includes military housing, schools for DoD family members, family support services, medical facilities, shops and services, and recreational opportunities.

Installation Housing. Approximately 24 percent of military personnel reside on Fort Benning. In 2005, there were more than 30,000 housing units on Fort Benning. Table 4.4-3 shows the categories of military housing at Fort Benning, including barracks housing for unaccompanied personnel.

Table 4.4-3: Distribution of Fort Benning Housing by Type

Housing Type	Number of Units
Officer (married) Family Units	685
Enlisted (married) Units	3,361
Officer (bachelor) quarters	108
Senior Enlisted (bachelor) quarters	26
Trainee Barracks	25,190
Temporary Lodging	1,157

Source: DPW 2005

Health Care Facilities. The U.S. Army Medical Department Activity provides medical care to an eligible patient population in excess of 72,000 beneficiaries out of the 103-bed Martin Army Community Hospital (MACH). The facility is served by approximately 792 civilian and 546 military staff members. On average, the hospital provides inpatient care to more than 30 patients daily, and averages nearly 1,500 outpatient visits a day. In addition, there is an outpatient Pharmacy that processes more than 2,200 prescriptions per day. Additional medical facilities are located in Soldiers' Plaza including the Community Mental Health Service, the Social Work Service, and the Preventive Medicine Service. Marion Memorial Hospital (Marion County), Stewart Webster Hospital, Columbus Doctors Hospital, The Medical Center (Chattahoochee-Cusseta), Cobb Memorial Hospital (Russell County), Bush Hospital, Doctors Hospital, Muscogee County Health Center, Saint Francis Hospital, and West Central Georgia Regional Hospital (Muscogee County) all provide medical services within the ROI.

Educational Services for DoD Dependents. For educational services off Post, the U.S. Department of Education provides federal impact aid to school districts that have federal lands within their jurisdiction. This federal impact aid is authorized under Public Law 103-282 as payment in lieu of taxes that would have been paid if the land were not held by the federal government. School districts receive federal impact aid for each federally connected student whose parent or parents live on or work on federal property. The amount of federal impact aid a school receives is based on the number of “federal” students the district supports in relation to the total district student population. Schools receive more federal impact aid for those students whose parents both live and work on federal property. Total federal impact aid varies year by year according to congressional appropriations for the program, but in general federal impact aid has ranged from \$250 to \$2,000 per student. Fort Benning has seven DoD schools on the Installation (6 elementary and 1 middle); high school students residing on the Installation (grades 9-12) attend local county high schools (Fort Benning 2007). ROI schools are highlighted in Table 4.4-4 below.

Table 4.4-4: 2003-2004 School Year Public Education Statistics

School District or County	School Type	Enrollment	Total District Enrollment	Capacity*
Chattahoochee	Elementary (4)	N/A	533	Space available
Chattahoochee	Middle/High (1)	199		Overcrowded
Chattahoochee	Other (3)	334		N/A
Harris	Elementary (4)	2,077	4,521	Space available
Harris	Middle (1)	1,135		At capacity
Harris	High (1)	1,309		At capacity
Harris	Private/Other (2)	N/A		N/A
Marion	Elementary (4)	1,720	4,933	Space available
Marion	Middle (2)	903		At capacity
Marion	High (4)	1,744		At capacity
Marion	Private/Other (1)	566		N/A
Muscogee	Elementary (32)	15,557	30,476	Space available
Muscogee	Middle (11)	8,008		Overcrowded
Muscogee	High (6)	6,911		Space available
Muscogee	Private/Other (10)	N/A		N/A
Russell	Elementary (11)	3,814	8,900	At capacity
Russell	Middle (3)	2,621		Space available
Russell	High (2)	2,465		At capacity
Russell	Private/Other (2)	N/A		N/A
TOTAL			49,363	

Source: *The Chattahoochee Valley Schools Project 2005.*

Family Support Services. Fort Benning has several family support service facilities on Post. The Installation has a day care center that operates 5 days a week and can provide care for up to 140 children between the ages of 2 and 5. Family counseling services are also available to active military personnel and their family members.

Shops and Services. On the Main Post, AAFES operates a Post Exchange with numerous stores as well as a new 10-screen theater. The newly renovated commissary, one of the largest facilities on Fort Benning, sells a variety of goods for employees, and contains a bank, fresh produce, a bakery, a sushi bar, and a hot foods section. Fort Benning mall also serves the area and its employees. In May 2005, there was a groundbreaking ceremony for a new mall in Fort Benning that is scheduled to open in December 2007. The Installation also has several gasoline stations including one located at the Post Exchange. Outside the Installation and within the ROI, there are numerous gas stations as well as shopping malls, including an outlet mall.

Recreation. Fort Benning offers numerous recreational opportunities both on Post and in the surrounding area. The Installation has a bowling alley and a golf course. It also has a recreational shooting range where military personnel can practice targeting which simulates real-life action cases. Outdoor activities are numerous. There are swimming pools, natural ponds, biking trails, and designated hunter and fishing areas as well as facilities to rent equipment for outdoor sports. Off Post the usual recreational opportunities for military trainees, fast food places, convenience stores, and assorted entertainment

venues are available. In Columbus, for example, the Historic District has a number of activities and attractions of cultural interest like the Springer Opera House and the Columbus Museum.

Public Services

Law Enforcement. On Post, the Provost Marshall provides law enforcement services. Off Post in Georgia, the Columbus Police Department has a total of 388 sworn officers providing law enforcement in the City (Columbus Police Department 2007). In Muscogee County, there are over 350 sworn officers providing protection (Muscogee County Police Department 2007); the Cusseta Police Department has 8 sworn officers providing law enforcement in the county (NCRLE 2007); Chattahoochee County has two sworn officers (NCRLE 2007); and in Harris County, 43 sworn officers operate in five districts (Harris County 2007). In Alabama, the Phenix City Police Department supports 86 sworn officers (Phenix City 2007) and Russell County's Sheriff's Office Patrol Division consists of four squads (Russell County Sheriff's Office 2007).

Fire Protection. On Post, Fort Benning's Fire Department provides protection. Off Post in Georgia, numerous fire districts serve the ROI, including 14 stations with a total of 368 full-time sworn positions in the City of Columbus (Columbus Fire and Emergency Medical Services 2007), 15 volunteer fire personnel in the Cusseta County Fire Department which serves Cusseta and Chattahoochee Counties (Cusseta-Chattahoochee Unified Government 2007). In Muscogee County, 5 volunteer fire stations provide services county-wide (excluding Columbus) and in Harris County 11 volunteer fire departments provide protective services (Harris County 2007). Within Alabama, 3 fire stations provide protection in Phenix City (Phenix City 2007) and in Russell County there are 6 volunteer fire departments (Fire Departments Net 2007). Each volunteer fire or rescue district recruits its own volunteers from community members surrounding a particular station. As the demographics of the population have changed over time, it has become increasingly difficult to attract community members to serve as volunteers.

4.4.1.5 Environmental Justice

On February 11, 1994, President Clinton issued EO 12898, *Federal Actions to Address Environmental Justice in Minority and Low-Income Populations*. The EO is designed to focus the attention of federal agencies on the human health and environmental conditions in minority communities and low-income communities. Environmental justice analyses are performed to identify potential disproportionately high and adverse impacts from proposed actions on minority and low income communities, and to identify alternatives that might mitigate these impacts. Data from the U.S Department of Commerce 2000 Census of Population and Housing were used for this environmental justice analysis. Minority populations included in the census are identified as Black or African American, American Indian and Alaska Native, Asian, Native Hawaiian and other Pacific Islander, Hispanic, of two or more races, and other. Poverty status, used in this EIS to define low-income status, is reported as the number of persons with income below poverty level. The 2000 Census defines the poverty level as annual income of \$8,794, or less an individual, and annual income of \$17,603, or less, for a family of four.

The ROI has a higher percentage of minority residents than both the state of Georgia and the state of Alabama. In 2000, 55 percent of the ROI population was white and 40 percent was black. All other racial groups combined totaled approximately 5.1 percent of the population, while 4 percent were of Hispanic origin. In Georgia, 65.1 percent of the population was white, 28.7 percent was black, 6.3 percent was of another minority racial group, and 5.3 percent was of Hispanic origin. In Alabama, 71.1 percent of the population was white, 26.0 percent was black, 1.7 percent was Hispanic, and approximately 2.9 percent was of another racial minority (U.S. Census Bureau 2000b).

The potential for disproportionately high and adverse human health or environmental effects on minority and/or low-income populations would occur in those off-Post areas that contain disproportionately high percentages of minority and/or low-income populations with respect to those in the ROI or a larger geographic reference area. To determine where such populations reside, census data for block groups (small geographic areas of analysis) were used. Table 4.4-5 presents these population numbers; refer to Figure 4.4-1 (Section 4.4.2.2) for the locations of the block groups in relation to the Installation and the proposed action.

The only adverse impacts anticipated to occur off Post would be those block groups found in noise Zone III areas (see Section 4.7). One census block group under existing conditions is located in Zone III. Block Group 9801-2, located northwest of the Installation in Marion County, GA, contains less than 1 percent of the population in the entire ROI. In 2000, 90 percent of the population in Block Group 9801-2 was white; 7 percent was black; and the remaining 4 percent was composed of persons of other races with persons of Hispanic or Latino origin accounting for 1.7 percent of the population in Block Group 9801-2. In 2000, both the non-white population and the Hispanic or Latino population were proportionately lower in Block Group 9801-2, compared to the ROI (U.S. Census Bureau 2000b).

In terms of low income populations, the Census Bureau bases the poverty status of families and individuals on 48 threshold variables, including income, family size, number of family members under the age of 18 and over the age of 65, and amount spent on food. In 2000, 5.5 percent of the families in Block Group 9801-2 were classified as living below the poverty level, compared to 3.3 percent in the ROI, and 2.6 percent and 3.4 percent in Georgia and Alabama, respectively (U.S. Census Bureau 2000b).

Table 4.4-5: Race, Ethnicity, and Poverty Status

	Block Group 9801-2	ROI	Georgia	Alabama
Total Persons	2,040	281,768	8,186,453	4,447,100
White	89.8%	54.6%	65.1%	71.1%
Black or African American	7.1%	40.2%	28.7%	26.0%
American Indian and Alaskan Native	0.8%	0.4%	0.3%	0.5%
Asian	0.1%	1.2%	2.1%	0.7%
Native Hawaiian/other Pacific Islander	0.0%	0.1%	0.1%	0.0%
Other Race	0.6%	1.7%	2.4%	0.7%
Two or more races	1.5%	1.7%	1.4%	1.0%
Hispanic or Latino Origin	1.7%	4.0%	5.3%	1.7%
Families below poverty level in 1999	5.5%	3.3%	2.6%	3.4%

Source: U.S. Census Bureau 2000b.

4.4.1.6 Protection of Children

On April 21, 1997, EO 13045 for the Protection of Children from Environmental Health Risks and Safety Risks was issued. This EO directs each federal agency to ensure that its policies, programs, activities, and standards address disproportionate risks to children that result from environmental health risks or safety risks. EO 13045 recognizes that a growing body of scientific knowledge demonstrates that children may suffer disproportionately from environmental health risks and safety risks. These risks arise because children's neurological, immunological, digestive, and other bodily systems are still developing; children eat more food, drink more fluids, and breathe more air in proportion to their body weight than adults; children's size and weight may diminish their protection from standard safety features; and children's behavior patterns make them more susceptible to accidents because they are less able to protect themselves. For example, elevated blood lead levels in children are associated with development impairments, including reductions in IQ. Young children in particular are at higher risks for exposure to lead based paint and lead contaminated soils because of their behavioral traits. Therefore, to the extent permitted by law and regulations, and consistent with the agency's mission, President Clinton directed each federal agency to (1) make it a high priority to identify and assess environmental health risks and safety risks that may disproportionately affect children, and (2) ensure that the agency's policies, programs, and standards address disproportionate health risks to children that result from environmental health risks or safety risks. Examples of risks to children include increased traffic volumes and industrial or production-oriented activities that would generate substances or pollutants children may come into contact with or ingest. Actions or alternatives indicating potential disproportionate risks to children will be identified and addressed in the Environmental Consequences Section of this EIS.

4.4.2 Environmental Consequences

Economic Impact Forecast System (EIFS) Model Methodology and Threshold. The economic effects of implementing the proposed action are estimated using the EIFS model, a computer-based economic tool that calculates multipliers to estimate the direct and indirect effects resulting from a given action. Changes in spending and employment associated with the renovation of housing represent the direct effects of the action. Based on the input data and calculated multipliers, the model estimates changes in sales volume, income, employment, and population in the ROI, accounting for the direct and indirect effects of the Transformation action.

For purposes of this analysis, a change is considered significant if it falls outside the historical range of ROI economic variation. To determine the historical range of economic variation, the EIFS model calculates a rational threshold value (RTV) profile for the ROI. This analytical process uses historical data and calculates fluctuations in sales volume, income, employment, and population patterns within the ROI. The historical extremes (i.e., the RTVs) are the significance thresholds for social and economic change. If the estimated effect of an action falls above the positive RTV or below the negative RTV, the effect is considered to be significant. Appendix C discusses this methodology in more detail and presents the model input and output tables developed for this analysis.

When full implementation of a proposed action is expected to occur over a multi-year timeframe, as is the case with the Transformation action at Fort Benning, the EIFS model is run using the peak year of change (refer to Appendix C for further explanation of the EIFS methodology and input numbers). By selecting the peak year for consequences analysis, the model estimates the maximum annual effect of the proposed action. Hence, if the consequences threshold is not exceeded in the peak year, it would not be exceeded in any other year. To be consistent with the EIFS model, changes in demand for public schools and housing also are based on peak year. For housing, if the demand created by Transformation actions exceeds 95 percent of the available supply, the significance threshold would be exceeded. For schools, the threshold for significance is if the number of incoming school age children surpasses the planned future physical capacity of the affected local schools. Increases in student populations without the provision of additional schools and teachers would result in increased student-teacher ratios.

4.4.2.1 No Action Alternative

Based on the EIFS methodology and threshold for significance, no impacts would be expected under the No Action Alternative.

Economic Development. No direct or indirect effects would be expected. Under the No Action Alternative, the Installation working population and Installation expenditures would remain unchanged from baseline levels. No new construction would take place. Therefore, economic activity levels would be the same as under the baseline conditions.

Demographics. No direct or indirect effects would be expected. Under the No Action Alternative, the Installation working population would remain unchanged from baseline levels and no new construction would take place. Therefore, the ROI population growth would be the same as under baseline conditions.

Housing. No direct or indirect effects would be expected. Under the No Action Alternative, the Installation working population would remain unchanged from baseline levels. The demand, therefore, for housing units would be the same as under baseline conditions.

Quality of Life. No direct or indirect effects would be expected. Under the No Action Alternative, the Installation working population would remain unchanged from baseline levels. Therefore, the demand for public services would be the same as under baseline conditions.

Environmental Justice. No disproportionate environmental justice adverse impacts are anticipated.

Protection of Children. No impacts.

4.4.2.2 Transformation Alternative A

Summary of Assumptions. For purposes of running the EIFS model, the peak year for incoming personnel and the peak year for construction spending were selected to determine the maximum impact that Transformation actions could have on the regional economy. It was also assumed that all of the construction spending was expended within the ROI. This approach was selected to determine whether the ROI could accommodate projected growth from the most intense spending scenario based on the

region's RTV. Incoming personnel data contained in Table 2.2-1 were used as the basis for EIFS input; however, the 545 civilians noted in the table as "Garrison Growth" were not included in the EIFS model analysis because it is assumed that these workers would come from inside the ROI and are therefore already included in the baseline. The peak year for incoming military personnel was determined by calculating the change in force structure as indicated by the Fort Benning FY 2007-2011 personnel change chart (Personal communication, J.W. Brown III December 2006). For incoming military personnel, the peak year was determined to be 2009 with 2,442 incoming military personnel. The number of incoming DoD civilian employees was estimated to total 1,226 with 600 arriving in 2010 and 626 arriving in 2011 (personal communication, J.W. Brown III December 2006). In addition, it is estimated that up to 2,000 contractor employees would migrate to the ROI, with 1,500 arriving in the year 2011. Hence, the total number of government and non government civilian employees residing in the ROI would reach 3,226 by the end of 2011.

Since EIFS measures impacts based on historical year-to-year changes in economic indicators, the peak year chosen for personnel arrivals and construction spending was 2011, since it reflects the year in which the largest annual change from the combined impacts of military and civilian employment. Effects during other years of BRAC actions (2007 through 2010) would be expected to be less than those during the peak year. Other assumptions include: 100 percent of civilian and 81 percent of military personnel would live off Post. The model also estimated that approximately \$583,992,800 would be spent in construction during this peak year. Military students were not counted in the EIFS analysis for incoming personnel. Given their economic status, they are not likely to contribute to any significant economic impacts. For the purposes of this analysis, military students are discussed in the context of on-Post housing availability.

Economic Development. Significant direct and indirect beneficial effects would be expected. Under Alternative A, a total of 5,605 military personnel (2,442 in the peak year of 2009 for incoming military personnel) and 3,226 total civilian employees would be added to Fort Benning (1500 in the peak year 2011 for incoming civilian employees) from outside the ROI. As noted above, the peak year for total impacts would be 2011, when 1,010 military employees and 2,126 government and contractor civilian employees are expected to migrate to the ROI. Alternative A would generate a total net gain of 10,454 jobs in the Fort Benning economic ROI, including 4,437 induced jobs during the peak year. This increase in employment would represent a 6.55 percent increase in the region's employment levels and exceeds the maximum RTV value of 5.1 percent. Alternative A would also generate positive changes in the other economic indicators estimated by the EIFS model, including a 15.63 percent increase in sales volume (a significant beneficial effect), and a 6.20 percent increase in regional personal income (a minor beneficial impact).

The EIFS inputs and outputs for Alternative A, as well as the positive and negative historical RTV values for the ROI and this analysis are presented below in Table 4.4-6.

Table 4.4-6: Alternative A EIFS Inputs And Outputs

Forecast Input Category	Forecast Input Data	Forecast Output Category	Result	RTV
Change In Local Expenditures	\$583,992,800	Sales Volume – Direct	\$ \$645,250,600	15.63%
Change In Civilian Employment	2,126	Sales Volume – Induced	\$ 993,686,000	
Average Income Of Affected Civilian	\$29,377	Sales Volume – Total	\$ 1,638,937,000	
Percent Expected To Relocate	100	Income – Direct	\$ 190,353,600	
Change In Military Employment	1,010	Income – (Induced)	\$ 175,728,500	6.20%
Average Income Of Affected Military	\$24,378	Income – Total (Place Of Work)	\$ 366,082,000	
Percent Of Military Living On Post	19	Employment – Direct-	6,017	
Employment Multiplier	2.54	Employment – Induced	4,437	6.55%
Income Multiplier	2.54	Employment – Total	10,454	
		Local Population	7,331	2.78%
		Local Off-Base Population	7,809	
	Sales Volume	Income	Employment	Population
Positive	10.86%	10.16%	5.1%	3.06%
Negative	-8.27%	-6.15%	-9.54%	-2.17%

Of the economic impacts created by Transformation actions, a substantial portion would be generated by construction activities.¹ For example, over 55 percent of the sales volume total would be caused by construction spending (assuming that no portion of construction spending will be outside the ROI). In addition, 43 percent of the income and 38 percent of employment effects would be created by construction spending during the peak year.

Demographics. Minor direct and indirect negative effects would be expected. Under Alternative A, incoming military and civilian personnel and their family members would increase the ROI population by 7,809, or by about 2.78 percent during the peak year. This increase is slightly below historical RTV values. Effects in years other than the peak year would be expected to be less than those during the peak year, but would still have minor and indirect negative impacts.

Housing. Minor direct and indirect effects would be expected. Under Alternative A, there would be a minor increase in the demand for housing. Housing demand for the peak year is defined as the total number of households that would require off-Post housing. The level of the demand for housing created by Transformation actions was compared to the existing supply in the ROI as reported by U.S. Census Bureau data to determine whether or not the demand created by Transformation actions would exceed 95

¹ For construction activities, a peak year was determined by analyzing construction spending across all the years of proposed Transformation actions, and the total for each year was calculated. It was determined from this analysis that 2009 was the peak year for construction spending (\$583,992,800).

percent of the available supply. Effects in years other than the peak year would be expected to be less than those during the peak year, but would still have minor and indirect negative impacts.

The EIFS model assumes that there are 2.49 people per household. Families accompanying military personnel do not increase the overall demand for housing because the incoming new employees are counted as one family unit. It should also be noted that not all of the new military personnel would require off-post housing. Based on data provided by the Installation, it is estimated that approximately 81 percent of incoming military personnel would reside off Post in the ROI, with the rest living on the Installation. Therefore, incoming personnel for all years, not just the peak year, would demand approximately 2,944 housing units. The calculation for total housing demand is as follows: 2,126 civilians + (81 percent x 1,010 military personnel) = 2,944 households. This demand represents approximately 27 percent of available housing supply as indicated by the latest Census data on vacant housing units. As indicated previously in Table 4.4-2, there are more than 11,000 housing units available within the ROI. The increase in demand could potentially result in minor increases in housing costs. If 100 percent of all incoming military personnel were to live off post, there would be sufficient capacity in the ROI to absorb this additional demand, according to the latest data on housing availability.

As noted previously, there are 25,190 barracks units available for unaccompanied enlisted personnel. The incoming 7,238 students without families would have to be accommodated by existing barracks housing that is not currently occupied, by new housing facilities proposed in the Transformation action, or by off-Post housing availability or construction. This increased demand for barracks should be met by the numerous proposed housing projects and training center projects. Additional demand for on-Post housing for officers and married personnel would also have to be met either by available on-Post housing as indicated by baseline levels, or by additional housing construction and cumulative housing-related projects.

Quality of Life. Schools. Significant negative direct effects would be expected without funding for increasing school capacity due to the influx of school age children associated with military personnel, civilian, and contractor personnel living off Post. At the individual school level, significant negative impacts could be expected depending on how incoming families and their children distribute themselves, as well as the age distribution of the children. This is discussed further on the following page.

Given the new permanent party military and Department of the Army Civilian (DACs) personnel added to Fort Benning due to transformation actions, a total of up to 5,146 school aged students may be added to the ROI during the 4 year transformation period. This assumes that increases in population are attributable to a Training Base Cadre of 3,255 personnel (Fort Knox Armor School and Center), 2,350 other military personnel, 1226 government civilians, and 2,000 contractor personnel expected to be coming from outside the ROI. School aged student population is calculated as follows:

- Training Base Cadre personnel of 3,255 times the student growth factor of 0.65 (this factor is from Fort Benning historical data) for a total of 2,116 students. Approximately 81 percent of these families are expected to live off-Post within the ROI, so the students would total 1,714.

Final

- Other military personnel of 2,350 times the student growth factor of 0.484 (this factor is the Army standard) for a total of 921 students.
- Government civilian personnel of 1,226 times the student growth factor of 0.58 (this factor is from Fort Benning historical data) for a total of 711 students.
- Contractor personnel of 2,000 times the student growth factor of 0.9 (this factor based on TRADOC/Ft. Benning and local community historical data) for a total of 1,800 students.

Approximately 2,445 students of the total new student population may be added during the peak year. Effects in years, other than the peak year, would be expected to be less than those during the peak year, but could still have minor and indirect negative impacts at the ROI level. Any school age children accompanying the 81 percent of incoming military personnel who will live off-Post and civilian personnel and all high school students would have to be accommodated by the existing ROI schools.

With just over 100 schools in the ROI, and assuming that all school age children accompanying incoming personnel would distribute themselves evenly throughout the ROI, each school could expect up to 23 additional students during the peak year, and fewer than that every other year of BRAC actions. Some ROI schools would be able to absorb this excess, while others would not (see Table 4.4-4), and in reality, some schools and/or school districts may experience a greater influx of students than others. Incoming federally connected students could result in additional federal impact aid for ROI schools. As previously noted, total federal impact aid varies year by year according to congressional appropriations for the program, but in general federal impact aid has ranged from \$250 to \$2,000 per student.

School districts within the ROI have been planning for increases in enrollment related to growth at Fort Benning. Muscogee County Schools estimates nearly 30 percent increase in student population in the district school system and estimates as much as 50 percent growth in the student population of other school districts in the ROI. Muscogee County Schools has begun recruiting for an estimated 200 to 250 teachers at regional colleges and universities. The ROI school districts estimate the costs of the new school and classroom construction at nearly \$350 million. To plan for, fund, and develop new schools, Muscogee County Schools is considering placing a referendum on the ballot to authorize a special tax increase over a limited period of time. In addition, the county schools are pursuing state funds and resources available through the DoD Office of Economic Adjustment, which makes federal resources available to communities affected by BRAC (American Planning Association 2006 and Phillips 2006). Fort Benning has been working with the local school districts in these efforts. Because of these initiatives, it is not expected that the planned future physical capacity of the affected local schools would be surpassed, but funding and timing of the increased capacity remains a concern. If funding is not provided in a timely manner, significant impacts could occur.

In addition, the proposed 195-child-capacity Child Development Center on the Installation should be able to accommodate up to 135 additional infant to pre-kindergarten children. The current facility accommodates 90 children, but current needs are for 150 children. An additional 60 children of existing

demand and up to 135 children related to incoming personnel would be able to be accommodated by the proposed new facility.

Services. Minor negative effects would be expected for other public services including health, fire, and law enforcement. The increase in population would increase the ratio of ROI residents to public employees for each of the public services unless additional workers were hired. The additional tax revenues generated by the increased economic activity in the ROI could be used to pay for the additional workers needed to maintain current resident employee ratios. Even in the absence of additional hiring, there would unlikely be any perceptible reduction in the level of services provided to the ROI population.

Minor indirect beneficial effects would be expected for shops and other services due to the increase in the population. As indicated by the results of the EIFS Model, there would be minor increases in regional sales volumes and personnel income, but do not exceed historical RTVs.

Recreational facilities. No significant effects on recreational facilities would be expected. The Transformation action would not have an effect on the operation of recreational facilities in the ROI.

Environmental Justice. Figure 4.4-1 shows the census block groups in relation to the projected noise contours. In Block Group 9801-2, off-Post noise impacts would continue to affect one residence (which is located at the transition between Zone II to Zone III under both the No Action Alternative and Transformation Alternative A). Alternative A, therefore, would not result in disproportionate adverse or significant human health or environmental effects on minority and low-income populations by excluding persons, denying persons benefits, or subjecting persons to discrimination because of their race, color, national origin, or income level.

Protection of Children. Alternative A would not result in any adverse or significant environmental or health effects to children. The primary effects of the project are beneficial to the economy and would confer commensurate benefits on the child population. Health and safety concerns would be primarily related to future construction activities. However, construction of most new facilities would occur in areas where no children reside or would be present. Furthermore, appropriate barriers would be constructed and signage installed to prevent accidental incursion of children onto dangerous work sites.

4.4.2.3 Transformation Alternative B (Preferred Alternative)

The potential socioeconomic consequences of implementing Alternative B would be the same as those described for Alternative A.

4.4.3 Mitigation Measures

No mitigation measures are identified for socioeconomic resource impacts (i.e., economic development, demographics, housing, quality of life, environmental justice, and protection of children).




Figure 4.4-1 Census Blocks in the Region of Influence

4.5 TRANSPORTATION

This section describes the general traffic conditions within the affected environment in terms of access and circulation, and assesses any impacts related to these issues. The ROI for transportation is defined as the four cantonment areas at Fort Benning and the access points to those areas. This is because the majority of the personnel report to work or live in those areas. There would be no new cantonment areas proposed for either alternative and the existing cantonment areas have had sufficient traffic counts to conduct a detailed traffic analysis.

With respect to the ranges, the range roads are limited to personnel and vehicles on the range strictly for range business including training, construction and maintenance, as well as other support functions such as environmental compliance activities. Since the range roads are scheduled according to priority and safety requirements and because the range roads only are used for essential personnel, the traffic issues are not expected to significantly increase and would only affect range personnel. Therefore, no further analysis for transportation on the ranges was considered. Access outside of cantonment for recreation, land management, safety, and other topics are addressed elsewhere in this EIS.

The impact from road construction at the ranges on resources, such as storm drainage, waters, and soils will be addressed in the respective sections.

4.5.1 Affected Environment

4.5.1.1 Description of On and Off Post Roadways

The Fort Benning area is served by several federal, state, and county roads located in both Georgia and Alabama. There are nine major roads serving the Fort Benning area, some with multiple designations by Federal, state, or county systems. Because of its location relative to the Columbus and Phenix City areas, primary access to Fort Benning is predominantly from the north. In terms of average daily traffic the four most utilized access roads are Benning Boulevard, Lindsay Creek Parkway (I-185), South Lumpkin Road, and Victory Drive (U.S. Highway 27/280) (U.S. Highway 27/280). The main gate to Fort Benning is located near the intersection of Benning Boulevard and Custer Road, with another access control point near Custer Road and South Lumpkin Road intersection (Fort Benning 2005b).

Benning Boulevard is a four-lane, divided, limited access primary arterial that runs north-south and serves both regional and local commuter traffic in the Main Post cantonment and Columbus/Phenix City area. All visitors must use the Benning Boulevard gate, which is the main Access Control Point (ACP) to the Post, or the ACP on Lindsay Creek Parkway.

Lindsay Creek Parkway (I-185) is a four-lane, divided, limited access highway that runs in a north-south direction and is part of the regional road network that connects the Kelley Hill cantonment area with Columbus and points beyond. In addition to serving Kelley Hill, I-185 also provides access to the Main Post and Harmony Church cantonment areas via First Division Road. The intersection of I-185 and First Division Road is currently one of the most congested points at Fort Benning with long queues in the PM peak hours.

South Lumpkin Road is a two lane road that runs parallel to Benning Boulevard, approximately one-half mile to the west and provides access to the Main Post cantonment area.

Victory Drive (U.S. Highway 27/280) (U.S. Highway 27/280) is a four lane divided limited access highway that runs through Fort Benning on a generally diagonal path from northwest to southeast. It serves as a regional facility under different names and provides access to Sand Hill and Harmony Church cantonment areas.

Access Control Points

In 2001, temporary ACPs were installed to restrict unauthorized access to Fort Benning. These ACPs consist of temporary sprung structures that shelter either military police or civilian law enforcement personnel who check the identification of everyone seeking entry into Fort Benning via the road network. There are currently seven ACPs, one each at the following locations: Benning Boulevard, Lindsay Creek Parkway (I-185), South Lumpkin Road, Custer Road, Sand Hill, First Division Road, and Eddy Bridge (see Figure 4.5-1). These ACPs are currently being replaced with permanent structures to better facilitate Installation security.

Other methods (such as drum/wedge, traffic arm barricades, and bollards) to restrict unauthorized access to the Installation have been placed on other paved roads, dirt roads, and trails that formerly provided access across or into the Installation. Fort Benning is also in the process of establishing a physical security perimeter barrier (fencing, guard rail, or use of existing natural terrain barriers) to further restrict access by unauthorized vehicular movement into the Installation's main cantonment areas.

On Post Roadways

For this analysis the potential impacts are characterized in terms of the four cantonment areas (Main Post, Kelley Hill, Sand Hill, and Harmony Church), all of which are located in the western portion of the Installation east of the Chattahoochee River (GA/AL state boundary) and south of Columbus, GA. Cantonment areas, a term used for Army Installations, are where living and working populations are concentrated and buildings and infrastructure are developed to support those populations. Other areas of the Installation may contain some buildings, structures, and infrastructure, but primarily serve various maneuver and range training purposes (including safety buffers).

The maneuver, training, and range areas and associated buffer lands are generalized as north and south, with U.S. Highway 27/280 and Georgia State Route 1/520 (hereafter, referred to as U.S. Highway 27/280) bisecting the Installation northwest to southeast (see Figure 4.5-2) and acting as the dividing line between these areas. Most activities at Fort Benning have specific transportation requirements. All administrative and private vehicular traffic must have:

- access to the Columbus expressway system;
- travel corridors between the cantonment areas; and
- traffic routes within the cantonment areas.




Figure 4.5-1: Fort Benning ACPs

Final

In addition, combat vehicles must move regularly between the cantonments, maintenance, and training areas and they must be provided with a separate system of tank trails. These trails have different design characteristics: wider lanes, stronger structure, and harder materials to accommodate wider and heavier vehicles and different traction systems.

Main Post

The largest cantonment area, Main Post, includes Lawson AAF and the hospital and mall complex. Travel outside of Main Post is concentrated on access to Columbus, Sand Hill, Harmony Church, and the Malone, Alpha, and Kilo training ranges. Access to Main Post is provided by two major traffic corridors, Benning Boulevard (north-south) and First Division Road (east-west). North-south traffic is also served by Lumpkin and Sigerfoos Roads and Edwards and Anderson Streets, and east-west traffic is also served by Tenth Division and Dixie Roads and Vibbert and Wold Avenues.

Benning Boulevard. Benning Boulevard is a four-lane, divided arterial leading directly into the Main Post. According to the most recent traffic counts, the boulevard averages 20,500 vehicles per day. During the morning peak hour, 1,600 vehicles use the boulevard to enter Main Post and 3,400 vehicles use it to exit in the evening peak hour.

First Division/Dixie Roads. First Division/Dixie Roads are two lane, two-way roadways that combine and form the second major traffic corridor leading into Main Post. The Columbus expressway system is connected to Main Post through the First Division Road and Lindsay Creek Bypass interchange. Traffic volumes exceed 1,800 vehicles in the morning peak and 1,600 in the evening peak in both directions on the First Division/Dixie Road corridor.

Marne Road. Marne road is a two-lane, two-way roadway that serves as a main access route to the hospital and mall complex, Kelley Hill, and Main Post from the Lindsay Creek Bypass. High traffic volumes (572 vehicles per hour) from the mall area and Kelley Hill create backups at the intersection of Marne Road and the east Lindsay Creek Bypass ramp. Eastbound drivers attempting to make a left turn (389 vehicles per hour) onto Lindsay Creek Bypass stack up through the west side intersection while waiting for a break in oncoming traffic.

Kelley Hill

Kelley Hill houses the 3rd Brigade of the 3rd Infantry Division (Mechanized). Access to Kelley Hill is provided by Marne and Ivy Roads. Travel outside of Kelley Hill is concentrated on access to Columbus, the hospital and mall complex, Harmony Church, and the Malone and Oscar Kilo training ranges. East-west traffic is served by Marne Road and Watkins Street, and north-south by Ivy Road and Bell Richards Street. Tank trails from Kelley Hill provide limited tracked vehicle access to Harmony Church and the Malone and Kilo training ranges. There are no heavy equipment transport loading facilities or tank trails to provide tracked vehicles access to Lawson AAF and the Sand Hill and Ochiltee railheads.

Marne Road. Marne Road is a two-lane, two-way roadway that links Victory Drive (U.S. Highway 27/280) (U.S. Highway 27/280) to the Lindsay Creek Bypass (hospital and mall area) and Main Post through Kelley Hill. Traffic volumes are approaching 4,700 vehicles per day.

Ivy Road. Ivy Road is a two-lane, two-way road that links Kelley Hill to Main Post, Harmony Church, and the Malone and Kilo training ranges through First Division and Marne Roads.

Sand Hill

Sand Hill is a consolidated recruit reception and infantry basic training cantonment area consisting of unit administration, unaccompanied personnel housing, training, and some community support. Travel outside of Sand Hill is concentrated on access to Columbus, the hospital and mall complex, and the Malone training ranges. Access to Sand Hill is provided by Victory Drive (U.S. Highway 27/280) (U.S. Highway 27/280), 11th Airborne Division Road, Old Cusseta Highway, and Custer Road. North-south traffic is served by Moye and Custer Roads, and east-west traffic by 11th Airborne Division, 2nd Armored Division, and 2nd Infantry Division Roads.

Victory Drive (U.S. Highway 27/280) (U.S. Highway 27/280). Victory Drive (U.S. Highway 27/280) (U.S. Highway 27/280) is a four-lane, divided arterial which connects the eastern half of the Installation to Columbus' expressway system and passes through Sand Hill, Harmony Church, and the central portion of the Post. The Victory Drive (U.S. Highway 27/280) (U.S. Highway 27/280) and Custer Road interchange provides the main corridor for access to Sand Hill.

Old Cusseta Highway. Old Cusseta Highway is a two-lane, two-way road that connects Sand Hill with Harmony Church. The highway served as the main corridor for traffic between Sand Hill and Harmony Church prior to the Victory Drive (U.S. Highway 27/280) (U.S. Highway 27/280) and Custer Road interchange upgrade.

Custer Road. Custer Road is a two-lane, two-way road that serves as the main corridor for access to Sand Hill from Main Post.

Harmony Church

The majority of Harmony Church training activities have been relocated to Sand Hill; however, the Ranger Training Brigade and a number of smaller units are expected to remain in Harmony Church. Travel outside of Harmony Church is concentrated on access to Columbus, Main Post, and the Malone, Alpha, and Kilo training ranges. Access to Harmony Church is provided by Victory Drive (U.S. Highway 27/280) (U.S. Highway 27/280) and Eighth Division Road. North-south traffic is served by Hourglass, Axton, and Eighth Division Roads, and east-west by Old Cusseta Highway and Jamestown Road.

Victory Drive (U.S. Highway 27/280). Victory Drive (U.S. Highway 27/280) is a four-lane, divided arterial which passes through Sand Hill, Harmony Church, and the central portion of the Installation, and connects the eastern half of the Installation to the Columbus expressway system. The Victory Drive (U.S.

Final

Highway 27/280) and Eighth Division Road interchange provides the main corridor for access to Harmony Church.

Eighth Division Road. Eighth Division Road is a two-lane, two-way roadway that serves as the main access to Harmony Church from Main Post.

Post-Wide Traffic Controls

The posted speed limit at the Post ranges from 15 to 45 miles per hour within the cantonment areas. These speed limits vary depending on the level of activity present at the sides of the roads. There are several types of traffic controls at Fort Benning; the most relevant are signals, STOP and YIELD signs, striping, and occasional direction by security personnel.

Parking

Little or no information on parking conditions is available for Fort Benning based on a review of transportation and other planning documents for the Post. This is primarily due to a lack of funding for evaluation of such. In general, the baseline on-Post parking conditions are adequate.

Bicycle Facilities

Inside Fort Benning, the Columbus Riverwalk provides two and half miles of pedestrian and bicycle facilities. The riverwalk ends at the National Infantry Museum within Fort Benning. To the north it extends past Columbus, GA and Phenix City, AL. When completed the riverwalk is expected to have twenty continuous miles (Columbus Parks 2007).

4.5.1.2 Existing Installation Transportation

Three government operated shuttle bus routes are provided within the Installation, serving Main Post, Sand Hill, Kelley Hill, and Harmony Church. Soldiers are routinely transported for training in this area by military mass transit vehicles.

4.5.1.3 Existing Public Transportation

Bus Transportation

The only form of commercial mass transit in the Fort Benning/Columbus/Phenix City area is bus service. There are two commercial bus lines: Greyhound Bus Lines and the Columbus Transportation System, Metropolitan Transit (METRA). METRA provides bus shuttle service between Fort Benning and Columbus.

Air Transportation

Outside of Installation boundaries, commercial airline service is provided to the Columbus/Phenix City area by Delta airline connector operating out of the Columbus Metropolitan Airport. This airport is located approximately 12 miles north of Fort Benning and that airspace is managed by the air traffic control tower at Columbus Metropolitan Airport.

Railroad Transportation

Two railroads serve Fort Benning and the Columbus/Phenix City metropolitan area. Each railroad provides only freight service to the Fort Benning/Columbus/Phenix City area. The Installation also has its own rail service, provided by the Rail Loading Facility at Sand Hill. This site is not used for any type of recreational or mass transit purposes, but for the purpose of transporting military equipment (to include vehicles) between Fort Benning and other installations.

Water Transportation

The Chattahoochee River is a navigable water of the United States and thus traffic upon the river is regulated by the U.S. Coast Guard. Both civilian (small boats) and commercial (barge) craft use the river, though barges are infrequent due to the many dams. The river channel is approximately 100-ft wide with a minimum depth of approximately 9 ft from Columbus to its terminus at Lake Seminole. Access to the Gulf of Mexico from Lake Seminole is via the Apalachicola River, which empties to the Gulf at Apalachicola, Florida. The Chattahoochee, Flint, and Apalachicola Rivers have been modified by the USACE with construction of the Jim Woodruff Lock and Dam, Columbia Lock and Dam, Walter F. George Lock and Dam, and flood control and power generation facilities in the upper reaches of the Chattahoochee River. Transportation of materials to Fort Benning via water is negligible to non-existent and there is no transportation of materials on the streams located in or proximate to the northern portion of the Installation (Fort Benning 2005b).

4.5.1.4 Intersection Level of Service Analysis

A traffic study was completed to estimate how well the existing infrastructure accommodates the current and future traffic demand. The intersections analyzed in this evaluation are depicted in Figure 4.5-2. As part of the analysis that supports the transportation study, a simulation model was used that represents the prevailing traffic conditions and the characteristics of the transportation system at the intersections, such as number of lanes per approach, striping, lane width, number of pedestrians crossing, signal phases and timing. The software used is called Synchro and it follows the procedures set forth by the Transportation Research Board in their Highway Capacity Manual to estimate the level of service (LOS) at intersections, signalized and unsignalized.

The Highway Capacity Manual (Transportation Research Board 2000) also defines the LOS to represent reasonable ranges in control delays as described in Table 4.5-1. For the purposes of this analysis, it is assumed that an intersection has reached capacity when it has a LOS D. If an intersection reaches LOS E or F, then that intersection is considered to have failed. At that point, the level of congestion is extensive, with drivers waiting several signal cycles to cross an intersection and further increases in traffic volumes compound the problem even further.




Figure 4.5-2: Road Network and Intersections Analyzed at Fort Benning

Table 4.5-1: Description of Levels of Service

Level of Service	Description
LOS A	Describes operations with low control delay, up to 10 seconds/vehicle. This LOS occurs when progression is extremely favorable and most vehicles arrive during the green phase. Many vehicles do not stop at all. Short cycle lengths may tend to contribute to low delay values.
LOS B	Describes operations with control delay greater than 10 and up to 20 seconds/vehicle. This level generally occurs with good progression, short cycle lengths, or both. More vehicles stop than with LOS A, causing higher levels of delay. Cycle failure occurs when a given green phase does not serve queued vehicles, and overflows occur.
LOS C	Describes operations with control delay greater than 20 and up to 35 seconds/vehicle. These higher delays may result from only fair progression, longer cycle lengths, or both. Individual cycle failures may begin to appear at this level. Cycle failure occurs when a given green phase does not serve queued vehicles, and overflows occur. The number of vehicles stopping is considerable at this level, though many still pass through the intersection without stopping.
LOS D	Describes operations with control delay greater than 35 and up to 55 seconds/vehicle. At LOS D, the influence of congestion becomes more noticeable. Longer delays may result from some combination of unfavorable progression, long cycle lengths, and high vehicle per cycle (v/c) ratios. Many vehicles stop, and the proportion of vehicles not stopping declines. Individual cycle failures are noticeable.
LOS E	Describes operations with control delay greater than 55 and up to 80 seconds/vehicle. These high delay values generally indicate poor progression, long cycle lengths, and high v/c ratios. Individual cycle failures are frequent.
LOS F	Describes operations with control delay in excess of 80 seconds/vehicle. This level, considered unacceptable to most drivers, often occurs with over saturation, that is, when arrival flow rates exceed the capacity of lane groups. It may also occur at high v/c ratios with many individual cycle failures. Poor progression and long cycle lengths may also contribute significantly to high delay levels.

Source: Transportation Research Board 2000.

4.5.1.5 Existing Traffic Conditions

Traffic counts that were collected in April 2006 as part of the 2006 Fort Benning Comprehensive Traffic Study (Fort Benning 2006c) were used for the analysis. This traffic count was taken at a time when as few personnel as possible were not deployed and includes approximately 36,000 military, civilian, as well as student personnel. Given the large number of projects to be analyzed in association with the environmental consequences of the action alternatives, a traffic study involving detailed analysis was required to assess the impact of these projects on the Installation transportation network. The impact of the projects is summarized by cantonment area. The results from the level of service analysis for the intersections are presented in Table 4.5-2 and in Figures 4.5-3 and Figure 4.5-4.

Table 4.5-2: Existing LOS*

No.	Cantonment Area	Road A	Road B	AM Peak	PM Peak
1	Main Post	Lumpkin	Dixie	B	B
2	Main Post	Lumpkin	Wold	A	B
3	Main Post	Lumpkin	Vibbert	A	D
4	Main Post	Lumpkin	Marne	A	F
5	Main Post	Lumpkin	Custer	F	B
6	Main Post	Ingersoll	Dixie	F	F
7	Main Post	Ingersoll	Wold	B	B
8	Main Post	Edwards	Dixie	B	B
9	Main Post	Edwards	Marchant	A	A
10	Main Post	Edwards	Wold	A	A
11	Main Post	Edwards	Vibbert	A	A
12	Main Post	Edwards	10th Div	C	B
13	Main Post	Anderson	Marchant	A	A
14	Main Post	Anderson	Wold	C	B
15	Main Post	Anderson	Vibbert	B	B
16	Main Post	Sightseeing	Dixie	B	A
17	Main Post	Jacelin	Dixie	A	A
18	Kelley Hill	1st Div	Ivy	C	B
19	Kelley Hill	1st Div	Dixie	F	D
20	Kelley Hill	1st Div	Lindsay Creek	F	F
21	Kelley Hill	Marne	Ivy	B	B
22	Kelley Hill	Watkins	Ivy	B	B
23	Kelley Hill	Marne	Vass	B	C
24	Harmony Church	8th Div	Wood	A	A
25	Harmony Church	8th Div	Jamestown	A	A
26	Harmony Church	1st Div	Old Cusseta	B	B
27	Sand Hill	11th St	187th	C	C
28	Sand Hill	11th St	41st	A	A
29	Sand Hill	11th St	23rd	A	A
30	Sand Hill	11th St	Moye	A	A

Source: Adapted from Fort Benning 2006c.

Note: Shaded rows indicate two-way unsignalized intersections. At these intersections, the overall LOS is not defined. Only LOS for the stop sign approaches is defined. The worst LOS of these two approaches is reported in the table.




Figure 4.5-3: Existing Levels of Service, Morning Peak




Figure 4.5-4: Existing Level of Service, Evening Peak

Existing LOS - Main Post

The main roads in this area are Benning Road, Lumpkin Road, and Edwards Street in the north-south direction, and Dixie Road, Tenth Division Road and Wold Avenue in the east-west direction. The results from the LOS analysis for the existing conditions (2006) in this area are summarized in Table 4.5-2, which shows that there are three intersections where the LOS drops to E or worse during the morning and evening peak hours. These failed intersections are: Lumpkin Road at Marne Road (LOS F in the evening peak hour), Lumpkin Road at Custer Road (LOS F in the morning peak hour), and Ingersoll Road at Dixie Road (LOS F in the morning and evening peak hours).

Existing LOS - Kelley Hill

The main roads in this area are Ivy Road and Harvey Street in the north-south direction, and Marne Road and Watkins Street in the east-west direction. The results from the LOS analysis for the existing conditions (2006) in this area are summarized in Table 4.5-2, which shows that there are two intersections where the LOS drops to E or worse during the morning and evening peak hours. These intersections are: First Division Road at Dixie Road (LOS F in the morning peak hour), and First Division Road at Lindsay Creek (LOS F in the morning and evening peak hours).

Existing LOS - Sand Hill

The main roads in this area are Custer Road and Moyer Road in the north-south direction and Eleventh Airborne Division Road in the east-west direction. The results from the LOS analysis for the existing conditions (2006) in this area are summarized in 4.5-2, which shows that there are no intersections where the LOS drops to E or worse during the morning or evening peak hours.

Existing LOS - Harmony Church

The main roads in this area are Jamestown Road and Old Cusseta Highway in the north-south direction and First Division Road and Eight Division Road in the east-west direction. The results from the LOS analysis for the existing conditions (2006) in this area are summarized in Table 4.5-2, which indicates that there are no intersections where the LOS drops to E or worse during the morning or evening peak hours.

4.5.2 Environmental Consequences

The traffic consequences of the implementation of the no action and any of the action alternatives are described in the following sections. The following threshold criteria have been developed to assess the transportation impacts for each of the alternatives.

No Significant Impact – Changes to the traffic patterns and level of service that maintain the same or nearly the same levels of service as is expected under the No Action Alternative without crossing the threshold to failure. An intersection is said to have failed when it reaches LOS E or worse. However, if said intersection had already failed under the No Action Alternative and continues to fail under an action alternative, then it could be said that the alternative is not causing an adverse effect beyond what was

already there. An intersection that is at LOS E for the No Action Alternative and remains at LOS E for another alternative is therefore considered to have no significant impact.

Moderate Impact – Changes to the traffic patterns and level of service that would cause an intersection to perform more poorly as a result of implementing that action compared with what is expected under the No Action Alternative, but without the failure of the intersection. A drop from LOS A to LOS C, or from LOS B to LOS D, comparing specific intersections between the action alternatives and the No Action Alternative, would be designated as moderate impacts.

Significant Impact – Changes to the traffic patterns and level of service that would cause an intersection to fail as a result of implementing that action beyond what is expected under the No Action Alternative. For the purposes of this EIS, a significant impact would be considered when an intersection that had not failed under the No Action Alternative fails under either of the action alternatives. Mitigation measures for significant impacts are provided in Section 4.5.3.

4.5.2.1 No Action Alternative

Implementation of the No Action Alternative would not alter the existing transportation infrastructure at Fort Benning; however, because the BRAC-mandated projects must be completed by 2011, this year was chosen as the horizon year for the analysis of the future conditions under the No Action Alternative.

Under this scenario, traffic is assumed to grow at a constant annual rate of 1.2 percent, which reflects the expected population growth observed in the region without the proposed Transformation actions. The traffic growth surrounding Fort Benning has varied widely in the last 6 years according to data from the Georgia Department of Transportation (GDOT). The variations are substantial to the point that the information cannot be used without comparing to other relevant information. Between 1999 and 2005, the average annual traffic growth rates for facilities outside the Post have ranged from negative 2.6 percent in Victory Drive (U.S. Highway 27/280) to 1.2 percent in Benning Boulevard. There are many factors that indicate that this rate should be positive.

In terms of population growth, the four-county region formed by Chattahoochee, Harris, Muscogee, and Russell counties grew at 0.2 percent per year between 1990 and 2005 (U.S. Census Bureau 1995, 2005). The population projections between 2005 and 2015 assume an annual average growth rate of 1 percent.

Considering that traffic normally grows at a faster rate than population, these results also indicate the need to consider a positive rate to capture the future background growth. Therefore, the 1.2 percent annual growth rate observed in Benning Boulevard is being used as the basis for the background growth rate in this analysis.

There are no transportation network improvements considered as part of the No Action Alternative. The same network as in the existing conditions is analyzed.

The volumes estimated following the procedure described above were entered into the simulation model and resulted in the LOS for the No Action Alternative shown in Table 4.5-3 for the four cantonment areas. Figures 4.5-5 and 4.5-6 show the effects on LOS of the No Action Alternative.

Table 4.5-3: No Action LOS*

No.	Cantonment Area	Road A	Road B	AM Peak		PM Peak	
				Exist.	No Action	Exist.	No Action
1	Main Post	Lumpkin	Dixie	B	C	B	B
2	Main Post	Lumpkin	Wold	A	A	B	B
3	Main Post	Lumpkin	Vibbert	A	A	D	E
4	Main Post	Lumpkin	Marne	A	A	F	F
5	Main Post	Lumpkin	Custer	F	F	B	B
6	Main Post	Ingersoll	Dixie	F	F	F	F
7	Main Post	Ingersoll	Wold	B	B	B	B
8	Main Post	Edwards	Dixie	B	B	B	B
9	Main Post	Edwards	Marchant	A	A	A	A
10	Main Post	Edwards	Wold	A	A	A	A
11	Main Post	Edwards	Vibbert	A	A	A	A
12	Main Post	Edwards	10th Div	C	C	B	B
13	Main Post	Anderson	Marchant	A	A	A	A
14	Main Post	Anderson	Wold	C	C	B	B
15	Main Post	Anderson	Vibbert	B	B	B	B
16	Main Post	Sightseeing	Dixie	B	B	A	A
17	Main Post	Jacelin	Dixie	A	A	A	A
18	Kelley Hill	1st Div	Ivy	C	C	B	B
19	Kelley Hill	1st Div	Dixie	F	F	D	E
20	Kelley Hill	1st Div	Lindsay Creek	F	F	F	F
21	Kelley Hill	Marne	Ivy	B	B	B	B
22	Kelley Hill	Watkins	Ivy	B	B	B	B
23	Kelley Hill	Marne	Vass	B	B	C	C
24	Harmony Church	8th Div	Wood	A	A	A	A
25	Harmony Church	8th Div	Jamestown	A	A	A	A
26	Harmony Church	1st Div	Old Cusseta	B	B	B	B
27	Sand Hill	11th St	187th	C	C	C	C
28	Sand Hill	11th St	41st	A	A	A	A
29	Sand Hill	11th St	23rd	A	A	A	A
30	Sand Hill	11th St	Moye	A	A	A	A

Source: Adapted from Fort Benning 2006c.

*Note: Shaded rows indicate two-way unsignalized intersections. At these intersections, the overall LOS is not defined. Only LOS for the stop sign approaches is defined. The worst LOS of these two approaches is reported in the table.




Figure 4.5-5: LOS Resulting From No Action Alternative: Morning Peak




Figure 4.5-6: LOS Resulting From the No Action Alternative: Evening Peak

No Action LOS - Main Post

The results from the LOS analysis are summarized in Table 4.5-3. As can be seen, there are four intersections where the LOS drops to E or worse during the AM and PM peak hours. These intersections are: Lumpkin Road at Vibbert Road (LOS E in PM peak hour), Lumpkin Road at Marne Road (LOS F in PM peak hour), Lumpkin Road at Custer Road (LOS F in AM peak hour), and Ingersoll Road at Dixie Road (LOS F in the AM and PM peak hours).

No Action LOS - Kelley Hill

The results from the LOS analysis are summarized in Table 4.5-3. There are two intersections where the LOS indicates failure and one where the LOS drops to E or worse during the evening peak hour compared to existing conditions. These intersections are: First Division Road at Dixie Road (retains LOS F in morning peak hour and LOS drops from D to E in evening peak hour), and First Division Road at Lindsay Creek Road (retains LOS F in the morning and evening peak hours).

No Action LOS - Sand Hill

The results from the LOS analysis for the no action conditions (2011) in this area are summarized in Table 4.5-3. There are no intersections that fail or where the LOS drops to E or worse during the morning and evening peak hours when compared to the existing conditions.

No Action LOS - Harmony Church

The results from the LOS analysis are summarized in Table 4.5-3. There are no intersections that fail or where the LOS drops to E or worse during the morning and evening peak hours when compared to the existing conditions.

No Action LOS – Overall Impact

When making an overall comparison between the existing conditions and the No Action Alternative, there are more intersections failing in the No Action Alternative than under the existing conditions (see Table 4.5-4).

Table 4.5-4: Overall LOS Comparison

Intersection LOS	AM and PM Peak	
	Existing	No Action
E or F (failed)	7	9
C or D	8	8
	AM Peak	PM Peak
Intersections with any decrease in LOS between Existing and No Action	1	2

This degradation in LOS is the result of an increase in traffic with no system capacity expansion in the No Action Alternative. Existing traffic problems are anticipated to remain and new problems are anticipated to occur as a result of future traffic growth causing the roadway system to become closer to reaching its capacity. Under the No Action Alternative two additional intersections fail when compared to the existing conditions.

Concurrently to the preparation of this EIS, the Installation is conducting the Fort Benning Comprehensive Traffic Study. This study will make recommendations for the Installation's transportation investments that would result in better operation as well as capacity expansion to accommodate future growth. However, since these projects are not funded yet, they are not included as part of the present analysis.

Existing traffic problems are anticipated to remain and new ones to occur as a result of future traffic growth. The increase in traffic would bring the roadway system closer to reaching its capacity, with an increased overall congestion level.

Installation Transportation and Public Transportation – No significant impacts would be expected from the No Action Alternative. With respect to public transportation, currently there is only one bus route serving Fort Benning every 90 minutes. The utilization of this service is not expected to change in the future and the level of service would remain the same.

4.5.2.2 Transformation Alternative A

Several buildings in Main Post, Kelley Hill, Sand Hill, and Harmony Church as well as range projects are identified as part of the Transformation actions being evaluated in this EIS. The impact that these new projects would have on the transportation infrastructure is measured by the number of trips that the projects would generate combined with the current volumes and the background traffic growth expected from other non-BRAC new development. The methodology used to determine the number of trips can be found in Appendix D.

The resulting volumes under this scenario are the sum of the background traffic (existing volumes plus historic growth) calculated in the analysis of the No Action Alternative, plus the above traffic volumes that result from the implementation of the Transformation alternative. The LOS for different intersections resulting from this analysis is presented in Figures 4.5-7 and 4.5-8 and in Table 4.5-5.

Table 4.5-5: Transformation Alternative A LOS For Ft Benning*

Number	Cantonment Area	Road A	Road B	AM Peak		PM Peak	
				No Action	Alt. A	No Action	Alt. A
1	Main Post	Lumpkin	Dixie	C	F	B	F
2	Main Post	Lumpkin	Wold	A	A	B	B
3	Main Post	Lumpkin	Vibbert	A	A	E	F
4	Main Post	Lumpkin	Marne	A	A	F	F
5	Main Post	Lumpkin	Custer	F	F	B	B
6	Main Post	Ingersoll	Dixie	F	F	F	F
7	Main Post	Ingersoll	Wold	B	C	B	D
8	Main Post	Edwards	Dixie	B	F	B	F
9	Main Post	Edwards	Marchant	A	B	A	A
10	Main Post	Edwards	Wold	A	A	A	A
11	Main Post	Edwards	Vibbert	A	A	A	A
12	Main Post	Edwards	10th Div	C	C	B	B
13	Main Post	Anderson	Marchant	A	B	A	B
14	Main Post	Anderson	Wold	C	C	B	C
15	Main Post	Anderson	Vibbert	B	B	B	C
16	Main Post	Sightseeing	Dixie	B	F	A	F
17	Main Post	Jacelin	Dixie	A	C	A	C
18	Kelley Hill	1st Div	Ivy	C	F	B	D
19	Kelley Hill	1st Div	Dixie	F	F	E	F
20	Kelley Hill	1st Div	Lindsay Creek	F	F	F	F
21	Kelley Hill	Marne	Ivy	B	B	B	B
22	Kelley Hill	Watkins	Ivy	B	B	B	B
23	Kelley Hill	Marne	Bass	B	B	C	C
24	Harmony Church	8th Div	Wood	A	B	A	B
25	Harmony Church	8th Div	Jamestown	A	C	A	C
26	Harmony Church	1st Div	Old Cusseta	B	B	B	B
27	Sand Hill	11th St	187 th	C	E	C	F
28	Sand Hill	11th St	41st	A	F	A	F
29	Sand Hill	11th St	23rd	A	B	A	B
30	Sand Hill	11th St	Moye	A	A	A	A

Source: Adapted from Fort Benning 2006c.

*Note: Shaded rows indicate two-way unsignalized intersections. At these intersections, the overall LOS is not defined. Only LOS for the stop sign approaches is defined. The worst LOS of these two approaches is reported in the table.




Figure 4.5-7: LOS Resulting From Transformation Alternative A: Morning Peak




Figure 4.5-8: LOS Resulting From Transformation Alternative A: Evening Peak

Transformation Alternative A LOS - Main Post

There would be significant impacts at Main Post resulting from the implementation of Alternative A. The analysis shows that there are three intersections where the LOS drops to E or worse during the morning and evening peak hours compared to the No Action Alternative, including Dixie Road at Lumpkin Road (LOS F from C in the morning peak hour and B in the evening peak hour under the No Action Alternative); Dixie Road at Edwards Street (LOS F from B in under the No Action Alternative); and Dixie Road at Sightseeing Street (LOS F from B under the No Action Alternative). It is also important to note that all intersections on Dixie Road have failed in this scenario. Based on these observations, capacity and operational improvements on Dixie Road (which would include all the intersections east of Jacelin Road) would be needed. Recommended mitigation measures are included in Section 4.5.3.

Transformation Alternative A LOS - Kelley Hill

There would be significant impacts in the Kelley Hill cantonment area resulting from the implementation of Alternative A (see Table 4.5-5). There is one intersection where the LOS drops to E or worse during the morning and evening peak hours compared to the No Action Alternative. This intersection is First Division Road at Ivy Road (the LOS drops from C in the morning peak hour for the No Action Alternative and Alternative A). Recommended mitigation measures are included in Section 4.5.3.

Transformation Alternative A LOS - Sand Hill

There would be significant impacts in the Sand Hill cantonment area resulting from the implementation of Alternative A (see Table 4.5-5). There are two intersections where the LOS drops to E or worse during the morning and evening peak hours. These intersections are: 11th Airborne Division Road and 187th Infantry Regiment Street (LOS E/F from C under the No Action Alternative), and 11th Airborne Division Road and 41st Infantry Regiment Street (LOS F from A under the No Action Alternative). Recommended mitigation measures are addressed in Section 4.5.3.

Transformation Alternative A LOS - Harmony Church

There would be moderate impacts at Harmony Church cantonment area resulting from the implementation of Alternative A (see Table 4.5-5). There are no intersections where the LOS drops to E or worse during the morning and evening peak hour. Recommended mitigation measures include the construction of a new interchange on U.S. Highway 27/280 with Cusseta Road south of Hourglass Road (see Section 4.5.3).

Transformation Alternative A LOS – Overall Impact

When making an overall comparison between the No Action Alternative and Alternative A, there are more intersections failing under Alternative A than under the No Action Alternative (see Table 4.5-6). Additionally, there is also an increase in the number of intersections at LOS C or D than under the No Action Alternative. These results demonstrate that, as expected, the additional development and associated traffic volumes increase the traffic and delays at Fort Benning.

Table 4.5-6: Overall LOS Comparison

LOS	AM Peak		PM Peak	
	No Action	Transformation Alternative A	No Action	Transformation Alternative A
E or F (failed)	4	10	5	10
C or D	5	5	2	7
	AM Peak		PM Peak	
Intersections with any decrease in LOS between No Action and Transformation Alternative A	13		16	

4.5.2.3 Transformation Alternative B (Preferred Alternative)

Under Alternative B, the projects associated with the cantonment areas would remain largely the same as those of Alternative A. Even though these are different alternatives with respect to the range use and operations, for the purpose of analyzing the transportation impacts of these two action alternatives on the cantonment area LOS, they are the same. The biggest differences between Alternatives A and B are related to the heavy maneuver training range use and operations.

One unique aspect of Alternative B would be a new overpass for tank travel to the Good Hope Maneuver Area. This overpass would be located in Harmony Church, across U.S. Highway 27/280 from Old Cusseta Highway (between Kelley and Axton Roads on the southwest side of U.S. Highway 27/280) to Cornell Street (on the northeast side of U.S. Highway 27/280). This overpass would only be used by tracked tanks and HETT/HEMTTs. There were several alternatives considered for the overpass; one was to use the current tank overpass near First Division Road, the existing Eighth Division Road, the Babbitt Road Underpass, and the existing Hourglass Road bridge. The existing Eighth Division Road and Hourglass Road bridges are not rated for the weight of tanks or HETT/HEMTTs and are owned by GDOT. The Babbitt Road underpass is too narrow for the larger tanks and HETT/HEMTT vehicles. Because of these limitations, only the existing tank overpass and the new proposed overpass were deemed feasible.

The LOS for either overpass would not be an issue because they would both be dedicated bridges for tank crossings and there would be no competition of other traffic over the bridges. Construction of the overpass, however, could impact traffic LOS because of potential lane closures and detours during construction. At this stage, the overpass design has not had inputs from GDOT or Federal Highway Administration (FHWA) including height and width clearances, weight capacity of the road structure to handle the different vehicle types (BFVs, tanks, M88s, trucks, HETT/HEMTTs, etc.), slopes, drainage, pavement/gravel surface, and construction sequencing; therefore, construction LOS cannot be determined yet. The impacts due to constructing the overpass would be short-term and would not have a significant impact on the LOS of U.S. Highway 27/280.

The overpass would require input and approval from GDOT and the FHWA and would have to comply with the Transportation Act as well as NEPA; appropriate level of NEPA analysis of the detailed plans and designs will be completed, which may involve supplemental NEPA documentation.

In summary, the LOS analysis, documented in Section 4.5 and shown in Table 4.5-5 and Figures 4.5-7 and 4.5-8, identified key intersections that would be expected to encounter deteriorating traffic conditions stemming from implementation of either Alternative A or B. Most of the trouble spots are located along the Dixie Road corridor in the Main Post and Kelley Hill cantonment areas. To alleviate deteriorating conditions overall, numerous projects are recommended in the discussion of mitigation measures (Section 4.5.3) that collectively would be expected to provide relief throughout the corridor.

4.5.3 Mitigation Measures

The following mitigation measures could improve LOS at specific intersections anticipated to fail and provide relief to the overall transportation network. Improvements that would address LOS failures in specific intersections, identified in Table 4.5-5, are noted.

Main Post

- Widening of Dixie Road to four lanes from Michael Street to First Division Road [Intersection(s) directly affected: (1) Lumpkin and Dixie, (2) Sightseeing and Dixie, and (3) First Division and Dixie] (Fort Benning 2006g).
- Widen Dixie Road to four lanes from Jacelin Road to Edmunds Road. This would connect to the 4-lane widening on Dixie Road past Edmunds Road that is already planned [Intersection(s) directly affected: Edwards and Dixie].
- The intersections of Dixie Road with Jacelin Road, Sightseeing Street, and Ingersoll Street are currently unsignalized. It would be advisable to install signals at these intersections based on the expected traffic volume in 2011. [Dixie Road corridor general improvement].
- Implement signal coordination on Dixie Road from Jacelin Road to First Division Road to improve traffic progression and reduce delays at successive intersections. [Dixie Road general improvement].
- Add turning lanes on the eastbound direction for left-turn movements on Dixie Road at Sightseeing Street, Edwards Street, and Ingersoll Street. [Dixie Road general improvement].
- Add southbound left-turn movement lanes on Sightseeing Street, Edwards Street, and Ingersoll Street. [Dixie Road general improvement].
- Optimize traffic signals on Lumpkin Road. [Intersection(s) directly affected: (1) Lumpkin and Vibbert and (2) Lumpkin and Marne].
- Reconfigure intersection of Marne and Lumpkin Roads. [Intersection(s) directly affected: Lumpkin and Marne].

Kelley Hill

- Construction of an overpass for the First Division Road traffic wishing to travel north into Lindsay Creek Parkway (currently an unsignalized intersection) before 2011. That would cause the LOS at this intersection to improve substantially [Intersection(s) directly affected: First Division and Lindsey Creek] (Fort Benning 2006g).

Final

- Widening of First Division Road to four lanes from Dixie Road to Ivy Road [Intersection(s) directly affected: First Division and Ivy] (Fort Benning 2006g).
- Additionally, upgrade of the unsignalized intersection is recommended at Dixie and First Division Road to a signalized intersection to improve the LOS. [Dixie Road general improvement].

Sand Hill

- Installing traffic signals at the intersection of 11th Airborne Division Road and 187th Infantry Regiment Street. [Intersection(s) directly affected: 11th and 187th].
- Coordinate the signals on 11th Airborne Division Road west of Moye Road to reduce intersection delays and improve traffic progression. [Intersection(s) directly affected: 11th and 41st].

Harmony Church

- Construct a new interchange on U.S. Highway 27/280 at the intersection of Cusseta Road south of Hourglass Road. The design of this project needs to consider the possibility of its use by heavy armor vehicles traveling to the training areas. [General improvement] (Fort Benning 2006g).

In addition to these specific measures, increased use of Travel Demand Management (TDM) measures could help minimize traffic congestion at key locations. TDM is a term for transportation strategies designed to maximize the people-moving capability of the transportation system by increasing the number of persons in a vehicle, or by influencing the time of, or need to, travel. To accomplish these types of changes, TDM programs must rely on incentives or disincentives to make these shifts in behavior attractive. The primary purpose of TDM is to reduce the number of vehicles using the road system while providing a wide variety of mobility options to those who wish to travel. TDM measures could include, among others, preferential parking for ridesharers, information and marketing to increase awareness of need for ridesharing, flexible work schedules, and telecommuting. While these example TDM measures are not specifically recommended mitigations, they are mentioned to illustrate the TDM concept. Appropriate TDM mitigations measures would be determined by Fort Benning as part of a TDM program, which could help minimize traffic congestion.

4.6 UTILITIES

For this EIS, utilities are the basic services required by the Transformation action to operate and include the following: potable water supply, wastewater and storm water systems, energy/power sources, communications, and solid waste.

4.6.1 Affected Environment

The ROI for direct and indirect effects of utility use associated with the proposed action and alternatives includes the Installation cantonment areas, training areas, and the surrounding communities (consolidated Columbus City-Muscogee County and Cusseta City-Chattahoochee County in Georgia and Phenix City in Russell County, Alabama). The main direct utility impacts of the action alternatives at Fort Benning are concentrated in the cantonment areas and mostly affect the nearby water supply and wastewater service capabilities of the three counties. Direct and indirect impacts from the action alternatives also would affect the storm water systems, energy sources, communications, and solid waste management of the nearby communities; however, they would have a lesser degree of impact than water supply requirements. In recent years, Fort Benning has privatized the potable water, wastewater, electrical, and natural gas systems.

Construction activities for all utilities and infrastructure to support utilities identified in this section and the following subsections would be subject to the requirements of all applicable laws, regulations, and permits that may be required for construction. These may include, but not necessarily be limited to, stream bank buffers, NPDES and MS4 permits, which are described in more detail in Section 4.10.1.1.

4.6.1.1 Potable Water Supply

Fort Benning's water system is privatized and managed by the City of Columbus Water Works (CWW) to provide potable water to the cantonment areas. Fort Benning retains ownership of the underlying lands; however, the ownership, operation, and maintenance of the buildings, systems, and associated water facilities are the responsibility of CWW. Currently, the CWW has a permitted withdrawal level of 90 million gallons per day (mgd) with current use at 54 mgd (personal communication, Fincher 2007). Potable water supply to more remote areas of the Installation (including several ranges) is drawn from seven on-Post, non-essential wells with existing withdrawal permits. However, the majority of potable water is drawn from the existing CWW system, pumped into water buffaloes, and transported to the training compartments/sites (600-gallon tanks on transport trailers).

4.6.1.2 Wastewater System

There are two sanitary wastewater treatment plants that serve the entire Installation with a combined capacity of 8.4 mgd with current use at 3 mgd (personal communication, Wilkins 2007). Fort Benning's wastewater systems are also privatized and managed by CWW. The sanitary sewage collection system consists of approximately 126 miles of 6- to 24-inch vitrified clay, cast iron, and concrete lines. Twenty-nine lift stations are required to move sewage flows across the rolling terrain of Fort Benning (personal communication, Wilkins 2006).

4.6.1.3 Storm Water System

Storm water discharge in the Main Post area drains directly into the Chattahoochee River through a storm drain system. Other storm water on the Installation drains via culverts, ditches, swales, and natural seepage and overland flow. Storm water, from the Sand Hill, Harmony Church, and Kelley Hill cantonment areas, as well as the training compartments, drains directly or indirectly into nearby surface water bodies.

Fort Benning operates industrial activities subject to the requirements of the USEPA and Georgia and Alabama state industrial National Pollutant Discharge Elimination System (NPDES) regulations under the CWA. These regulations involve regulating storm water discharges from industrial activities that have the greatest potential to contaminate runoff. The applicable Installation industrial sectors include roads; vehicle maintenance facilities; wash racks; landfills; wastewater treatment facilities; hazardous waste storage, treatment or disposal activities; and others.

Installation sources of industrial storm water pollution have been identified in order to prevent contamination from runoff created by rain events to protect the water quality. Thousands of vehicles are served by the motor pools and this equipment is maintained so leaks are minimized; storage of POLs is managed properly; and a Storm Water Pollution Prevention Plan (SWP3) has been developed and implemented at Fort Benning. The SWP3 outlines Best Management Practices (BMPs) that have been implemented to reduce the potential for storm water pollution.

The CWA's Construction NPDES Program, Georgia Erosion and Sedimentation Control Act, and Alabama Water Pollution Control Act (specifically Alabama Department of Environmental Management Administrative Code Chapter 335-6-12) require that erosion and sedimentation controls be implemented during projects that require one or more acres of ground disturbance. Thus, depending upon the location of the project, the Army consistently obtains a General Permit for Storm Water Discharges via submittal of an NOI to the GADNR, development of an Erosion and Sedimentation Pollution Control Plan (ESPCP), and/or via submittal of a Notice of Registration (NOR) to the Alabama Department of Environmental Management and development of a Construction Best Management Practices Plan prior to implementation of actions. Additional information about storm water management is provided in Section 4.10, Water Resources.

4.6.1.4 Energy Sources

Georgia Power supplies electrical power via two 115-kilovolt feeders into its substation on Marne Road. Voltage is transformed, metered, and fed to the adjacent Flint Energies-owned substation. Transmission lines leave this substation to supply power to the cantonment areas, family housing, and other developed areas of the Installation. Low-capacity electrical service is also provided to facilities (such as the northern portion of the Installation) in ranges and training areas in the more remote sections of the Installation. There is no power generation system for the entire Installation, but emergency power generators are in place at critical locations, such as the airfield, control tower, hospital, communications center, stockade, water treatment plant, transmitter sites, radio beacon sites, and steam plants.

Atmos Energy supplies natural gas to Fort Benning at the rate of 2,700 thousand cubic feet (mcf) per day. Mission and loads at the Installation determine the volume of natural gas used. Natural gas supplies the majority of non-mobile fuel requirements at the Installation and propane is the main energy source for the ranges (personal communication, Hines 2006). The Installation uses propane as the backup and supplement to natural gas and has 25 tanks of 30,000 gallons each to provide propane storage. A peak shaving plant, constructed in 1959, is located in Building 1750, northwest of the main metering station on Edwards Street. The plant introduces a propane-air mixture to augment natural gas supply during peak loads, and is capable of providing up to 312,000 cubic feet per hour through its 8-inch supply line. Two main distribution lines leave the Main Post metering station. One serves Main Post, with a branch to Custer Terrace family housing. The second runs to Kelley Hill and serves other family housing areas. Fuel oil is used as a backup fuel at Martin Army Community Hospital.

4.6.1.5 Communications

The official business on-Post telephone system is operated and maintained by contract. Bell South provides the residential phone service to family and bachelor housing and other non-military users. Trunks to facilitate toll-free calling between the two separate systems interconnect the Army owned and Bell South systems. Currently, there are dated communication trunks found within the Harmony Church area. Cellular phone service at Fort Benning is supplied by a cellular tower in the Main Post near the intersection of Upton Road and Hall Road, a second tower in the Harmony Church area, west of Old Cusseta Road and south of Pitts Avenue, and a third tower near Marne Road serves the Sand Hill and Kelley Hill areas (personal communication, Mickey 2006). An Installation cable system is provided by Time Warner Cable Company.

The Fort Benning Fire Department operates a fire reporting communications system. The cable is carried with the telephone cable distribution system. This system allows emergency responders to immediately locate the place of origin of any emergency called in to the control center. Another major communications system at Fort Benning is the cable television system, which is operated by a private company. The contractor has the responsibility for operation and maintenance of the system under terms of a license. The PAO operates a separate educational television system in Infantry Hall. It operates under the call letters WFBG. The system is owned and operated by the Installation in support of military training. Currently, such systems are only available in the Harmony Church area of the Installation.

4.6.1.6 Solid Waste

Landfills. Fort Benning generates total solid waste at an estimated rate of 1,800 tons per month. The Installation does not have a permitted sanitary landfill in operation; all Fort Benning sanitary waste is transported to a state-permitted transfer station in Salem, AL by waste pick-up and hauling contractor. The waste is transferred to a landfill operated by Waste Management with a capacity of 10 million tons over the next 75 years of its lifespan (personal communication, Morpeth 2007). There is one 12-acre approved inert landfill on the Installation in operation since 2004, but the landfill is currently about half full (personal communication, Morpeth 2006). This landfill is for Installation use only and not for

contractor use and is designed to accept only inert materials such as fallen limbs and trees, concrete (free of lead base paint), and cured asphalt. Current Fort Benning contracting practices require construction contractors to develop a waste management plan to identify measures to reduce construction and demolition materials by 50 percent through reuse and recycling (personal communication, Morpeth 2006). This plan is submitted for review and approval to Fort Benning EMD prior to any construction/demolition activities.

Recycling. Recycling reduces disposal cost, conserves natural resources, and minimizes environmental problems associated with land disposal. Fort Benning's policy on recycling is governed by the June 11, 2003 Policy Memorandum #200-1-8, entitled "Qualified Recycling Program." Under this policy, Army personnel and contractors are required to actively participate in the recycling program, and all of the proceeds from the program are retained by the Installation. One recycling center processes recyclable items from industrial work areas, barracks, and family housing areas. On the Main Post, six trailers with 10 bins each are available for drop-off recycling. Recyclable items include paper (approximately 117 tpy), cardboard (approximately 76 tpy), aluminum and tin cans (approximately 16 tpy), glass (approximately 25 tpy), and plastic (approximately 11.65 tpy). Also, about 91 tons of tires, 92 tons of oil, 435 tons of scrap metal, and 274 tons of ammunition-related recycling (i.e., brass, links, shells, fuzeheads) are processed annually (personal communication, Morpeth 2006). Recyclable materials are turned-in to the Installation Defense Reutilization Marketing Service (DRMS) and the Materials Recovery Facility (MRF) for processing.

4.6.2 Environmental Consequences

The assessment of impacts to utilities is based on comparing existing use and condition to proposed changes on these resources. The analysis compares current utility usage for applicable functions with anticipated future demands to determine potential impacts. Population changes projected for the Transformation action were used for forecasting utility demands, based on average per capita values whenever available. The threshold level of significance for utilities is the potential for change in demand that would adversely affect the ability of a utility provider to service existing customers; in addition, significance is determined by the ability of facilities to effectively accommodate additional demands.

4.6.2.1 No Action Alternative

Under the No Action Alternative, Fort Benning would continue to use and generate the same types of demand for utilities as are described under the affected environment and currently being managed. Maintenance of existing utility systems would be ongoing. No change from existing impacts would occur.

4.6.2.2 Transformation Alternative A

Implementation of Alternative A would result in the need to connect and distribute supporting utility systems to multiple facility and building sites in the Main Post, Sand Hill, Harmony Church, and Kelley Hill areas including: potable water, sanitary sewer, storm drainage, electrical, information systems, and

solid waste disposal. Additional utilities would be provided for the projects that would require increased capacity; otherwise, existing systems would be expected to have adequate capacity to provide for these changes. Additions to the utility systems that have been privatized would be turned over to the owner in accordance with existing agreements.

Potable Water Supply. Impacts from implementation of Alternative A would be considerable, but not significant. The additional population would place an increased demand on the potable water system; however, water-efficient devices suggested under the LEED program initiatives, such as low-flow showerheads, faucets, and toilets, could reduce the demand on the potable water supply. Based on a 150 gallon per day (gpd) per capita use for water (Departments of the Army, the Navy, and the Air Force 1987), the total military, civilian, and student population¹ of 16,614 associated with Alternative A would increase potable water demand by 2.2 mgd (or 4 percent increase over existing use). The CWW has approximately 36 mgd in additional water withdrawal capacity (Fort Benning Futures Partnership 2005), which is more than adequate for the increased demand; however, the infrastructure to bring this increased demand to Fort Benning would require upgrading (personal communication, Fincher 2007). This would include upgrades to the water plant on Fort Benning to process and provide approximately 12 mgd water supply from the current permitted excess capacity. A water line would be installed from the Chattahoochee River to the upgraded water plant, although the exact location is not currently known. The water line would avoid all sensitive areas, such as cultural resource sites, RCW habitat, wetlands, etc. As specific water plant upgrade designs and water line routes are available, CWW will submit them to Fort Benning for further NEPA analysis and other environmental compliance planning, as well as any real estate outgrant processing. CWW has also indicated that the amount of water flowing from up-stream dams may impact their ability to support increased potable water demand in the region, including the increased needs at Fort Benning due to the proposed action. (Columbus 2007). New capacity in water supply is in various stages of design and engineering in Chattahoochee County. New water supply lines would have a backflow preventer and water meter installed, and would be disinfected following American Water Works Association methods as required by Georgia Drinking Water Rule 391-3-5 (no new water lines would be required in Alabama). Water tank repairs, water line replacement, and addition and replacements of fire hydrants would also occur. For potable water supply to remote areas water will continue to be drawn from the CWW system and transported to the field in water buffaloes. It is anticipated that there is adequate capacity to meet Transformation needs; however, if permitted levels are exceeded, a new permit would be required for increased withdrawal rights.

Wastewater System. Wastewater system requirements from implementation of Alternative A would increase measurably, but would not be adverse. Based on a 109 gpd per capita use for sanitary

¹ 9,376 increased total population of military and civilians plus 7,238 military students (*Personal communications, J.W. Brown III December 2006, September 2007*). Students' water requirements were split evenly between field training amount of 75 gpd and 150 gpd while in the classroom and dormitory (Departments of the Army, the Navy, and the Air Force 1987).

wastewater, the projected population increase would create an additional 1.6 mgd of sanitary wastewater¹ (or a 53 percent increase) over the existing 3 mgd currently discharged. The two sanitary wastewater treatment plants have an excess capacity of 5.4 mgd and can accommodate the additional 1.6 mgd (Fort Benning Futures Partnership 2005). During construction and subsequent facility use, all wastewater discharges would be connected to the sanitary sewer system per Georgia Water Quality Control Rule 391-3-6. Additional sewer capacity; however, is in various stages of design and engineering in Chattahoochee County and would add to current capacity. An industrial wastewater collection system would be constructed to connect the vehicle maintenance facilities with the existing industrial wastewater treatment plant. Action Alternative A would also construct a sewage pumping station and install about 81,000 linear feet (lf) of main sewer line at Harmony Church.

Storm Water System. The implementation of Alternative A would create impervious surfaces covered by buildings and paving, increasing storm water runoff; however, this increase is not considered significant. Drainage from these surfaces would be controlled using grading, curbs, drains, gutters, and other standard construction practices to minimize storm water pollution and runoff. Project design would include construction and Post-construction storm water controls designed to prevent offsite impacts from storm water runoff. Action alternative A construction projects would entail the extension, replacement, or addition of storm water drainage infrastructure through digging of trenches, either from existing lines along the nearest road or other primary locations. Trenches could also run from new buildings, roads, and motor pools to discharge points in existing systems or additional locations in local drainage systems. Sustainable design measures would be incorporated into these systems and retention and detention structures would be implemented to minimize impacts from uncontrolled storm water discharges. Any facilities constructed for industrial operations, such as vehicle maintenance shops, would be designed to meet spill prevention, control, and countermeasures (SPCC) requirements under AR 200-1, as well as applicable state and Federal requirements, and include oil water separators in those portions of the storm water system. Such measures for utility systems would reduce the potential for adverse impacts from the storm water system. Major proposed storm drainage construction projects include a total of 13,780 lf for the three phases of the new Maneuver Center Reception Station and 12,570 lf for the Trainee Barracks Complex 2. Nearly every construction project includes some amount of new storm drainage, including the range projects at 120 lf each. Additional information about storm water management is provided in Section 4.10, Water Resources.

Energy Sources. Increased demand for energy sources from implementation of Alternative A would be within the capability of providers and impacts are not considered significant. The building space and facilities to be constructed, as well as increases in training, would require additional electricity. The increased electricity demand would be handled by the upgraded electrical system infrastructure planned for Alternative A. New electrical mains to the Harmony Church, hospital, and Sand Hill substations are

¹ Using the same population numbers and ratios there would be 54.5 gpd of sanitary wastewater produced while students are in the field and 109 gpd while they are in the dormitories/classrooms.

planned with a total of 311,871 lf of line, as well as expansion of the Harmony Church substation. Other major electrical infrastructure projects include expansion of the power distribution system from these substations to all portions of the cantonment and housing areas. Electrical and communication services would be established through digging trenches from existing lines along the nearest road or other primary utilities location and placing of new service lines in these trenches, which would then be covered with soil and become “buried” lines. Some portions of the utility lines may be above ground due to limitations on trenching from existing geologic features. Trenching and other utility line construction would occur in previously-disturbed ground to the maximum extent possible. Installing energy-efficient lighting, appliances, and insulation (per LEED recommendations) could reduce the demand for electricity. Increased electrical demand is not expected to overload the current power generation supplied by Georgia Power. The installation of 50,000 lf of natural gas main to Harmony Church, along with other gas distribution lines, would be sufficient to supply the 580,240 mcf per year of natural gas demanded by the added personnel. The ranges would continue to be supplied by propane.

Communications. New communication huts would be constructed in Harmony Church, Sand Hill, Main Post, Martin Army Community Hospital, and along Custer Road. Expansions and updates to telephone, fiber optic, and similar information systems would be made to communication trunks as necessary. Redundant and modern telecommunications infrastructure currently exists, and the wireless network and capacity is growing; communication capacity would accommodate the population influx. The implementation of Alternative A would not have a significant impact on communications at Fort Benning.

Solid Waste. The building space and facilities to be constructed would generate construction and demolition debris that is generally concrete block or brick and metal. Under the LEED silver level initiatives construction contractors are required to minimize solid waste generation; however, how they meet this level is at their discretion. Concrete or brick material would be crushed by the contractor and recycled to the extent possible as roadbed stabilization material throughout the Post. With Alternative A demolition and construction actions projected over a multi-year period, the amount of recyclable debris should be readily consumed for road improvements. Any excess material not able to be utilized in this manner would be hauled away by the contractor to a permitted landfill. Asbestos may be encountered as structures are remodeled or demolished to accommodate new facilities. Asbestos, if encountered, would be removed by licensed contractors in accordance with applicable federal and state laws and regulations and disposed of in a local asbestos-permitted landfill (see also Section 4.9, Hazardous Materials, Toxic Substances, and Hazardous Waste). To the extent practical, scrap metal would be recycled by the appropriate contractor.

Long-term increases of on-Post solid waste generated would occur and these increases would incur an associated rise in costs paid to local solid waste disposal, but can be supported at the current waste disposal facility due to its 10-million ton capacity over the next 75 years. The new recycling center would be operational before the existing facility is closed. The Installation recycling program would continue to be implemented to minimize solid waste streams. With the relocation of the Armor School

and Center from Fort Knox to Fort Benning, it is assumed that the same amount of tires and ammunition debris from the firing ranges would be recycled at Fort Benning as had been recycled at Fort Knox. This amounted to 100 tons of small arms brass, and 23.6 tons of scrap aluminum from tank rounds in 2005 (personal communication, Poppert 2006), with the corresponding revenue returned to the Installation. Other miscellaneous units relocated to Fort Benning would add supplementary amounts of ammunition recycling; however, these amounts would be insignificant compared to the tonnage associated with the aforementioned small arms and tank rounds. Alternative A would not have a significant impact on solid waste disposal at Fort Benning.

Summary. Based on anticipated numbers of existing and proposed military and civilian personnel, and on-Post military family members, estimated utility use would increase accordingly, by approximately 46 percent. Sustainable design measures would be implemented to minimize impacts to utility usage. Overall, implementation of Alternative A would result in substantial increased use of utility systems and services in the cantonment areas and local communities; however, these impacts are not considered adverse, therefore, not significant because each utility system has the capacity to meet these increased demands.

4.6.2.3 Transformation Alternative B (Preferred Alternative)

Action Alternative B is the same for utility use and availability as described under Alternative A and the resulting impacts would be the same as under Alternative A. In the training areas that differ from Alternative A, potable water supply, wastewater systems, energy sources, or communication lines would be needed in Harmony Church for the vehicle recovery area, drivers training, and off-road drivers training area. In the Good Hope Maneuver Area, electrical and communication lines would need to be installed along the main access road to the proposed training area; however, potable water would be transported by water buffaloes from the existing CWW system. Storm water runoff would be minimized through application of BMPs described under Alternative A and Section 4.10.3 Water Resources Mitigation Measures. As with Alternative A, no significant impacts to utilities would result from implementation of Alternative B.

4.6.3 Mitigation Measures

No significant impacts are anticipated under either Alternative A or B since utility providers are able to accommodate an increase in demand; no mitigation measures are required.

4.7 NOISE

In this section, noise is defined, the existing noise environment at Fort Benning is presented, and then compared with the potential impacts of the alternatives are analyzed; the cumulative noise environment is presented in Section 4.15.

Not all people are affected the same way by the same sounds. In varying situations common sounds can interfere with our speech, disturb our sleep, or interrupt a routine task. When this occurs, these sounds become noise. Noise, therefore, is the term used to identify disagreeable, unwanted sound that interferes with normal activities or diminishes the quality of the environment (USACHPPM 2006b). Just as some people find hard rock music annoying, others find it soothing and relaxing; it is that way with sound generated from military activities—some hear the sound of freedom, others find it annoying, while many think of it both ways.

Sound intensity is measured in units called decibels (dB). The dB system of measuring sound provides a simplified relationship between the physical intensity of sound and its perceived loudness to the human ear. The dB scale is logarithmic; therefore, sound intensity increases or decreases exponentially with each dB of change. For example, 10-dB yields a sound level 10 times more intense than 1 dB, while a 20-dB level equates to 100 times more intense, and a 30-dB level is 1,000 times more intense. Table 4.7-1 presents sound levels in decibels (or dB) for typical sounds found in our environment and the reaction that might occur when a person (or receptor) is exposed to this noise.

Table 4.7-1: Common Sound Levels Measured in Decibels

Source (at a given distance)	Decibel (dB) Level	Typical Reaction
Civil Defense Air Siren (100 ft)	140	Pain
	130	
Jackhammer (50 ft)	120	Maximum Vocal Effort
Pile Driver (50 ft)	110	
Ambulance Siren (100 ft)	100	Very Annoying/ Discomfort
Motorcycle (25 ft) Power Lawnmower	90	
Garbage Disposal (3 ft) Alarm Clock	80	Intrusive
Vacuum Cleaner (3 ft)	70	
Normal Conversation (5 ft) Dishwasher	60	Normal Speech
Light Traffic (100 ft)	50	
Bird Calls (Distant)	40	Quiet
Soft whisper (5 ft)	30	
Human Breathing	20	Just Audible
	10	
	0	

The Army uses a widely accepted metric to measure environmental noise levels for their activities, the day-night sound level (DNL) measurement. This metric is recommended by the USEPA, used by most federal agencies when defining their noise environment, and applied as a land-use planning tool for

predicting areas of potential annoyance both inside and outside of an Installation. DNL describes the average daily acoustic energy over an entire year—meaning that the whole spectrum of sound, from quiet to loud noises, is averaged across the year. The DNL metric also incorporates a “penalty” for nighttime noise (normally 10:00 p.m. to 7:00 a.m.) when loud sounds are more noticeable and annoying. However, when measuring noise levels from small arms and large caliber sources, weighted noise metrics are used (USACHPPM 2006b).

The weighted measurements screen out the very high and low sound frequencies that cannot be heard by humans. A-weighted noise measurements reflect what people hear, noted as dBA or ADNL.

A-weighting is typically applied to measuring noise for small arms activities. For low-frequency sounds that can cause vibrations, a C-weighting metric is used; noted as dBC or CDNL. Many find that these lower frequency sounds like artillery and explosions are more annoying than other noises so that is taken into account in this metric.

Noise Modeling. To derive the noise level contours, the following software models are used for evaluating small arms ranges, large caliber ranges, and airfields:

- Small Arms Range Noise Assessment Model (SARNAM) calculates and displays noise level contours (in dBA or DNL) for firing operations at small arms ranges. It considers the type of weapon and ammunition, number of rounds fired, range attributes such as size and barriers, metrics, time of day weapons are used, and the directivity of both muzzle blast and projectile.
- BNOISE2 calculates and portrays noise level contours for C-weighted events for large caliber weapons. It considers the weapon, ammunition, rounds fired, time of day fired, range size, and direction of both the muzzle and projectile.
- NOISEMAP is used to generate noise level contours in DNL around an airfield. The model uses the aircraft type and number; the takeoffs, landings, touch and goes, as well as closed patterns; and time of operation to depict noise levels at an airfield (USACHPPM 2006c).

All of these models, in conjunction with the LUPZ, are used to characterize the noise environment found within and adjacent to an active Installation such as Fort Benning.

Noise Perception. When hearing the noise, the reactions of people can be affected by a number of variables:

- intensity (how loud the noise is);
- duration (does it last a second or an hour);
- repetition (does it occur every day or once a month);
- abruptness of the onset or stoppage of the noise (does it startle or come about at unpredictable times);
- background noise levels (does the person hearing the noise live in an urban or rural environment);
- interference with activities (does it interrupt phone conversations, listening to the radio or television);
- previous community experience with the noise (some neighbors may be new or have lived there for most of their lives);
- time (does noise occur in the middle of the day or night);
- fear of personal danger from the noise sources (can the noise be associated with ammunition escaping from the Installation boundary); and
- extent that people believe the noise can be controlled (USACHPPM 2006b).

All of these factors play into how annoyed the community may feel at any one time when noise is generated at an Installation like Fort Benning. To assist the community in land-use planning and zoning, the Army uses planning zones where noise levels are separated into four categories associated with noise level contours: Land Use Planning Zone (LUPZ), Zone I, Zone II, and Zone III. The paragraphs below and Table 4.7-2 present these zones and the types of activities that are considered compatible within these zones (USACHPPM 2006b).

- **LUPZ** – is an area around a noise source which is between 60 dBA or 57 dBC and 65 dBA and 62 dBC. These areas are a buffer in Zone I where the noise could reach Zone II levels during periods of increased operations. This zone is used to provide the community with additional information regarding land use decisions. LUPZ contours are generally shown on land use planning noise documents.
- **Zone I** – includes all areas around a noise source in which DNL is less than 65 dBA or 62 dBC. This area is usually suitable for all types of land use activities (e.g., homes, schools, and hospitals). LUPZ contours are preferred and will be used for this EIS rather than Zone I areas because the LUPZ has a lower limit of 60 dBA or 57 dBC. Zone I on maps are simply areas that are neither Zone II nor Zone III.
- **Zone II** – consists of an area where the DNL is between 65 and 75 dBA or 62 and 70 dBC. Exposure to noise within this area is normally incompatible with noise-sensitive land uses and use of the land within the zone should normally be limited to activities such as industrial, manufacturing, transportation, and resource production (e.g., industrial parks, factories, and highways).

- **Zone III** – is an area around the source of noise in which the DNL is greater than 75 dBA or 70 dBC. The noise level within this zone is considered incompatible with noise sensitive land uses such as churches, schools, parks, playgrounds.

Table 4.7-2: Zone and Compatibility

Zone	Decibel A-weighted/ C-weighted	Compatibility Level
LUPZ	60 to 65 dBA / 57 to 62 dBC	Compatible
I	<65 dBA / <62 dBC	Compatible
II	65 to 75 dBA / 62 to 70 dBC	Normally Incompatible
III	>75 dBA / >70 dBC	Incompatible

4.7.1 Affected Environment

For noise the affected environment, or ROI, includes those areas potentially impacted by noise generated at the Installation from small arms, large caliber, and aircraft operations. These areas are found adjacent to the Installation boundary. For Fort Benning this includes the urban areas of Columbus, GA and Phenix City, AL. The background noise environment in an urban setting includes noise generated on highways, street traffic, police/ambulance sirens, aircraft, construction activities, railroads, and commercial and industrial activities. In small towns around Fort Benning like Buena Vista, Cusseta, Juniper, and Upatoi, GA, the usual background noise is vehicles, lawn mowers, and overflying aircraft. Rural areas also lie to the east, southwest, and south of Fort Benning and consist of various farms, residences, and timberlands. Background noise in these areas would typically consist of vehicles and agricultural equipment. Adjacent to the Installation, sensitive receptors largely consist of residential homes and farms.

Noise generated at Fort Benning comes from small arms firing, mortar, tank gun and artillery firing and impacts, pyrotechnical devices (e.g., flares), rotary and fixed-wing tactical aircraft, and heavy-tracked vehicle operations. Figures 4.7-1 and 4.7-2 present the noise levels generated through these various activities and illustrate the general noise environment around the Installation. The U.S. Army Center for Health Promotion and Preventive Medicine (USACHPPM) used the BNOISE2 noise simulation program to analyze large caliber weapons noise and develop noise contours. Fort Benning Directorate of Training provided USACHPPM with the operational data to create the noise contours. Unlike topographic contours on a map, noise contours are not intended to be precise representations of noise zones. Geographic features, forest canopy, weather conditions, and the receiver's perception of the source, can influence the impact of noise. Noise contours cannot be so precise as to define one side of a noise contour line as clearly compatible and the other as incompatible. However, the use of noise contour maps has proven to be a reliable planning tool in noise-affected areas throughout the United States (Fort Benning 2004b).

Within the Installation, sensitive noise receptors include the hospital, schools, and housing/barracks area. Much of Harmony Church and Sand Hill, and portions of the Main Post cantonment area (including the




Figure 4.7-1: Existing Noise Contour Levels Generated from Large Caliber Weapons




Figure 4.7-2: Existing Noise Contour Levels at Lawson AAF

Community Life/Davis Hill Youth Centers in Bouton Heights) are within Zone III. The remainder of the Harmony Church and Kelley Hill, much of Sand Hill, and portions of the Main Post cantonment areas are in Zone II. The eastern portion of Sand Hill and the central portion of Main Post are within the LUPZ. The westernmost portion of the Main Post cantonment area is the only portion of a cantonment area that is found outside the LUPZ noise contour. Incompatible land uses are limited to the noise sensitive land use located in the Main Post and Sand Hill within Zone II, which includes portions of the Davis Hills, Bouton Heights, Iron Triangle, Perkins Place, Custer Terrace, and McGraw Manor family housing areas and child/youth development centers. Currently, Fort Benning includes noise disclosure in real estate documents to on-Post residents that they are located in Zone II and III areas.

Under existing conditions, Noise Zone III extends off Post in western Marion County between the eastern boundary of the Installation and State Route 355 in the vicinity of County Road 69 and Turrentine Road. This area encompasses 290 acres. Land use is primarily agricultural and residential, with the exception of the residential area just east of Hastings Range; the rest of the area is compatible with Noise Zone III. Noise Zone II extends off Post in two locations in western Marion County, covering approximately 1,270 acres and in an approximately 140-acre area supporting incompatible low-density residential land uses in eastern Columbus Planning District 11. In terms of sensitive noise receptors, there are two schools and an undetermined number of rural residences located in existing Noise Zone II. The LUPZ extends into approximately 12,000 acres of eastern Muscogee County; 7,240 acres of western Marion County; 210 acres of northern Chattahoochee County; and 460 acres of Talbot County (Georgia Tech 2005, Fort Benning 2006d).

Currently, planning efforts at Fort Benning associated with noise and adjacent land use compatibility are found in the ACUB and in two plans in development, an Installation Operational Noise Management Plan and a community Joint Land Use Study Plan. These plans present recommendations to the surrounding counties/municipalities for adopting both a noise disclosure and a noise easement ordinance for areas within the LUPZ, Noise Zone II, and Noise Zone III, as well as within a planning area adjacent to the Fort Benning boundary. Such planning efforts encourage the community to adopt ordinances that promote land use that is compatible with the noise produced at Fort Benning, including noise level reduction features in new noise-sensitive buildings (e.g., schools and hospitals). Current planning for the Consolidated Columbus Government and the Unified Chattahoochee-Cusseta Government includes considerations for compatible land use planning within the ROI.

Lawson AAF noise levels are presented to provide the overall Fort Benning noise environment. Both fixed-wing and rotary-wing aircraft operate out of Lawson AAF. Fixed-wing aircraft are used for air-borne jump training and helicopters for troop and cargo lift training. Both fly on the established routes and within restricted military airspace. This would not change under either Alternative A or B. In addition, small arms weapons, which are everything with a caliber less than 20 mm, are currently fired throughout the Installation, but the areas in which they are used are at a sufficient distance that noise zone levels that could be incompatible with the community stay within the Installation. Therefore, for purposes of this analysis, under existing conditions, the noise contours for large caliber (heavy) weapons

are used to present the most conservative (i.e., greatest) noise levels around the Installation. Table 4.7-3 provides a summary of number of acres within the noise zones both inside and outside the Installation. The land use Section 4.2 provides additional analysis of compatible land uses; the biological resources Section 4.12 evaluates potential noise impacts to animals.

Table 4.7-3: Acres within Existing Noise Zones

Zone	Acres	On Post	Off Post
LUPZ	76,478	56,498	19,980
Zone II	49,484	48,053	1,431
Zone III	32,578	32,288	290

While these noise level contours represent the average noise levels over a given year, they do not necessarily reflect exactly what is heard on a day-to-day basis; however, use of these metrics is the best measurement of the noise environment over time and provides the Army and the community with a management tool for land use development.

To help reduce noise impacts on the community, Fort Benning has imposed the following voluntary restrictions:

- Firing of weapons .50 caliber or greater is restricted between 12:00 a.m. and 6:00 a.m., exceptions to this rule can only be approved in advance by a Brigade or Regiment Commander (Fort Benning 2004b).
- In addition, units have been directed that the Fort Benning PAO shall be notified of any firing during restricted hours and, in turn, the PAO distributes that information through the local news media to the public.

A noise complaint system is maintained at the Installation to address individual concerns. Civilian noise complaints may be reported to Fort Benning by calling the 24-hour Staff Duty Officer. The complaints are relayed to EMD, as well as to the parties who generated the noise and to the Installation Command. If needed, investigation and further action follows (Fort Benning 2004b). No weapons system-related noise complaints have been received since September 11, 2001 (personal communication, Gustafson 2007).

4.7.2 Environmental Consequences

Noise impacts result from perceptible changes in the overall noise environment that increase annoyance or affect human health. Annoyance is a subjective impression of noise wherein people apply both physical and emotional variables. To increase annoyance, the cumulative noise energy must increase measurably. Human health effects such as hearing loss and noise-related awakenings can result from noise. For this EIS, noise is evaluated for both construction and operational activities. It is not anticipated that maintenance activities would noticeably contribute to the noise environment due to their intermittent nature and short duration. The threshold level of significant impacts for noise is:

- The increase of any Zone III (incompatible) noise contours where there are sensitive noise receptors (residences, hospitals, libraries, and etc.) due to operations. This

threshold is intended to capture areas where there would be “high annoyance” effects from operational noise, alongside health effects and complaints.

- Construction noise resulting in an hourly equivalent sound level of 75 dBA (based on USEPA data for construction noise) at a sensitive receptor (such noise exposure would be equivalent to noise Zone III) or *consistent* exposure to noise levels at 85 dBA, over an 8-hour period, the National Institute for Occupational Safety and Health (NIOSH) recommended exposure limit (NIOSH 2006).

4.7.2.1 No Action Alternative

While the No Action Alternative is not a viable option under BRAC-directed actions, the environmental consequences found under this alternative would generally be the same as those described for the affected environment. Both within the Installation and in the one adjacent residence, there would continue to be an impact from Zone III noise levels affecting on- and off-Post sensitive land uses. This impact would continue to be managed by a combination of voluntary restrictions to reduce noise impacts, the ACUB program, and in two plans in development: an Installation Operational Noise Management Plan and a community Joint Land Use Study Plan. These ongoing management actions reduce noise impacts to affected areas.

4.7.2.2 Transformation Alternative A

Implementation of Alternative A would result in no significant noise impact because the operations associated with this alternative would not result in an increase of Zone III noise contours where there are sensitive noise receptors (residences, hospitals, libraries, and etc.) and construction noise would not reach levels of 75 dBA at sensitive noise receptors. No individual or communities would be exposed, in terms of frequency, intensity, and duration, to noise levels sufficient to affect hearing. Noise-related awakenings could occur; however, increasing annoyance. Although there would be an increase in annoyance due to noise generated from increased training operations, the impact would not be significant because, although there is a slight change in the Noise Zone III contours, they would impact the same sensitive noise receptors as under the existing condition.

Construction. Under Alternative A, a great deal of construction would occur from the fall of 2007 through 2013. To characterize construction activity noise level, this analysis used USEPA data (USEPA 1971). Noise from construction activity varies with the types of equipment used and the duration of use (Figure 4.7-3). During operation, heavy equipment and other construction activities generate noise levels ranging typically from 70 to 90 dBA at a distance of 50 ft. Commonly, use of heavy equipment occurs sporadically throughout the daytime hours.




Figure 4.7-3: Common Construction Noise Levels

Construction would occur over a 6-year time frame, during which time minimal to negligible impacts (both inside the Installation and outside in adjacent communities) from construction noise would result for the following reasons.

- Heavy equipment that would generate the highest noise levels would not be used consistently enough to exceed the hourly equivalent noise level of 85 dBA for more than 1 hour beyond the boundaries of the Installation.
- Outdoor noise levels at the closest off Post sensitive receptors—residences in Vista—would be reduced by approximately 20 dB to 30 dB, respectively, as a result of distance attenuation. Additional attenuation as a result of the terrain would further reduce the effects of construction noise.
- Temporary increases in truck traffic (e.g., dump trucks, fill transports) within and near the construction corridor would produce localized noise for brief periods, but would not create any significant noise impacts to human health, the neighboring community, or within the Installation.

Operations. Large-caliber weapon impulse noise is measured using the C-weighted metric, previously defined in Section 4.7. Impulse noise generated from both Alternative A and Alternative B is presented in Figure 4.7-4 and Table 4.7-4. Increases in noise contour levels both on Post and off Post would be the same under both alternatives because the noise generated from these operations would be the same. The specific areas of change and sensitive land uses are discussed below.

Table 4.7-4: Acres within Existing and Projected Noise Zones

Zone	Existing			Projected			On Post % Change	Off Post % Change
	Acres	On Post	Off Post	Acres	On Post	Off Post		
LUPZ	76,478	56,498	19,980	111,780	58,403	53,377	3.37	167.15
Zone II	49,484	48,053	1,431	59,003	51,844	7,159	7.89	400.32
Zone III	32,578	32,288	290	43,260	42,959	301	33.05	3.88

On-Post Projected Noise Environment. Only a small portion of the Main Post cantonment area and the very eastern edges of the Sand Hill cantonment area would be within Noise Zone III. Noise Zone II would be reduced to include only the northeastern corner of Sand Hill, the southeastern portion of Main Post, and the southern and eastern edges of Harmony Church. The majority of the cantonment area lands would remain in the LUPZ. The proposed trainee barracks complex in eastern Sand Hill would abut the edge of Noise Zone III. Given the other natural and cultural resource constraints affecting available land for development and the training and range requirements, the proximity of the barracks complex to Noise Zone III could not be avoided. Land use incompatibilities with noise exposure levels within an Installation boundary occur within a different context than those outside of an Installation, because those who live and work on a military installation are cognizant of the predominant importance of the military mission and are less likely to complain about noise. In addition, the continued practice of including noise disclosures in real estate documents to on-Post residents in Zone II or II areas would minimize significant impacts. Other factors affecting the context and intensity of this impact is that the noise would be attenuated with distance from the ranges and would be intermittent. Thus, these noise levels would not significantly impact on-Post residents.

Off-Post Projected Noise Environment. The 4 percent (approximately 10-acre) increase in off-Post exposure in Zone III would occur in the same general location that is currently impacted by Zone III noise exposure: in Marion County between the eastern boundary of the Installation and State Route 355 in the vicinity of County Road 69 and Turrentine Road (see Figures 4.7-1 and 4.7-4). Existing land use in this area is agricultural, which is compatible with this zone. There are no known noise sensitive land uses in this area; however, there is one residence that is at the transition between Zone III and Zone II (both existing and projected) at this location. This would not represent a change from the existing condition and, therefore, would not be a significant impact.

The 400 percent (approximately 5,730-acre) increase in off-Post Noise Zone II exposure represents an increase of approximately 3,650 acres in Marion County; 920 acres in Columbus/Muscogee County; and 1,150 acres in Talbot County, affecting the following areas:

- **Western Marion County Area:** This area is located at the northeastern boundary of the Installation (see Figure 4.7-4). Existing Noise Zone II and LUPZ noise exposure affects portions of this area (see Figure 4.7-1). Land use (according to land cover data) is primarily agriculture and forestry (see Figure 4.2-3). Noise sensitive land uses in the area are widely dispersed rural residences and churches.



Agricultural lands in western Marion County that are found within Noise Zone II under either alternative

- **Southwestern Talbot County/eastern Columbus Panhandle-Chattsworth Road Area:** This area includes the southwestern corner of Talbot County south of Macon Road/U.S. Highway 80, the southeastern panhandle area of Columbus Planning District 4 south of Macon/U.S. Highway 80, and some areas in the southwestern panhandle area along Chattsworth Road (see Figure 4.7-4). Land cover in this area is primarily forested, with some development associated with the roadways (see Figure 4.2-3). Existing and future planned land use for the area is rural residential (see Figure 4.2-2). Noise sensitive land uses include rural residences and churches. Portions of this area are currently within the LUPZ, but are not within existing Noise Zone II.




Figure 4.7-4: Projected Noise Contour Levels Generated from Large Caliber Weapons under Alternatives A and B

- Eastern Columbus Planning District 11 Area: This area includes the eastern portion of Columbus Planning District 11. A small portion of this area, which currently supports low-density residential land use south of Buena Vista Road along Walters Loop, is currently within Noise Zone II. Under the proposed action, additional lands to include low-density and medium-density residential lands uses, commercial land uses, Green Acres Cemetery, Carver Park, industrial, and some undeveloped land uses in this area would fall within Noise Zone II (See Figures 4.7-4 and 4.2-2). There would be incompatibilities with noise sensitive land uses in this area.

As compared to the existing condition for sensitive land use receptors within Noise Zone II, there would be three additional churches and one additional school (for a total of three schools) that would be sensitive land use receptors under either alternative. The 167 percent (approximately 33,400-acre) increase in off-Post LUPZ exposure would include much of eastern and northern Columbus/Muscogee County, southern Harris County, southwestern Talbot County, western Marion County, and northern Chattahoochee County (see Figure 4.7-5). Currently, the LUPZ does not include Harris County, only includes the northernmost corner of Chattahoochee County, does not cover much of eastern and the panhandle area of Columbus, and covers a smaller area of western Marion county (see Figure 4.7-1). Lands within the LUPZ would increase by approximately 13,360 acres in Marion County; 9,420 acres in Columbus/Muscogee County; 6,090 acres in Talbot County; and 4,360 in Chattahoochee County; and approximately 250 acres in Harris County. Although there are no land use incompatibilities in the LUPZs, the increased area of noise exposure may result in noise management issues for the Installation.

Although the noise contours associated with Lawson AAF that extend off Post in South Columbus and small portions of Russell, Stewart, and Chattahoochee counties (see Figure 4.7-2) would not change under either alternative; the potential for incompatible development within these zones increases with increased development pressure on these adjacent lands. Because the Transformation action is expected to spur growth in the communities adjacent to Fort Benning, the importance of continuation of existing efforts to work with local government to plan for compatible development is underscored.

4.7.2.3 Transformation Alternative B (Preferred Alternative)

Under Alternative B, most construction and operational noise impacts would be the same as Alternative A. Although some of the maneuver areas and ranges would be located in slightly different areas, the changes would not affect the heavy artillery use and only slightly affect small arms use. Therefore, for the purposes of the noise analysis, the noise conditions described for Alternative A would apply to Alternative B. The only exception would be off-Post residents adjacent to the Good Hope Maneuver Area (such as the town of Cusseta) who might experience increased noise associated with training; however, increased noise levels would be below the significance threshold. No small arms or artillery would be used in the Good Hope Maneuver Area; however, firing of blank-ammunitioned training devices would occur and would be generated from other areas on the training ranges and represent a minor (but not significant) impact due to the increase in the number of training operations from that currently conducted during Ranger training in this area.

In summary, while noise in LUPZ and Zone II levels adjacent to the Installation would increase considerably under either alternative, there would not be any significant noise impacts. Communities residing in these areas would experience increased noise levels but not at a level that would be significant; tracked vehicle noise (similar to heavy earth moving equipment) would increase along roads adjacent to Installation boundaries and noise levels outside the Installation boundary would grow (refer to Figure 4.7-3), but would not be at such a level or duration to be significant. Within the Installation, increased noise levels would be experienced in the cantonment areas. These noise levels would not be at such a level or duration to be significant; however, incompatible uses would continue as found under baseline conditions.

4.7.3 Mitigation Measures

Continued use of noise complaint process would assist Fort Benning in responding to the public in a timely manner. Also, Fort Benning's Installation Operational Noise Management Plan (in development) includes outreach programs to achieve the maximum feasible compatibility between the noise environment and noise-sensitive land uses both on- and off-Post. The plan is meant to inform the community of the surrounding noise environment and suggest compatible land uses for development within these areas. For on-Post sensitive receptors in Zone II, facility siting and standard construction materials would attenuate noise levels. For off-Post communities, Fort Benning recommends that land use planners, developers, and residential property owners include noise disclosures in real estate documents to address noise in Zones II and III. The continued practice of disclosing to on-Post resident the fact they are located in Zones II or II would minimize significant impacts.

4.8 AIR QUALITY

For this EIS, air emissions would be generated as a result of the Transformation activities and include construction which is, by definition, temporary in nature and initiated to support the Transformation action on the Installation, and permanent operational and maintenance activities that are undertaken to support the proposed action once it has been established at Fort Benning.

4.8.1 Affected Environment

The ROI for air emissions associated with the proposed action geographically covers the counties of Chattahoochee and Muscogee, GA; and Russell, AL, which include the Installation cantonment area, training areas, and maneuver corridors; and the cities of Columbus, GA, and Phenix City, AL. This ROI is the Columbus, GA-AL MSA and is the same area the USEPA has used for the purposes of the National Ambient Air Quality Standards (NAAQS) regional air quality program. Fort Benning is considered a major source of air emissions and falls under Title V of the CAAA because it emits either 100 tons per year (tpy) of one criteria pollutant—as is the case with Fort Benning—or 10 tpy of a hazardous air pollutant (HAP); or 25 tpy of total combined HAPs.

4.8.1.1 Ambient Air Quality Conditions

Air quality in a given location is described by the concentration of various pollutants in the atmosphere. A region's air quality is influenced by many factors including the type and amount of pollutants emitted into the atmosphere, the size and topography of the air basin, and the prevailing meteorological conditions.

The significance of the pollutant concentration is determined by comparing it to the federal and state ambient air quality standards. The Clean Air Act (CAA) and its subsequent amendments (CAAA) established the NAAQS for six "criteria" pollutants: ozone (O₃), carbon monoxide (CO), nitrogen dioxide (NO₂), sulfur dioxide (SO₂), particulate matter less than 10 microns (PM₁₀), PM_{2.5}, and lead (Pb). These standards (Table 4.8-1) represent the maximum allowable atmospheric concentrations that may occur while ensuring protection of public health and welfare, with a reasonable margin of safety. Short-term standards (1-, 8-, and 24-hour periods) are established for pollutants contributing to acute health effects, while long-term standards (quarterly and annual averages) are established for pollutants contributing to chronic health effects. The GEPD adopted the NAAQS as the standards for the state.

Table 4.8-1: Georgia and National Ambient Air Quality Standards^a

	Averaging Time	Primary^{b,c}	Secondary^d
Ozone (O ₃)	1 Hour	0.12 ppm ^e	Same as Primary
	8 Hours ^f	0.08 ppm	
Carbon Monoxide (CO)	8 Hours	9.0 ppm	None
	1 Hour	35 ppm	
Nitrogen Dioxide (NO ₂)	Annual Arithmetic Mean	0.053 ppm	Same as Primary
Sulfur Dioxide (SO ₂)	Annual Arithmetic Mean	0.03 ppm	None
	24 Hours	0.14 ppm	
	3 Hours	---	0.5 ppm
Particulate Matter (PM ₁₀) ^g	24 Hours	150 µg/m ³	Same as Primary
Particulate Matter (PM _{2.5})	Annual	15 µg/m ³	Same as Primary
	24 Hours	35 µg/m ^{3h}	---
Lead (Pb)	Quarterly Arithmetic Mean	1.5 µg/m ³	Same as Primary

Source: USEPA 2006.

Notes: a: These standards, other than for ozone and those based on annual averages, must not be exceeded more than once per year. The ozone standard is attained when the expected number of days per calendar year with a maximum hourly average concentration above the standard is equal to or less than one.

b: Concentration is expressed first in units in which it was adopted and is based upon a reference temperature of 25 °C and a reference pressure of 760 mm of mercury. All measurements of air quality must be corrected to a reference temperature of 25 °C and a reference pressure of 760 mm of Hg (1,013.2 millibars); ppm in this table refers to ppm by volume, or micromoles of regulated air pollutant per mole of gas.

c: National primary standards are the levels of air quality necessary, with an adequate margin of safety, to protect the public health.

d: National secondary standards are the levels of air quality necessary to protect the public welfare from any known or anticipated adverse effects of a regulated air pollutant.

e: ppm = parts per million by volume, µg/m³ = micrograms per cubic meter.

f: The 8-hour ozone standard only applies to Chattanooga, TN-GA, Catoosa Co (Subpart 1 EAC).

g: USEPA promulgated new standards for Particulate Matter, including removal of the PM₁₀ annual standard. This revision went into immediate effect in September 2006.

h: USEPA promulgated new standards for Particulate Matter, including a reduction in the PM_{2.5} 24-hour standard, from 65 µg/m³ to 35 µg/m³. This new standard became effective in December 2006; areas in nonattainment will be designated by April 2010.

The ROI is presently designated by the USEPA as in attainment for all required standards for criteria pollutants and, therefore, not subject to conformity review. Table 4.8-2 presents total annual emissions of criteria pollutants for the multiple-county Columbus, GA-AL MSA potentially affected by the Fort Benning Transformation action alternatives.

Table 4.8-2: Total Pollutant Emissions Columbus, GA-AL MSA (tons/year)^a

	CO	VOCs	NO_x	SO_x	PM₁₀	PM_{2.5}
MSA Emissions	104,634	16,139	14,926	3,500	13,201	4,001
Fort Benning ^b	10,271	406	199	0.61	989	NA ^c
Percent Contribution	9.8	2.5	1.3	0.02	7.5	NA

Sources: ^a USEPA 2005. Air Data Tier Emissions Report, the most recent data available are from 2001.

^b 2003 Air Emissions Inventory (Fort Benning 2003a).

^c PM_{2.5} was not measured in the 2003 Emission Inventory. PM_{2.5} is a subset of PM₁₀; therefore, emissions are less than 989 tons/year.

A locality's air quality status and the stringency of air pollution standards and regulations depend on whether monitored pollutant concentrations attain the levels defined in the NAAQS. Ambient air quality concentrations are expressed in parts per million (ppm) or micrograms per cubic meter ($\mu\text{g}/\text{m}^3$), but the standard used for describing existing and proposed air emissions is expressed in tons per year. Areas with ambient concentrations less than these levels are in "attainment" and areas that exceed these standards are classified in "nonattainment." The Fort Benning area is currently in attainment for all criteria pollutants.

As indicated in Table 4.8-1, the USEPA (in September 2006) promulgated new particulate matter standards, revising the standards developed in 1997. The most significant revision is the reduction of the 24-hour $\text{PM}_{2.5}$ standard from $65 \mu\text{g}/\text{m}^3$ to $35 \mu\text{g}/\text{m}^3$. The designation by USEPA of attainment or nonattainment with this new standard will be done by 2010 and is based on ambient air monitoring data collected during three consecutive years. While the Columbus, GA-AL MSA is currently considered to be in attainment for $\text{PM}_{2.5}$, monitoring data indicate that ambient concentrations of $\text{PM}_{2.5}$ are increasing, with exceedances documented at a monitoring location in Phenix City, AL and at a monitoring location in Muscogee County, GA. Efforts at the state and local level, including reduction planning, may be required to reverse the trend ahead of the USEPA's data analysis for designating $\text{PM}_{2.5}$ nonattainment. Should the area be designated nonattainment for $\text{PM}_{2.5}$ in 2010, Fort Benning may be required to assess actions for general conformity. If designation occurs, the state agency(ies) in Georgia and/or Alabama will be required to prepare a State Implementation Plan (SIP) for $\text{PM}_{2.5}$ and would likely pose restrictions on $\text{PM}_{2.5}$ emissions.

Under the Title V, any on-Post stationary equipment that emits criteria pollutants and/or HAPs must obtain a permit in order to be constructed and operated. Examples of HAPs include benzene, ethylene, xylene, toluene, and hexavalent chromium. The permit includes a list of the applicable regulations, the emissions limits, and specifies how equipment is to be operated in order to minimize emissions. Types of HAPs emission sources found at Fort Benning include:

- Fuel Storage Tanks and Fuel Dispensing
- Spray Paint Booths, Paint Stripping/Removal, Chemical Paint
- Boilers
- Abrasive Blasting
- Emergency Generators
- Parts Cleaners/Ovens

On-Post personnel, who operate equipment emitting these pollutants, must satisfy monitoring and record keeping requirements of the permit. The air emissions inventory, undertaken on a yearly basis, presents these emission levels to the USEPA and the GDEP who are charged with developing and enforcing the air quality regulations. These agencies also make regular site visits to the Installation to perform inspections of records and equipment.

4.8.1.2 Installation Air Pollutant Emissions

While concurrent emissions inventories for the Installation and the MSA are not available, it appears that Fort Benning emissions represent a less than 9 percent contribution of all criteria pollutants within the MSA (see Table 4-8.2). This seems justified since no major changes at the Installation have occurred during this time period to equate to significant change in air emissions.

Fort Benning is categorized as a major source of criteria pollutant emissions. The major source determination is due to the Installation's potential to emit 100 tpy of any one criteria pollutant, total, from all stationary sources. Stationary sources providing the greatest potential for emitting criteria pollutants include heating units and stationary internal combustion engines. Area source emissions from prescribed burning are the largest single source of criteria pollutant emissions on the Installation.

The "major source" designation triggers the provisions of 40 CFR 52.21, *Prevention of Significant Deterioration (PSD)*. The PSD provisions require Fort Benning to assess all new emission units to determine if their operation constitutes a major modification as defined in the "Georgia Rules for Air Quality Control." If a new unit fits the definition of a major modification, then a construction and operating permit is required for the unit. The major source designation also subjects Fort Benning to the CAA Part 70 Operating Permit Regulations (Fort Benning 2003c), usually referred to as "Title V". Fort Benning submitted a Title V Permit application for review in 1996, as per the request of GEPD Air Permitting Section, and the state issued the Title V permit on 16 July 2003. The permit will be subject to renewal 5 years from the issue date (July 16, 2008).

Fort Benning generates air pollutants from prescribed burning activities as part of their ongoing ecosystem management program. It is required as part of the recovery strategy for the federally listed Red-cockaded woodpecker and historical evidence indicates that prescribed burning reduces wildfires and therefore reduces unmanaged air emissions.

4.8.2 Environmental Consequences

The assessment of impacts to air quality is based on comparing existing use and conditions to proposed changes associated with the alternatives. The analysis compares current air emissions with anticipated future emissions, including construction, operations, and maintenance, to determine potential impacts. The threshold level of significance for air quality impacts is the violation of applicable federal or state laws and regulations, such as the CAA, and the potential for any new *stationary* source (i.e., a specific facility) to be considered a major source of emissions as defined in 40 CFR 52.21, where total emissions of any pollutant subject to regulation under the CAA is greater than 250 tpy for attainment areas. Prescribed burning would not increase or decrease under Transformation so emissions would not differ from those currently generated and is not evaluated further in this EIS.

4.8.2.1 No Action Alternative

Fort Benning would continue to generate emissions on a similar scale as in 2003 (the most up-to-date information available). Management of existing air emission sources would continue as currently occurs, unless the region is designated in 2010 in nonattainment for PM_{2.5}. Permit conditions would be monitored and met as has been done historically, but no changes to emission sources would occur, other than those that would be mandated by maintenance, replacement, or elimination of sources as they aged or were removed from service. Ecosystem management and training land enhancement through prescribed burning would continue.

4.8.2.2 Transformation Alternative A

The implementation of Alternative A involves a substantial, multi-year construction effort involving thousands of acres of the Installation and millions of square feet of new buildings. Additionally, as construction phases reach completion, the Transformation operations and maintenance activities begin to phase in, with resultant operational emissions associated with boilers, emergency generators, fuel storage and refueling activities, ordnance detonation, and commuting workers, as examples.

In order to assess the air quality impacts of Alternative A proposal, emissions for both the construction and operational/maintenance segments of the action were evaluated on an annual basis. This evaluation involved review of data supplied by the Installation, including Form 1391s, *Military Construction Project Data* (U.S. Army vd), for information on the proposed construction activities and new sources that would be required as part of Alternative A. Appendix E contains the detailed emission calculations prepared to assess the air quality impacts of Alternative A.

Construction. From 2007 to 2013, numerous administrative and residential buildings, training complexes, and ranges would be developed under Alternative A, primarily in support of the relocation of the Armor School and Center. Additionally, roads, both paved and unpaved, would be either repaired or constructed to provide access to ranges and complexes. Table 4.8-3 summarizes the estimated annual emissions from these construction activities for the period 2007 through 2013.

Table 4.8-3: Criteria Pollutant Construction Emissions
Alternative A: Tons per Year

Year	VOC	CO	NO _x	SO ₂	PM ₁₀	PM _{2.5}
2007	36	126	215	24	391	50
2008	38	128	245	27	287	42
2009	46	152	211	24	356	48
2010	30	87	122	14	102	17
2011	56	61	116	13	167	23
2012	16	46	106	12	93	20
2013	13	37	102	11	34	6

VOC, CO, NO_x, and SO₂ mobile source emissions are primarily generated by diesel-fueled heavy equipment operated in the construction areas. Particulate matter emissions, in the form of PM₁₀ and PM_{2.5} are primarily due to fugitive dust created by land disturbance activities, which include land clearing; soil excavation, cutting, and filling; trenching; and grading. Other sources of PM₁₀ and PM_{2.5} include diesel

emissions from heavy construction equipment and tailpipe emissions from construction worker privately owned vehicles operated within the Installation fence line. Fugitive dust is particulate emissions released from sources that do not have a pinpoint exit such as a stack or vent. Fort Benning's Title V Permit explicitly includes GA Rules and Regulations, Chapter 391-3-1.02(2)(n) *Fugitive Dust*, with a list of possible dust reduction actions to ensure compliance. Additionally, an Erosion and Sediment Pollution Control Plan is required under the National Pollution Discharge Elimination System (NPDES) for construction activities, and this plan includes requirements for dust control in disturbed areas.

Construction activities have the potential to exceed 250 tpy for criteria pollutants, however, these activities are not stationary sources, and the emissions significance threshold does not apply. These construction activities could also have the potential to exceed the GARR 391-3-1.02(2)(n) 20 percent opacity rule for fugitive dust, depending on the particular onsite controls used and local meteorological conditions. The fugitive dust emission factor for PM₁₀ (which is used as part of the PM_{2.5} calculation) is assumed to include the effects of typical control measures such as routine site watering for dust control. A dust control effectiveness of 50 percent is assumed, based on the estimated control effectiveness of watering. Other or additional controls, such as those presented in Table 4.8-4, may be needed to ensure compliance with regulations. If the Columbus, GA-AL MSA is designated as nonattainment in 2010 for PM_{2.5}, a general conformity analysis of Transformation activities may be required.

Table 4.8-4: Control Options^a for General Construction Open Sources of PM₁₀

Emission Source	Recommended Control Methods(s)
Debris handling	Wet suppression Wind speed reduction
Truck transport ^b	Wet suppression ^c Paving Chemical stabilization ^d
Bulldozers	Wet suppression
Pan scrapers	Wet suppression of travel routes ^b
Cut/fill material handling	Wind speed reduction Wet suppression
Cut/fill haulage	Wet suppression Paving Chemical stabilization ^d
General construction ^e	Wind speed reduction Wet suppression Early paving of permanent roads

Source: WRAP 2004

a Wet suppression and paving are control methods recommended by GEPD under GARR 391-3-1.02(2)(n)

b Dust control plans (prepared by the construction contractor) should contain precautions against watering programs that confound trackout problems.

c Loads could be covered to avoid loss of material in transport, especially if material is transported offsite.

d Chemical stabilization is usually cost-effective for relatively long-term or semi-permanent unpaved roads.

e Excavated materials may already be moist and not require additional wetting.

Operations/Maintenance. As operations phase in for Alternative A, possible air emissions include the operation/maintenance of additional boilers, the addition of commuter traffic, increased ordnance detonation in training, increased fuel storage and use, and an increase in the number of emergency generators located onsite. Additionally, construction of a replacement hospital would include new

heating and chiller plants. Some of the new equipment would serve as replacements to aging systems. Other new equipment would be required due to the increase in Fort Benning's operational size. The Installation would have to evaluate new emission sources for construction/operating permits and for possible inclusion in the Title V permit amendments or modifications. Additional reporting, such as Tier I/Tier II or Form R requirements under the Emergency Planning and Community Right-to-Know Act (EPCRA), may be required.

Over the last several years, Fort Benning has decentralized the Installation heating system, and the net result has been a reduction in emissions as aging units are replaced with more efficient ones. Numerous individual heating systems would be required for new facilities planned for construction under Alternative A. The vast majority of these systems would be small onsite electric or natural gas heating units that are well capable of heating under the mild winter conditions Fort Benning is subject to, and that fall under the insignificant status under GA regulations. Larger facilities, such as barracks and other sizeable complexes comprising 150,000 square feet or more, would require the Installation of one or more boilers of less than 10 million (MM) British thermal unit (Btu)/hour capacity. Additionally, new boilers that may be required would not be tied to the hot water supply system. By separating the two systems (heat and water), and limiting the allowed input capacity of the boilers, Fort Benning can ensure that boiler use is limited to the heating season, which runs from November 1 to April 30, and may remain exempt from permitting requirements or accept operational limits if they are included in the Title V permit.

One major construction effort, involving a heating plant, is the replacement hospital for Martin Army Community Hospital. The current hospital uses three boilers, two with an input capacity of 16.2 MM Btu/hour and one with an input capacity of 36.1 MM Btu/hour. These three boilers operate year round and provide both heat and hot water to the medical facility. The primary fuel source is natural gas, but fuel oil is permitted as a backup fuel. Although Martin Army Community Hospital is to be replaced, the structure itself would remain and is expected to continue to be operational in some other capacity. Therefore, the boilers that currently are associated with the existing hospital are expected to remain in operation. The construction of the new hospital would, therefore, require additional boilers. Assuming that the new hospital is approximately the same size as the existing hospital, the boiler requirements would be similar. Therefore, emission estimates are based on the emissions associated with the three boilers that operate currently. The new boilers would have an input capacity of greater than 10 MM Btu/hour and, therefore, require permitting to construct and inclusion in the Title V permit.

Thus, while additional heating systems would be required to support the proposed Transformation operations, the overall impact on Installation air emissions is expected to be small.

Fuel storage is projected to increase with the relocation of the Armor School from Fort Knox to Fort Benning. This increase would be accommodated by the Installation of additional state-of-the-art tanks, primarily underground storage tanks (USTs), at specific locations. Information obtained from the *Military Construction Project Data* forms indicate that tanks would be installed at seven new locations

with a capacity in excess of 200,000 gallons. The Fort Knox 2005 Emission Inventory Survey provides information on annual fuel consumption, and in particular, JP-8, which is the fuel used in Armor School vehicles (Fort Knox 2005). Fuel VOC emissions from the Armor School vehicles are estimated at 8,095 pounds annually based on the 2005 fuel throughput at Fort Knox, with an estimated JP-8 fuel consumption allotment to the Armor School of 70 percent (personal communication, Gaines 2006).

In addition to storage tanks for mobile source fuels, tanks to store fuel for stationary engines (such as emergency generators) also would be required. These tanks are often fairly small, and account for a minor portion of the total fuel storage capacity on the Installation. While the total number and capacity of these tanks is not known at this time, available data indicate that a minimum of 12 new emergency generators would be required as part of Alternative A¹. Eight of the 12 generators would be located at the new hospital. While all emergency generators operating less than 500 hours per year are exempt from permitting requirements, an assessment of projected air emissions (see Appendix E) indicates that the emissions associated with the generators (from monthly testing) would be very small and would not exceed one tpy for any criteria pollutant.

Based upon discussions with Fort Knox personnel (personal communication, Gaines 2006) engine test cells would not be relocated to Fort Benning as part of the Armor School move. However, the Armor School owns, and uses engine test stands as part of their training curriculum. Engines from mobile sources (an M-1 tank, for example) are temporarily placed outside of the engine compartment as part of maintenance training. The engines are, however, still integrally attached to the vehicles via hoses, when run on the engine test stand, and therefore remain classified as mobile sources. In accordance with 40 CFR 63.9285, a mobile engine must be uninstalled (not an integral part of the vehicle) in order to fall under the requirements of 40 CFR 63 Subpart P, National Emission Standards for Hazardous Air Pollutants: Engine Test Cells/Stands. Thus, as installed engines (mobile sources), they remain exempt as military tactical vehicles.

Other potential mobile sources would increase as a result of Alternative A. These increases would include military vehicle training on the ranges as part of the Armor School, and commuting vehicles as part of the projected increase of individuals working at the Installation. Mobile source emissions from military tactical vehicles and equipment are exempt from Georgia vehicle emission regulations. Additionally, the vehicles and equipment are exempt from Georgia fugitive dust regulations, as specified in a letter from Harold Reheis, Director, GA Department of Natural Resources (GDNR), to the Southeastern Regional Environmental Office (SREO), dated April 21, 2003, that states that the “use of vehicles and equipment in military training and military exercises, on ranges and unpaved road and trails, is not subject to Rule (n).” The letter further states “...Rule (n) is not applicable to most vehicle and

¹ As of January 2007, any new (model year 2007 and beyond) or reconstructed emergency back-up generator is required to comply with 40 CFR 63 Subpart ZZZ, Reciprocating Internal Combustion Engine and 40 CFR Subpart JJJJ. These regulations require a non-resettable hour meter and engine certification for specific fuels to be used in the generator, and potential recordkeeping requirements.

equipment travel at a military base, since the travel is not a part of a process and there is no manufactured product.”

Emissions from commuting workers are based on an increase of the Fort Benning population, to include a total military, civilian, family member, and military student population of 51,969. Of the 16,069 representing the increase in population (not including 545 “garrison growth,” which is assumed to come from workers already in the ROI), 8,831 are non-student transfers composed of 5,605 military and 3,226 civilians. Commuting emissions from military students were not included in the analysis because of their transitory nature, as well as the fact that most students are housed on the Installation and do not require commuting. Calculations of commuter traffic (see Appendix E) as a subset of this non-student transfer population (81 percent military, 100 percent civilian) indicate increases in annual local mobile source emissions, with the most substantial increase in CO projected to be in excess of 120 tpy.

The use of ordnance on the ranges would increase with the presence of the Armor School. Increases would predominantly be in the use of small arms (.50-caliber or less) ordnance. Primary emissions resulting from ordnance detonation include PM₁₀ and PM_{2.5}. Estimates of ordnance emissions from the Alternative A can be found in Appendix E.

Total emissions were estimated for the Alternative A and compared to the 2003 air emission inventory baseline in order to assess the impact of the increase in operation/maintenance emissions. Table 4.8-5 summarizes this comparison, taking into account the full implementation of the Alternative A, and based on emissions from commuting POVs, boiler, generators, fuel storage, and ordnance detonation.

Table 4.8-5: Criteria Pollutant Operation Emissions Under Either Action Alternative
Tons per Year

	VOC	CO	NO _x	SO ₂	PM ₁₀
Transformation Emissions	17.8	130.6	19.4	0.40	60.8
Fort Benning 2003 Baseline ^a	406	10,721	199	0.61	989
Percent Increase	4.4	0.6	9.7	66	6.1
MSA Emissions	16,139	104,634	14,926	3,500	13,201
Regional Total Percent Contribution	2.6	10.4	1.5	0.03	7.9

Sources: ^aAir Emissions Inventory for 2003 (Fort Benning 2003a).

^bPM_{2.5} was not included in the 2003 Emission Inventory. PM_{2.5} is a subset of PM₁₀; therefore, emissions are less than 989 tons/year.

Based on the best information available and calculation performed using this information, operational emissions would increase modestly from stationary sources with the implementation of Alternative A. No new stationary source would be considered a major source of emissions as defined in 40 CFR 52.21. The highest percent increase is for SO₂ emissions due to the operation of relatively large boilers needed for the new hospital. Based on current plans, these boilers would operate in addition to the boilers associated with the current hospital. The overall result still indicates that Fort Benning is a very small generator of SO₂ emissions, at less than 1 ton annually. The largest mass increases are for CO and PM₁₀, respectively. CO emission increases are largely due to an increase in commuter traffic and it should be noted that, because the 2003 inventory does not take into account mobile sources, the baseline values did not include commuting traffic for 2003. Ordnance detonation is the primary source of increased PM₁₀

emissions. Detailed information on calculated values for operational emissions can be found in Appendix E.

In summary, emissions due to operations and maintenance would not exceed federal and/or state standards but would have a minor impact on regional air quality due to the small increase in annual criteria pollutant emissions (see Table 4.8-5). While Fort Benning will comply with all applicable federal and state air quality regulations, mobile source emissions from construction would increase from 2007 through 2011. Given these construction emissions, regional air quality would be impacted from mobile source construction emissions under Alternative A. If the Columbus, GA-AL MSA is designated as nonattainment for PM_{2.5}, emissions would need to be reevaluated and a general conformity analysis may be needed to cover Transformation activities post 2010.

4.8.2.3 Transformation Alternative B (Preferred Alternative)

Emissions for stationary sources would be the same under Transformation Alternative B as presented in Alternative A. No criteria pollutants would exceed federal and/or state emissions thresholds in attainment areas. However, for construction activities, there would be an increase in total acres disturbed and, therefore, a matching increase in mobile source emissions from clearing and grading activities at the Good Hope Maneuver Area and separate drivers training area and off-road drivers training area. Table 4.8-6 presents the anticipated emissions of criteria pollutants due to construction.

Table 4.8-6: Criteria Pollutant Construction Emissions
Alternative B: Tons per Year

Year	VOC	CO	NO _x	SO ₂	PM ₁₀	PM _{2.5}
2007	36	126	215	24	391	50
2008	38	128	245	27	287	42
2009	81	260	276	31	782	95
2010	63	192	187	21	474	59
2011	77	127	163	18	535	63
2012	16	46	106	12	93	14
2013	13	37	102	11	34	6

As with Alternative A, PM₁₀ mobile emissions would exceed 250 tons in 2007 and 2008, but under Alternative B exceedances of this level would continue through 2011. In addition, under Alternative B, NO_x emissions from mobile sources would exceed 250 tons in 2009. In summary, air quality may be impacted from mobile source construction emissions under Alternative B, but would not be significant. Emissions from operations and maintenance activities would be minor and below significance thresholds that would indicate an impact to regional air quality. As with Alternative A, if the Columbus, GA-AL MSA is designated as nonattainment for PM_{2.5}, emissions would need to be reevaluated and a general conformity analysis may be needed to cover Transformation activities after 2010.

4.8.3 Mitigation Measures

While no mitigation measures (outside existing regulations, permits, and plans) are required, both Alternatives A and B would result in new emissions (criteria pollutants as well as HAPS) sources which will require modification of Fort Benning's Title V permit. These emission sources would not be major stationary sources as defined in 40 CFR 52.21 and it is not anticipated that stationary source emissions would exceed any of the established permit limits. Emissions, primarily arising from mobile sources during construction, are limited primarily to PM and to a lesser extent, CO. PM emissions can be managed in accordance with Fort Benning's Title V permit regulations, the dust control requirements that are part of any construction project's Erosion and Sediment Control Plan, as well as additional measures which are presented in Table 4.8-4. These measures would reduce the impact that construction activities may have on local air quality.

4.9 HAZARDOUS AND TOXIC MATERIALS AND WASTE

A hazardous substance is any item or agent (biological, chemical, physical) which has the potential to cause harm to humans, animals, or the environment, either on its own or through interaction with other factors. The terms “hazardous material,” “toxic substance,” and “hazardous waste” are used in this section, first to emphasize that they are all hazardous substances that may present a substantial threat to public health, welfare, and the environment, and second, to define the terms in reference to their unique applications under specific federal regulations.

Hazardous substances are defined and regulated in the United States primarily by laws and regulations administered by the U.S. Occupational Safety and Health Administration (OSHA), the USEPA, and the U.S. Department of Transportation (DOT). Each agency incorporates hazardous substance terminology in accordance with its unique Congressional mandate; therefore, the OSHA regulations categorize substances in terms of their impacts on employee and workplace health and safety, the DOT regulations in terms of the safety in transportation, and the USEPA regulations in terms of protection of the environment and the public health.

In terms of their environmental impacts, hazardous materials, toxic substances, and hazardous wastes are regulated under federal programs administered by USEPA, including the Comprehensive Environmental Response Compensation and Liability Act (CERCLA), Emergency Planning and Community Right-to-Know Act (EPCRA), Toxic Substances Control Act (TSCA), and Resource Conservation and Recovery Act (RCRA). DoD installations are required to comply with these laws and all other applicable federal, state and DoD regulations, as well as CFR 112, EOs 13101 and 13148.

The OSHA Hazard Communication regulation (29 CFR 1910.1200) defines a hazardous chemical as any chemical which is a physical or health hazard. The definition includes chemicals which are carcinogens, toxins, toxic agents, irritants, corrosives, and sensitizers; agents which act on the hematopoietic system; agents which damage the lungs, skin, eyes, or mucous membranes; chemicals which are combustible, explosive, flammable, unstable (reactive), or water-reactive; oxidizers; pyrophorics; and chemicals which in the course of normal handling, use, or storage may produce or release dusts, gasses, fumes, vapors, mists, or smoke that may have any of the previously mentioned characteristics. Currently, OSHA regulates workplace exposure to approximately 400 substances, including dusts, mixtures, and common materials such as paints, fuels, and solvents (OSHA 2006).

In CERCLA Section 101(14), the USEPA defines the term “hazardous substance” by reference to provisions in other environmental statutes that identify substances as hazardous (e.g., the OSHA definition as described above). The USEPA definition includes any item or chemical which can cause harm to people, plants, or animals when released by spilling, leaking, pumping, pouring, emitting, emptying, discharging, injecting, escaping, leaching, dumping or disposing into the environment and any substance for which a reportable quantity is established in 40 CFR 302.4.

The DOT Hazardous Materials Regulations (49 CFR 171) define a hazardous material as a substance or material that has been determined to be capable of posing an unreasonable risk to health, safety, and

property when transported in commerce. The DOT definition includes hazardous substances, hazardous wastes, and marine pollutants.

The promulgation of TSCA represented an effort by the federal government to address those chemical substances and mixtures for which it was recognized that the manufacture, processing, distribution, use, or disposal may present an unreasonable risk of injury to health or the environment, and to effectively regulate these substances and mixtures in interstate commerce. Toxic chemical substances regulated by USEPA under TSCA include asbestos, lead, polychlorinated biphenyls (PCBs), and radon, and the TSCA Chemical Substances Inventory lists information on more than 62,000 chemicals and substances.

In regulations promulgated under RCRA, the USEPA defines hazardous waste as a solid waste which is not excluded from regulation as a hazardous waste under 40 CFR 261.4(b) and exhibits any of the characteristics (ignitability, corrosivity, reactivity, toxicity) described in 40 CFR 261; or is listed in 40 CFR 261 Subpart D; or is a mixture containing one or more listed hazardous wastes. Hazardous wastes may take the form of solid, liquid, contained gaseous, or semi-solid wastes (e.g., sludges), or any combination of wastes, that pose a substantial present or potential hazard to human health or the environment and have been discarded or abandoned. Military munitions used for their intended purposes on ranges, or collected for further evaluation, such as recycling, are not considered waste per the Military Munitions Rule (40 CFR 266.202) as incorporated by reference by the State of Georgia Environmental Rule 391-3-11-.10(3).

4.9.1 Affected Environment

The ROI for hazardous materials, toxic substances, and hazardous wastes consists of the entire Installation.

Through the combined efforts of the Safety Office, the EMD, and the Directorate of Logistics (DOL), programs have been established at Fort Benning to control the entry of hazardous substances to the Installation; to safely manage their handling and transportation within the Installation, to inform military and civilian employees of their dangers; to minimize the risk of human exposure and release to the environment associated with these substances; and to dispose of these substances in an environmentally sound manner when they are no longer useful.

4.9.1.1 Hazardous Materials Storage, Use, and Handling

Routine operations on Fort Benning require the use of a variety of hazardous materials, including POL products, solvents, cleaning agents, paints, adhesives, and other products necessary to perform vehicle and equipment maintenance, military training activities, installation upkeep, and administrative and housing functions.

The garrison activities and tenants at Fort Benning procure hazardous materials through several supply channels. The primary supply channel is the Hazardous Materials Management Program, which is centrally managed by the DOL. The DOL maintains a contract with Shaw Infrastructure, Inc. to operate a

Centralized Hazardous Materials Control Center (CHMCC) for the procurement and distribution of products needed to maintain the Installation's facilities and to sustain the military mission.

The CHMCC contractor staff, who are trained in hazardous materials management, utilize the Army supply system to conduct materials requisition and issue transactions. These transactions are entered into an Army-approved database program that relies upon a process of review and authorization to limit the types and quantities of hazardous materials that may be brought to the Installation. Through the use of the database, the CHMCC staff assist in ensuring user accountability for issued materials by providing a means of tracking each material through its life cycle. When the user has emptied the container or no longer needs the product, he/she can bring the container back to the CHMCC so that a final disposition entry can be made in the database or so that the remaining quantity of product can be reissued to another user to reduce unnecessary waste disposal.

Bulk quantities of fuels (e.g., heating oil, JP-8, gasoline, diesel) and other POLs (products and wastes) are managed in aboveground and underground storage tanks (ASTs and USTs), pumps, pipelines, and oil/water separators across the Installation, and these storage locations and facilities represent potential sources of small spills (Fort Benning 2004c). Emergency generators are typically supplied with fuel (JP-8, diesel, or motor gasoline [MOGAS]) stored in tanks; however, a few emergency generators on the Installation are fueled by natural gas and do not have an associated oil tank. In addition, some other hazardous materials (e.g., motor oil, antifreeze) are stored in tanks at various locations across the Installation. The ASTs and USTs at Fort Benning are managed in accordance with the Storage Tank Management Plan included in the Integrated Contingency Plan (ICP) which delineates the Spill Prevention, Control, and Countermeasure, Installation Spill Contingency Plan, National Pollutant Discharge Elimination System, and Storm Water Pollution Prevention Plan requirements, and all other applicable federal and state laws and regulations.

4.9.1.2 Toxic Substances Management

Toxic substances commonly occurring on Army Installations include asbestos, lead-based paint, PCBs, and radon.

Asbestos. Routinely, all Fort Benning facilities scheduled for maintenance, renovation, remodeling, and demolition are inspected for presence of Asbestos-containing Materials (ACM). When required by law or as a precautionary measure, ACM is removed through outside contracts by licensed specialized firms. Removed ACM is transported off Post by appropriately licensed transporters and disposed in appropriately permitted landfill facilities in accordance with applicable federal, state, local, and DoD regulations.

Lead-based Paint (LBP). The likelihood for buildings constructed prior to 1978 to contain lead-based paint/coatings is high. Painted surfaces can be tested to determine if LBP is present. If testing has not been performed on surfaces painted before 1978, these surfaces should be presumed to contain LBP. There are several structures and buildings known or suspected to contain LBP on the Installation, and the LBP in these areas is generally managed in-place in accordance with industry guidelines and practices

(e.g., National Institute for Building Sciences) in order to minimize the potential for creation of respirable dust, direct contact with the LBP surfaces, and contamination of the surrounding environment. Fort Benning's Lead-based Management Plan addresses LBP risk assessment as well as handling and disposal procedures for lead-based paint, coatings, and LBP-contaminated soils. The plan also includes safety procedures for the workers who conduct this work. All construction contractors will be required to follow plan procedures.

PCBs. PCBs are highly stable organic chemical compounds with a low flammability (i.e., they do not readily burn), high heat capacity, and low electrical conductivity; therefore, in the past they were extensively used as a component of many materials, most notably as heat insulating materials (e.g., hydraulic fluid in vehicles, lifts, elevators) and as dielectric fluids in electrical transformers and capacitors. The harmful effects of PCBs to humans and the environment were not well documented in the past; however, PCBs are now known to cause skin irritation and cancer and to persist in the environment (i.e., they do not easily break down and they tend to accumulate in the tissues of living organisms). Under the authority of the TSCA, the USEPA banned the continued manufacture of PCBs after 1978. In addition, the agency imposed controls related to existing PCB-containing electrical equipment that remain in use or that are removed from service for reuse or disposal.

In 1998, Fort Benning developed a PCB Inventory Report, which indicated that of the 2,157 transformers surveyed on the Installation, 1,166 were assumed to be "PCB Transformers" (i.e., they contained equal to or greater than 500 parts-per-million PCBs) (Fort Benning 1998). Also in 1998, Fort Benning developed a PCB Management Plan (Fort Benning 1998) to formally establish the program for compliance with TSCA and other relevant regulatory requirements. Topics covered in the plan include transportation, storage, sampling, and disposal of PCBs. Since the utilities privatization initiative was implemented in 1999, the operation, maintenance, and repair of the electrical distribution system and, therefore, most of the PCB-containing electrical equipment on Fort Benning has been under the control of Flint Electric. One exception is electrical system at Lawson AAF, which is under the management of Interior Electric. PCB-containing materials are not purchased for use at Fort Benning in any of these systems or materials for use in construction, maintenance, and renovation projects on the Installation (personal communication, Clarke 2006).

Transformers at Fort Benning are located either on pads or on poles and are equipped with compartments for oil having a capacity of 20 to 40 gallons, depending on the size of the transformer. The oil used in these transformers is classified as either PCB/PCB-contaminated, or non-PCB. The non-federal owners of the electric system on the Installation are responsible for any PCB spills and other spills resulting from the operation of those electric systems (Fort Benning 2004c).

Radon. Radon is a naturally occurring, colorless, odorless, radioactive gas produced by the decay of uranium in rock and soil. Radon is a known carcinogen, capable of causing direct damage to lung tissues and increasing the risk of lung cancer when inhaled. If present, radon gas, which tends to occur more commonly in the western and midwestern parts of the U.S., will typically concentrate in airtight buildings and particularly in basements. Although there are no federal regulations that define an acceptable level of

radon exposure, the USEPA recommends the voluntary, consensus-based mitigation of radon based on the standard developed and issued by the American Society for Testing and Materials (ASTM) International, *Standard Practice for Installing Radon Mitigation Systems in Existing Low-Rise Residential Buildings*, ASTM E-2121. The Army and the USEPA recommend an action level of 4 picocuries per liter (pCi/L).

In FY 1988, the Army initiated a comprehensive indoor radon measurement and mitigation program. In the early 1990s, Fort Benning conducted a radon gas survey of 650 priority buildings (personal communication, Clarke 2006). This survey resulted in radon measurements that were well below the USEPA action level of 4 pCi/L. Only one site was recommended for re-survey; however, because of logistical impracticality, this site was not resurveyed. The Army Policy for Radon as outlined in AR 200-1, Radon Policy Reduction Program requires measurement of radon in newly constructed Army facilities and use of USACE design criteria for radon reduction in new construction. Radon information provided by Region IV of the USEPA and statistics maintained by the GEPD suggest that radon is not an issue of concern in the region. Transformation actions would not affect radon levels nor would the activities increase radon exposure levels; therefore this topic will not be further analyzed in this document.

4.9.1.3 Hazardous Waste Generation and Disposal

Routine operations across the Installation generate a variety of hazardous wastes, including various solvents; paints; antifreeze; aerosols; contaminated filters, rags and absorbents; weapon cleaning patches and sludges; and some items managed as universal wastes, such as used batteries and fluorescent light tubes. The Centralized Accumulation Points (CAPs) and Satellite Accumulation Points (SAPs) are located throughout the Installation and contain a variety of wastes, which are typically stored in 5-gallon pails, 55-gallon drums, and other similar-sized containers.

The Fort Benning EMD oversees the management of hazardous waste on behalf of the military units and activities that generate the waste. SAPs and CAPs are maintained in various locations across the Installation to facilitate the collection of hazardous wastes and to ensure that the wastes are transported off Post in accordance with applicable federal, state, and DoD regulations.

Hazardous wastes generated by Garrison and tenant activities are collected and transferred to a central storage area where they may be stored for no longer than 90 days before being transported offsite for treatment or disposal. Fort Benning arranges for the transport and disposal of its hazardous waste by appropriately-licensed waste management and transportation companies through a Defense Reutilization and Marketing Office (DRMO) contract.

The EMD Environmental Programs Management Branch annually trains approximately 1,000 workers, inspects nearly 500 waste accumulation areas, and provides program oversight for the disposal of over 300,000 pounds of hazardous and toxic waste (Fort Benning 2006h). Fort Benning formerly operated under Hazardous Waste Facility Permit (RCRA Part B) No. HW-021 (S)(2) and Facility I.D. No. GA3210020084. Currently, Fort Benning operates as an RCRA Large Quantity Generator and manages compliance with the relevant regulations through its Hazardous Waste Management Plan.

4.9.1.4 Contaminated Sites

Past resource and waste management practices at DoD facilities have resulted in the presence of toxic and hazardous waste contamination at some Installations, including Fort Benning. In response, Fort Benning has undertaken mitigation and cleanup activities under its Installation Restoration Program (IRP) to manage these sites, which are referred to as Solid Waste Management Units (SWMUs) (Fort Benning 2005c and d). The Fort Benning EMD actively manages programs for addressing contaminated sites in compliance with RCRA and the National Oil and Hazardous Substances Pollution Contingency Plan (NCP).

These sites are designated either as Operation and Maintenance, Army (OMA)-SWMUs, which are being managed—and will be managed in the future as they are discovered—under the 2005 Fort Benning Environmental Action Plan (EAP), or as Environmental Restoration, Army (ER,A)-SWMUs, which are being managed under 2005 Fort Benning Installation Action Plan (IAP). The cleanup activities initiated under the EAP are directed at contamination primarily resulting from current operations, and the contaminants of concern include POLs, trichloroethylene (TCE), metals, volatile organic compounds (VOCs), pesticides, and leachate. The IAP is specifically focused on contamination resulting from past activities, and the contaminants of concern include gasoline (including its constituents, benzene, toluene, ethylbenzene, and xylenes), paint, TCE, and leachate. Both the EAP and the IAP have been developed through consultation and coordination with the U.S. Army Environmental Center (USAEC), USEPA, GEPD, and the public. There are currently 27 OMA-SWMU sites categorized as Active Site Investigations under the EAP and 30 ER,A-SWMU sites categorized as Active under the IAP.

4.9.2 Environmental Consequences

The nature and magnitude of potential impacts associated with hazardous and toxic materials and wastes depends on the toxicity, storage, use, transportation, and disposal of these substances. The threshold for significant impacts to hazardous materials, toxic substances, and hazardous waste is surpassed if the storage, use, handling, or disposal of these substances substantially increases the risk to human health due to direct exposure, substantially increases the risk of environmental contamination, or violates applicable federal, state, DoD, and local regulations.

4.9.2.1 No Action Alternative

The No Action Alternative would have no effect on the management of hazardous materials, toxic substances, hazardous waste, or contaminated sites at Fort Benning.

4.9.2.2 Transformation Alternative A

The implementation of Alternative A would not have significant impacts to hazardous materials, toxic substances, and hazardous waste because there would be no increased risk to human health due to direct exposure associated with storage, use, handling, or disposal; would not substantially increase the risk of environmental contamination; or violate federal, state, DoD, or local regulations.

Hazardous Materials Storage, Use, and Handling. The number of sites storing, using, and handling hazardous materials would increase slightly under the Alternative A. Any facilities (such as motor pools, maintenance areas, fuel loading areas, ammunitions storage) constructed to store hazardous materials would need to be designed to meet spill prevention requirements under AR 200-1, as well as applicable federal and state regulations. The Armor School relocating to Fort Benning from Fort Knox would be required to employ a hazardous materials procurement strategy identical to that currently employed by Fort Benning; therefore, the authorization process already in place for the acquisition of such materials would ensure that only the specific types and quantities necessary to carry out the military training mission would be brought to the Installation. Similarly, the components from the 81st RRC ECS and the USARC relocating to Fort Benning from Fort Gillem, GA and Columbus, GA, respectively, would be required to employ a materials procurement strategy utilizing the existing CHMCC.

The quantity of POL products, including fuels (diesel fuel, gasoline, heating oil), delivered to and used on the Installation would increase substantially as a result of the Transformation activities. In the short term, quantities of various fuels in excess of current operating demand would be required for construction activities due to the use of mobile-power generators and heavy equipment. Over the long term, quantities of various petroleum fuels in excess of current operating demand would be required to meet future operating demand due to the increase in the number of buildings using fuels for heating, hot water production, and backup power supply. Most of the proposed facilities would be connected to the natural gas supply and not rely on POL products. Furthermore, the energy saving mandates required by LEED would reduce the need for POL heating fuels for those facilities without access to the natural gas lines.

The risk of uncontrolled release of hazardous substances would be minimized through the use of industry accepted methods and by following applicable federal, state laws and regulations and Army policy for storage of fuels (e.g., double-walled aboveground storage tanks equipped with leak detection systems) and other hazardous materials (e.g., self-contained storage cabinets with appropriate flammability ratings). The activities relocating to Fort Benning (e.g., Armor School, 81st RRC) would be required to operate under the requirements specified in relevant environmental management documents developed by Fort Benning, including, but not limited to, the SWP3, Hazardous Waste Management Plan, ICP, and Activity-Specific Emergency Action Plans as these are developed.

Potential spills from the secondary containment structures associated with ASTs or spills in uncontained areas would be contained through the use of absorbent materials, portable booms, or other barriers. Absorbent materials such as dry sweep, sawdust, clay, vermiculite, diatomaceous earth, and manufactured oil absorbents would be used to control small isolated spills (Fort Benning 2004c). Absorbent materials and spill kits are currently maintained in sufficient quantities at existing oil handling and storage facilities and would be provided at any new oil handling and storage facilities constructed under the Transformation Alternative A.

Units performing training exercises on Fort Benning that involve vehicles or refueling would continue to be required to take special care to prevent spills and to mitigate them should they occur. In addition, visiting training units would continue to be required to provide the Directorate of Facilities Engineering

and Logistics funds in advance of their exercises to cover the cost of cleanup of any spills should they occur. These funds, the amount of which depends upon the type of the training exercise, are returned to the units if they are not used (Fort Benning 2006i).

Toxic Substances Management. There are several structures on the Installation that are known or suspected to contain ACM and/or LBP and for which renovation or demolition projects are proposed under the Transformation Alternative A. The following table lists a sample of the proposed projects for which involvement of these toxic substances can reasonably be expected.

Table 4.9-1: Transformation Projects Potentially Generating Toxic Substances

Fiscal Year	Project Title
2007	Training Support Brigade Complex (Phase 1 and 2)
	Trainee Barracks Complex 1
2008	Infrastructure Support
	16 th CAV Regt HQ Building Complex (BDE, BN, and COFs)
	General Instruction Building Complex
2009-2011	Hospital Replacement
2009	Armor Officer Basic Course Headquarters Complex Conversions
	Maneuver Center Headquarters Building Expansion and CDI Facility
2010	Construct Installation-Wide Roads, Paved
	Maneuver Center Renovations, Building 4
2011	Barracks Complex
	3 ID BCT (Heavy) Complex
2013	Child Development Center Under 6 Years
2007 or 2008	AT/FP Access Control Point
2007 through 2010	Conversion of UPH Billeting Space to Transient UPH
	Infantry Officer Basic Course Headquarters Complex Building Conversions

Asbestos. It is expected that the quantity of ACM present on the Installation would be reduced (i.e., a positive impact) under the Alternative A, because ACM removal actions would be initiated prior to or during the renovation and demolition of existing structures. ACM encountered during Transformation activities would be managed in accordance with applicable federal, state, and local regulations as well as the Fort Benning Asbestos Management Plan (Fort Benning 2002). The handling and disposal of existing ACM would not substantially increase the risk of environmental contamination, and would be carried out in accordance with applicable federal, state, DoD, and local regulations.

Lead-based Paint. The quantity of LBP present on the Installation would not be expected to change significantly because the preferred strategy for addressing LBP in existing buildings is to maintain it in good condition or cover it with non-lead-containing paint, and this strategy would be employed for buildings undergoing renovation. Where LBP is known to exist in buildings undergoing demolition, appropriate precautions would be taken to identify and segregate materials that must be classified as hazardous waste due to their lead content and to arrange for their proper disposal in accordance with state and Federal regulations. The handling and disposal of existing LBP and LBP-contaminated materials would not substantially increase the risk to human health due to direct exposure, would not substantially increase the risk of environmental contamination, and would be carried out in accordance with applicable federal, state, DoD, and local regulations.

PCBs. The number of PCB-containing and PCB-contaminated items present on the Installation would not be expected to change significantly under the Alternative A. There may be PCB-containing electrical system components and other PCB-containing equipment located on or near the sites where construction, renovation, or demolition activities are proposed under the Alternative A. Efforts would be made to identify PCB-containing equipment (light ballasts, transformers, capacitors, hydraulic lifts, elevators, etc.) prior to and during the proposed activities. If identified, the removal and disposal or decontamination of such PCB-containing items would be carried out in accordance with applicable federal, state, local, and DoD regulations. The Alternative A would not utilize PCB-containing materials.

Hazardous Waste Management. The Installation would maintain its status as a USEPA Large Quantity Generator of hazardous waste under Alternative A. Furthermore, it is expected that the types and quantities of hazardous wastes generated by the military units relocating to Fort Benning under Alternative A would be accommodated by the existing Fort Benning hazardous waste management system. The existing DRMO contracts for hazardous waste disposal are not limited in terms of the volume of hazardous waste that may be shipped offsite, and these contracts are reviewed annually; therefore, the DRMO would maintain the ability to amend the contracts to take into account minor changes in reference to the types and quantities of wastes managed in the future.

Hazardous waste and other regulated waste generated by visiting units during the training exercises would continue to be required to be disposed of through the Fort Benning DRMO. Training units would continue to be required to certify in advance of training that they have funds available to pay for waste disposal, and the units are responsible for completing all funding and related turn-in documents. Training units would continue to be required and instructed to comply with all applicable Installation policies such as Spill Prevention Control and Countermeasure requirements, as well as all federal, state, and DoD regulations pertaining to the handling, containment of spills, packaging, labeling, storage, and transportation of wastes generated by their activities on Fort Benning (Fort Benning 2006i).

It is expected that during construction and demolition activities there would be periodic increases in the quantity of hazardous waste generated and shipped offsite for disposal. Specifically, demolition debris and contaminated soils which exhibit any of the characteristics of hazardous waste would be managed as hazardous waste in accordance with applicable federal, state, local, and DoD regulations.

Contaminated Sites. Due to the limitations on land development and redevelopment on the Installation, it is expected that some of the proposed Transformation activities would necessarily occur on sites where contamination is known or suspected to exist. These sites may include either OMA-SWMUs, or ER,A-SWMUs (defined in Section 4.9.1.4). Disturbance of any SWMU is prohibited unless the GEPD determines the action to be acceptable and appropriate; therefore, Fort Benning EMD would coordinate with the GEPD in advance of initiating Transformation activities on any of its SWMU sites. Prior to any construction or land disturbance, Fort Benning would supply maps to the construction contractor identifying the SWMUs and any known VOC soil and groundwater contamination in the area being disturbed.

When new construction occurs on sites where contamination has been identified, existing management regimes would be employed to ensure that the risk of human exposure to contaminated media is minimized as much as possible. Such measures would include direct involvement of and consultation with EMD and Safety Office representatives, review of existing reports, laboratory data, and relevant management plans prior to initiation of onsite activities, and the employment of a combination of visual observation, screening / monitoring, and sampling techniques to identify and segregate contaminated media encountered during all stages of site preparation and construction. For example, when site preparation includes earth moving activities (e.g., grading, leveling) in areas where the shallow subsurface soils are known to be contaminated, the contractors would be informed of the nature of the contamination in advance so that appropriate precautions can be taken to protect the workers and to appropriately manage the contaminated soils if and when they are encountered. Tank traffic in maneuver areas can cause disturbances; however, there are no SWMU sites located in the proposed maneuver areas.

In summary, the storage, use, handling, and disposal of hazardous materials, toxic substances, and hazardous wastes under the Alternative A would not substantially increase the risk to human health due to direct exposure, would not substantially increase the risk of environmental contamination, and would not violate applicable federal, state, local, or DoD regulations. If Alternative A were implemented, it is not anticipated that there would be any adverse impacts associated with hazardous and toxic materials and wastes due to increased quantities on the Installation. Existing management procedures, regulations, plans, and permits would be used to minimize risk.

4.9.2.3 Transformation Alternative B (Preferred Alternative)

Hazardous Materials Storage, Use, and Handling. The majority of activities proposed under Alternative B which would involve the storage, use, or handling of hazardous materials are the same as Alternative A and the resulting impacts would be the same. The exceptions to this would be the bridge over U.S. Highway 27/280 which would use some hazardous materials for construction.

Toxic Substances Management. Transformation Alternative B activities that would require the management of toxic materials would be the same as Alternative A and are listed in Table 4.9-1.

Hazardous Waste Management. The Installation would maintain its status as a USEPA Large Quantity Generator of hazardous waste for either Alternative A or B. Except for a small amount of waste that could be created during the bridge construction, all other activities which would generate hazardous waste would be the same as those under Alternative A.

Contaminated Sites. Transformation alternative B moves the maneuver area from the north to the south portion of Fort Benning to the Good Hope Maneuver Area. There are no SWMU sites located in the Good Hope Maneuver Area which could be impacted by tank traffic.

In summary, the storage, use, handling, and disposal of hazardous materials, toxic substances, and hazardous wastes under the Alternative B would be similar to Alternative A. Under either alternative, no substantial increases would be expected to pose a risk to human health due to direct exposure; neither would substantially increase the risk of environmental contamination or violate applicable federal, state,

local, or DoD regulations. If Alternative B were implemented, it is not anticipated that there would be any adverse impacts associated with hazardous and toxic materials and wastes due to increased quantities on the Installation, and existing management procedures will be used to minimize risk.

4.9.3 Mitigation Measures

No mitigation measures are required beyond those prescribed under existing federal and state laws, regulations, and permit requirements to minimize, avoid, or reduce impacts.

4.10 WATER RESOURCES

4.10.1 Affected Environment

The following sections provide a summary of the general condition and character of water resources found at Fort Benning as well as more specific descriptions of the existing conditions of water resources in the immediate vicinity of the area where Transformation actions would be implemented. Types of water resources investigated include surface water, groundwater, and floodplains. Each type is discussed briefly in this section. Adherence to regulatory requirements pertaining to the Transformation action would amount to practicable means to avoid or minimize harm to water resources and these are identified in the description of the affected environment because of the interrelationship of regulatory requirements with the existing condition.

In terms of the regulated components of water resource management, the Transformation action would require coverage under GDNR National Pollution Discharge Elimination System (NPDES) Permit GAR 100001, GAR 100002, or GAR 100003 (GAR 100001 regulates stand-alone construction activity, GAR 100002 regulates infrastructure construction sites, and GAR 100003 regulates common development construction). NPDES permitting regulates water quality as required by the Clean Water Act (CWA). An Erosion Sediment Pollution Control Plan (ESPCP) would be required prior to any land disturbances. Implementation of Transformation Alternative A or B would require coverage under the Section 404 permits for jurisdictional wetlands of stream bank impacts as administered by the USACE. The requirements of federal and state law and regulations pertain to activities off Post also reduce storm water concerns as well.

Field verification of “state waters” would be required during the design phase of all proposed Transformation projects. A GEPD Stream Buffer Variance (SBV) would be required in cases where new construction including infrastructure improvements requires the crossing or encroachment upon a “state water” by the removal of trees and/or vegetation within a 25 ft buffer of “state water.” Application for a SBV must include an approved ESPCP, yet the application process for this variance is an entirely separate process from either the GDNR NPDES or CWA Section 404 permit processes. The SBV restrictions apply to project construction activities, as well as timber removal within the 25-ft buffer.

4.10.1.1 Surface Water

Watersheds. Fort Benning is located primarily within the Chattahoochee River Basin (USGS 2006) Hydrologic Unit Code¹ (HUC) 03130003. The basin contains parts of the Blue Ridge, Piedmont, and

¹ **Hydrologic Unit Codes (HUC):** Watersheds are organized into a system that divides and subdivides the United States into successively smaller watersheds. These levels of subdivision, used for organization of hydrologic data, are called “hydrologic units”. Hydrologic Unit Codes are given to each of these units in a manner that preserves watershed hierarchy. This is done by adding additional digits to a watershed’s HUC to designate smaller sub-watersheds within an encompassing watershed. As an example, a large river watershed may have an 8-digit HUC of 02040301. All sub-watersheds to this watershed would begin with this 8 digit number, but would have additional digits as their unique identifier (02040301102, 02040301103, etc.) These unique identifiers are commonly used by federal and state agencies to organize and track water quality impairments.

Coastal Plain physiographic provinces. The ecological transition between Piedmont and Coastal Plain occurs along a Fall Line located at the northern boundary of Fort Benning. This geologic feature results in a unique character of the rivers and creeks and the biotic communities they support (Fort Benning 2001). The basin is 8,770 square miles, of which 6,140 square miles (70 percent) lie in Georgia, 2,574 square miles (29 percent) lie in AL, and 56 square miles (1 percent) lie in Florida (CRBWPP 2006). The rolling terrain in the Chattahoochee River Basin is highest in the east, rising approximately 740 ft above sea level, and lowest in the southwest along the Chattahoochee River, about 190 ft above sea level (Fort Benning 2001).

Watershed management practices adhered to by Fort Benning include the development and implementation of a soil conservation program at the watershed level. Watershed Management Units (WMUs) were identified at Fort Benning for use as a framework for monitoring water quality and erosion, watershed restoration projects, and for other management activities as part of a watershed inventory in 1998 (Figure 4.10-1). Based on data from this watershed inventory, Fort Benning is composed of 28 WMUs. Fifteen WMUs occur completely or nearly completely within the boundaries of the Installation. One of the objectives stated in Fort Benning's INRMP (Fort Benning 2001) is to continue to conduct monitoring via the Land Condition Trend Analysis component of the ITAM Program and add new monitoring plots, as necessary, to enable monitoring within a watershed context to facilitate land use decisions and other land management activities (Fort Benning 2001). A watershed modeling system for Fort Benning is under development.

Construction

Management of storm water during construction activities including infrastructure/lineal projects would be covered under GDNR NPDES General Permits 100001, 100002, and 100003 and would also require the development and implementation of an ESPCP. A Notice of Intent (NOI) for construction-related storm water discharge must be obtained from the GDNR. It is expected that the implementation of the ESPCP would reduce or minimize any impacts to water resources and protect waterways from sedimentation due to eroding soil conditions.

Field verification of "state waters" would be required during the design phase by a design professional. Stream buffers must be defined on design plans prior to the initiation of construction activities. Perpendicular crossings to "state waters" would be approved with an ESPCP as required by GDNR NPDES General Permits 100001, 100002, or 100003 if no stream channel changes are required. The design must address all proper BMPs to reduce the potential for stream sedimentation including: low-water crossing; identification of areas where drainage may be an issue in the project planning stage; use of double-row, type-C silt fencing; and site monitoring to ensure the integrity of erosion control measures.



Figure 4.10-1: Fort Benning Watershed Management Units

Erosion control measures must be in place prior to initiation of land disturbing activities. If any changes in, or to the stream channel where straightening of the stream would be needed or required for a better approach; the straightening of the stream would require application for a SBV. The design must address all proper BMPs as stated above for the crossing as well as the relocation of the new channel. All construction areas must be stabilized (permanently or temporarily) within 14 days of project completion. If the contractor or operator returns to the construction site within the initial 14 days to conduct some additional land disturbing activities, the timeframe in which stabilization is required may be extended by 7 days. A 25-ft buffer must be maintained and protected at all times at all “state waters.” It is expected that implementation of Georgia’s stream buffer rules would reduce or minimize any impacts to water quality due to stream sedimentation or storm water runoff. Failure to comply with Georgia’s stream buffer rules would have notable long-term and short-term environmental consequences on water quality due to notable increases in stream sediment and storm water runoff.

Implementation and operation of the proposed Transformation actions would require compliance with NPDES Municipal Separate Storm Water Sewer System (MS4) Permit conditions and associated Storm Water Management Plan (SWMP) including the monitoring of activities conducted within the Installation boundary. NPDES MS4 and the SWMP help to ensure that illicit discharges are prohibited and that pollutants entering into waterways from construction and maintenance facilities are prevented, reduced or minimized. Spill Prevention Control and Countermeasure (SPCC) requirements must be adhered to during construction activities as well as during operations of the newly constructed facilities. Proper design of the facilities under SPCC (40 CFR 112) would help to make certain that no illicit discharges from the facility would adversely impact the surface and or ground water. Some of the support facilities with latrines and their associated septic systems and drainage fields may result in the indirect deposition of pollutants (biota) into the groundwater and possibly even the adjacent streams if the latrines are not operating properly. Failure to comply with the NPDES MS4 permit conditions and SPCC requirements would result in a greater probability of illicit discharges entering into waterway from construction sites. The NPDES construction permit and NPDES MS4 permit would be used to mitigate water resource impacts.

It is likely that a CWA Section 404 permit would be required for implementation of the Transformation action and that mitigation measures would be specified by the USACE as conditions of permit approval. It is expected that the implementation of mitigation measures specified in the Section 404 permit would reduce or minimize any impacts in water resources and protect waterways from sedimentation due to eroding soil conditions. A violation of the Section 404 permit would occur if these mitigation measures were not enforced.

Indirect water quality impacts to waterways, including stream sedimentation and increases in the volume of storm water runoff would occur as a result of land disturbing activity associated with the Transformation action from 2007 to 2012. Transformation Alternative A, if implemented, would disturb approximately 10,741 acres of land (the majority of which would occur in 2007). Transformation Alternative B, if implemented, would disturb approximately 19,012 acres of land. The anticipated land-

disturbance has the potential to affect the amount of sediment entering into waterways occurring within the Installation, and other downstream water resources. Fort Benning would mitigate significant effects to water resources associated with land disturbing activities by complying with the NPDES ESPCP as required by the CWA. As part of the NPDES permit, Fort Benning would update its existing SWP3 to include projects in the planning stages of construction and operation. As the site-specific ESPCP is being developed, BMPs designated to minimize pollution through source control including rock check dams, rock channels, sediment basins, diversions, and the placement of silt fence and erosion control practices must be considered. The SWP3 is modified in instances of notable change in site design, construction, or maintenance operations.

Applicable management practices that may be used to help reduce and/or maintain the average annual sediment loads include:

- compliance with the requirements of the Georgia NPDES permit program;
- implementation of Georgia Forestry Commission BMPs for forestry;
- Natural Resources Conservation Service (NRCS) Conservation Practices;
- adoption of proper unpaved road maintenance practices;
- implementation of ESCPs for land disturbing activities; and
- mitigation and prevention of stream bank erosion due to increased stream flow velocities caused by urban runoff (GEPD 2003a and Fort Benning 2004).

Management practices recommended by GDNR, and followed by Fort Benning, to reduce and/or maintain the average annual fecal coliform is similar to those for sediment loads and include:

- compliance with NPDES permit limits and requirements;
- adoption of NRCS Conservation Practices; and
- application of Best Management Practices (BMPs) appropriate to agricultural or urban land uses, whichever applies (GEPD 2003b).

Operation, Maintenance, Training Exercises

Surface water resources are subject to contamination from soil sedimentation, oil spills, pesticide residue, and untreated sewage bypasses. These potential pollution sources are controlled and minimized, however, by implementation of SPCC, Installation Spill Contingency Plan (ISCP), SWP3 (General Permit No. 000000) for industrial facilities, ESPCP and SWMP, GDNR NPDES MS4, by sewage bypass reduction efforts, and by the related NPDES permit requirements to prevent sewage bypasses under the Columbus Water Works (CWW) NPDES permit for their Waste Water Treatment Plant (WWTP) and pretreatment facilities. The SWP3 provides protection for the water sources within the Installation by requiring monitoring of storm water discharges and implementation of BMPs, including inspection of the facilities and maintenance vehicles, awareness of potential circumstances for spills, and selection of smart storage locations.

Rivers, Streams, Tributaries, and Other Water Bodies. Figures 4.10-2 and 4.10-3 depict the major rivers, streams, tributaries, and other water bodies at Fort Benning. The largest water body associated with Fort Benning is the Chattahoochee River which flows through approximately 15 miles of the Installation (Fort Benning 2001). The Chattahoochee River, a state-designated river corridor protected through local comprehensive planning, is the most heavily used water resource in Georgia (CRBWPP 2006). It arises as a cold-water mountain stream in the Blue Ridge Province at altitudes above 3,000 ft and flows 430 miles to its confluence with the Flint River (USGS 2006). This river covers a distance of 434 miles across the state of Georgia, beginning in the Blue Ridge Mountains of Union County, GA, flowing past metropolitan Atlanta, reaching the Georgia and Alabama borders at West Point Lake. Ultimately, the southern flow of the Chattahoochee River terminates in Lake Seminole in Florida, an impoundment of the Apalachicola River (CRBWPP 2006).


Several dams have been built on the Chattahoochee River upstream and downstream of Fort Benning to regulate river flow and to produce hydroelectric energy. The northern portion of Lake Walter F. George, on the Chattahoochee River extends into the southwest portion of the Installation. The River Bend area, which is part of the Lake Walter F. George impoundment, constitutes the only lake on the Installation. Numerous oxbows, abandoned meander channels, and isolated ponds are found along the Chattahoochee River.

In contrast to the main stem of the Chattahoochee River, many tributaries remain free flowing (CRBWPP 2006). Most streams found within Fort Benning flow into the Chattahoochee River through Upatoi Creek on the Georgia side and Uchee Creek on the Alabama side. The southernmost portion of Fort Benning drains directly into the Chattahoochee River, and the northwest portion of the Installation drains into Bull Creek (Fort Benning 2001). A very small area in the southeast corner of Fort Benning flows into the Flint River basin to the east. These two rivers join to the south and flow into the Gulf of Mexico (Fort Benning 2004).

This page left intentionally blank.



Figure 4.10-2: Surface Waters Found at Fort Benning—Alternative A



4.10-3: Surface Waters Found at Fort Benning—Alternative B

Major streams of Piedmont origin having the potential to be affected by the proposed Transformation project include Randall Creek and Upatoi creek, flowing from the east to west on to Fort Benning. Coastal Plain streams originate in the Coastal Plain and generally flow from east to west on the GA side and west to east on the AL side. Ochiltee Creek and Pine Knot Creek, both located on the GA side and Oswichee Creek, are the major Coastal Plain streams on Fort Benning that could potentially be affected by the proposed Transformation project. The Piedmont and Coastal Plain streams possess completely different limnological and hydrological characteristics (Fort Benning 2001).

GEPD has identified 31 stream segments in the Chattahoochee River Basin as “water quality limited” (i.e. State of Georgia 305(b)/303(d) listed) or impaired due to sedimentation or fecal coliform. Out of the 31 stream segments identified by GEPD, six that have the potential to be affected by the proposed Transformation action, occur within the boundaries of Fort Benning (see Table 4.10-1 and Figures 4.10-2 and 4.10-3) (USEPA 2002 and GEPD 2006a).

Table 4.10-1: Impaired Streams at Fort Benning

Water Body Name USEPA HUC	State Designated Use	Attainment Status	State Impairment	TMDL Pollutant Description/ Type	Annual Average Sediment Load* (tons/yr)	Approximate Location
Chattahoochee River GAR031300030	Fishing	Not Supporting	Fecal Coliform	Fecal Coliform/ Urban Runoff	Not applicable (as long as NPDES limits are not exceeded)	Upatoi Creek to Chattahoochee/ Stewart County Line (Chattahoochee County)
Pine Knot Creek GAR031300030305	Fishing	Partially Supporting	Biota Impacted	Sediment/ Point; Non-Point Source	6,945	Parker Mill Creek to Little Pine Knot Creek
Little Pine Knot Creek GAR031300030307	Fishing	Partially Supporting	Biota Impacted	Sediment/Non-Point Source	272	Headwaters to Pine Knot Creek
Little Hitchitee Creek GAR 0310003062	Fishing	Partially Supporting	Biota	Non Point/Point	489.3	Headwaters to Hichitee Creek
Hitchitee Creek GAR 031300030603	Fishing	Partially Supporting	Biota	Non Point/Point	489.3	Caney Creek to Sand Branch
Tiger Creek GAR031300030306	Fishing	Partially Supporting	Biota Impacted	Sediment/Non-Point Source	625	Headwaters to Upatoi Creek

*Sources: USEPA 2002, GEPD 2003a, and GEPD 2006a

In addition, the following three impaired stream segments are located within or adjacent to the Installation:

- Bull Creek, which flows through south Columbus, to the northwest of Fort Benning. There are numerous unnamed tributaries located on Fort Benning that flow into Bull Creek. Bull Creek is listed as partially supporting its designated use of fishing due to being biota impacted by urban runoff (GEPD 2006a).

- Little Juniper Creek, which is located in the northeast corner of the Installation, partially supports its designated use of fishing and is biota impacted by non-point sources of sedimentation (GEPD 2006a).
- Chattahoochee River northward from Upatoi Creek to North Highland Dam is categorized as partially supporting its designated use of fishing due to biota impacts from fecal coliform from urban runoff sources (GEPD 2006a).

Water bodies on the 303(d) list are required to have a Total Maximum Daily Load (TMDL) evaluation for the water quality constituent(s) in violation of the water quality standard. The TMDL process establishes the allowable pollutant loadings or other quantifiable parameters for a water body based on the relationship between pollutant sources and in-stream water quality conditions. This allows water quality-based controls to be developed to reduce pollution and to restore and maintain water quality. The state-designated water use classification for all 31 of the stream segments listed as water quality limited (i.e. 303(d) listed as Biota Impacted) due to sedimentation is fishing. The general water quality criteria not being met states: “All waters shall be free from material related to municipal, industrial or other discharges which produce turbidity, color, odor or other objectionable conditions which interfere with legitimate water uses.” The Biota Impacted designation indicates that studies have shown a modification of the biological community, more specifically, fish (GEPD 2003a).

Data collected during the development of the TMDL suggests that impaired streams may be due to sediment resulting from past land use practices. Farmland use, specifically row crops, appears to have been a major source of sediment. The established TMDL determines the allowable sediment load and is based on the hypothesis that an impaired watershed having annual sediment loading rates similar to other streams that are not impaired would remain stable. It is believed that if sediment loads are maintained at an allowable level (i.e., no more than the 2002 annual average sediment load), streams would repair themselves over time. No set “allowable” level has been established for the stream segments on Fort Benning; instead, the Installation is utilizing management practices, as defined in the GDNR guidance for TMDLs.

Applicable management practices that may be used to help reduce and/or maintain the average annual sediment loads include:

- compliance with the requirements of the Georgia NPDES permit program;
- implementation of Georgia Forestry Commission BMPs for forestry;
- Natural Resources Conservation Service (NRCS) Conservation Practices;
- adoption of proper unpaved road maintenance practices;
- implementation of ESPCPs for land disturbing activities; and
- mitigation and prevention of stream bank erosion due to increased stream flow velocities caused by urban runoff (GEPD 2003a and Fort Benning 2004b).

The State of Georgia has identified 79 stream segments located in the Chattahoochee River Basin as water quality limited due to fecal coliform. A stream is placed on the partial support list if more than 10 percent of

the samples exceed the fecal coliform criteria and on the not support list if more than 25 percent of the samples exceed the standard. Part of the TMDL development process is to identify potential source categories. Sources are broadly classified as either point or non-point sources. A point source is defined as a discernable, confined, and discrete conveyance from which pollutants are or may be discharged to surface waters. Non-point sources are diffuse, and generally, but not always, involve accumulation of fecal coliform bacteria on land surfaces that wash off as a result of storm events. CWW has two permitted point sources on Fort Benning (wastewater treatment plants) that discharge to the Chattahoochee River, and Fort Benning has a general storm water permit. The wastewater treatment plants are owned by CWW. They are located within the installation boundary and all discharges and regulations associated with discharges of waste waters are covered under a separate CWW industrial NPDES permit. Combined point and non-point source fecal coliform releases originating from sources located upstream from the Installation are also contributors for fecal coliform in the Fort Benning section of the Chattahoochee River. The waste load allocation is established by the GEPD and is used to determine the “maximum allowable” levels of fecal coliform that may be discharged into the stream or river. As long as Fort Benning maintains its discharges below the waste load allocation, it is not required to reduce its discharge into the Chattahoochee River and is in compliance with the TDML program (GEPD 2003b and Fort Benning 2004b).

Management practices recommended by GDNr, and followed by Fort Benning to reduce and/or maintain the average annual fecal coliform, are similar to those for sediment loads and include:

- compliance with NPDES permit limits and requirements;
- adoption of NRCS Conservation Practices; and
- application of BMPs appropriate to agricultural or urban land uses, whichever applies (GEPD 2003b).

The amount of sedimentation and fecal coliform pollutants delivered to a stream is difficult to determine. The state requires and monitors the implementation of management practices to improve stream water quality, and represent a beneficial measure of TMDL implementation (GEPD 2003a and GEPD 2003b). Although GEPD has identified some water quality impairment, there is also information indicating biologically productive and ecologically sustainable water resources exist within the Installation. Recent aquatic surveys conducted by the USFWS documented 53 historically represented fish species and five fish species previously unrecorded on the installation. One of the new fish species, spotted bullhead (*Ameiurus serracanthus*), is a state-listed species of conservation concern. Six native mussel species were identified along with one introduced species of mussel. Three of these mussel species are identified as species of special concern in AL (Fort Benning 2001).

4.10.1.2 Hydrogeology/Groundwater

Fort Benning is located within the Coastal Plain hydrogeologic province. The principal groundwater source for Fort Benning is the Cretaceous aquifer system. The recharge area for this aquifer is the Sand Hill cantonment area (Fort Benning 2004b). The regional direction of ground-water flow in the Coastal Plain is from the north to south. Aquifers in the Coastal Plan consist of porous sands and carbonates, and

include alternating units of sand, clay, sandstone, dolomite and limestone that dip gently and thicken to the southeast. Several of these are prolific producers of ground water (CRBWPP 2006).

4.10.1.3 River and Stream Floodplains

Executive Order 11988, Floodplain Management, instructs federal agencies to consider the risks, danger, and potential impacts of locating projects within floodplains. The EO specifies that, in situations where alternatives are impractical, the agency must minimize potential harm to or within the floodplain and take appropriate steps to notify the public.

Floodplains typically are described as areas likely to be inundated by a particular flood. For example, a flood that has a one percent chance of occurring in any one year is the 100-year flood. The 100-year floodplain includes those lands that are flooded by small and often dry watercourses. To determine the location of the 100-year floodplain within the study areas, the 1985 Flood Insurance Rate Maps (FIRM) for Muscogee and Chattahoochee Counties and GIS maps developed for this area were reviewed.

The Chattahoochee River floodplain, and its associated blackwater and tupelo swamps, is found in the southwestern portion of the Installation. The floodplain areas provide abundant recreational opportunities to Installation personnel and the general public (Fort Benning 2001). Threats to the area and its wildlife include water pollution, water level manipulation, sedimentation, and disturbance of nesting migratory bird species. The Chattahoochee blackwaters are identified in Fort Benning's INRMP as a UEA. Military use of the Chattahoochee River floodplain is minimal (Fort Benning 2001).

Stream floodplains on Fort Benning are extensive. Military training within the stream floodplains is minimal and a large portion of these areas have been proposed for protection as UEAs. Threats to stream floodplain include damage by rooting feral swine, damage to stream ecology from low water crossings, future range construction, and water pollution (Fort Benning 2001).

Per U.S. Army Infantry Center (USAIC) Regulation 210-4, stream fording and crossing within the Installation with wheeled and tracked vehicles currently is approved for the following locations:

- Cactus Road at Pine Knot Creek;
- Buena Vista Road at Pine Knot Creek;
- Buena Vista Road at Upatoi Creek;
- Buena Vista Road at Randall Creek;
- Bulls Eye Road at Randall Creek;
- Hourglass Road at Ochillee Creek;
- Midwest Road at Randall Branch; and
- Resaca Road at Sally Branch (U.S. Army 2005b).



Articulating concrete mats are used to harden low-water crossing sites along tank trails at Fort Benning

4.10.1.4 Stormwater Management

Storm water discharge in the Main Post cantonment area of Fort Benning drains directly into the Chattahoochee River through a storm drainage system. Other storm water on the Installation drains via culverts, ditches swales, and natural seepage and overland flow. Storm water from the other cantonment areas, Sand Hill, Kelley Hill, and Harmony Church as well as the training compartments, drain directly and indirectly into nearby surface water bodies (Fort Benning 2004b).

Installation requirements to comply with the provisions of the CWA and state regulations to manage storm water prevention are stipulated in AR-200-1, Environmental Protection and Enhancement, as well as GDNr NPDES and ADEM NPDES rules and regulations. The requirements of federal and state laws and regulations pertaining to activities off Post also reduce storm water concerns.

Surface water resources are subject to pollution from soil sedimentation, oil spills, pesticide residue, and untreated sewage bypasses. These potential contamination sources are controlled and minimized; however, by implementation of the Fort Benning SPCC Plan (Fort Benning 2003b), Fort Benning's ISCP (Fort Benning 2000), Fort Benning's SWP3 (General Permit No. 000000) for industrial facilities, ESPCP and the SWMP, General MS4, by sewage bypass reduction efforts, and by the related NPDES permit requirements to prevent sewage bypasses under the CWA NPDES permit for their WWTP and pretreatment facilities. The SWP3, ESPCP, and the SWMP provide guidance for the protection for the water resources within Fort Benning by monitoring storm water discharge and implementing BMPs.

Management of storm water would be accomplished by meeting the requirements of three separate NPDES permits. Implementation of proposed projects having the potential to disturb one acre of land would require coverage under GDNr NPDES Permit GAR 100001, 100002, or 100003. An ESPCP would be developed prior to construction activities as required by the NPDES permit. Operators and contractors must follow and implement all requirements identified in the NPDES permit. The ESPCP must be prepared/designed and signed by a design professional with a GA NPDES Level II Training. Personnel qualified through GA NPDES Level 1A training are required to be on site during construction activities.

For projects that are not covered under the GDNr NPDES GAR 100001, GAR 100002, or GAR 100003, typically for land disturbance less than 1 acre, Fort Benning uses a basic ESPCP designed similar to the one required under GAR 100001 Part IV. Projects that are not subject to GDNr NPDES permit would not be covered under a State permit but preparation and implementation of such a plan should protect all water resources from sediment and other pollution.

Good housekeeping measures should be implemented to control soil erosion, reduce the amount of runoff, and to prevent or minimize pollution of storm water. Double row type C silt fencing would be installed prior to any land disturbing activities. Contractors and operators should ensure that permanent or temporary stabilization of previously disturbed soils in place within 14 days of project completion. If the contractor or operator returns to the construction site within the initial 14 days to conduct some additional land disturbing activities the timeframe in which stabilization is required may be extended by 7 days.

Other BMPs to be implemented during land disturbance and/or construction activities include: dust control measurements, off site vehicle tracking control, proper waste disposal at the site, and site sanitation. BMPs for land disturbing and or construction activities, including road improvements must:

- be designed in accordance to the Manual for Erosion and Sediment Control in Georgia;
- protect all storm water drainages near the work area that would be affected from runoff during storm events;
- comply with SPCC requirements as outlined in AR 200-1 when handling hazardous materials/waste within a construction site;
- prevent discharges of wastewater into storm drains; and
- collect wastewaters for proper disposal, and/or coordinate with CWW to ensure operations would not affect plant operators if wastewaters were discharged into sewer lines.

The contractor and or proponent are responsible for the cleanup of any hazardous material/waste or chemical spills.

The function of the stream buffers is to physically protect and separate streams from land disturbing activities and/or encroachment. Stream buffers function primarily to filter storm water runoff, stabilize stream banks, facilitate nutrient uptake to tree roots, and provide shading to moderate water temperature and to provide flood capacity during flooding events. The design/siting of facilities within the Installation would influence the effects to water resources by determining the direct impacts to streams and/or their buffers. Georgia's Erosion and Sedimentation Act implements stream buffer regulations stating that any proposed land disturbing activity within a 25-ft buffer of a "state stream" would require a GEPD SBV. Specific requirements would need to be followed if there are any SBVs. Fort Benning would also follow the guidance of the Georgia Water Quality Control Act. The Georgia Water Quality Control Act declares that the water resources of the state shall be utilized prudently for the maximum benefit of the people. Field verification of "state waters" would be required during the design phase of all proposed Transformation projects. Application for a SBV must include an approved ESPCP. Restrictions on the encroachment of riparian stream buffer apply to project construction and operation activities, as well as for timber removal within the 25-ft buffer.

Adherence to GDNR NPDES requirements ensures that all wastewater from dining/kitchen/bathrooms/shower facilities and other operation requiring potable water are connected to the sanitary sewer system, not the storm water sewer system. Coordination with CWW is required for Sanitary Sewer and Sewage Disposal Ordinance requirements, particularly to meet Ordinance No. 83-101 Section 7, for management of fat, oils, and grease. Good management practices and maintenance of grease/oil collection sumps are to be implemented at all times to prevent or minimize sanitary sewer overflow to meet Fort Benning requirements.

Management of storm water at industrial facilities includes the implementation of Permit GAR 000000 requirements for industrial facilities and the development and utilization of the SWP3. Surface water resources are subject to contamination from oil spills, pesticide residue, and untreated sewage bypasses.

These potential contamination sources are controlled and minimized; however, by implementation of the SPCC, ISCP, and SWP3 (General Permit No. 000000), by sewage bypass reduction efforts, and by the related NPDES permit requirements to prevent sewage bypasses. Installation requirements to comply with the provisions of the CWA and state regulations for storm water prevention are stipulated in AR 200-1. The NPDES permits provide protection for the water resources of Fort Benning by monitoring storm water discharge and implementing BMPs (Fort Benning 2001).

Fort Benning's SPCC Plan applied to new or redesigned facilities such as vehicle maintenance facilities, and facilities used to store hazardous materials in containers larger than 55 gallons and/or the use of underground storage tanks and/or above ground storage tanks. All maintenance and chemical storage areas would require proper design to ensure that no illicit discharges from the facilities would come in contact with surface and/or ground waters. All new storage areas for hazardous materials, chemicals, or wastes should be designed to allow for secure product storage and to provide secondary containment as per AR-200-1 and CFR 112. This would also meet CWW Ordinance No. 83-101 as well as future Fort Benning NPDES MS4 SWMP requirements.

Management of storm water at the Installation level would be accomplished by implementing Fort Benning's NPDES MS4 permit for military installations and by the SWMP. Construction site run off and post-construction storm water management are Minimal Control Measures (MCM) required under the Military MS4 permit (Draft GAGXXXXXX). Installation units would be required to follow MCM under MS4 for all storage areas within industrial areas, living quarters, parking areas, and other day-to-day operations. Under the Phase II NPDES MS4 requirements, activities constructed within the Installation boundary would be monitored to help ensure illicit discharges are prohibited and that pollutants from small construction or maintenance activities are prevented, reduced, and/or minimized to meet Fort Benning standards as per the SWMP. Good housekeeping measures for municipal operation are also addressed by the SWMP. These would prevent and minimize water quality impacts within the Installation and meet NPDES requirements. Fort Benning has been regulated under GDNR NPDES MS4 Phase II since August 2003; however, this permit still has not been finalized by GEPD. Basic requirements are being implemented at the Installation level as part of the basic AR 200-1 requirements.

Areas where drainage is anticipated to be a problem should be identified during the planning stages of a Transformation project. Projects proposed in areas identified as having the potential for drainage issues may require additional requirements during and after maintenance or construction activities to manage storm water runoff outside of the actual project boundary; to include measurements to prevent and minimize water quality impacts after construction ends. These may include but are not limited to: evaluation and design of new and existing drainage systems to ensure proper capacity; Low Impact Development (LID) considerations; storm water runoff watershed protection; and existing and future state-generated TMDL Plans.

4.10.1.5 Sediment and Erosion Regulations

The Georgia Water Quality Act (1964) established a standard of not more than a 25 nephelometric turbidity units (NTUs) difference between water samples above a land disturbing activity and water samples below the activity. Alabama's Department of Environmental Management rules and regulations prohibit more than a 50 NTUs difference between upstream and downstream measurements.

Fort Benning actively manages storm water quality and sedimentation from surface water runoff in conformity with the Georgia Erosion and Sediment Act of 1975, and Clean Water Act (Georgia State Clean Water Laws) (Fort Benning 2001). Fort Benning requires the use of BMPs for all soil disturbing activities that may occur during construction, demolition and maintenance projects, training activity, site restoration, and forest management activities (Fort Benning 2001). Fort Benning personnel ensure that all RECs (FB-144R) provide military units and natural resource management personnel with soil conservation planning assistance before and during land disturbing projects. The NRCS conducts inventories and evaluates erosion sites, develops and implements rehabilitation contracts, provides technical inspection during construction, and conducts follow-up evaluation. The Fort Benning Soil Conservationist assists NRCS, military units and DPW on erosion projects that are larger than 1 acre (Fort Benning 2001).

Georgia's Erosion and Sedimentation Act (OCGA 12-7-1) implements stream buffer regulations for non-trout waters. Any proposed land disturbing activity within a 25-ft buffer of a water resource would require a GEPD SBV. At the current time, Alabama has no requirements for stream buffers relating to construction activities yet water quality is regulated through Alabama's NPDES program. The state of Alabama uses the authority delegated to the states under Federal storm-water regulations (40 CFR Parts 122, 123 and 124) to regulate land disturbing activities in the state of Alabama. A NPDES General Permit is required from the Alabama Department of Environmental Management (ADEM) for all land disturbing projects or activities that exceed 5 acres or, if less than 1-acre, is part of adjacent to or associated with a larger common plan of disturbances development that eventually any exceed 5 acres of total disturbance.

4.10.2 Environmental Consequences

This section assesses the potential effects of the no action and Transformation action alternatives on water resources. These effects would result from the construction of new facilities, changes to training operations, and ongoing operation and maintenance throughout the Installation. Potential effects to surface water characteristics, and increased impervious surfaces, and storm water flows and their potential effects on surface water quality and quantity are considered.

The threshold level of significance for water resources is defined as any long-term impacts (chemical, physical, or biological effects) that would alter the historical baseline or standard water quality conditions. Additionally, project actions adversely impacting a water body currently considered impaired under CWA would be considered significant.

Section 4.10.2.1 addresses the potential impacts of the No Action Alternative. Implementation of either Alternative A or B would have some potential significant impacts to water resources; mitigation that would minimize those impacts is identified in Section 4.10.3.

4.10.2.1 No Action Alternative

No significant impacts to water resources would be expected as a result of taking no action at Fort Benning. Fort Benning's environmental stewardship efforts seek to ensure that natural resource conservation measures and military activities on Fort Benning mission land and cantonment areas are integrated and are consistent with federal stewardship requirements (Fort Benning 2001). Fort Benning has begun to integrate its INRMP with its Strategic Environmental Research and Development Program (SERDP) and to Strategic Ecosystem Management Plan (SEMP) to better monitor the ecosystem and respond to environmental issues, concerns, and formal requirements emerging from all DoD services (USACE 2002b). Another important program being implemented at Fort Benning is the ITAM Program, which can be used to monitor land composition trends and mitigate adverse impacts of the military mission on long-term training land viability (Fort Benning 2001). Programs and initiatives such as these, which may commence in the absence of the proposed Fort Benning Transformation, may reduce negative impacts to water resources.

4.10.2.2 Transformation Alternative A

The potential for direct and indirect impacts to water resources are analyzed below for the cantonment and range areas. It is important to note that, with the exception of projects slated for FY 2007 and FY 2008, complete design information is not yet available. Therefore, this programmatic analysis is based on the total potentially affected area for projects. As previously stated, when siting projects considerations were made for avoidance of environmental impacts (including water resources) and construction footprint. Additional considerations will be implemented in the design, construction, and long-term operation and maintenance phases of these projects. Section 4.10.3 addresses these considerations.

Refer to Figure 4.10-2 depicting the Transformation alternatives in context of water resources for Alternative A. Tables 4.10-2 thru 4.10-8 list those projects having the potential for direct impacts, defined as where a portion of the potentially disturbed project area (or total disturbance envelope) falls within 25 ft of perennial streams, and indirect impacts, meaning that the impact associated with the project may occur later in time or farther removed from the project but are the result of project implementation. No projects are proposed within 100 ft of the state-designated Chattahoochee River corridor. Temporary impacts associated with the implementation of the Harmony Church expansion in the absence of mitigation measures include stream bank erosion, potential stream channel changes, sedimentation, and deterioration of stream buffers. Impacts would include sedimentation, stream channel change, and permanent stream buffer encroachment. Minor impacts such as soil erosion within construction sites and deterioration of stream buffers are expected to occur even with properly implemented BMPs and other mitigation measures.

Harmony Church Cantonment Area

Within the Harmony Church cantonment area, 19 projects located within WMUs 19, 23, and 5 have the potential to adversely affect water resources (Table 4.10-2). In the absence of BMPs and adherence to the environmental mitigation measures discussed in Section 4.10.3, stream sedimentation and an increase in storm water runoff would be anticipated to adversely impact Ochillee Creek and its tributaries; Lemert Creek and its tributaries; Heriot Creek; Harps Creek and its tributaries; Mill Creek and its tributaries; Twilight Pond; Victory Pond; Upatoi Creek tributaries; and tributaries to Oswichee Creek. Streams that are anticipated to be directly impacted if Harmony Church cantonment area projects are constructed as proposed would also be susceptible to indirect impact in the absence of the mitigation measures discussed in Section 4.10.3.

Table 4.10-2: Potential Water Source Impacts (Harmony Church Cantonment Area)–Alternative A

Project FY	Project Title	Total Potentially Affected Area (in acres)	Potential Direct Impacts to Water Resources	Potential Indirect Impacts to Water Resources	WMUs
2007	Initial Entry Training (IET) Brigade Headquarters Building	1,118	Tributaries to Ochillee Creek; tributary to Lemert Creek; tributary to Heriot Creek; tributary to Harps Creek; Harps Creek; tributaries to Mill Creek; and Mill Creek	Twilight Pond; Victory Pond; Lemert Creek; Ochillee Creek; tributaries to Heriot Creek; tributaries to Lemert Creek; Harps Creek; tributaries to Harps Creek; Mill Creek; tributaries to Mill Creek; tributaries to Upatoi Creek; and tributaries to Oswichee Creek	19, 23, and 5
2007	Trainee Barracks Complex 1				
2008	Maneuver Center Simulation Facility				
2008	Unit Maintenance Activity Facility				
2008	Troop Medical Clinic				
2008	16 th CAV Regt HQ Building Complex (BDE, BN, and COFs)				
2009	Armor Officer Basic Course Headquarters Complex Conversions				
2009	Vehicle Maintenance Instruction Facility				
2009	Centralized Wash Facility with Soaking Capability				
2010	Army Reserve Center				
2010	Equipment Concentration Site				
2011	Recreation Center, Harmony Church				
2011	Physical Fitness Center with Pool				
2012	Battle Command Training Center				
2012	Chapel				
2007-2008	Training Support Brigade Complex				

Table 4.10-2: Potential Water Source Impacts (Harmony Church Cantonment Area)–Alternative A

Project FY	Project Title	Total Potentially Affected Area (in acres)	Potential Direct Impacts to Water Resources	Potential Indirect Impacts to Water Resources	WMUs
	(Phase 1 and 2)				
2008	Trainee Barracks Complex 3				
2011	3 ID BCT (Mechanized) Complex				

Sand Hill Cantonment Area

Within the Sand Hill cantonment area, six projects all located within WMU 5 would potentially directly affect water resources. The western edge of the Trainee Barracks Complex BCT area of potential effect is Steam Mill Creek. The eastern edges of the Maneuver Center Reception Station Barracks and Processing Center Complex abut Opossum Creek. At two locations, infrastructure support (utility corridors) traverses Tiger Creek (along the Fort Benning boundary and in association with the Chapel project). The proposed improvements to transportation infrastructure in the southern portion of this cantonment area would occur at the existing Victory Drive interchange, which is just north of Upatoi Creek. Impacts associated with the implementation of proposed projects in the Sand Hill cantonment area would be similar to those discussed for the Harmony Church cantonment area (Table 4.10-3).

Streams that are anticipated to be directly impacted, if Sand Hill cantonment area projects are constructed as proposed would also be susceptible to indirect impact in the absence of the mitigation measures discussed in Section 4.10.3 of this document. Proposed project construction from 2007 to 2013 is anticipated to disturb approximately 246 acres of land in the Sand Hill cantonment area. Unmitigated water quality impacts would likely include stream sedimentation and an increase in pollutant loading in water resources due to increased storm water runoff and a higher potential for illicit discharges to enter into waterways. Based on the significance threshold, such impacts would be significant.

Table 4.10-3: Potential Water Source Impacts (Sand Hill Cantonment Area)–Alternative A

Project FY	Project Title	Total Potentially Affected Area (in acres)	Potential Direct Impacts to Water Resources	Potential Indirect Impacts to Water Resources	WMUs
2007	Trainee Barracks Complex 2	246	Opossum Creek; Upatoi Creek and its tributaries; Steam Mill Creek; and Tiger Creek	Opossum Creek; Upatoi Creek and its tributaries; Steam Mill Creek; and Tiger Creek and its tributaries	5
2008	Health Clinic Expansion - Winder				
2008	Solomon Dental Clinic Expansion				
2008	Training Aids Center Building Conversions				
2008-2010	Reception Station Barracks and Processing Center				

Table 4.10-3: Potential Water Source Impacts (Sand Hill Cantonment Area)–Alternative A

Project FY	Project Title	Total Potentially Affected Area (in acres)	Potential Direct Impacts to Water Resources	Potential Indirect Impacts to Water Resources	WMUs
2012	Chapel				

Main Post Cantonment Area

The Main Post is located on the banks of a portion of the Chattahoochee that is impaired. Impacts associated with the implementation of the Transformation action in the Main Post cantonment area would be similar to those discussed for the Harmony Church cantonment area. Strict adherence to all Fort Benning NPDES permits and Georgia's stream buffer rules would be required to ensure no significant impacts and that no additional stream impairment from sedimentation and fecal coliform occurs within the Chattahoochee River.

Proposed project construction from 2007 to 2013 is anticipated to disturb approximately 562 acres of land (Table 4.10-4) in the Main Post. In the absence of BMPs and adherence to environmental mitigation measures as discussed in Section 4.10.3, stream sedimentation and an increase in storm water runoff would be anticipated to adversely impact tributary to Chattahoochee River; a tributary to Hamlet Creek; Laundry Creek and its tributaries; Upatoi Creek and its tributaries; Armory Creek; and Gilbert Creek. Streams that are anticipated to be directly impacted if Main Post cantonment area projects are constructed as proposed also would be susceptible to indirect impact in the absence of the mitigation measures discussed in Section 4.10.3

Table 4.10-4: Potential Water Source Impacts (Main Post Cantonment Area)–Alternative A

Project FY	Project Title	Total Potentially Affected Area (in acres)	Potential Direct Impacts to Water Resources	Potential Indirect Impacts to Water Resources	WMUs
2007	Child Development Center 6-10 Years	562	Upatoi Creek and its tributaries; tributary to Hamlet Creek; Laundry Creek; and Gilbert Creek	Tributary to Chattahoochee River; tributary to Hamlet Creek; Laundry Creek and its tributaries; Upatoi Creek and its tributaries, Armory Creek; and Gilbert Creek	5 and 24
2008-2010	Maneuver Center Renovations, Bld. 4				
2009	Museum Operations Support Buildings				
2009	CIDC Group/BDE Headquarters Building				
2009	Consolidated Troop Medical Clinic				
2010	Maneuver Center Headquarters Building Expansion and CDI				
2012	Headquarters Complex, 14th Combat Support				

Table 4.10-4: Potential Water Source Impacts (Main Post Cantonment Area)–Alternative A

Project FY	Project Title	Total Potentially Affected Area (in acres)	Potential Direct Impacts to Water Resources	Potential Indirect Impacts to Water Resources	WMUs
	Hospital				
2009-2010	Hospital Replacement				
2008	Special Operations Forces (SOF) Special Troops Battalion HQ Building				
2008	SOF Ranger HQ Addition				
2008	SOF Vehicle Maintenance Shop				
2011	SOF Ranger Support Company HQ				
2013	Child Development Center Under 6 Years				
2011	Barracks Complex				

Kelley Hill Cantonment Area

Within the Kelley Hill cantonment area, two projects located within WMUs 5 and 24 would potentially affect water resources (Table 4.10-5). The Direct Support/General Support Vehicle Maintenance Facility and the General Instruction Building Complex both have the potential to directly impact tributaries to McMurrin Branch, Daugherty Creek, Hamlet Creek, and Heriot Creek.

Impacts associated with the implementation of proposed projects in the Kelley Hill cantonment area would be similar to those discussed for the Harmony Church cantonment area.

Streams that are anticipated to be directly impacted if Kelley Hill cantonment area projects are constructed as proposed also would be susceptible to indirect impact in the absence of mitigation measures as discussed in Section 4.10.3 of this document. Proposed project construction from 2007 to 2013 is anticipated to disturb over 85 acres of land in the Kelley Hill cantonment area. Unmitigated water quality impacts would likely include stream sedimentation and an increase in pollutant loading in water resources due to increased storm water runoff and a higher potential for illicit discharges to enter into waterways. Based on the significance threshold, such impacts would be significant.

Table 4.10-5: Potential Water Source Impacts (Kelley Hill Cantonment Area)–Alternative A

Project FY	Project Title	Total Potentially Affected Area (in acres)	Potential Direct Impacts to Water Resources	Potential Indirect Impacts to Water Resources	WMUs
2012	DS/GS Vehicle Maintenance Facility	85	Tributary of McMurrin Branch; tributary of Daugherty Creek; Wortley Creek and its tributaries; and tributary of Heriot Creek	Twilight Pond; tributary of McMurrin Branch; tributary of Daugherty Creek; Wortley Creek and its tributaries; tributary of Hamlet Creek; and tributary of Heriot Creek	5 and 24
2008-2010	General Instruction Building Complex (includes Student Dining Facility and Main Post Quarter, UPH Billeting Space to Transient UPH Advanced Skills Training, Infantry Officer Basic Course Headquarters Conversions)				

Ranges North of U.S. Highway 27/280

There are numerous range facilities proposed near the northwestern edge of the Installation within WMUs 3 and 4. The Oscar Range Complex would include two 20-acre Fire and Movement Ranges; one 43-acre and four 24-acre Fire and Movement Ranges; and five 1-acre Rifle/Machinegun Zero Ranges (Table 4.10-6). The heavy use impact area (or area that was modeled to best represent the area in which the greatest amount of operation impacts and maintenance activities associated with range operations would occur) associated with many of these ranges overlaps. Water resources in the vicinity of the proposed Oscar Range Complex range facilities include Dozier Creek, Randall Creek, and their tributaries. Soils found within the boundaries of the Oscar Range Complex consist largely of loamy sand and sand loam and are highly susceptible to erosion once disturbed. In the absence of mitigation as specified in Section 4.10.3 of this document, direct impact to Dozier Creek and Randall Creek associated with proposed construction and operation activities would result in notable increases in stream sedimentation and storm water runoff.

The design process for those ranges proposed for FY 2007 has begun and, as a result, a more detailed analysis of potential impacts to water resources from these projects can be provided. Construction of the Fire and Movement Range 1 and the Modified Record Fire Range 2 would require the construction of four (two for each site) temporary sedimentation basins to meet state sediment and erosion control criteria. There are no “waters of the state” within 200 ft of the Modified Record Fire Range, with the exception of an unnamed ditch crossing the entry road (USACE 2006a). The entry road would be crossed at a 90-degree angle with disturbance of 100 lf of ditch line. The proposed roadway is exempt from

Georgia's SBV. The only "waters of the state" within 200 ft of the Fire and Movement Range are wetlands which are tributary to Dozier Creek located to the east of the wetlands.

The Rail Car Storage and Tracks for deployment is located within the WMU 19. Implementation of this proposed project is anticipated to abut portions of Ochillee Creek. Soils found within the boundaries of the Rail Car Storage and Tracks consist largely of sand loam and sand, making it highly susceptible to erosion once disturbed. In the absence of site design and mitigation as specified in Section 4.10.3, direct impact to Ochillee Creek would result in notable increases in stream sedimentation and storm water runoff.

The northeastern most portion of the proposed Multipurpose Machine Gun Range has the potential to directly impact Dozier Creek and to indirectly impact water quality within both Dozier Creek and Randall Creek. The Multipurpose Machine Gun Range is being proposed as a 238-acre facility. Soils found within the boundaries of the Multipurpose Machine Gun Range consist largely of loamy sand and sand loam and are highly susceptible to erosion once disturbed. In the absence of site design and operation mitigation as specified in Section 4.10.3, direct impact to Dozier Creek and Randall Creek would result in notable increases in stream sedimentation and storm water runoff.

The eastern edge of two stationary tank/fighting vehicle gunnery ranges, which are planned at 740-acres each plus an associated beaten area, are anticipated to encroach upon Upatoi Creek and its stream buffer. The northern stationary tank/fighting vehicle gunnery range (ST1), which occurs within WMUs 3 and 10, is an FY 2007 project for which design has begun. Current design for this range indicates that water resource impacts would be avoided. The southern stationary tank/fighting vehicle gunnery range (ST2) occurs within WMUs 3, 8, and 10 is an FY 2009 project. Impacts to water resources that would result from the construction and ongoing operation of these ranges include notable increases in sediment loading into Upatoi Creek, its tributaries, and other downstream water resources. Soils found within the boundaries of the stationary tank/fighting vehicle gunnery ranges consist largely of loamy sand and sand loam and are highly acceptable to erosion once disturbed. In the absence of water quality mitigation (Section 4.10.3), direct impact to Upatoi Creek would result in increases in stream sedimentation and storm water runoff.

The portion of the CACTF Phase 2 project potentially impacting water resources is located at the end of the westernmost branch of the Heavy Maneuver Corridor - South in the northern ranges. The proposed site for this portion of the CACTF Phase 2 is near a tributary to Ochillee Creek. In the absence of site design and operation mitigation as specified in Section 4.10.3, direct impacts to a tributary to Ochillee Creek would result in increases in stream sedimentation and storm water runoff.

In addition to these range facilities, the development and use of the Heavy Maneuver Area – North to support heavy maneuver training for the Armor School would result in impacts to water resources if not properly mitigated. Disturbance of soils caused primarily by the use of heavy machinery and tanks would increase the likelihood of that sedimentation and pollutants would enter water resources by way of storm water runoff. Potential impacts to water resources are of greater concern in the Heavy Maneuver Area –

North, given the adjacency to Randall Creek. This maneuver area is located in WMUs 4 and 6. The estimated heavy/repeated impact within this maneuver corridor is depicted in Figure 3.2-7. Low-water stream crossings would be established at tank trails; there would not be free maneuver training along stream banks. A relatively large area is identified for heavy/repeated free maneuver training in the southeastern corner of the maneuver corridor adjacent to Randall Creek. Specific requirements would need to be followed for any SBV during the implementation of this project.

Tributaries just to the northwest of this maneuver area empty into Bull Creek (located to the west of the Installation boundary), which is designated by GEPD as “biota impacted” due to increased sedimentation loads from non-point sources. Given drainage patterns (to the interior locations of this maneuver area and to Randall Creek) and mitigation described in Section 4.10.3, establishment and ongoing use of the Heavy Maneuver Area – North would not be expected to affect Bull Creek, its impaired status, or TMDLs.

There are fewer water resources that would potentially be impacted as a result of establishment and ongoing operation and maintenance of the Heavy Maneuver Corridor - South area. As with the Heavy Maneuver Area – North, stream banks would not be used for heavy maneuver (see Figure 2.3-7). The estimated 2,734 acres of heavy/repeated impact within this maneuver corridor would occur within WMUs 9, 11, 12, 14, 16, 17, 18, and 19. The easternmost branch of the Heavy Maneuver Corridor - South would cross Little Pine Knot Creek. The westernmost branch of the maneuver corridor includes crossings for Bonham Creek and tributaries of Ochillee Creek. The area of free maneuver would be to the north and south of these stream crossings; the existing trail would be reinforced/upgraded including hardening at the stream crossing to minimize potential impacts to water resources, both at the stream crossing and at down-gradient waters. The down-gradient portion of Little Pine Knot Creek is listed as partially supporting fishing uses; it is considered ‘biota impacted’ caused by sediment non-point/unknown sources. Prevention of further impairment of Little Pine Knot Creek may require the development of state-generated TMDL plans prior to and after project implementation. The southern portion of the Heavy Maneuver Corridor - South area and the bottom finger (of the 3-fingered corridor) along Hourglass Road proceeding in a westward direction consists of loamy sand and sandy loam soils making these areas susceptible to erosion once disturbed. In the absence of water quality mitigation, direct impact to Little Pine Knot Creek, Bonham Creek, and tributaries of Ochillee Creek would result in increases in stream sedimentation and storm water runoff.

The acreage that would be impacted by the development of the Drivers Training Area (to include the Basic and Advanced Drivers Training Courses, Vehicle Recovery, and Off-Road Drivers Training) in the absence of mitigation measures includes tributaries to the Upatoi Creek. Potential impacts to these water resources would be minimized in the ultimate layout of the roads and obstacles that would comprise this course. Soils found within the boundaries of the Drivers Training Area consist largely of loamy sand, sand loam, and loamy course sand and are highly susceptible to erosion once disturbed. In the absence of water quality mitigation, direct impact to tributaries of Upatoi Creek would result in increases in stream sedimentation and storm water runoff.

Table 4.10-6: Potential Water Source Impacts (Ranges North of U.S. Highway 27/280)–Alternative A

Project FY	Project Title	Total Potentially Affected Area (in acres)	Potential Direct Impacts to Water Resources	Potential Indirect Impacts to Water Resources	WMUs
2007	Fire and Movement Range-FM1	8,282	Ochillee Creek; tributaries to Randall Creek; Randall Creek; tributaries to Upatoi Creek; tributaries to Ochillee Creek; Dozier Creek; Halloca Creek; Sally Branch; Bonham Creek; Clear Creek; Little Pine Knot Creek; and tributaries to Bull Creek	Ochillee Creek; tributaries to Randall Creek; Randall Creek; tributaries to Upatoi Creek; tributaries to Ochillee Creek; Dozier Creek; Hedley Creek; tributaries to Cox Creek; Wolf Creek and its tributaries; and tributaries to Bull Creek	19, 8, 23, 9, 11, 12, 14, 16, 17, 18, 3, 10, and 4
2007	Modified Record Fire Range-MRF2				
2008	Modified Record Fire Range-MRF4				
2008	Modified Record Fire Range-MRF6				
2008	Modified Record Fire Range-MRF3				
2008	Combat Pistol Qualification Complex				
2008	Rifle/Machinegun Zero Range-Z1				
2008	Rifle/Machinegun Zero Range-Z2				
2008	Rifle/Machine Gun Zero Range-Z4				
2009	Heavy Maneuver Corridor – South				
2009	Basic and Advanced Drivers Training Course, Off-Road Drivers Training, and Vehicle Recovery Area				
2009	Heavy Maneuver Area – North				
2011	Multi-Purpose Machine Gun Range-MPMG3				
2009	Modified Record Fire Range-MRF5				
2009	Rifle/Machine Gun Zero Range-Z5				
2009	Combined Arms Collective Training Facility, Phase II (CACTF)				
2009	Rifle/Machinegun Zero Range-Z3				
2010	Fire and Movement Range-FM3				
2007	Tank/Fighting Vehicle Stationary Gunnery Range-ST1				
2010	Repair Existing Training Area Roads, Paved				

Table 4.10-6: Potential Water Source Impacts (Ranges North of U.S. Highway 27/280)–Alternative A

Project FY	Project Title	Total Potentially Affected Area (in acres)	Potential Direct Impacts to Water Resources	Potential Indirect Impacts to Water Resources	WMUs
2012	Rail Car Storage and Tracks				

Ranges South of U.S. Highway 27/280

The establishment and ongoing operation and maintenance of the Qualification Training Range in the southern ranges and associated heavy use impact area has the potential to impact tributaries to Chattahoochee River. The portion of the Chattahoochee River down gradient from potentially impacted waters does not support fishing due to TMDL impairment from fecal coliform and urban runoff. Although direct impacts to water resources would be minimized in the design phase for these facilities, impacts to water resources would be expected as a result of vegetation clearing of these range areas, establishment of range facilities, and ongoing impacts from range maintenance and use. With respect to impaired streams, the proposed project may result in increased management practices to ensure that TMDLs for sedimentation are not affected by the proposed Transformation actions. In the event that sediment levels entering streams exceed regulatory limits, additional watershed management measures that are consistent with the Chattahoochee River Basin Plan would be implemented which may include the development of state-generated TMDL plans (Table 4.10-7).

Table 4.10-7: Potential Water Source Impacts (Ranges South of U.S. Highway 27/280)–Alternative A

Project FY	Project Title	Total Potentially Affected Area (in acres)	Potential Direct Impacts to Water Resources	Potential Indirect Impacts to Water Resources	WMUs
2011	Qualification Training Range-QTR	448	Tributaries to Chattahoochee River; tributary to Red Mill Creek; and tributaries to Oswichee Creek	Tributaries to Chattahoochee River; tributary to Red Mill Creek; and tributaries to Oswichee Creek	22

Low Water Crossings

An estimated 20 new water crossings would be established along the proposed range roads associated with the implementation of Alternative A (see Table 4.10-8). These would include concrete-reinforced tank trail beds established to harden trail paths through water, thus minimizing water quality impacts. Construction of the concrete reinforced tank trails would require diversion of streams during the construction phase. Stream diversion BMPs would be followed during this process (these include side slopes no steeper than 2:1, drainage area not to exceed 1-square mile, as detailed in Section 4.10.3). Up to 35 miles of new tank trails would be constructed. The area potentially affected by the establishment of new tank trails is estimated at approximately 500 acres.

Table 4.10-8: Low Water Crossings Proposed with Alternative A

Project Title	Number of Low Water Crossings	Water Bodies Crossed
Northern and Eastern Perimeter Tank Trail	12	Dozier Creek; unnamed tributary of Dozier Creek; Randall Creek; Cox Creek; Kendall Creek; Tar River; Upatoi Creek; Kings Mill Creek; Pine Knot Creek; unnamed tributary of Upatoi Creek; and Little Pine Knot Creek
Heavy Maneuver Corridor - South	1	Sally Branch and Hallaca Creek
Existing Tank Trails (not proposed for road construction or upgrade)	4	Ochillee Creek, Upatoi Creek, and Pine Knot Creek
Heavy Maneuver Area - North	3	Unnamed tributaries of Randall Creek

In summary, significant impacts may occur during construction but would be mitigated if the proper measures are undertaken as described in Section 4.10.3. No significant impacts are anticipated for operations and maintenance if all applicable management plans are developed; federal, state, and Installation regulations are met; and all necessary permits are obtained and implemented.

4.10.2.3 Transformation Alternative B (Preferred Alternative)

This section addresses how the potential impacts of Alternative B would differ from those of Alternative A. Refer to Figure 4.10-3 and Table 4.10-9 depicting the Transformation alternatives in context of water resources for Alternative B. As with Alternative A, no projects are proposed within 100 ft of the state-designated Chattahoochee River corridor.

Although implementation of Alternative B has the potential to disturb a greater amount of land during construction (19,012 acres) as compared to Alternative A (10,741 acres), it is anticipated to result in fewer long-term impacts to waterways within the Installation due to the reduced amount of heavy maneuvering that would occur on highly erosive soils in the Heavy Maneuver Area – North.

Under Alternative B, the Heavy Maneuver Area – North would be used for both light and heavy maneuver training for any Fort Benning units, not just the Armor School. The Heavy Maneuver Area – North would be used to support some of the light maneuver training displaced by re-designating the Good Hope Maneuver Area and existing training. No vegetation clearing would occur in the Heavy Maneuver Area - North. The existing infrastructure would remain unchanged and no low-water crossings would be erected. The effects to Randall Creek and its tributaries in this area would remain unchanged.

The Good Hope Maneuver Area is proposed as a part of Alternative B to support heavy maneuver training for the Armor School. The reinforcement or upgrading of the existing transportation system and use of this area to support heavy maneuvering would potentially impact water resources, specifically Ochillee Creek and its tributaries, Cany Creek, Stevens Branch, and Hitchitee Creek.

Table 4.10-9: Potential Water Source Impacts (Good Hope Maneuver Area)–Alternative B

Project FY	Project Title	Total Potentially Affected Area (in acres)	Potential Direct Impacts to Water Resources	Potential Indirect Impacts to Water Resources	WMUs
2011	Good Hope Maneuver Area	16.11	Oswichee Creek and its tributaries; Cany Creek; Stevens Branch; Hitchitee Creek; Hewell Creek; Little Hitchitee Creek; Shell Creek; and Sand Creek	Oswichee Creek and its tributaries; Cany Creek; Stevens Branch; Hitchitee Creek; Hewell Creek; Little Hitchitee Creek; Shell Creek; Smith Branch; Cooks Branch and Sand Creek	20,25

As with action Alternative A, the greatest potential for effect to water resources from heavy maneuver training is increased sedimentation. When considering the overall impact to water quality, these impacts are not anticipated to be as great in the long term as what can be expected to occur under Alternative A in the Heavy Maneuver Area - North. This is because soils found within the boundaries of the Good Hope Maneuver Area are primarily sandy clay loam and are not as susceptible to erosion as soils found within the Heavy Maneuver Area - North. However, the segment of Hitchitee Creek located south of the Installation boundary adjacent to the proposed Good Hope Maneuver Area, is listed as “water quality limited” (i.e. State of GA 305(b)/303(d) listed) or impaired due to sedimentation. This segment of Hitchitee Creek is listed as partially supporting the designated use of fishing. Prevention of further impairment of Hitchitee Creek and its tributaries may require the development of existing and future state TMDL plans for the establishment and ongoing use and maintenance of the Good Hope Maneuver Area.

The Heavy Maneuver Corridor – South as delineated in Transformation Alternative A would be reconfigured to exclude the use of the bottom finger from Hourglass Road and west to the CACTF. Vehicles and tanks would use existing roads to transit from CACTF to the maneuver corridor east of Hourglass Road. Cleared areas already identified in corridors east of Hourglass Road would still occur, there would be none west of Hourglass Road. The effect to Ochillee tributaries, Clear Creek, Upatoi Creek tributaries, and Bonham Creek would be less than those anticipated for Alternative A. “Cleared” areas refer to those areas where vegetation and existing structures are removed to prepare a site for new construction or provide necessary line-of-site clearances for training areas.

Implementation of Alternative B would require the establishment of an estimated 24 low water crossings along existing or proposed tank trails. This is four more low water crossings than proposed under Alternative A (Table 4.10-10).

Table 4.10-10: Low Water Crossings Proposed with Alternative B

Project Title	Number of Low Water Crossings	Water Bodies Crossed
Northern and Eastern Perimeter Tank Trail	12	Dozier Creek; Unnamed tributary of Dozier Creek; Randall Creek; Cox Creek; Kendall Creek; Tar River; Upatoi Creek; Kings Mill Creek, Pine Knot Creek; unnamed tributary of Upatoi Creek; and Little Pine Knot Creek
Southern Maneuver Corridor	1	Sally Branch and Hallaca Creek
Existing Tank Trails (not proposed for road construction or upgrade)	4	Ochillee Creek, Upatoi Creek, and Pine Knot Creek
Good Hope Maneuver Area Tank Trail	1	Mill Creek
Good Hope Maneuver Area	6	Cany Creek, unnamed tributary of Oswichee Creek, and Hewell Creek

The water crossings in the Heavy Maneuver Area – North (potentially affecting various tributaries to Randall Creek) would not be established, but low water crossings in the Good Hope Maneuver Area and along the tank trail accessing the Good Hope Maneuver Area would be required potentially impacting Cany Creek, an unnamed tributary of Oswichee Creek, and Hewell Creek.

The area designated in Alternative A as Basic and Advanced Drivers Training Course and Vehicle Recovery Area would be utilized as an Off-Road Drivers Training Area under Alternative B. The effects to Randall Creek would be less than those anticipated for Alternative A due to a decrease in the total area of heavy and repeated impact to soil in the vicinity of the creek.

Projects in the vicinity of the Harmony Church cantonment area under Alternative B would potentially impact tributaries to Ochillee Creek to a greater extent than under Alternative A due to an increase in construction and operation related activities as well as an increase in impervious surfaces. These projects include the establishment of the Vehicle Recovery Area and Basic and Advanced Drivers Training Course as proposed under this alternative.

In summary, minor impacts may occur during construction but would be mitigated if the proper measures are undertaken as described in Section 4.10.3. No significant impacts are anticipated for operations and maintenance if all applicable management plans are developed; federal, state, and Installation regulations are met; and all necessary permits are obtained and implemented.

4.10.3 Mitigation Measures

Mitigation measures for water resources that would be applied for either alternative are identified for the planning and design phase, construction phase, and operation and maintenance phases below. In addition to the low-water crossings and stream-buffer BMPs, implementation of these mitigation measures would minimize adverse impacts to water resources. Failure to comply with these mitigation measures could result in significant impacts during construction as well as during military operations due to increased soil erosion and sedimentation.

Mitigation through Planning and Design and Construction Phase Mitigation

Many of the potential impacts to water resources can be minimized or avoided in the planning, design, and associated permitting processes for proposed projects.

Implementation of proposed projects having the potential to disturb 1 acre or more of land would require coverage under GDNR NPDES Permit GAR 100001, 100002, or 100003. An ESPCP would be developed prior to construction activities as required by the NPDES permit. The ESPCP must be prepared/designed and signed by a design professional with a GA NPDES Level II Training. Personnel qualified through GA NPDES Level 1A training are required to be on site during construction activities.

During the construction phase, an NOI for construction-related storm water discharge must be obtained from the GEPD for those construction activities including infrastructure/linear projects covered under GDNR NPDES General Permits 100001, 100002, and 100003. Operators and contractors must follow and implement all requirements identified in the NPDES permit including the ESPCP during the construction phase. Contractors and operators are required to ensure that permanent or temporary stabilization of previously disturbed soils in place within 14 days of project completion. If the contractor or operator returns to the construction site within the initial 14 days to conduct some additional land disturbing activities, the timeframe in which stabilization is required may be extended by 7 days.

Implementation and operation of the proposed project would require compliance with NPDES MS4 Permit conditions and associated SWMP including the monitoring of activities conducted within the Installation boundary. NPDES MS4 and the SWMP help to ensure that illicit discharges are prohibited and that pollutants entering into waterways from construction and maintenance facilities are prevented, reduced, or minimized. SPCC requirements must be adhered to during construction activities as well as during operations of the newly constructed facilities. Proper design of the facilities under SPCC (40 CFR 112) would help to make certain that no illicit discharges from the facility would adversely impact the surface and/or ground water. Failure to comply with the NPDES MS4 permit conditions and SPCC requirements would result in a greater probability of illicit discharges entering into waterway from construction sites. Some of the support facilities with latrines and their associated septic systems and drainage fields may result in the indirect deposition of pollutants (biota) into the groundwater and possibly even the adjacent streams if the latrines are not operating properly. The NPDES construction permit and NPDES MS4 permit would be used to mitigate water resource impacts.

As part of the NPDES permit, Fort Benning would update its existing SWMP to include projects in the planning stages of construction and operation. As the site specific ESPCP for each project is being developed, BMPs designated to minimize pollution through source control including rock check dams, rock channels, sediment basins, diversions, and the placement of silt fence and erosion control practices must be considered. The ESPCP is modified in instances of notable change in site design, construction, or maintenance operations. BMPs that may be identified in the NPDES permit include good housekeeping measures to control soil erosion, reduce the amount of runoff, and to prevent or minimize stormwater pollution. These typically include measures such as installation of double row type C silt

fencing prior to any land disturbing activities and dust control measurements, off-site vehicle tracking control, proper waste disposal at the site, and site sanitation to be implemented during land disturbance and/or construction activities. The contractor and/or proponent are responsible for the cleanup of any hazardous material/waste or chemical spills. BMPs for land disturbing and or construction activities, including road improvements must:

- be designed in accordance to the Manual for Erosion and Sediment Control in Georgia;
- protect all storm water drainages near the work area that would be affected from runoff during storm events;
- comply with SPCC requirements as outlined in AR 200-1 when handling hazardous materials/waste within a construction site;
- prevent discharges of wastewater into storm drains; and
- collect wastewaters for proper disposal, and/or coordinate with CWW to ensure operations would not affect plant operators if wastewaters were discharged into sewer lines.

An application to GEPD for SBV is required to conduct land disturbing activities within state mandated 25-ft stream buffers in accordance with the Erosion and Sedimentation Act of 1975. This requirement includes projects that involve the construction or repair of a structure which by its nature must be located within the buffer; or recreational foot trails and viewing areas. Within 60-days of receipt of a completed SBV application, GEPD will either provide written comments to the applicant or propose to issue a variance with approved mitigation.

Applicable management practices that may be used to help reduce and/or maintain the average annual sediment loads include:

- compliance with the requirements of the Georgia NPDES permit program;
- implementation of Georgia Forestry Commission BMPs for forestry;
- NRCS Conservation Practices;
- adoption of proper unpaved road maintenance practices;
- implementation of ESCPs for land disturbing activities; and
- mitigation and prevention of stream bank erosion due to increased stream flow velocities caused by urban runoff (GEPD 2003a and Fort Benning 2004).

Management practices recommended by GDNR, and followed by Fort Benning, to reduce and/or maintain the average annual fecal coliform is similar to those for sediment loads and include:

- compliance with NPDES permit limits and requirements;
- adoption of NRCS Conservation Practices; and
- application of BMPs appropriate to agricultural or urban land uses, whichever applies (GEPD 2003b).

It is likely that project-specific Section 404 permits would be required for implementation of some of the Transformation projects. The project-specific mitigation measures to reduce or minimize any impacts in

water resources and protect waterways would be specified by the USACE as conditions of permit approval. A violation of the Section 404 permit would occur if mitigation measures mandated in the permit are not fulfilled.

Specific requirements would need to be followed if there are any stream buffer variances. Field verification of “state waters” would be required during the design phase of all proposed Transformation projects. Any proposed land disturbing activity within a 25-ft buffer of a “state stream” would require a GEPD SBV. Application for a SBV must include an approved ESPCP. Restrictions on the encroachment of riparian stream buffer apply to project construction and operation activities, as well as for timber removal within the 25-ft buffer.

Management of storm water at industrial facilities includes the implementation of Permit GAR 000000 requirements for industrial facilities and the development and utilization of the SWP3. Surface water resources are subject to contamination from oil spills, pesticide residue, and untreated sewage bypasses. These potential contamination sources are controlled and minimized; however, by implementation of the ISPC and SWP3 (General Permit No. 000000), by sewage bypass reduction efforts, and by the related NPDES permit requirements to prevent sewage bypasses. Installation requirements to comply with the provisions of the Clean Water Act and state regulations to storm water prevention are stipulated in AR 200-1. The SWP3 provides protection for the water sources of Fort Benning by monitoring storm water discharge and implementing BMPs (Fort Benning 2001).

Fort Benning’s SPCC Plan applies to new or redesigned facilities such as vehicle maintenance facilities, facilities used to store hazardous materials in containers larger than 55 gallons, and/or the use of underground storage tanks, and/or above ground storage tanks. All maintenance and chemical storage areas would require proper design to ensure that no illicit discharges from the facilities would come in contact with surface and/or ground waters. All new storage areas for hazardous materials, chemicals, or wastes should be designed to allow for secure product storage and to provide secondary containment as per AR-200-1 and 40 CFR 112. This would also meet CWW Ordinance No. 83-101 as well as future Fort Benning NPDES MS4 SWMP requirements.

Management of storm water at the Installation level would be accomplished by implementing Fort Benning’s NPDES MS4 permit for military Installations and the SWMP. Construction site run off and post-construction storm water management are MCM required under the MS4 permit (Draft GAGXXXXXX). Installation units would be required to follow MCM under MS4 for all storage areas within industrial areas, living quarters, parking areas, and other day-to-day operations. Under the Phase II NPDES MS4 requirements, activities constructed within the Installation boundary would be monitored to help ensure illicit discharges are prohibited and that pollutants from small construction or maintenance activities are prevented, reduced, and/or minimized to meet Fort Benning standards as per the SWMP. Good housekeeping measures for regular maintenance activities for municipal operation are also addressed by the SWMP. These would prevent and minimize water quality impacts within the Installation and meet NPDES requirements. Fort Benning has been regulated under GDNR NPDES MS4 Phase II since August 2003; however, this permit still has not been finalized by GEPD. Basic

requirements are being implemented at the Installation level as part of the basic AR 200-1 requirements. Adherence to NPDES requirements ensures that all wastewater from dining/kitchen/bathrooms/shower facilities and other operation requiring potable water are connected to the sanitary sewer system, not the storm water sewer system. Coordination with CWW is required for Sanitary Sewer and Sewage Disposal Ordinance requirements, particularly to meet Ordinance No. 83-101 Section 7 for management of fat, oils, and grease. Good management practices and maintenance of grease/oil collection sumps are to be implemented at all times to prevent or minimize sanitary sewer overflow to meet Fort Benning requirements.

For projects that are not covered under the NPDES GAR 100001, GAR 100002, or GAR 100003, due to less than 1 acre being disturbed, Fort Benning uses a basic ESPCP similar to the one required under GAR 100001 Part IV. Projects that are not subject to NPDES permit would not be covered under a state permit but preparation and implementation of such a plan should protect all water resources from sediment and other pollution.

Areas where drainage is anticipated to be a problem should be identified during the planning stages of a proposed project. Projects proposed in areas identified as having the potential for drainage issues may require additional requirements during and after maintenance or construction activities to manage storm water runoff outside of the actual project boundary; to include measurements to prevent and minimize water quality impacts after construction ends. These may include but are not limited to: evaluation and design of new and existing drainage systems to ensure proper capacity, LID considerations, storm water runoff watershed protection, and TMDL plans done by the state.

Operation and Maintenance Phase Mitigation

Surface water resources continue to be subject to contamination from soil sedimentation, oil spills, pesticide residue, and untreated sewage bypasses. These potential pollution sources are controlled and minimized by implementation of SPCC, ISCP, and SWP3 (General Permit No. 000000) for industrial facilities, ESPCP and SWMP, NPDES MS4, by sewage bypass reduction efforts, and by the related NPDES permit requirements to prevent sewage bypasses under the CWW NPDES permit for their WWTP and pretreatment facilities. The SWP3 provides protection for the water sources within the Installation by monitoring storm water discharges and implementing BMPs including inspection of the facilities and maintenance vehicles, awareness of potential circumstances for spills, and selection of smart storage locations. In addition, Fort Benning EMD and/or Range Division personnel will monitor ranges, training areas, and tank trails to determine any needs for erosion control and/or revegetation to maintain and sustain the training areas.

4.11 GEOLOGY AND SOILS

4.11.1 Affected Environment

The affected environment for geology and soils analyses includes Fort Benning and lands adjacent to the Installation that could be directly and/or indirectly impacted by soil erosion and sedimentation.

Geologic and Topographic Conditions. Most of Fort Benning is located south of the Fall Line, which is defined by the overlap of Coastal Plain strata on top of Piedmont rocks. There is; however, a small area of the Piedmont Province located in the northeastern part of the Installation. Along the Fall Line Sandhills, crystalline rocks of the Piedmont are overlain by marine or fluvial sediments, resulting in varied topography. The sedimentary sequences of the Coastal Plain that overlie the crystalline basement rocks at Fort Benning consist of materials deposited during the Cretaceous, Tertiary, and Quaternary Periods. The Cretaceous Period sediments form the uplands and consist of the five following geologic formations (Fort Benning 2001). Table 4.11-1 below provides a general description of each of these formations.

The topography across the Installation is variable, with generally flat areas along the Chattahoochee River and steeper upland slopes farther inland. Elevations on Fort Benning range from about 170 to 750 ft above mean sea level (Fort Benning 2001).

Table 4.11-1: Geologic Formation Descriptions

Geologic Formation	General Description
Ripley Formation	Fine to very fine, calcareous quartz sand, massive burrowed to bioturbated, greenish-gray, weathers to dusky yellow, contains abundant muscovite, glauconite, and locally abundant carbonaceous debris; local clean quartz sand lenses. Ledge-forming, carbonate-cemented sand beds and calcareous concretions are common in upper part of unit. Thickness ranges from 133 to 250 ft. The Ripley Formation is found only along the southeastern boundary of Fort Benning. This area is also where the highest elevations on the Installation are found.
Cusseta Sand	Medium to coarse quartz sand, pale yellow to light olive gray, thinly bedded to laminated clay, medium olive-gray to brownish-black, and micaceous fine sand, light olive-gray. Formation thickness ranges from 150 to 233 ft.
Blufftown Formation	Fine sand to sandy clay, calcareous, glauconitic, and micaceous, light brownish-gray to olive-gray, interfingers with medium to coarse sand, quartzose, pale yellow. Locally abundant carbonaceous debris, shell beds, and calcareous concretions. Formation thickness ranges from 200 to 433 ft.
Eutaw Formation	Fine to very coarse sand, very pale orange to yellow, and clay, brownish -gray. Thickness of the unit ranges from 100 to 280 ft.
Tuscaloosa Formation	Fine to very coarse sand, pale yellowish-green to pale orange, crossbedded, quartzose and containing abundant potassium feldspar, interbedded with massive sandy clay, pale olive to reddish-brown, locally mottled. Gravelly and poorly bedded deposits at base difficult to distinguish from residuum on underlying crystalline rocks. Thickness ranges from 165 to 500 ft.

Source: Fort Benning 2001

Soils. Soils found within Fort Benning are highly weathered Ultisols, mostly of Coastal Plain origin but with some minor inclusion of alluviums derived from the Piedmont ecological unit, which occur in the

northeastern portions of the Installation (Garten and Ashwood 2004). Ultisols are strongly leached, acid forest soils with relatively low native fertility. They are found primarily in humid temperate and tropical areas of the world, typically on older, stable landscapes. Ultisols have a subsurface horizon in which clays have accumulated, often with strong yellowish or reddish colors resulting from the presence of ferric oxides (USDA 1999). The upland Piedmont soils in this region are typically highly eroded and often only subsoil remains (Fort Benning 2001).

Within the Installation, soils have been categorized into six soil associations. A soil association is a group of related soil series that generally occur in a characteristic pattern of landscapes that have identifiable topographic features, slopes, and parent materials. Soil series is a group of soils that have profiles that are almost alike, except for differences in texture of the surface layer or of the underlying material. All the soils of a series have horizons that are similar in composition, thickness, and arrangement. The major soil associations found within the installation include the Nankin, Orangeburg-Norfolk-Ailey, Riverview-Chewacla-Chastain, Vacluse-Lakeland, Vacluse-Orangeburg-Lakeland-Ailey, and Wagram-Troup-Norfolk-Lakeland (Fort Benning 2001).

The northeastern two thirds of Fort Benning and consists largely of light-textured soils on a dissected upper Coastal Plain landscape. Sand hills soils are also found in the southeastern portion of the Installation. Upland soils in the sand hills are loamy sands and sands, and on Fort Benning are found on the Tuscaloosa, Eutaw, and Cusseta geologies. Prominent upland soil series are the Ailey loamy coarse sand, Troup loamy fine sand, and Vacluse sandy loam on the hilltops and Troup, Vacluse, and Pelion loamy sand on side slopes (Table 4.11-2). All of these soils have sandy surface horizons and loamy subsoils and are highly permeable, droughty, and low in organic matter (Fort Benning 2001).

Soils of the southwestern third of Fort Benning consist of Thermic Udic Hapludults and are heavier textured and more mesic than soils of the southeastern portion of the Installation. They generally have higher water holding capacity and higher organic matter content. Predominant series include Cowarts loamy sand and Nankin sandy clay loam (Table 4.11-2) (Fort Benning 2001).

Based on the available soil survey data, most of Fort Benning's soils are identified as being highly erodible. The degree of erodibility soils exhibit is determined by physical factors such as drainage, permeability, texture, structure, and percent slope (Fort Benning 2001). The rate of erodibility is based on the amount of vegetative cover, climate, precipitation, proximity to waterbodies, and land use. At Fort Benning, disruptive land uses (i.e., training exercises) are a primary cause of accelerated erosion, which is evident throughout the Installation. Disruptive activities accelerate the natural erosion process by exposing these highly erodible soils to precipitation and surface runoff.

Table 4.11-2: Soil Series Descriptions

Soil Series	General Characteristics
Ailey	The Ailey series consists of soils that are deep or very deep to a dense layer. These well drained, slowly permeable soils formed in sandy and loamy marine sediments on uplands, mostly in the upper Coastal Plain. Slopes are 0 to 25 percent. $K = 0.15$
Riverview	The Riverview series consists of very deep, well drained, moderately permeable soils that formed in loamy alluvium on flood plains. Slopes range from 0 to 5 percent. Near the type location, the average annual temperature is about 66 degrees F and the average annual precipitation is about 58 inches. $K = 0.32$
Lakeland	The Lakeland series consists of very deep, excessively drained, rapid to very rapidly permeable soils on uplands. They formed in thick beds of eolian or marine sands. Near the type location, the mean annual temperature is about 67 degrees, and the mean annual precipitation is about 52 inches. Slopes are dominantly from 0 to 12 percent but can range to 85 percent in dissected areas. $K = 0.10$
Chewacla	The Chewacla series consists of very deep, moderately permeable, somewhat poorly drained soils on flood plains. They formed in recent alluvium washed largely from soils formed in residuum from schist, gneiss, granite, phyllite, and other metamorphic and igneous rocks. Slopes range from 0 to 2 percent. Mean annual precipitation is about 48 inches, and mean annual temperature is about 59 degrees near the type location. $K = .28$
Nankin	The Nankin series consists of very deep, well drained, moderately slowly permeable soils on uplands of the Coastal Plain. They formed in stratified loamy and clayey marine sediments. Slopes range from 0 to 60 percent. $K = 0.32$
Norfolk	The Norfolk series consists of very deep, well drained, moderately permeable soil on uplands or marine terraces. They formed in marine deposits or fluviomarine deposits. Slopes range from 0 to 10 percent. $K = 0.17$
Orangeburg	The Orangeburg series consists of very deep, well drained, moderately permeable soils that formed in loamy and clayey sediments of the Coastal Plain. Slopes range from 0 to 25 percent. $K = 0.10$
Troup	This very deep, somewhat excessively drained soil is on uplands. The subsoil is loamy and extends to a depth greater than 5 ft. Permeability is rapid in the surface and subsurface layers and moderate in the subsoil. Available water capacity is low. $K = 0.10$
Vaucluse	This very deep, well drained soil is on uplands. The subsoil is loamy and extends to a depth greater than 40 inches. Dense and brittle properties are below a depth of 15 to 35 inches. Permeability is slow and available water capacity is low. $K = 0.15$
Wagram	The Wagram series consists of very deep, well drained, moderately permeable soil on uplands or marine terraces. They formed in marine deposits or fluviomarine deposits. Slopes range from 0 to 15 percent. $K = 0.15$

Source: USDA 2006a.

Note: Erosion factor K indicates the susceptibility of a soil to sheet and rill erosion by water. Factor K is one of six factors used in the Universal Soil Loss Equation (USLE) and the Revised Universal Soil Loss Equation (RUSLE) to predict the average annual rate of soil loss by sheet and rill erosion in tons per acre per year. The estimates are based primarily on percentage of silt, sand, and organic matter and on soil structure and saturated hydraulic conductivity. Values of K range from 0.02 to 0.69. Other factors being equal, the higher the value, the more susceptible the soil is to sheet and rill erosion by water.

Prime Farmland. Prime farmland soils are protected under the Farmland Protection Policy Act (FPPA) of 1981. Prime farmland is land that has the best combination of physical and chemical characteristics for producing food, feed, forage, fiber, and oilseed crops. The land must also be available for these uses (cropland, pasture land, forestland, or other land, but not water on urban built-up land). Prime farmland has the soil quality, growing season, and moisture supply needed to economically produce sustained high

yields of crops when treated and managed, including water management, according to acceptable farming methods (USDA 2006b). Prime farmland does not include land already in or committed to urban development or water storage; however, land utilized or designated for commercial, industrial, or residential purposes is, therefore, categorically excluded from consideration. While there are soils within Fort Benning that can be classified as Prime Farmland soils, no soils on Fort Benning are used for agricultural purposes. As a result, no area within the Installation is regarded as prime farmland; therefore it will not be discussed further.

4.11.2 Environmental Consequences

Impacts would be considered significant if ground disturbance or other activities would violate applicable federal or state laws and regulations, such as the Georgia Erosion and Sedimentation Act, and results in the potential for Notices of Violation (NOVs) for the failure to receive applicable state permits, such as a NPDES construction/operation permit under the Erosion and Sedimentation Act, prior to initiating the proposed action under Alternative A or B.

4.11.2.1 No Action Alternative

Geologic and Topographic Conditions. Under the No Action Alternative, no new construction or demolition would occur, and on-going training operations would continue under the Installation's current mission. As a result, no impacts to geologic or topographic conditions would be expected.

Soils. Under the No Action Alternative, no new construction or demolition would occur, and as a result, no impacts to soils resulting from these activities would occur. The Installation would continue to conduct training exercises utilizing troops and mechanized vehicles. The types of training and the unit requirements would continue to adversely impact the highly erodible soils found at Fort Benning. Impacts to soils resulting from training would be similar to those discussed under the action alternatives; however, these impacts would only occur on the training ranges under current operation. Impacts to soil that would occur as a direct result of the removal of or damage to vegetation, digging activities, ground disturbance from vehicles, and munitions detonation include compaction, disturbance, and soil erosion. The use of vehicles such as the M1A1 Main Battle Tank and the BFV would disturb soils, which would result in soil erosion and stream sedimentation. These impacts, however, are localized as tank and BFV travel is restricted to existing roads and trails leading to the range and designated areas within the ranges. Impacts to soils also occur as areas are cleared and/or disturbed for bivouac sites, landing strips and pads for fix-winged aircraft and helicopters, and drop zones for airborne training, which also increases the potential for soil erosion.

Training vehicles also have the potential to leak or spill POLs onto the soils, resulting in potential soil contamination concerns. These vehicles, however, are required to have drips pans underneath when parked to minimize the potential for contamination from POL spills. Military units are also required to utilize secondary containment for the storage of hazardous materials/wastes and during refueling operations. These and other requirements of SPCC would continue to be followed. In addition, routine maintenance of the vehicles would help to identify and repair any conditions that might cause POL leaks.

Final

A spill response protocol has been established Post-wide and personnel on the ranges and in the training areas should have adequate spill response supplies on hand.

The Installation would be responsible for the overall operation maintenance of infrastructure, primary roads, tank trails, ranges, and training facilities proposed under this alternative. The Installation would ensure that all laws and regulations concerning environmental and natural resources protection are addressed, that site-appropriate BMPs related to the control of soil erosion and stream protection are used, and that all required protection, conservation, or mitigation actions associated with natural resources are incorporated into their activities. In accordance with federal and state regulations, all necessary permits would be obtained for storm water, including NPDES permits (GAR 1000001, 1000002, 1000003) which specifically address construction activities (please refer to mitigations in Section 4.11.3 and 4.10.3 for water resource mitigation). The Range Division is responsible for maintaining access roads, configuring ranges and training areas, and maintaining training areas in usable condition. Range operation and maintenance projects are identified and prioritized by the Range Division. These projects are identified by the Range Division's Range Maintenance Coordinator through use of Department of the Army Form 4283 (Facilities Engineering Work Request). The Range Division manages, supervises, and executes the required work. The use of erosion and sedimentation control BMPs for Fort Benning mission lands are a required part of Range Maintenance's day-to-day operations.

Maintenance activities within ranges and training areas also would continue, resulting in the same level of ground disturbance and the same potential for POL spills from the maintenance vehicles themselves. During range safety and maintenance inspections, personnel would continue to check for areas of erosion, spill, and other environmental concerns and take appropriate actions. Implementation of applicable federal and state laws and regulations, such as erosion control BMPs and spill control measures, would repair or minimize potential effects to soils as a result of this alternative, resulting in temporary, minor potential effects only. Despite, however, the current maintenance schedule that takes place within the training ranges, impacts to soils are unavoidable based on the nature of the training exercises, and evidence of severe erosion has occurred in some areas, such as the areas currently used for heavy maneuver training. The ITAM program is designed to address severe impacts to soils as a result of ongoing training exercises, but impacts are left unabated when funding is lacking for ITAM projects as it has been in recent years.

The Installation currently uses BMPs to control soil erosion and for stream protection, and attempts to minimize impacts associated with training activities through the management and maintenance of the training ranges. BMPs must be properly designed and implemented and range maintenance must fully address damage to soils to avoid a impacts from soil erosion. In addition, Fort Benning has a Memorandum of Understanding with the NRCS to control erosion. The NRCS provides contractor bidding services, performs surveys, and prepares and implements erosion control plans. All BMPs utilized within the Installation would be in accordance with the Manual for Erosion and Sediment Control in Georgia. While there could be impacts to the highly erodible soils found at Fort Benning as a result of the day-to-day training operations associated with ongoing and future use of the Installation's training

ranges, if all the proper procedures are followed by the USACE and Range Division, required permits are obtained and implemented, and all the proper BMPs and maintenance activities occur to help off-set these impacts, significant impacts to soils would not occur. If, however, Range Division is unable to keep up with the demands of managing and maintaining the active training ranges, BMPs are not properly implemented, and/or the ranges are not properly designed, significant impacts to soils could occur.

4.11.2.2 Transformation Alternative A

Geologic and Topographic Conditions. No impacts to geologic or topographic conditions would be expected under Alternative A. Prior to the construction of buildings and other facilities proposed under this alternative, minor leveling and grading would be required to prepare each specific site for building. Training operations would have little if any impacts to geology. Slight impacts to topography could occur as activities associated with range management (i.e., regrading and leveling disturbed areas) could occur over time. These impacts; however, would not be considered significant nor adverse, as no considerable alterations of the general geologic or topographic character of the site would occur, and all laws and regulations concerning environmental and natural resources protection would be addressed.

Soils. Under Alternative A, the proposed construction of administrative, supply/storage, maintenance, barracks, commercial services, community facilities, medical and dental, and recreation facilities would occur within the four cantonment areas: Main Post, Kelley Hill, Sand Hill, and Harmony Church. The proposed improvements/upgrades to existing ranges and maneuver areas and proposed new ranges have been sited to align with the Installation's existing training assets.

Over the entire Installation, the Transformation projects proposed under Alternative A would introduce 10,741 acres of facility (2,011-acres for buildings, parking areas, motor pools, maintenance areas within the cantonment areas, and required infrastructure) and range construction (8,730-acres for range facilities, maneuver areas, and drivers training courses). In addition, up to 35 miles of new tank trails would be constructed. The area potentially affected by the establishment of new tank trails is estimated at about 500 acres. This includes an area delineated from 60 ft from the centerline, or 120 ft wide, to include berms and erosion control measures. Once the trail is established, it is expected that the ongoing average operational width of the road would be 30 ft, including the berms to support the variety of wheeled and tracked vehicles used for Armor School training. Table 4.11-3 provides the soil associations and their respective erodibility factors located within each of the cantonment areas and ranges area that would be affected by Alternative A.

Table 4.11-3: Erodibility of Soils Associated with Transformation Alternative A

Cantonment Areas	Anticipated Soil Disturbances (Acres)	Soil Association(s)	Erodibility (K)* Factor
Harmony Church	1,118	Nankin	0.32
		Vaocluse-Lakeland	0.10
Kelley Hill	85	Nankin	0.32
		Vaocluse-Lakeland	0.10
Main Post	562	Nankin	0.32
		Vaocluse-Lakeland	0.10
Sand Hill	246	Nankin	0.32
		Vaocluse-Lakeland	0.10
Cantonment Area Subtotals	2,011		
Ranges			
Northern Range Facilities, Northern Range Maneuver Area, Heavy Maneuver Corridor - South, and Drivers Training Course	8,282	Vaocluse-Lakeland	0.10
		Riverview-Chewacla-Chastain	0.28 – 0.32
		Wagram-Troup-Norfolk-Lakeland	0.10 – 0.15
		Nankin	0.32
Range Facilities South of U.S. Highway 27/280	448	Vaocluse-Lakeland	0.10
Range Area Subtotal	8,730		
TOTAL	10,741		

Source: USDA 2003.

Note: *Soil erodibility factor K represents both susceptibility of soil to erosion and the rate of runoff, as measured under the standard unit plot condition

Figure 4.11-1 on the following page shows the locations of the actions proposed under both action alternatives A and B in relation to the soil associations found within the Installation.

The physical impacts to soils that would occur as a result of site preparation would include soil compaction, and disturbed and modified soil layers. Soil productivity (i.e., the capacity of the soil to produce vegetative biomass) also would decline in disturbed areas and be completely eliminated for those areas within the footprint of paved or other hardened areas and new structures. Impacts to soils from construction and/or demolition activities occurring in areas that are currently or previously developed would be minimal, given the fact that these soils have been previously disturbed or modified and in some areas are already with covered structures, concrete, or other appropriate surfaces.

After these initial physical impacts occur; however, the rate of soil erosion could differ between areas within the installation, based on differences in soil erodibility (K) between the different soil associations. Soils high in clay have low K values, about 0.05 to 0.15, because they are resistant to detachment. Coarse textured soils, such as sandy soils, have low K values, about 0.05 to 0.2, because of low runoff even though these soils are easily detached. Medium textured soils, such as the silt loam soils, have a moderate K value, about 0.25 to 0.4, because they are moderately susceptible to detachment and they produce moderate runoff. Soils having a high silt content are most erodible of all soils. They are easily detached,




Figure 4.11-1: Soil Associations in Relation to Transformation Actions Alternatives A and B

tend to crust, and produce high rates of runoff. Values of K for these soils tend to be greater than 0.4 (USDA 2003). As presented, the Nankin Association has the largest K factor at 0.32, and thus is the soil with the most potential to be eroded. The Riverview-Chewacla-Chastain association has a K factor of 0.28 to 0.32, and the remaining associations found within the installation have K factors between 0.10 and 0.24. These K factors; however, represent the soils in their natural condition. They do not indicate how past management or misuse of a soil increases a soil's erodibility. In those areas where the subsoil is exposed, the organic matter has been depleted, and/or the soil's structure destroyed or soil compaction has reduced permeability; the K factor would be increased regardless of soil type (USDA 2003). Other factors affecting erodibility include soil slopes, total exposure time, and slope length. Table 4.11-4 below provides a general percentage of the amount of area of the proposed project areas covered by a specific soil association (see Figure 4.11-1).

Table 4.11-4: Coverage of Soil Associations per Total Area of Alternative A Actions

Soil Name	Non-Range Transformation Alternative A	Range Transformation Alternative A
Nankin K = 0.32	76%	5%
Riverview-Chewacla-Chastain K = 0.28 – 0.32	0%	5%
Vaucluse-Lakeland K = 0.10	24%	90%

Activities associated with the construction of new facilities, required utility corridors, and for the line-of-site clearing for the training ranges proposed under Alternative A would be conducted in several phases. During the initial phase, either the site would be cleared of vegetation or existing structures would be removed. Immediately after this phase, soils on the site would be left exposed to the elements and highly susceptible to erosion wind and stormwater runoff. The longer these soils are left exposed, the more soils would be ultimately be eroded. These impacts would be greater on the Nankin soils and the Riverview-Chewacla-Chastain than on the other soil associations found within the Installation due to its higher erodibility factor (see Figure 4.11-1).

The necessary maintenance of roads and trails and the construction of approximately 500 acres of new roads needed in response to the actions proposed under this alternative would result in additional ground disturbance. Soil productivity within the footprints of the newly constructed roads would be lost, and there would be increased runoff, which in turn could increase the potential for erosion. Travel to and within ranges and training areas, especially as vehicles and equipment exit the training areas and ranges and access the travel routes, would result in vehicles potentially disturbing soil on the side of paved or unpaved roads, and equipment disturbing soils in ranges and training areas resulting in exposed disturbed soils and could increase the potential for erosion. Impacts to soils from the proposed construction of roads and buildings and necessary demolition activities would be minimized by the mitigation measures summarized in Section 4.10.3.

Construction and demolition activities may result in the migration of airborne or waterborne soil particles and POLs onto adjacent lands and streams, which could contribute to sedimentation of off-site areas. For POLs, Fort Benning would require use of fueling and maintenance practices as well as spill counter measures to prevent contamination of soil. During the construction process, any construction exits would use existing access roadways to the landings, or the established maintenance/motor pool area, which would result in less earth moving and vegetative removal.

Construction of facilities involving the use and storage of hazardous materials would be designed to meet the SPCC requirements per AR 200-1 and 40 CFR 112, as well as state and federal requirements as applicable. These facilities include, but are not limited to, wash racks, USTs, ASTs, oil/water separators and dining facilities where grease rendering bins are used, maintenance facilities, loading/unloading operations areas, hazardous material and POL storage areas (above/underground facilities), and generators. Design requirements of these facilities could include, among others: secondary containment and/or diversion structures, spill supplies, and equipment to mitigate spills and/or releases. These measures would prevent and/or minimize soil contamination from possible discharge of pollutants into the environment. As part of this alternative, the Installation would also be required to develop SWP3 and meet MS4 requirements to minimize impacts to water quality during the operation of these facilities by addressing issues related to both point and non-point source pollution.

Under Alternative A, about 2,011 acres of soils within cantonment areas would be disturbed as a result of the construction of new facilities and required utilities corridors, and demolition activities. Prior to construction, all required permits would be obtained, implemented, and applied for; an appropriate ESPCP would be developed and all appropriate site-specific BMPs and mitigation measures would be implemented. As part of the required NPDES permits, an ESPCP for each specific construction area would also be developed describing appropriate site-specific BMPs that would be used to minimize adverse impacts from increased runoff and soil erosion during site construction. Site-specific BMPs would be developed based on proper design, run-off calculation, slope factors, soil type (determined by the Soil Surveys for Chattahoochee, Marion, and Muscogee counties and verified by on-site testing), topography, construction activities involved, and proximity to water bodies (see Section 4.11.3 for mitigation measures). Any construction occurring within 25 ft of a stream would be required to consult with the state and secure an SBV (see 4.10.3 for water resources mitigations). In addition, all BMPs utilized within the Installation would be in accordance with the Manual for Erosion and Sediment Control in Georgia. As a result, the overall impacts to soils at Fort Benning would not be considered significant. If; however, construction starts before all required permits are received, a non-site specific or improper ESPCP is prepared that does not provide for the proper BMPs, or are improperly implemented, and the post-construction sites are not properly maintained, the potential for significant adverse impacts to the soils from erosion would be great.

Approximately 8,730-acres of soils within the proposed new training ranges would be disturbed as a result of range development and ongoing operation and use. The soils within these new ranges would be impacted by the initial site preparation of the proposed range development, mechanized vehicle

maneuvers, and the overall increases in the number of tenant units stationed at Fort Benning (and, therefore, increased use of ranges). Future training operations, coupled with the current training schedule, would result in severe impacts to the soils within these ranges. Impacts to soils would occur as a direct result of clearing trees and other vegetation for line of sight, digging activities, ground disturbance from vehicles, and munitions detonation. Impacts to soils include compaction, disturbance, and movement that may result in soil erosion and eventually sedimentation of the Installation's many creeks. The use of vehicles such as the M1A1 tanks and BFVs can produce severe direct impacts to soils and indirect impacts to water quality (See Section 4.10). These impacts are related to soil disturbance which leaves the soil highly disrupted and susceptible to the erosive forces of raindrops, wind, and runoff, and ultimately to stream sedimentation. Table 4.11-4 provides the coverage of the soil associations of the total area of the proposed ranges, and their respective K factor. As these soils become disturbed, the soil erodibility of each of these specific soil associations would likely increase. These direct, potentially adverse impacts; however, would be localized as most tank and BFV travel is restricted to existing roads and trails leading to the range and to existing lanes and designated areas within the range. Impacts related to vehicular use within these areas would always be greater in the steeper portions (slope greater than 10 percent) of the Installation and in areas previously disturbed. Areas disturbed by vehicle maneuvers on hillsides would erode much faster than on flat ground, as surface run-off would have greater erosive energy as it moves downhill. Impacts to soils would also occur from ongoing training uses as areas are cleared and/or disturbed for bivouac sites, landing strips, and pads for fix-winged aircraft and helicopters, and drop zones for airborne training, which also increases the potential for soil erosion. As the soils within the training ranges continually are disturbed, compacted, and eroded, the overall productivity of the soil decreases, inhibiting plant growth (see Section 4.12).

Alternative A would result in a short-term increase in construction vehicles and activity and a long-term increase in training and maintenance vehicles operating within the ranges in training areas. Management measures to address the potential to leak or spill POLs onto the soils as described for the No Action Alternative would apply to these new training operations. During range safety and maintenance inspections, personnel would continue to check for areas of erosion, spill, and other environmental concerns and take appropriate actions. Implementation of applicable federal and state laws and regulations and already-established Installation policies and guidelines, such as erosion control BMPs and spill control measures, would repair or minimize potential adverse effects to soils as a result of this alternative, resulting in minor effects only and minimal increased potential for contamination concerns.

Also, as with the No Action Alternative, the Installation would continue to be responsible for obtaining all the necessary permits for storm water and erosion control for the development and long-term management of the new training ranges. The Range Division would continue to be responsible for maintaining access roads, configuring ranges and training areas, and maintaining training areas in usable condition. While there would be the potential for adverse impacts to the highly erodible soils found at Fort Benning as a result of the proposed training operations that would occur as part of Alternative A, all required permits would be obtained and implemented, erosion minimization measures applied, and all

appropriate site-specific BMPs and mitigation measures enforced to minimize adverse impacts (see Section 4.11.3 for mitigation measures). As a result, impacts to soils from on-going and future use of the Installation's training ranges would not be considered significant.

4.11.2.3 Transformation Alternative B (Preferred Alternative)

Under Alternative B, the proposed construction of administrative, supply/storage, maintenance, barracks, commercial services, community facilities, medical and dental, and recreation facilities in the cantonment areas would be the same as those described under Alternative A. As detailed in Section 3.2.2, Alternative B differs from Alternative A primarily in the areas where heavy maneuver training and drivers training would occur. A greater area of anticipated soil disturbance would occur in association with Alternative B (19,089 acres) as compared to Alternative A (10,741). Most of this additional disturbance would be with the establishment of the 9,499-acre Good Hope Maneuver Area, where soils are primarily of the Nankin soil association (see Figure 4.11-1). Table 4.11-5 provides the soil associations and their respective erodibility factors located within each of the cantonment areas and ranges proposed under Alternative B.

Table 4.11-5: Erodibility of Soils Associated with Transformation Alternative B

Cantonment Areas	Anticipated Soil Disturbances (Acres)	Soil Association(s)	Erodibility (K)* Factor
Harmony Church	930	Nankin	0.32
		Vaocluse-Lakeland	0.10
Kelley Hill	85	Nankin	0.32
		Vaocluse-Lakeland	0.10
Main Post	562	Nankin	0.32
		Vaocluse-Lakeland	0.10
Sand Hill	246	Nankin	0.32
		Vaocluse-Lakeland	0.10
Cantonment Area Subtotals	1,923		
Ranges			
Range Facilities North of U.S. Highway 27/280 and Heavy Maneuver Corridor - South (Northern Range)	5,918	Vaocluse-Lakeland	0.10
		Riverview-Chewacla-Chastain	0.28 – 0.32
		Wagram-Troup-Norfolk-Lakeland	0.10 – 0.15
Range Facilities South of U.S. Highway 27/280, Basic and Advanced Drivers Training Courses, Vehicle Recovery Area	1,213	Vaocluse-Lakeland	0.10
Good Hope Maneuver Area	9,499	Nankin	0.32
		Vaocluse-Lakeland	0.10
		Riverview-Chewacla-Chastain	0.28 – 0.32
Off-Road Drivers Training Area	459	Vaocluse-Lakeland	0.10
		Nankin	0.32
Range Area Subtotal	17,089		
TOTAL	19,012		

Note: *Soil erodibility factor K represents both susceptibility of soil to erosion and the rate of runoff, as measured under the standard unit plot condition

Source: USDA 2003

Soils. As with Alternative A, impacts to soils from the proposed construction activities would be minimized by appropriate site-specific BMPs and mitigation measures detailed within each site-specific ESPCP and in accordance with the Manual for Erosion and Sediment Control in Georgia (see Section 4.11.3 for mitigation measures).

The physical impacts to soils resulting from the preparation and future use of training ranges proposed under this alternative would be similar to those described under Alternative A. Under Alternative B, however, approximately 17,000 acres of soils within the proposed new training ranges would be impacted as a result of range development and ongoing operation and use. Table 4.11-6 provides a general percentage of the amount of area of the proposed project areas covered by a specific soil association.

Table 4.11-6: Coverage of Soil Associations per Total Area of the Alternative B Actions

Soil Name	Non-Range Transformation Alternative B	Range Transformation Alternative B
Nankin K = 0.32	76%	58%
Orangeburg-Norfolk-Ailey K = 0.10	0%	0%
Riverview-Chewacla-Chastain K = 0.28 – 0.32	0%	1%
Vaucluse-Lakeland K = 0.10	24%	29%
Wagram-Troup-Norfolk-Lakeland K = 0.15	0%	12%

As these soils become disturbed, the soil erodibility (K factor) of each of these specific soil associations likely would increase. Impacts resulting from erosion would be greater under Alternative B as compared to Alternative A because the proposed 9,499-acre Good Hope Maneuver Area, located within the southern portion of the Installation, is located almost entirely within the Nankin soil association, which has a K factor of 0.32, and is considered highly erodible. These direct impacts would be widespread, as tank travel would not be restricted to existing roads and trails leading to the range and to existing lanes and designated areas within the range. Impacts related to vehicular use within these areas would always be greater in the steeper portions of the Installation (slopes greater than 10 percent) and in areas previously disturbed. Areas disturbed by vehicle maneuvers on hillsides would erode much faster than on flat ground, as surface run-off would have greater erosive energy as it moves downhill.

Impacts to soils would also occur from ongoing training uses as areas are cleared and/or disturbed for bivouac sites, landing strips, and pads for fix-winged aircraft and helicopters, and drop zones for airborne training, which also increases the potential for soil erosion. As the soils within the training ranges continually are disturbed, compacted, and eroded, the overall productivity of the soil decreases, inhibiting plant growth (see Section 4.12). Under Alternative B, the Heavy Maneuver Area – North (soil association Vaucluse-Lakeland with a K factor of 0.10) would not be exclusively used for heavy maneuver activity in support of the Transformation actions (as it would under Alternative A), but would

continue to support heavy maneuver activity similar to levels that presently occur in this area, plus increased infantry training displaced from the proposed Good Hope Maneuver Area.

As with the No Action Alternative and Alternative A, impacts to soils as a result of on-going and future use of the Installation's training ranges would not be considered adverse because all required permits would be obtained and implemented, erosion minimization measures applied, and all appropriate site-specific BMPs and mitigation measures enforced (see Section 4.11.3 for mitigation measures).

Impacts to soils from POLs from construction/demolition activities and the use and maintenance of the Installation's training ranges would be similar to those described under Alternative A; however, these impacts would affect approximately 8,271 additional acres. All mitigations and protocols to minimize these impacts would be the same as described for Alternative A.

4.11.3 Mitigation Measures

The following management regimes (described in the affected environment because they are implemented as part of standard procedures at Fort Benning) are reiterated here to highlight how they would help minimize and mitigate significant adverse impacts to soils resulting from implementation of the Transformation proposal:

- Facilities involving the use and storage of hazardous materials would be designed to meet the SPCC requirements under AR 200-1. Actions required under the SPCC include:
 - a. Training vehicles have drips pans underneath when parked to minimize POL spills.
 - b. Military units utilize secondary containment for the storage of hazardous materials/wastes and during refueling operations.
 - c. Routine vehicle maintenance identify and repair any conditions that might cause POL leaks.
 - d. Follow the spill response protocol of having adequate spill response supplies on hand at all times.
- During range safety and maintenance inspections, personnel would check for areas of erosion, spill, and other environmental concerns and take appropriate actions.
- As part of the required NPDES permits, an ESPCP would be developed for each specific construction area with the potential to disturb more than 1 acre of land and would describe appropriate site-specific BMPs that would be used to minimize impacts from increased runoff and soil erosion during site construction. A basic ESPCP (similar to that required under GAR 10001 Part IV) would be developed for projects less than 1 acre in size. Site-specific BMPs would be developed based on proper design, run-off calculation, slope factors, soil type, topography, construction activities involved, and proximity to water bodies. Examples of BMPs that could be utilized at Fort Benning include, but are not limited to:
 - erosion control matting;
 - channel stabilization;

Final

- o silt fencing;
- o brush barriers;
- o storm drain outlet protection;
- o stone check dams;
- o rock filter dams;
- o construction exits;
- o temporary and permanent seeding; and
- o application of mulch.

The application of any or all of these BMPs depends upon precise, specific ground conditions in the areas disturbed by construction. All BMPs utilized within the Installation would be in accordance with the Manual for Erosion and Sediment Control in Georgia.

4.12 BIOLOGICAL RESOURCES

Biological resources include native or naturalized plants and animals and the habitats within which they occur. The dominant plant species make up plant communities, which in turn define the vegetation of an area. Habitat is defined as the area or environment where the resources and conditions are present that cause or allow a plant or animal to live there (Hall *et al.* 1997).

Related construction activities for actions identified in this section and the following subsections would be subject to the requirements of all applicable laws, regulations, and permits that may be required for construction. These may include, but not necessarily be limited to, NPDES and MS4 permits, which are described in more detail in Sections 1.6.2 and 4.10.1.1.

4.12.1 Affected Environment

The ROI for biological resources is identified within each resource section. Biological resources for this EIS include vegetation, aquatic habitats and wetlands, fish and wildlife, special status species, and UEAs potentially affected by demolition, construction, training, or operational activities associated with the proposed Transformation of Fort Benning. Each category is described in detail below.

4.12.1.1 Vegetation

Vegetation includes all terrestrial plant communities. The affected environment for vegetation includes those areas subject to demolition and construction ground disturbance, as well as training areas.

The vegetation of Fort Benning reflects its location astride the “Fall Line,” which extends from western Georgia to the Carolinas and divides the Atlantic and Gulf Coastal Plain from the Piedmont Plateau. The Fall Line is a band of transitional habitat which runs directly through the Fort Benning Region. Vegetation at the Installation includes two broadly defined ecological units or subsections. The northern portion of the Installation is part of the Sand Hills subsection, while the southern portion is part of the Upper Loam Hills subsection. The transitional area between the regional ecological units along the Fall Line is a band of deep, sandy soils and rolling hills (the picture to the right provides an illustration of such habitat). The Sand Hills ecological unit is characterized by sandy surface soils and loamy subsoils. Longleaf pine (*Pinus palustris*) is a characteristic plant species whose dominance is maintained by frequent fires. Relatively open woodland vegetation is common on upland areas while lowland areas more often support dense forest. In the absence of fire, the vegetation becomes dominated by oaks and hickories (GDNR 2005).



The Upper Loam Hills cover most of the southwestern area of Fort Benning. Soils in this subsection are heavier textured with higher water holding capacity and higher organic matter content than soils of the Sand Hills. Characteristic vegetation includes oak-hickory forest, with post oak (*Quercus stellata*), blackjack oak (*Quercus marilandica*), southern red oak (*Quercus falcata*), white oak (*Quercus alba*), pignut hickory (*Carya glabra*), mockernut hickory (*Carya tomentosa*), and sand hickory (*Carya pallida*). These hardwoods become dominant in landscapes without frequent fires. A frequent fire regime favors fire-tolerant species, leading to longleaf pine forests and woodlands (Fort Benning 2001, 2003c).

Fort Benning is located within the Longleaf Pine Ecosystem, which once covered over 90 million acres of the southeastern United States. The upland areas were historically dominated by longleaf pine with a mixture of other pine species within the stands. Oaks and other less fire tolerant species dominated the drains and areas that were not subject to natural wildfires. As a result of changes in agricultural and forestry practices and of land ownership through the past 150 years, the original vegetative cover has been modified to a predominantly coniferous/deciduous mixture (Fort Benning 2001, 2003c).

There are more than 1,275 species of plants on Fort Benning. Vegetated acreage on Fort Benning consists of approximately 16,000 acres of lawn and grassed areas, approximately 4,000 acres of open land and old fields (shrubs and herbaceous plants), and approximately 163,000 acres of woodland (includes ordnance impact areas and excludes approximately 1,000 acres of water bodies). Loblolly (*Pinus taeda*) and longleaf pine are the principal conifers on the reservation and make up approximately 54,000 acres of the woodlands. The remaining 109,000 acres of woodland consist of approximately 55,000 acres of mixed pine and hardwoods and 54,000 acres of hardwood forest (Fort Benning 2001, 2003c).

In 2001, the Nature Conservancy (TNC) created a map of general forest stand types by interpreting 1999 aerial color imagery. Forest stands at Fort Benning were divided into seven categories, as described below.

- **Hardwood:** Dominant overstory is composed of hardwood species, with few to no large pine individuals. Includes the Dry-Mesic Hardwood ecological group (see below).
- **Hardwood/Pine:** Dominated by hardwoods, but mixed pine species also present.
- **Longleaf Pine:** Dominated by longleaf pine, may contain scrub oak and shrubby understory.
- **Longleaf Pine Plantation:** Longleaf pine planted for timber management or ecosystem restoration. Longleaf pine plantations are replacing some areas formerly planted with loblolly and slash pine (*Pinus elliotii*).
- **Mixed Pine/Longleaf Pine:** Dominated by longleaf pine, but contains a representative community of other pine species.
- **Pine/Hardwood:** Dominated by longleaf and other pines, some hardwoods present in the understory and occasional hardwoods present in the canopy.
- **Pine:** Mixed pine species, longleaf pine is not dominant.

Terrestrial and aquatic communities were further divided into 14 ecological groups (Fort Benning 2001, 2003c). Ecological groups delineated in the INRMP are derived from Phase I of the Vegetation

Characterization Project (Pyne 2001). Eight of the ecological groups are primarily aquatic habitats and are addressed in section 4.12.1.2. The remaining six ecological groups are upland plant communities described below, based on descriptions in the 2001 INRMP and draft revisions in 2002 and 2003. Table 4.12-1 lists the six ecological groups and the estimated acreage of each that occurs at Fort Benning. Figures 4.12-1 and 4.12-2 depict the coverage of the ecological groups across the Installation.

**Table 4.12-1: Acreage of Upland Vegetation
(Ecological Groups) at Fort Benning**

Ecological Group	Existing Acres at Fort Benning
Mesic hardwood forests	1,145
Dry-mesic hardwood and dry-mesic mixed hardwood / pine forests	15,420
Longleaf pine loamhills	17,597
Longleaf pine sandhills	69,095
Plantations	20,172
Other altered areas	17,643
Successional upland deciduous or mixed forests	10,516
Total	151,588

Mesic Hardwood Forests

This is a hardwood community that is not dominated by oak species. Beech (*Fagus grandifolia*), ash (*Fraxinus* spp), sweetgum (*Liquidambar styraciflua*), southern magnolia (*Magnolia grandiflora*), red oak (*Quercus rubra*), white oak, and bitternut hickory (*Carya cordiformis*) are common canopy species. Sub-canopy species include flowering dogwood (*Cornus florida*), American hornbeam (*Carpinus caroliniana*), witch hazel (*Hamamelis virginiana*), and red bay (*Persea borbonia*). Shrubs and ground cover species include titi (*Cyrilla racemiflora*), mountain laurel, fetterbush (*Lyonia lucida*), wild grape (*Vitis* spp.), partridge berry (*Mitchella repens*), wild sarsaparilla (*Smilax pumila*), Virginia creeper (*Parthenocissus quinquefolia*), and poison ivy (*Rhus radicans*). Additionally, several drainage systems on the Installation support mountain laurel (*Kalmia latifolia*), perfoliate bellflower (*Uvularia perfoliata*), American ginseng (*Panax quinquefolium*), and sanicle (snakeroot) (*Sanicula* spp.), species that are more typically associated with northern habitats. Special status plant species in this community include American ginseng and croomia (*Croomia pauciflora*) (see section 4.12.1.3) (U.S. Army 2001, 2003).

Mesic hardwood forests are generally found on the Installation in the bottoms of cool, shady ravines. Because of the associated topography and landscape position of these communities, fire return intervals are likely relatively long. Growing season fires or fires that are too intense can damage these sensitive mesic plant communities (U.S. Army 2001, 2003). Mesic hardwood forests are not common at the Installation, but are most prevalent in the southeastern portion, near the proposed Heavy Maneuver Corridor – South.




Figure 4.12-1: Ecological Groups – Northern Installation




Figure 4.12-2: Ecological Groups – Southern Installation

Dry-mesic Hardwood and Dry-mesic Mixed Hardwood / Pine Forest

These forests are quite variable on the Installation and occur in the ecotone between the dry ridge tops and the mesic bottoms. Common species found in these areas include white oak, red oak, water oak, sweetgum, loblolly pine, shortleaf pine (*Pinus echinata*), tuliptree (tulip-poplar) (*Liriodendron tulipifera*), American holly (*Ilex opaca*), pignut hickory, southern red oak, and post oak. Sourwood (*Oxydendrum arboreum*), farkleberry/tree sparkleberry (*Vaccinium arboreum*), red maple (*Acer rubrum*), flowering dogwood, chalk maple (*Acer leucoderme*), redbud



(*Cercis canadensis*), and American hornbeam are common mid-canopy species. Common shrubs include sassafras (*Sassafras albidum*), deer berry, and littlehip-haw (*Crataegus spathulata*). Woody vines include greenbrier (*Smilax* spp.), rattan vine (*Berchemia scandens*), cross vine (*Bignonia capreolata*), and yellow jessamine (*Gelsemium sempervirens*). Herbaceous species include arrowleaf (ginger) (*Hexastylis arifolia*), partridge berry, and several grasses. Indian olive (*Nestronia umbellula*) is a special status species found within this ecological group (see Section 4.12.1.3).

This forest community appears in a patchy distribution throughout the Installation and is most prevalent in the Good Hope area at the southern edge of the Installation.

Longleaf Pine Loamhills

The stands are often a mix of loblolly, shortleaf, and longleaf pine over loamy soils. Common understory species include post oak, blackjack oak, flowering dogwood, and juvenile pines. Shrubs include deer berry (*Vaccinium* spp.), inkberry/gallberry (*Ilex glabra*), farkleberry, wax myrtle (*Morella cerifera*), and sassafras. Common herbaceous species typically include a variety of native legumes, native grasses, including little bluestem (*Schizachyrium scoparium*), and bracken fern (*Pteridium aquilinum*). More disturbed areas may contain broomsedge (*Andropogon virginicus*) and Japanese honeysuckle (*Lonicera japonica*) (U.S. Army 2001, 2003).

Depending on the mix of pine species in the stand, slope position, and size of the natural fire compartment, natural fire-return intervals are variable. Fire-return intervals for some stands are frequent, in part because of the many ordnance-induced wildfires that occur within or adjacent to these stands.

The Longleaf Pine Loamhills community occurs throughout the Installation, but is more prevalent in the southern portion than in the northern portion. The Longleaf Pine Woodland, a subtype of the Longleaf Pine Loamhills ecological group, is a major target for restoration by Conservation and Land Management

staff. Fort Benning's goal is the restoration and maintenance of 90,000 acres of this plant community across the Installation (U.S. Army 2001, 2003).

Longleaf Pine Sandhills

The Longleaf Pine Sandhills are characterized by relatively open stands of longleaf pine, frequently with an understory of scrub oak, on sandy soils. Longleaf pine maintains stronger dominance here than in the loamhills; loblolly and shortleaf pine are less able to compete successfully in the deep sandy and dry soils. Scrub oaks that are a common component of these stands include bluejack (*Quercus incana*), sand post oak (*Quercus margarettiae*), and turkey oak (*Quercus laevis*). Sassafras, farkleberry, and hawthorn (*Crataegus* spp.) are common shrub species. Grasses and legumes are diverse and common in the ground layer.

Despite stronger longleaf pine dominance, the Sandhills stands are generally less dense overall than the Loamhills stands. Because of lower fuel conditions on average as compared with the loamhills, the natural fire return interval is longer in the sandhill. A regular, consistent burning schedule (i.e., always the same season) may reduce the understory plant diversity of the Longleaf Pine Sandhills.

The Longleaf Pine Sandhills ecological group is the dominant plant community on the Installation, although it transitions to Loamhills in the southern Good Hope area.

Plantations and Other Altered Areas

Plantations and other altered areas represent habitat that had been substantially modified by silviculture, urban development, training exercises, or other human activity. Plantations are present on Fort Benning in stands of various age classes. About 16,000 acres of loblolly and slash pine were planted on Fort Benning from 1962 to 1994. In 1976 and 1977, 60 acres of longleaf pine were planted each year and from 1988 to 1999 a total of about 7,000 acres was planted with longleaf pine. Some of the acreage planted in longleaf in recent years has replaced some earlier loblolly and slash plantations that were damaged by southern pine beetles (*Dendroctonus frontalis*). In recent years, forest management goals have shifted from wood production to ecosystem restoration. Loblolly and slash pine plantations that are damaged by southern pine beetles and littleleaf disease are being replaced with longleaf pine in sites where historically longleaf would have been the dominant species. Abandoned wildlife openings also are being converted to longleaf pine where appropriate (U.S. Army 2001, 2003).

Other altered areas include shrub and grassy areas that are a result of range construction and maintenance activities. The current shrub alliances are defined poorly and require further study and classification to determine which communities are present. Hawthorn and plum (*Prunus* spp.) dominated areas occur in the downrange areas of several of the major live-fire ranges, located in the northern part of the Installation. Some unused grassy areas are currently scheduled for longleaf pine reforestation where appropriate (U.S. Army 2003).

Plantations and other altered areas are distributed throughout the other ecological groups at the Installation, with particular concentration near rivers and waterways.

Successional Upland Deciduous or Mixed Forests

This ecological group was not included in the 2001 INRMP, but was addressed in 2002 and 2003 revisions, based on Pyne (2001). The community describes previously disturbed or open areas that have been recolonized by woody vegetation. Characteristic species includes broad-leaved deciduous and both broad- and needle-leaved deciduous trees. Examples of these communities include early successional deciduous or mixed vegetation dominated by “opportunistic” hardwoods and loblolly pine. Loblolly pine was formerly extensively planted on the Installation and has proliferated into upland areas during a period of extended fire return times and general fire suppression on parts of the Installation. Other “opportunistic” hardwoods such as sweetgum, tuliptree, and water oak (*Quercus nigra*) have increased in abundance and distribution across the lands of Fort Benning.

These “semi-natural” or early successional communities likely occupy sites that would not have been dominated by these fire-intolerant hardwood species under a regime of frequent fire (U.S. Army 2001, 2003). Such sites are dispersed throughout the Installation, particularly near water bodies and along the borders of former plantations.

Trees and other plants are important for many reasons, including shade, erosion control, wildlife habitat, timber products, medicinal products, and realistic training scenarios. The current management of the Installation is focused on restoration. Management practices and recommendations are in place to re-establish fire-climax forests and fire-maintained lowlands. Areas are managed to encourage recovery from previous disturbance due to agriculture and timber harvest. Management plans for federally-listed species, such as RCW, also guide vegetation management policies. Various controls are in place to protect plant life, but some consumptive use is authorized. For example, hardwoods, underbrush, and grass may be cut and used for camouflage inside RCW clusters, consistent with the RCW Endangered Species Management Plan (ESMP). Thinning of the understory is conducted in some stands. Cutting of trees and live limbs in training areas cannot occur without prior approval of Directorate of Public Works (Conservation Branch) through the NEPA process (see Section 2.4). Harvest of firewood is allowed by permit from the USACE. USAIC Regulation 210-4 (Range and Terrain Regulation) and USAIC Regulation 210-5 (Garrison Regulation) address these issues in more detail.

4.12.1.2 Aquatic Habitats

Aquatic habitats include the waters and substrates of lakes, ponds, rivers, and streams. Certain portions of any of the aquatic habitats at Fort Benning “may qualify as jurisdictional wetlands.” Wetlands are transitional between aquatic and terrestrial environments and are defined under the CWA as areas that are “inundated or saturated by surface or ground water at a frequency and duration sufficient to support, and that under normal circumstances do support, a prevalence of vegetation typically adapted for life in saturated soil conditions. Wetlands generally include swamps, marshes, bogs, and similar areas” (33 CFR 328.3). Jurisdictional wetlands are specifically protected under Section 404 permitting process and are discussed in more detail in Section 4.10.

Within the area potentially affected by the Transformation actions, wetland and aquatic habitats occur in the Drivers Training Areas; road crossings at Pine Knot Creek; the Multi-purpose Machine Gun Ranges/Qualification Training Range in the southern range areas, both Tank/Fighting Vehicle Stationary Gunnery Ranges, Heavy Maneuver Corridor – North, Heavy Maneuver Corridor – South, and several of the proposed northern range facilities near Randall Creek. NWI data show wetlands in cantonment areas within the sites affected by the following proposed Transformation actions: Museum Operations Support Building (Main Post), AT/FP Access Control Points (various locations), and Hospital Replacement (Main Post).

Aquatic habitats and wetlands at Fort Benning include 7 of the 14 ecological groups described in the INRMP and draft revisions in 2002 and 2003. The eight habitat types, along with characteristic plant and animal species, are described below, based on INRMP descriptions. Table 4.12-2 lists the seven ecological groups and the estimated acreage of each that occurs at Fort Benning. Figures 4.12-1 and 4.12-2 show the occurrence of these habitats at Fort Benning.

Table 4.12-2: Acreage of Aquatic Habitats at Fort Benning

Freshwater Aquatic Habitat	Existing Acres at Fort Benning
Gum / oak ponds	217
Open water (Impounded and Flowing)	2,504
River floodplains and Cypress-Tupelo swamps	3,825
Seasonal depression ponds	163
Small stream swamps and wooded seepage bogs	10,022
Stream floodplains	13,666
Total	30,397

Open Water

Water impoundments at Fort Benning are the result of human activity and beaver dams. Flowing water habitats include rivers, creeks, and intermediate streams. These areas are mostly unvegetated or exhibit only submerged vegetation or plant life along the shoreline.

At Fort Benning, flowing water includes streams of either Piedmont or Coastal Plain origin. Piedmont streams flow into the Installation from the north and flow generally in a southerly direction. Large rocks, pebbles, and sand are characteristic of the substrate of these streams. Piedmont streams are higher in fish and mussel diversity than Coastal Plain streams. Piedmont streams include Dozier, Cox, Randall, Kendall, Upatoi, Uchee, and Baker Creeks, as well as the Chattahoochee and Tar rivers (the Tar is a tributary of Upatoi Creek). The Upatoi Creek watershed is the main drainage of Fort Benning. Its headwaters are in Chattahoochee, Talbot, and Marion Counties.

Coastal Plain streams (e.g., Pine Knot and Little Pine Knot Creeks) generally flow into the Installation from the east. Coastal Plain streams have more stable water levels and are more acidic than Piedmont streams. Coastal Plain streams also exhibit lower fish and mussel diversity.

Common plants found in open water habitats include white water lily (*Nymphaea odorata*), watershield (*Brasenia schreberi*), pondlily (*Nuphar lutea*), buttonbush (*Cephalanthus occidentalis*), smooth alder (*Alnus serrulata*), and wax myrtle. Special status species that use impounded water sites include lax water-milfoil (*Myriophyllum laxum*). Common inhabitants of impounded water communities include American alligators (*Alligator mississippiensis*), beavers (*Castor canadensis*), waterfowl, game and nongame fish, and wading birds. Many other game and nongame species use these ponds for drinking water. The larger managed ponds provide recreational fishing opportunities to Installation personnel. The Pine Knot Creek system is designated as a UEA (see Section 4.12.1.5).

Major rivers and open water bodes would not be used for military training under the Transformation alternatives, but smaller creeks and tributaries appear in the range areas and heavy maneuver corridors.

River Floodplains and Cypress/Tupelo Swamps

This aquatic community is a frequently inundated alluvial outwash that appears adjacent to larger creeks and rivers. Plant communities here are dominated by flood tolerant species, such as swamp tupelo (*Nyssa biflora*), blackgum (*Nyssa sylvatica*), sweetgum, sycamore (*Platanus occidentalis*), river birch (*Betula nigra*), and water oak. Loblolly pines are scattered along the banks of the river. Common understory species include red maple, ash, elms (*Ulmus* spp.), flowering dogwood, hackberry (*Celtis* spp.), hornbeam, and various oaks. Vines, understory grasses, and herbaceous plants are common and varied.

The Chattahoochee River floodplain, and its associated backwaters and tupelo swamps, is found in the southwestern portion of the Installation. The floodplain areas provide abundant recreational opportunities to Installation personnel and the general public; military use of the Chattahoochee River floodplain is minimal. Threats to the area and its wildlife include water pollution, water level manipulation, sedimentation, and disturbance of nesting migratory bird species. The proposed Transformation alternatives do not occur in the river floodplain, but several non-range construction projects within the Main Post cantonment area are proposed adjacent to the river floodplains.

Stream Floodplains

Stream floodplains at Fort Benning are extensive and the associated plant communities change composition somewhat with geographic location on the Installation. Oaks, hickories, sycamore, beech, ash, and elms dominate the riparian plant communities. Loblolly, shortleaf and spruce pines (*Pinus glabra*) are scattered throughout these communities. Common understory species include red maple, flowering dogwood, hawthorn, sourwood, silverbells (*Halesia* spp.), witchhazel, redbud, American holly, and black cherry (*Prunus serotina*). Relict trillium (*Trillium reliquum*), a federally endangered plant, occurs in at least five populations on the stream floodplains (Section 4.12.1.3). Over 50 species of birds have been documented using these areas. Stream floodplains at Fort Benning often exhibit wetland characteristics and may fall under regulatory jurisdiction of the CWA.

Current military training in the stream floodplains is minimal and a large portion of these areas has been proposed for management as UEAs. The proposed Transformation alternatives overlap stream floodplains in some of the range areas and heavy maneuver corridors.

Small Stream Swamps and Wooded Seepage Bogs

Wooded seepage bogs are depressional areas fed by side-slope seepage from the surrounding uplands. Standing water may be present during some parts of the year. The tree bases are usually buttressed, ground-cover diversity is low, and ferns are a common component. Dominant tree canopy species include sweetbay (*Magnolia virginiana*), blackgum, sweetgum, water oak, and willow oak (*Quercus phellos*). Sub-canopy species include holly, farkleberry, red bay, poison sumac (*Toxicodendron vernix*), viburnum (*Viburnum* spp.), and red maple. Understory shrubs include titi, bayberry (*Myrica heterophylla*), leucothoe (*Leucothoe axillaris*), and fetterbush. Understory herbaceous species are sparse, but may include netted chain fern (*Woodwardia areolata*), cinnamon fern (*Osmunda cinnamomea*), and southern lady fern (*Athyrium asplenoides*). Stream swamps and wooded seepage bogs at Fort Benning often exhibit wetland characteristics and fall under regulatory jurisdiction of the CWA.

The braided streams that are characteristic of this group are found scattered across the northern half of the Installation. Current military use of these areas is minimal, usually limited to foot traffic. These habitats are not specifically managed as individual UEAs; however, small steam swamps and seepage bogs may appear as part of other UEAs.

Seasonal Depression Ponds

Seasonal Depression Ponds include several seasonally flooded wetland areas across the Installation. Plant species include smooth alder in deciduous shrubland, rushes (*Juncus* spp.) and sedges in grassland areas, cattails (*Typha* spp.), *Panicum* spp, and *Polygonum* spp. The vegetation and wildlife in these habitats depends on the surrounding environmental conditions, degree and frequency of flooding, and adjacent vegetative community. These small ponds appear infrequently and sporadically across the Installation, typically interspersed with the surrounding ecological community.

Gum/Oak Ponds

Gum/oak ponds are usually small and isolated and usually are found in upland areas where small depressions hold water for long periods of time. They are not filled by running water or seepage; instead, they hold rainwater, and the water levels change with the season. Sweetgum, blackgum, water tupelo (*Nyssa aquatica*), willow oak, laurel oak (*Quercus laurifolia*), and water oak are often dominant species. The midstory is variable and changes with the amount of water the ponds retain, but American holly, sweet-pepperbush (*Clethra alnifolia*), leucothoe, and dwarf palmetto (*Sabal minor*) commonly are present. Mesic species such as buttonbush and wax myrtle are common in more open areas of the ponds, and in some ponds sedges and ferns are the most common herbaceous species present. Mosses and orchids also may be present. Gum/oak ponds are dispersed in low volume over the Installation, but are not common in any of the areas subject to the Transformation alternatives.

Herbaceous and Shrub Seepage Bogs

The switch cane and pitcher plant bogs within the Malone Impact Area are the best example of this ecological group on Fort Benning. Woody species common to these bogs include switch cane

(*Arundinaria gigantea* ssp. *tecta*), inkberry/gallberry, wax-myrtle, sourwood, and greenbriers. Herbaceous species include sweet pitcherplant (*Sarracenia rubra*), sphagnum mosses, and various ferns. These areas burn frequently and fire is a necessary component for maintaining these bog systems. A smaller, lower quality bog located in military training compartment O14 has been invaded by woody species due to fire suppression. These bogs are subject to little military use other than the influence of ordnance-related wildfires.

4.12.1.3 Fish and Wildlife

Fort Benning is inhabited by more than 350 species of fish and wildlife, including 154 species of birds, 47 species of mammals, 48 species of reptiles, 25 species of amphibians, 67 species of fish, and 9 species of mussels, as well as numerous insect and other invertebrate species that have not been systematically enumerated (Fort Benning 2001, 2003c). Commonly encountered animals include American alligators, turtles, water snakes, wading birds, migratory waterfowl, beaver, white-tailed deer (*Odocoileus virginiana*), feral swine (*Sus scrofa*), wild turkey (*Meleagris gallopavo*), gray squirrel, raccoon, rabbits (*Sylvilagus* spp.), other small mammals, and a wide variety of songbirds. The Seminole bat (*Lasiurus seminolu*), southeastern myotis (*Myotis austroriparius*), and Brazilian free-tailed bat (*Tadarida brasiliensis*) are known to occur at Fort Benning. Herpetofauna found on the Installation includes eastern coachwhip (*Masticophis flagellum flagellum*), eastern diamondback rattlesnake (*Crotalus adamanteus*) Florida pinesnake (*Pituophis melanoleucus mugitus*), southern hognose snake (*Heterodon simus*), eastern tiger salamander (*Ambystoma tigrinum*), and other species of the Longleaf Pine Ecosystem.

Fort Benning supports a high diversity of native freshwater fishes, including both game and non-game species. Native non-game fishes include many species of shiners, darters, shad, and minnows, as well as the southern brook lamprey (*Ichthyomyzon gagei*) (Fort Benning 2001, 2003c). Fishing occurs throughout the installation within the Chattahoochee River and several major streams, including Upatoi, Ochillee, Oswichee, Randall, Big Pine Knot, and Uchee, numerous oxbows off the Chattahoochee, Upatoi, and Uchee Creeks, beaver ponds, and 14 man-made ponds. The fish ponds are in fair to poor condition due to infrastructure problems and lack of resources to conduct management. Fishing by boat is feasible in Upatoi and Uchee Creeks, in the Chattahoochee River and its backwaters, and in the fish ponds and larger oxbows. Fishing access on the Installation is open to active duty military, retirees, reservists, and DOD civilians and their guests. The most popular fish species sought by fishermen include: largemouth bass (*Micropterus salmoides*), bluegill (*Lepomis macrochirus*), redear or shellcracker (*Lepomis microlophus*), black crappie (*Pomoxis nigromaculatus*), channel catfish (*Ictalurus punctatus*), white bass (*Morone chrysops*), and hybrid white bass (*Morone chrysops saxatilis*) (Fort Benning 2001, 2003c).

Insect communities, crustaceans, and other invertebrates are not well-documented at Fort Benning, but the region is typically rich in invertebrate biodiversity. Common insects in stream systems include larval and adult stages of stoneflies, mayflies, midges, and caddis flies. A wide variety of crayfish, mussels, isopods, snails, and amphipods occurs in Georgia habitat, although specific distribution and habitat preferences are not well known (GDNR 2006b). Soil insects, beetles, weevils and wood borers, and exotic insects are also common in the forests of Georgia (The Bugwood Group 2006).

Fort Benning lies within the native range of approximately 18 species of native mussels, including four federally listed species. None of the federally listed species has ever been found on Fort Benning (Abbott 2006). Eight native mussels and one introduced clam were found in a 1997 survey of Fort Benning streams that included 10 streams as well as the Chattahoochee River and Victory Pond. Mussels were found in Uchee, Cox, Shell, and Oswichee Creeks and in the Chattahoochee River (Fort Benning 2001, 2003c; Abbott 2006). Freshwater mussel surveys, which were conducted again in 2006 at 27 sites, in 11 different streams where road crossings exist or are planned, found only two native species, the eastern elliptio (*Elliptio complanata*), found in Dozier and Cox Creeks, and the little spectaclecase (*Villosa lienosa*), found in Cox Creek (Abbott 2006).

Wildlife has many values including outdoor recreation, aesthetics, environmental monitoring, ensuring proper function of the ecosystem, and providing sources of domestic stock. State and/or federal laws protect most species of wildlife, to varying degrees. Hunting on the installation is allowed for 10 species of resident game mammals: white-tailed deer, eastern cottontail rabbit (*Sylvilagus floridanus*), swamp rabbit (*Sylvilagus aquaticus*), gray squirrel (*Sciurus carolinensis*), fox squirrel (*Sciurus niger*), bobcat (*Lynx rufus*), gray fox (*Urocyon cinereoargenteus*), red fox (*Vulpes fulva*), Virginia opossum (*Didelphis virginiana*), and raccoon (*Procyon lotor*). There are two species of resident game birds: northern bobwhite quail (*Colinus virginianus*) and eastern wild turkey. Nineteen species of migratory game birds (at least 16 of which are waterfowl) are present: mourning dove (*Zenaida macroura*), common snipe (*Gallinago gallinago*), American woodcock (*Scolopax minor*), Canada goose (*Branta canadensis*), mallard duck (*Anas platyrhynchos*), wood duck (*Aix sponsa*), ring-necked duck (*Aythya collaris*), gadwall (*Anas strepera*), wigeon (*Anas americana*), northern pintail (*Anas acuta*), American black duck (*Anas rubripes*), green-winged teal (*Anas crecca*), blue-winged teal (*Anas discors*), canvasback (*Aythya valisineria*), redhead (*Aythya americana*), bufflehead (*Bucephala albeola*), hooded merganser (*Lophodytes cucullatus*), northern shoveler (*Anas clypeata*), and lesser scaup (*Aythya affinis*). Additionally, hunting is allowed for three nongame animals: coyote (*Canis latrans*), feral swine (*Sus scrofa*), and crows (*Corvus* spp.). Feral swine are considered a nuisance species and liberal hunting regulations are in effect. Deer and wild turkey are the most sought after species by hunters. Harvest of game species, such as white-tailed deer, wild turkey, bobwhite quail, and rabbits; and sport fish such as catfish (*Ictalurus* spp.), and largemouth bass (*Micropterus salmoides*), is regulated by Installation personnel, GADNR, AL Department of Conservation and Natural Resources, and the USFWS. Federal and state laws regarding hunting and fishing are addressed in USAIC Regulation 200-3 (Hunting and Fishing Regulation). Specific requirements for protection of some species of wildlife on Fort Benning (such as the RCW and gopher tortoise) are contained in USAIC Regulation 210-4 (Range and Terrain Regulation) and in Fort Benning's ESMPs. Other recreational opportunities, such as bird-watching and hiking, also occur on the Installation and are discussed in more detail in Section 4.2.2.

Migratory birds. Except for resident game birds, most of the birds on Fort Benning are protected under the Migratory Bird Treaty Act (MBTA). This Act implements various treaties and conventions between the US and Canada, Japan, Mexico, and former Soviet Union for the protection of migratory birds.

Final

Conservation of migratory birds by federal agencies and their consideration in the NEPA process is also mandated by EO 13186. On July 31, 2006, a Memorandum of Understanding (MOU) was finalized between the Department of Defense and USFWS identifying measures to enhance migratory bird conservation on U.S. military Installations. Consistent with this MOU, Fort Benning manages and conserves migratory bird species through its INRMP and considers effects to migratory birds in any proposed action via the NEPA process. Fort Benning will continue to follow the applicable MOU provisions, which may involve permitting for some activities and further consideration of migratory bird management in the Integrated Natural Resource Management Plan. As of February 2007, the Migratory Bird Permit section of 50 CFR Part 21.15 allows for the incidental "take" of migratory birds during military readiness activities except for those ongoing or proposed activities that may result in a significant adverse effect on a population of a migratory bird species. Military readiness activity includes all training and operations of the Armed Forces that relate to combat, and the adequate and realistic testing of military equipment, vehicles, weapons, and sensors for proper operation and suitability for combat use. If a significant adverse effect on a population may result, then the Armed Forces must confer and cooperate with the USFWS to develop and implement appropriate conservation measures to minimize or mitigate such significant adverse activities.

There are approximately 150 species of birds protected under the MBTA present on the Installation either seasonally or year round. Most of these species are breeding residents or neotropical migrants for which the typical breeding season is spring through summer. Fort Benning is currently cooperating with federal, state, and private organizations in gathering information on many migratory bird species in this region. Fort Benning personnel are dedicated to making sound ecological management decisions while at the same time providing for the needs of the military to accomplish its mission. None of the proposed actions or alternatives would result in significant adverse effects to migratory bird populations, therefore, this topic will not be analyzed further.

Feral Swine. Feral swine are widespread across the Installation in stream floodplain forests and are considered a pest species for many reasons. A primary concern is the extensive damage that occurs due to their feeding habits and their characteristic "rooting" behavior. Their rooting style of feeding behavior can cause damage to vegetation and soil surface. Feral swine can jeopardize the establishment of ground cover and are destructive to native vegetation, which can result in environmental degradation and sedimentation of streams. Impacts of feral swine include soil disturbance, direct mortality of pine and hardwood trees, competition with native wildlife species, habitat disturbance, and direct mortality of threatened and endangered species. In 1997, three of the seven populations of the federally endangered relict trillium on Fort Benning were fenced to prevent further damage due to feral swine (Fort Benning 2001, 2003c). Feral swine can also uproot and damage cables, wiring, targetry, bivouac sites, and other military assets. Current management for this species on the Installation focuses on controlling the population by establishing liberal hunting regulations such as no bag limit and expanded season lengths. In addition, trapping is conducted at specific locations to minimize damage to military assets and sensitive plants. The focus is to control feral swine in selected areas. These high priority areas include threatened

and endangered species habitat and UEAs. The Piedmont Interface UEA (see Section 4.12.1.4) and streambank habitats are particularly susceptible to disturbance due to feral swine.

4.12.1.4 Special-Status Species

Special-status species include species listed as threatened, endangered, or proposed as such by the USFWS or the State of Georgia, and other species of conservation concern. The federal Endangered Species Act (ESA) protects federally listed, threatened, and endangered plant and animal species. State listed species are not protected under the federal ESA; however, they are protected on state land under Georgia's Wildflower Preservation Act and Georgia's Endangered Wildlife Act. Installations cooperate with state authorities in efforts to conserve these species. Other species of conservation concern include state species of special concern, rare species, unusual species, or a watch-list species. These species are not protected by the ESA; however, they could be considered for listing in the future and are afforded special management attention in Fort Benning's INRMP.

The focus of the analysis in this document is on the federally and state listed or candidate threatened and endangered species, per Army NEPA regulation (32 CFR 651). The area potentially affected by the Transformation action is confined to the Georgia portion of Fort Benning; therefore, the analysis of state-listed species does not include species listed by Alabama. Federally listed species in Alabama are addressed. Other species of conservation concern are addressed, but are not analyzed to the same level of detail as the species listed by USFWS or State of Georgia as threatened or endangered.

Six federally listed or candidate species occur on Fort Benning. These are the red-cockaded woodpecker (Endangered), wood stork (Endangered), bald eagle (Threatened), American alligator (Threatened for similarity in appearance), Georgia rockcress (Candidate), and relict trillium (Endangered). The bald eagle has been proposed for delisting. (USFWS 1999a.) Species listed by Georgia as Threatened or Endangered include the gopher tortoise (Threatened), Barbour's map turtle (Threatened), alligator snapping turtle (Threatened), and blueshiner (*Cyprinella callitaenia*) (Threatened) and 11 plant species. Other animal species of conservation concern include various bird, reptile, fish, amphibious, mussel, insect, and plant species. Known occurrences of federally and state-listed species other than the RCW on the Installation are shown in Figures 4.12-3 and 4.12-4. Figures 4.12-3 and 4.12-4 illustrate known occurrences for certain species only and do not represent comprehensive survey data for all species or the entire Installation. Figures 4.12-5 and 4.12-6 show the overlap of RCW clusters by Alternative A and B, respectively.

AR 200-3 (Natural Resources—Land, Forest and Wildlife Management) implements within the Army the requirements of the ESA. The regulation requires ESMPs for listed and proposed species and critical habitat, a 100 percent inventory of suitable habitat for listed and proposed species that may occur on the Installation, and an initial thorough inventory of plants, fish, wildlife, and habitats on the Installation lands.

Special-Status Plant Species

One federally listed plant species, relict trillium, eleven plant species listed by the State of Georgia as threatened or endangered, and more than 30 other species of conservation concern occur at Fort Benning (Fort Benning 2003d). Figures 4.12-3 and 4.12-4 depict the known occurrence of federally and state-listed species on the Installation. Table 4.12-3 lists these plant species, their conservation status, habitat preferences, and any known occurrence on Fort Benning. Species with federal status or listed by the State of Georgia as threatened or endangered are described in more detail below.

Relict Trillium (Federal Endangered)

Relict trillium is an herbaceous member of the lily family. Relict trillium is characterized by sessile flowers, curved stems, and prolonged, beaked stamen (USFWS 1990, Patrick *et al.* 1995). The spring flowers range in color from yellow to green and browning purple. The fruit is a round capsule that develops in early summer. Trillium plants die back to underground rhizomes after fruit maturation in summer and reemerge in spring.



Relict trillium grows in moist hardwood forests with little to no recent disturbance. This species is threatened by habitat loss due to residential and industrial development, roads and utility corridors, logging, agricultural conversion, and fires. The species is adapted to shaded conditions; thus, timber harvests or forest clearing can be detrimental to this species. Introduced species may also threaten relict trillium. Japanese honeysuckle and kudzu (*Pueraria lobata*) are aggressive invasive vines that encroach into hardwood habitat and replace native plant species. Feral swine can damage relict trillium by trampling, uprooting, and destabilizing soil.

There are five monitored populations of relict trillium in the northeastern-most areas of the Installation (Figure 4.12-3; Fort Benning 2007c). Two new populations may be present in training compartments CC3 and P1, respectively (Fort Benning 2007c). Population areas range up to several acres in size and, in some cases, contain several thousand individuals. These areas are critical to the recovery of the relict trillium population. Populations at Fort Benning are essential for the continued viability of this species (Fort Benning 2001, 2003c). Current management activities for this species consist of surveys, monitoring efforts, and protection of sensitive areas. Management strategies on Fort Benning for this species are defined in an ESMP and consist of the following practices:

- placing signs around relict trillium populations;
- prohibiting digging and driving within and adjacent to known populations;
- monitoring and control of kudzu and Japanese honeysuckle;
- prohibiting timber harvest within 200 ft of known populations;
- prohibiting prescribed burning within the boundaries of populations;
- fencing to protect populations from feral swine; and
- conducting additional surveys for unknown populations.




Figure 4.12-3: Known Occurrence of Federally Listed Species and Unique Ecological Areas




Figure 4.12-4: Known Occurrences of State Listed Species and Unique Ecological Areas




Figure 4.12-5: Red-cockaded Woodpecker Clusters Under Transformation Alternative A




Figure 4.12-6: Red-cockaded Woodpecker Clusters Under Transformation Alternative B

Table 4.12-3: Plant Species of Conservation Concern at Fort Benning

Scientific Name	Common Name	Federal Status*	Georgia Status*	Habitat Preference, Occurrence on Fort Benning (# Mapped Locations, where available)
Federally Listed (Threatened/Endangered)				
<i>Trillium reliquum</i>	Relict trillium	E	E	Shaded, undisturbed sites in moist hardwood forests; 5 populations plus 2 isolated individuals mapped on the northeastern part of Installation; 2 suspected populations in compartments CC3 and P1 (7).
State Listed (Threatened/Endangered)				
<i>Arabis georgiana</i>	Georgia rockcress	C	T	Rocky bluffs, slopes and streambanks on sandy soils; Chattahoochee River (15).
<i>Croomia pauciflora</i>	Croomia		T	Moist deciduous woodlands, river channels, riparian areas; Upatoi Bluffs UEA and the Prosperity Church Oak-Hickory Forest UEA.
<i>Myriophyllum laxum</i>	Lax water-milfoil		T	Shallow, clear-water ponds, bogs, sinkholes and streams; Arkansas Oak Rock Hills and Upatoi Creek Flatwoods UEAs (6).
<i>Nestronia umbellula</i>	Indian olive		T	Open areas in dry-mesic hardwood and pine forests; occurrence unconfirmed.
<i>Sarracenia rubra</i>	Sweet pitcherplant		E	Open sites in moist woodlands, seeps, and wetland margins; Malone Cane Breaks UEA and northward in area O14.
<i>Stylisma pickeringii pickeringii</i>	Pickering's morning-glory		T	Open scrub-woodland habitat on sandy soils in the Fall Line; Lakeland Sandhills UEA.
<i>Sedum nevii</i>	Nevius' stonecrop		T	Thin frantic, limestone, or shale soils; Chattahoochee River bluffs; occurrence unconfirmed.
<i>Sedum pusillum</i>	Granite rock stonecrop		T	Granitic outcrops among mosses; occurrence unconfirmed.
<i>Schisandra glabra</i>	Bay star-vine		T	Twining over understory trees and shrubs or trailing over the ground in forested bottomlands and adjacent lower slopes; occurrence unconfirmed.
<i>Rhododendron prunifolium</i>	Plumleaf azalea		T	Moist soils of rich hardwood ravines; occurrence unconfirmed.
<i>Hymenocallis coronaria</i>	Shoals spider-lily		E	Rocky shoals and cracks in bedrock along river and stream courses; occurrence unconfirmed.
Other Species of Conservation Concern				
<i>Aesculus parviflora</i>	Bottlebrush buckeye		SC	Rocky longleaf pine forests. Arkansas Oak Rock Hills UEA (7).
<i>Agrimonia incisa</i>	Incised agrimony		SC	Sandhills and pine scrub. Piedmont Interface, Pine Knot Creek Blackwaters, Prosperity Church Oak-hickory Forest, Arkansas Oak Rock Hills, Longleaf Pine Sandhills UEAs.
<i>Baptisia megacarpa</i>	Apalachicola wild indigo		SC	Riparian slopes, floodplain forests; occurrence unconfirmed.

Table 4.12-3: Plant Species of Conservation Concern at Fort Benning

Scientific Name	Common Name	Federal Status*	Georgia Status*	Habitat Preference, Occurrence on Fort Benning (# Mapped Locations, where available)
<i>Buchnera americana</i>	Bluehearts		SC	Seepage bogs. Malone Cane Breaks UEA (10).
<i>Carex lupuliformis</i>	Hop sedge		SC	Wetlands, floodplain forests (7)
<i>Carex stricta</i>	Tussock sedge		SC	Wetlands, Ochillee Creek Wetlands UEA (8).
<i>Chrysoma pauciflosculosa</i>	Woody goldenrod		W	Sandy soil, scrub oak woodland, Lakeland Sandhills (14),
<i>Cirsium virginianum</i>	Virginia thistle		SC	Wet ecotones, longleaf pine (3).
<i>Gymnopogon brevifolius</i>	Broad-leaved beardgrass		SC	Dry clay loam soils, relict prairies Hastings Relict Sandhills Community, Longleaf Pine Sandhills UEAs (8).
<i>Helenium brevifolium</i>	Bog sneezeweed		SC	Seepage bogs, Pine Knot Creek Blackwaters, Malone Cane Breaks; occurrence unconfirmed.
<i>Helianthemum canadense</i>	Canadian frostweed		SC	Dry, sandy scrub and longleaf pine forest (3).
<i>Helianthus smithii</i>	Smith's sunflower		SC	Stream floodplains. Hastings Relict Sandhills Community (3).
<i>Hexastylis shuttleworthii</i> var. <i>harperi</i>	Harper's Wild ginger		U	Floodplain forests, wetland edges (4).
<i>Hypericum canadense</i>	Canada St. John's wort		SC	Wet, sandy soils, open woodlands meadows, wetland edges (10).
<i>Iris brevicaulis</i>	Lamance iris		SC	Seepage bogs (4).
<i>Isoetes melanopoda</i>	Black-footed quillwort		SC	Low woods, seepage bogs (2).
<i>Melanthium latifolium</i>	Broadleaf bunchflower		SC	Mesic hardwoods. slopes of Northern Affinities UEA (8).
<i>Oldenlandia boscii</i>	Bosc's Mille grains		SC	Wetlands and pond margins (1).
<i>Panax quinquefolium</i>	American ginseng		SC	Mesic hardwoods, Upatoi Bluffs, Prosperity Church Oak-hickory Forest UEA (8).
<i>Phaseolus polystachios sinuatus</i>	Sandhills bean		SC	Dry pine sandhills; occurrence unconfirmed.
<i>Plantago sparsiflora</i>	Pineland plantain		SC	Openings in wet pine woods, seeps; occurrence unconfirmed.
<i>Quercus arkansana</i>	Arkansas oak		SC	Longleaf pine rocky ridges, Arkansas Oak Rock Hills UEA (8).
<i>Quercus georgiana</i>	Georgia oak		W	Stone outcrops, slopes, and knolls; locations unmapped.
<i>Quercus prinoides</i>	Dwarf chinkapin oak		SC	Longleaf pine rocky ridges, Arkansas Oak Rock Hills UEA (7).
<i>Rhynchospora scirpoides</i>	Bullrush baldrush		SC	Wet sandy soils, stream banks; occurrence unconfirmed.
<i>Rhynchospora stenophylla</i>	Narrow-leaved beakrush		SC	Wet depressions and seeps; occurrence unconfirmed.
<i>Spiranthes ovalis</i>	October ladies-tresses		SC	Wet woodlands and seeps (1).
<i>Trepocarpus aethusae</i>	Trepocarpus, White nymph		SC	Floodplains, swamps. Chattahoochee Backwaters UEA (10).
<i>Triadenum tubulosum</i>	Broadleaf marsh St. John's wort		SC	Wetlands, seeps (1).
<i>Tridens carolinianus</i>	Carolina redtop		SC	Dry, open mixed pine woods (3).
<i>Trillium decipiens</i>	Mimic trillium		W	Moist woods, bluffs and slopes; occurrence unconfirmed.
<i>Trillium underwoodii</i>	Dwarf mottled trillium		W	Oak/hickory forest understory; occurrence unconfirmed.

Note: E = Endangered; C = Candidate; T = Threatened; SC = Special Concern; U = Unusual; W = Georgia Plant Watch List (Plants needing additional documentation to determine conservation status).

Sources: Fort Benning 2001, 2003c, GDNR 2006a, 2006b; Patrick et al. 1995.

Georgia Rockcress (Federal Candidate, Georgia Threatened)

Georgia rockcress is listed as a threatened species in the state of Georgia and is a candidate for federal listing. In 2006, its priority status was upgraded from 11 to 8 in response to increasing level of threat to this species (USFWS 2006a). Georgia rockcress is a tall herbaceous plant with an erect stem and several basal leaves. White flowers bloom from May to June in a cluster at the end of the stem (Patrick *et al.* 1995). This species is found in dry areas, on rocky bluffs and slopes along watercourses, as well as along sandy, eroding stream banks. This species is able to populate thin soils and pioneer sites (USFWS 2005). Georgia rockcress is a light-loving species and will not tolerate prolonged shaded conditions (USFWS 2006a).

Threats to this species include various forms of habitat degradation and disturbance. Timber harvest and road building can directly modify potential habitat. Ground disturbance also encourages encroachment by exotic plant species. Invasive plants, particularly Japanese honeysuckle, overtake populations of Georgia rockcress. An increased threat from invasive plants was cited by USFWS in support of the candidate priority upgrade (USFWS 2006a).

On Fort Benning, Georgia rockcress can be found along both banks of the Chattahoochee River, which is generally outside of the area potentially affected by the Transformation action.

Indian Olive (GA Threatened)

Indian olive is a small, colonial shrub found primarily in dry, open, upland forests of mixed hardwood and pine. The species is dioecious, producing different flower types on male and female plants. Female flowers are solitary while male flowers occur in small clusters. Indian olive is known from about 16 locations in Georgia and is rare throughout its range, having sustained considerable habitat loss due to the clearing of forestland (McDonald 2006). Many of the remaining populations are of only a single sex, able to reproduce only asexually through root sprouting, and are therefore especially vulnerable to fragmentation of their habitat (Patrick *et al.* 1995). Management for Indian olive on Fort Benning is focused on forestry operation. The species may occur on the Installation in the ecological groups Dry-Mesic Hardwood and Dry Mesic Mixed Hardwood/Pine Forest. All known plants on Post are flagged prior to any timber harvests to prevent the plants from being disturbed by the use of heavy equipment.

Lax water-milfoil (GA Threatened)

Lax water-milfoil is a feathery, aquatic herb with emergent and submerged leaves. Leaf shape is extremely variable, with submerged leaves deeply incised and thread-like (Patrick *et al.* 1995). Lax water-milfoil grows in shallow freshwater ponds, bogs, sinkholes, and streams. The plant prefers clear water or spring-fed pools rather than pooling runoff with lower water quality. Lax water-milfoil occurs on Fort Benning in impounded water habitats in the Arkansas Oak Rock Hills UEA and Upatoi Creek Flatwoods UEA. The species is threatened by activities that alter the water table or degrade water quality/water clarity (Patrick *et al.* 1995).

Sweet Pitcherplant (GA Endangered)

The sweet pitcherplant (*Sarracenia rubra*) (Georgia Endangered) is a carnivorous plant that grows in moist woodlands, seepage areas, and wetland margins (see Figures 4.12-3 and 4.12-4). It is found usually in areas exposed to full sun or light shade, and it may be crowded or shaded out by invading shrub and tree species unless an opening is maintained by manual thinning or periodic fire. The species is endangered in Georgia because of wide-scale habitat destruction. Mechanical site disturbances, such as drainage or logging, tend to destroy populations. An appropriate fire regime is also important in maintaining suitable habitat for this species. Recently, pitcherplant collection for the floral arrangement industry is posing a new problem (Fort Benning 2001, 2003c).

The sweet pitcher plant is found on Fort Benning in the Malone Cane Breaks UEA and northward in training compartment O14 where clay pans under the soil surface have created favorable growing conditions (Fort Benning 2001, 2003c). Management efforts include eliminating invading woody vegetation and yearly population surveys. TNC developed recommended management plans for each of Fort Benning's populations of the sweet pitcherplant (Streich and Kemp 1994a, b). The Malone Cane Breaks UEA contains most of Fort Benning's pitcherplants. None of the proposed Transformation projects are in this area. Sweet pitcherplant occurs in the proposed Heavy Maneuver Area - North and associated road construction projects in area O14 (Fort Benning 2001, 2003c).

Croomia (GA Threatened)

Croomia is a leafy perennial herb growing from rhizomes in intertwined patches. Croomia is found in moist deciduous woodlands, river channels, and riparian areas (Patrick *et al.* 1995). It is rare throughout its range and has sustained substantial habitat loss due to the clearing of forests for conversion to agriculture or pine plantations (Figures 4.12-3 and 4.12-4) (Fort Benning 2001, 2003c). Exotic invasives, such as Japanese honeysuckle, may also encroach into croomia habitat. The species is found in dry-mesic hardwood forest at two sites on Fort Benning: the Upatoi Bluffs UEA and the Prosperity Church Oak-Hickory Forest UEA. The proposed Heavy Maneuver Corridor – South is partially within the Prosperity Church Oak-Hickory Forest UEA. No Transformation activity is proposed within the Upatoi Bluffs UEA, but construction, range activities, and the driver training area are within close proximity to this region.

Pickering's Morning Glory (GA Endangered)

Pickering's morning glory is a perennial, creeping vine. The stems sprawl over the ground from a central crown, and branch extensively, forming an intertwined network of trailing stems. The leaves are held upright, with the base tapering to a short leafstalk (Fort Benning 2001, 2003c; Patrick *et al.* 1995). The flowers are white and funnel shaped. The species is found in coarse, white sands on sandhills near the Fall Line. These are scrub habitats with scant litter accumulation, sparse ground cover, and a thin canopy of scattered oaks and pines. The species is in decline due to habitat destruction. Fort Benning's management strategy for this species is to control encroachment of woody vegetation through prescribed burning and timber thinning, which should be beneficial to this light-loving plant (Patrick *et al.* 1995).

The largest known concentrations of Pickering's morning glory on Fort Benning are found in the Lakeland Sandhills UEA (Figures 4.12-3 and 4.12-4) (Fort Benning 2001, 2003c). Pickering's morning glory habitat does not occur in the area potentially affected by the Transformation actions.

Shoals spider-lily (GA Endangered)

This species is an emergent wetland plant that grows along streams, rivers, rocky shoals and cracks in bedrock. Alterations in stream flow and degradation in water quality are threats. The species is also sensitive to sediment and turbidity (Patrick *et al.* 1995). Surveys for plant species of concern were conducted in 2006 over the areas potentially affected by the Transformation alternatives. Shoals spider-lily was not detected (USFS 2006).

Plumleaf Azalea (GA Threatened)

This deciduous shrub produces bright flower clusters. It grows in moist soils of hardwood ravines and may be found in the Piedmont Interface UEA. Disturbance due to logging and horticultural collection are threats to this species (Patrick *et al.* 1995). Plumleaf azalea was not detected in the areas potentially affected by the Transformation alternatives (USFS 2006).

Bay Star-vine (GA Threatened)

Bay star-vine grows on slopes and bottomlands in rich forest. It is a sprawling or climbing vine that grows over understory trees and shrubs. Invasion by exotic species is a threat to this plant (Patrick *et al.* 2005). Bay Star-vine was not detected in the areas potentially affected by the Transformation alternatives (USFS 2006).

Granite Rock Stonecrop (*Sedum pusillum*) (GA Threatened)

This species grows over granitic outcrops in the shade of taller vegetation or rock structures. It often appears in association with eastern red cedar. Invasion by exotic weeds is the most notable threat to the granite rock stonecrop (Patrick *et al.* 1995). Granite Rock Stonecrop was not detected in the areas potentially affected by the Transformation alternatives (USFS 2006).

Nevius' Stonecrop (GA Threatened)

Nevius' stonecrop grows in shallow soil over granite substrate. It appears on steep bluffs along Chattahoochee River. As with other native plants, exotic weeds are a threat (Patrick *et al.* 1995). Nevius' Stonecrop was not detected in the areas potentially affected by the Transformation alternatives (USFS 2006).

Special Status Animal Species

Table 4.12-4 lists the special status animal species and their conservation status. Habitat preference and species occurrence at Fort Benning is included where data are available. Detailed discussion is provided for federally-listed species and state-listed species.

Red-cockaded Woodpecker (RCW) (Federal Endangered)

The RCW was listed as endangered in 1970 due to its rarity, documented declines in local populations and reductions in available nesting habitat. Although populations have become more fragmented and isolated, the RCW is still found in all southern and southeastern coastal states from eastern Texas into southern Virginia, and small interior populations are found in southeastern Oklahoma and southern Arkansas, and until recently, southeastern Kentucky. The largest populations are in the coastal plain forests of the Carolinas, Florida, Georgia, Alabama, Mississippi, Louisiana, eastern Texas, and in the Sandhills forests of the Carolinas (USFWS 1999).



RCWs are non-migratory residents, with a social structure that involves a breeding pair and helpers that assist with cavity excavation and maintenance, egg incubation, feeding young, and defending the group's territory. Nesting generally occurs from April through June with some re-nesting attempts observed as late as August. Groups of RCWs nest in an aggregation of cavity trees called a cluster that is surrounded by contiguous foraging habitat. RWC clusters are typically defined as "active", "inactive," or "captured." An active cluster is an aggregation of trees with fresh cavities that are currently used by RWC. An inactive cluster is comprised of old or unused cavity trees. Inactive clusters can be managed or restored to provide habitat for recolonization. A captured cluster contains cavity trees that do not support a breeding group, but are used by a neighboring group of RCW (USFWS 2003). Discrete cluster sites are typically located where mature pine trees are more than 60 years old. Foraging habitat however, is more variable with timber taking on increasing value as the stands age past 30 years. Both nesting and foraging habitat can be characterized as open stands of pine with a scarce to moderate midstory. As the midstory becomes dense or reaches the height of cavities, cluster abandonment and decreased foraging value results.

Fort Benning has one of the largest RCW populations in the southeastern United States. The RCWs are well dispersed over the Installation, except that no active clusters are located on the Alabama portion of the Installation. RCW is known to occur in several vegetation types within the project areas, including longleaf pine sandhills, longleaf pine loamhills, and plantations, other altered areas, and Longleaf Pine Loamhills UEA (Fort Benning 2006k). In September 1994, the USFWS issued a (Jeopardy) Biological Opinion (BO) determining that the ongoing military training and related activities at Fort Benning jeopardized the continued existence of the Installation's RCW population. Since that time, intensive efforts have been made to enhance management activities as outlined in the Reasonable and Prudent Alternatives section of the USFWS' 1994 Jeopardy BO. On September 27, 2002, the USFWS approved Fort Benning's ESMP for the RCW and issued a BO that included specific management activities. This relieved Fort Benning of the 1994 Jeopardy BO and allowed the implementation of the "1996

Table 4.12-4: Special Status Animal Species Occurring at Fort Benning

Class	Scientific Name	Common Name	Federal Status*	GA Status*	Habitat Preference, Occurrence at Fort Benning (# Mapped Locations)
Federally Listed					
Bird	<i>Haliaeetus leucocephalus</i>	Bald eagle	T	E	Forested edges of lakes, estuaries, and large rivers. River Floodplains and Cypress/Tupelo Swamps. Chattahoochee Backwaters UEA (2).
Bird	<i>Mycteria americana</i>	Woodstork	E	E	Marshes, river swamps, shrub wetlands; nests in cypress or dead hardwoods. Known in vegetation and aquatic communities: River Floodplains and Cypress/Tupelo Swamps. Chattahoochee Backwaters and River Floodplains and Cypress/Tupelo Swamps UEA (3).
Bird	<i>Picoides borealis</i>	Red-cockaded woodpecker	E	E	Open mature pine woodlands, pine savannahs. Nests in mature pine with low understory vegetation. Known in vegetation communities: Longleaf Pine Sandhills, Longleaf Pine Loamhills, and Plantations and Other Altered Areas. Hastings Relict Sandhills Community, Longleaf Pine Sandhills, Lakeland Sandhills, Longleaf Pine Loamhills, Malone Cane Breaks UEAs (see Figures).
Reptile	<i>Alligator mississippiensis</i>	American alligator	T (S/A)	SC	Fresh and brackish marshes, ponds, lakes, and rivers. Known in vegetation and aquatic communities: Impounded Water, River Floodplains and Cypress/Tupelo Swamps, Chattahoochee Backwaters UEA.
State Listed					
Bird	<i>Aimophila aestivalis</i>	Bachman's sparrow		R	Open pine or oak woodlands, old fields, mature old growth pine woodland with frequent fires. Known in the following vegetation communities: Dry-mesic hardwood and dry-mesic mixed hardwood/pine forest, longleaf pine loamhills, longleaf pine sandhills, plantations and other altered areas, small stream swamps and wooded seepage bogs, Hastings Relict Sandhills Community UEA, Longleaf Pine Sandhills UEA, Longleaf Pine Loamhills UEA (272).
Reptile	<i>Gopherus polyphemus</i>	Gopher tortoise		T	Sandy soils in pine forest and grassy understory. Known in vegetation and aquatic communities: Dry mesic Hardwood and Dry-mesic Mixed hardwood/Pine Forest, Longleaf Pine Loamhills, Longleaf Pine Sandhills, Plantations and Other Altered Areas, Successional Upland Deciduous Mixed Forest, Small Stream Swamps and Wooded Seepage Bogs. Hastings Relict Sandhills Community, Longleaf Pine Sandhills, Lakeland Sandhills, Slopes of Northern Affinities, Pine Knot Creek Blackwaters UEAs (2661).

Table 4.12-4: Special Status Animal Species Occurring at Fort Benning

Class	Scientific Name	Common Name	Federal Status*	GA Status*	Habitat Preference, Occurrence at Fort Benning (# Mapped Locations)
Reptile	<i>Graptemys barbouri</i>	Barbour's map turtle		T	Low-gradient rivers and swamps in the Apalachicola River system. Chattahoochee Backwaters UEA (2).
State Listed (Continued)					
Reptile	<i>Macrochelys temminckii</i>	Alligator snapping turtle		T	Rivers, lakes, and ponds near vegetated wetlands. Chattahoochee Backwaters and River Floodplains and Cypress/Tupelo Swamps UEA (12).
Fish	<i>Cyprinella callitaenia</i>	Bluestripe shiner		T	Medium to large rivers; undisturbed but unvegetated areas (19).
Other Species of Conservation Concern					
Bird	<i>Egretta caerulea</i>	Little blue heron		SC	Herbaceous wetland and surrounding forested areas. Unknown distribution at Fort Benning.
Bird	<i>Elanoides forficatus</i>	Swallow-tailed kite		R	Vegetated wetlands, pine woodlands. Unknown distribution at Fort Benning.
Bird	<i>Falco sparverius paulus</i>	Southeastern American kestrel		SC	Open pine woodlands with dead snags; cleared areas, burned areas. Known in vegetation communities: Longleaf Pine Sandhills, Plantations and Other Altered Areas, and Successional Upland Deciduous Mixed Forest. Lakeland Sandhills UEA (25).
Bird	<i>Lanius ludovicianus migrans</i>	Migrant loggerhead shrike		SC	Open woods, field edges, scrub/scrub with scattered trees. Known in vegetation communities: Plantations and Other Altered Areas (7).
Bird	<i>Nyctanassa violacea</i>	Yellow-crowned night heron		SC	Herbaceous woodland and forested wetlands. Unknown distribution at Fort Benning.
Bird	<i>Nycticorax nycticorax</i>	Black-crowned night heron		SC	Herbaceous wetlands, wooded streams and rivers. Unknown distribution at Fort Benning.
Bird	<i>Pandion haliaetus</i>	Osprey		SC	Herbaceous wetlands, riparian areas, snags and hollow trees near water. Chattahoochee Backwaters and River Floodplains and Cypress/Tupelo Swamps UEAs (1).
Reptile	<i>Eumeces anthracinus</i>	Coal skink		SC	Mesic forests near bodies of water. Unknown distribution at Fort Benning.
Reptile	<i>Eumeces egregius</i>	Mole skink		SC	Pine, hardwood, and mixed woodlands in sandy soils. Unknown distribution at Fort Benning.
Reptile	<i>Crotalus adamanteus</i>	Eastern diamondback rattlesnake		SC	Mixed pine successional woodland, old fields, longleaf pine, favors areas with abundant cover. Hastings Relict Sandhills Community UEA (17).

Table 4.12-4: Special Status Animal Species Occurring at Fort Benning

Class	Scientific Name	Common Name	Federal Status*	GA Status*	Habitat Preference, Occurrence at Fort Benning (# Mapped Locations)
Reptile	<i>Micrurus fulvius</i>	Eastern coral snake		SC	Burrows and fallen logs, riparian pine, hardwood, and mixed woodlands (2).
Other Species of Conservation Concern (Continued)					
Reptile	<i>Heterodon simus</i>	Southern hognose snake		SC	Fallow fields and scrub pine woodlands, well drained riparian and xeric flatwoods. Hastings Relict Sandhills Community UEA (2).
Reptile	<i>Pituophis melanoleucus mugitus</i>	Florida pinesnake		SC	Burrows and fallen logs, pine and mixed woodlands; uses gopher tortoise burrows. Known in vegetation communities: Longleaf Pine Sandhills and Plantations and Other Altered Areas. Hastings Relict Sandhills Community UEA (38).
Fish	<i>Lythrurus atrapiculus</i>	Blacktip shiner		SC	Pools and backwater areas in small- to medium-sized creeks, over sandy substrates.
Fish	<i>Ameiurus serracanthus</i>	Spotted bullhead		R	Medium to large rivers; deep holes with rock, sand, or mud substrate (2).
Fish	<i>Etheostoma parvipinne</i>	Goldstripe darter		R	Springs, seepage creeks; vegetated benthos.
Fish	<i>Pteronotropis euryzonus</i>	Broadstripe shiner		R	Brownish water creeks and pools; near vegetation or debris (263).
Fish	<i>Micropterus cataractae</i>	Shoal bass		SC	Shoals and riffles of large streams to rivers.
Amphibian	<i>Rana capito sevosa</i>	Dusky gopher frog		SC	Pine scrub in sandhills, near water; uses gopher tortoise burrows. Hastings Relict Sandhills Community.
Amphibian	<i>Desmognathus apalachicola</i>	Apalachicola salamander		SC	Stream floodplains, small stream swamps and seepage bogs. Unknown distribution at Fort Benning.
Amphibian	<i>Eurycea longicauda guttolineata</i>	Three-lined salamander		SC	Hardwood forest floodplains and wetlands. Unknown distribution at Fort Benning (1).
Mammal	<i>Myotis austroriparius</i>	Southeastern myotis		SC	Pine, hardwood, and mixed forest; dead snags and hollow trees. Unknown distribution at Fort Benning (1).
Mammal	<i>Neotoma floridana</i> ssp <i>haematoreia</i>)	Eastern woodrat		SC	Mature lowland hardwoods, riparian forests, brushy or wooded wetlands. Unknown distribution at Fort Benning.
Mammal	<i>Neotoma floridana</i> ssp. <i>illinoensis</i>	Southern Appalachian woodrat		SC	Mature lowland hardwoods, riparian forests, brushy or wooded wetlands. Unknown distribution at Fort Benning.

Table 4.12-4: Special Status Animal Species Occurring at Fort Benning

Class	Scientific Name	Common Name	Federal Status*	GA Status*	Habitat Preference, Occurrence at Fort Benning (# Mapped Locations)
Mammal	<i>Tadarida brasiliensis</i>	Brazilian free-tailed bat		SC	Dead snags, hollow trees, abandoned buildings, caves, culverts, and bridges. Unknown distribution at Fort Benning.
Mussel	<i>Anodonta heardi</i>	Apalachicola floater		SC	Streams; not known from potentially affected areas.
Insect	<i>Onthophagus polyphemi</i>	Tortoise commensal scarab		SC	Gopher tortoise burrows in sandy forest soils. Unconfirmed occurrence at Fort Benning.
Crustacean	<i>Cambarus sp.</i> <i>Procambarus sp.</i>	Crayfish Species		SC	Aquatic benthos, unknown distribution at Fort Benning

Note: E = Endangered; C = Candidate; T = Threatened; S/A = Similarity of Appearance; SC = Special Concern; R = Rare

Sources: Fort Benning 2001, 2003c, GDNR 2003, 2006a, 2006b; NatureServe 2006; USFWS 2006b-e.

Management Guidelines for the RCW on Army Installations.” Fort Benning is also one of 13 primary core locations selected by the USFWS to manage for a RCW recovery population (451 clusters for Fort Benning). The 2003 Recovery Plan (USFWS 2003) recommends an annual increase of 5 percent in the total number of active clusters.

The management and current status of RCWs on Fort Benning, and of clusters in areas potentially affected by the proposed Transformation, were evaluated in 2006 (Fort Benning 2007c). As of August 2006, there were 308 managed clusters, consisting of 254 potential breeding groups, 7 solitary RCWs, 5 captured clusters (used by neighboring groups), and 42 inactive clusters (see Appendix F for more detail). Figures 4.12-5 and 4.12-6 show the distribution of clusters on the installation with respect to Alternatives A and B. Whereas a large number of clusters occur in vicinity of the Heavy Maneuver Area – North proposed under Alternative A, no clusters are known from the Good Hope Maneuver Area proposed under Alternative B, although that area contains potential foraging habitat.

Wood Stork (Federal Endangered)

Wood storks are seasonal visitors to Fort Benning, seen mainly in gum/oak ponds on the Alabama portion of the Installation during late summer. Usually, 1 to 20 birds are seen each year. They use shallow water ponds or Chattahoochee River backwaters depending on available food supplies and appropriate water levels. In 1996, USFWS personnel discovered a roost in military training compartment X5, which was the first known occurrence on Fort Benning (Fort Benning 2001, 2003c). Over the next several weeks, Natural Resource Management Branch and USFWS personnel sighted several individuals on the Alabama portion of Fort Benning, in compartments X3, X5, Z1, and Z4. No wood storks were observed in 2005, whereas three were seen in compartment X5 in 2006. Wood storks were not observed in 2006 surveys of areas affected by proposed Transformation Alternative A (Fort Benning 2007c), nor have wood storks been documented in other areas potentially affected by Alternative B.

The management strategy for the wood stork on Fort Benning, detailed in an ESMP, consists of maintaining the current transient population and protecting the habitat in which they temporarily live and feed. Current management activities consist of surveys, monitoring efforts, and protection of sensitive areas (Fort Benning 2001, 2003c, 2007c).

Bald Eagle (Federal Threatened)

A pair of bald eagles’ nest on the southern edge of the Installation, near the Chattahoochee River in the Chattahoochee Backwaters UEA. The eagles have produced successfully at least one fledgling since the first nest was discovered in 1992. In 2006, a pair of bald eagles successfully fledged two nestlings from the nest in compartment A14. A former nest site in CC2 is no longer present (Fort Benning 2007c; personal communication, Thornton 2006). The active nest is located in training compartment A14. Activities in compartments A14, A21, and CC2 are restricted from December 1 through May 31 to protect the nest site.

Management strategy on Fort Benning for the bald eagle is detailed in an ESMP and consists of maintaining the integrity of their habitat and feeding sources in order to eventually increase the number of nesting pairs from one to two. Current management activities consist of surveys, monitoring efforts, and protection by limiting potentially disturbing activities within primary (1,500 ft) and secondary (one mile) buffer zones around nest sites (Fort Benning 2001, 2003c). Proposed Transformation Alternative A would not affect either buffer zone, whereas the Good Hope Maneuver Area under Alternative B would barely overlap the one-mile buffer of the active nest site in A14, and overlap the one-mile buffer of the former nest site in CC2 to a greater degree (Figure 4.12-3).

Bachman's Sparrow (GA Rare)

The Bachman's sparrow (*Aimophila aestivalis*) is a small bird with a streaked brown back, a white underbelly, and a pale bill. It is a year-round resident and lives in the open pinewoods indicative of the northern portion of the Installation. During the USFWS Terrestrial Survey (USFWS 1999), 272 male Bachman's sparrows were identified by calls in training areas throughout the Installation. Habitat quality for this species is good and abundant on Fort Benning due mainly to the widespread use of prescribed fire, which promotes the open pine forests in which this species thrives. Avian habitat evaluations performed at Fort Benning suggest that Bachman's sparrow may be more common in recently burned sites (Duncan *et al.* 2004).

Known populations of Bachman's sparrow exist in the project areas in Pine Knot Creek Blackwaters UEA and Hastings Relict Sandhills Community UEA, and in the following vegetation community types: dry-mesic hardwood and dry-mesic mixed hardwood, longleaf pine loamhills, longleaf pine sandhills, plantations, small stream swamps, wooded seepage bogs, and other altered areas (Fort Benning 2006k). Bachman's sparrow is not known in any non-range construction project areas but it does inhabit the Heavy Maneuver Area–North, Heavy Maneuver Corridor–South, Tank/Fighting Vehicle Stationary Gunnery Range 2, and Tank/Fighting Vehicle Stationary Gunnery Range 2 (Fort Benning 2006k).

American Alligator (Federal Threatened for Similarity in Appearance)

The American alligator was first listed on March 11, 1967. In 1987, the USFWS pronounced the American alligator fully recovered and it was removed from the endangered species list. However, the alligator is still listed as Threatened due to "Similarity in Appearance", because some related species (several species of crocodiles and caimans) still need protection. For this reason, the USFWS regulates legal trade in alligator skins and products made from alligators in order to protect crocodile and caiman species that have skin that is similar in appearance (USFWS 2006f).

Fort Benning is located on the extreme northern limit of the American alligator's range. Large adults up to 13 ft have been observed. Habitat available to the alligator is limited and consists of fishponds and beaver ponds and the backwaters, sloughs, and creeks of the Chattahoochee River (Fort Benning 2001, 2003c). Known occurrences include compartment X-5 on the Alabama side of the river and Averett's Kings, Twilight, and Clear Creek ponds (Fort Benning 2007c) on the Georgia portion of the Installation. None of these areas are potentially affected by the proposed Transformation (Fort Benning 2007c).

Fort Benning has an ESMP for the American alligator. Basic management for this species consists of maintaining a stable population and maintaining the habitat in which it lives and feeds. Current management activities consist of surveys, monitoring efforts, and protection and maintenance of alligator habitat (Fort Benning 2001, 2003c).

Gopher Tortoise (GA Threatened)

The gopher tortoise occurs in the sandy soil habitats found only in the northern two thirds and southeastern tip of the Installation. A dry land turtle, the gopher tortoise (tortoise) has a high, domed shell with shell lengths of up to 15 inches. They have stubby, elephant-like hind feet and flattened front feet with large toenails for digging. They favor dry, sandy ridges with open stands of longleaf pine, turkey oak, and other scrub oaks. They also frequent open areas around road shoulders, food plots, and rights-of-way, which have well drained sandy soil. The tortoises dig long sloping burrows up to 30 ft long and extending up to 9 ft below the surface. These dens are used as shelter by tortoises, as well as by a variety of other sandhill residents, including the eastern diamondback rattlesnake, dusky gopher frog, and commensal scarab beetle (*Onthophagus polyphemi*). They feed on grasses and other plant material near the ground. Feeding trails are often visible leading from the den's sandy apron to foraging areas. Eggs are laid in or near the den apron in May, June, and July and hatch in about 80-100 days. Young tortoises are about the size of silver dollars and are very vulnerable to predation by crows, raccoons, opossums, foxes, skunks, and other animals. Over 8,200 tortoise burrows have been documented to date on Fort Benning.



Gopher tortoise management on Fort Benning consists of burrow and habitat protection. In areas with high vehicular traffic, “Sensitive Area” signs are posted around known active and inactive tortoise burrows, totaling 150 acres, and the burrows are also marked. These sites are located primarily in mechanized training areas. Digging activities and vehicles are required to stay 50 ft away from the burrows to protect the integrity of the burrow area

(Fort Benning 2004b). Based on surveys by the U.S. Forest Service (USFS), the gopher tortoise is present throughout the Installation, with a substantial number of active burrows (2,661 active burrows). Active gopher tortoise burrows were observed in scrub oak and sandy open stands throughout the action areas for Transformation Alternative A and B. Burrows were also found to a lesser extent in upland pine stands, usually with an open canopy and sandy or sandy loam soils. As expected, Gopher tortoise burrows were typically not found when canopy density was high or when the composition of the soil was predominantly clay. The gopher tortoise burrows found within the action areas were primarily adult burrows. Juvenile burrow were less prevalent (USFS 2006b).

The gopher tortoise is known to occur in mesic hardwood forests, dry-mesic hardwood and dry-mesic mixed hardwood/pine forest, longleaf pine loamhills, longleaf pine sandhills, plantations, other altered areas, and successional upland deciduous or mixed forest (Fort Benning 2006k). They are also known in

the following UEAs: Hastings Relict Sandhills Community, Longleaf Pine Sandhills, and Pine Knot Creek Blackwaters (Fort Benning 2006k). Known tortoise locations in proposed project areas include: Battle Command Training Center (Harmony Church 2012), Drivers Training Area, Heavy Maneuver Area North, Heavy Maneuver Corridor – South (2007-2010), Tank/Fighting Vehicle Stationary Gunnery Range 2, and Tank/Fighting Vehicle Stationary Gunnery Range 1 (Fort Benning 2006k).

Other Reptiles

The alligator snapping turtle and Barbour's map turtle are aquatic reptiles identified as Threatened by the State of Georgia. Primary habitat is in Chattahoochee Backwaters UEA, this area is adjacent to the area affected by the Alternative B Transformation activities for the Good Hope Maneuver Area.

Bluestripe Shiner (GA Threatened)

The bluestripe shiner is a small (7 cm) member of the minnow/carp family. It is endemic to the Chattahoochee River basin and is listed as a threatened species by the State of Georgia. This species inhabits medium and large streams and rivers with moderate gradient and little to no aquatic vegetation. Bluestripe shiners spawn in summer months, laying eggs in crevices on the river bed (NatureServe 2006). In the Chattahoochee River system, sensitive fish species including shiners have been shown to prefer pristine, undisturbed stream segments and were not found in degraded headwaters (Holcomb 2005).

Dusky Gopher Frog (GA Species of Concern)

The dusky gopher frog is one of four amphibian species of concern occurring at Fort Benning (Fort Benning 2001, 2003c) (Table 4.12-4). None of the four is federally or state listed, but the dusky gopher frog is of particular interest because a distinct population segment of this subspecies is federally listed as endangered in Alabama, Mississippi, and Louisiana (USFWS 2001). The INRMP describes management strategies for this species because the population is regionally unique and may become a candidate for federal listing (Fort Benning 2001, 2003c).

A population of dusky gopher frogs occurs on Fort Benning in the pine scrub and sandhills habitat within training compartments K14, K15, and K17. The dusky gopher frog shares this type of habitat with the gopher tortoise, a Georgia threatened species. The frogs may use gopher tortoise burrows during the day for shelter, emerging at night to feed (NatureServe 2006). The dusky gopher frog is primarily terrestrial, but is found in association with shallow breeding ponds and wetland areas. Threats to this species include habitat loss/fragmentation, disease, and periods of dry weather. The population of dusky gopher frogs at Fort Benning is extremely isolated on the Installation, and may be the only sub-population in existence in the Upper Coastal Plain (Fort Benning 2001, 2003c). As such, the population may be vulnerable to local and regional disturbances. Tracking studies of the population at Fort Benning indicated that dusky gopher frogs show strong site fidelity and are centered in the K14 and K17 training compartments. Ongoing training in K15 and Hastings Range does not appear to negatively affect the species (Fort Benning 2001, 2003c).

Apalachicola Floater

The USFWS' aquatic resource survey documented six native and one introduced mussel species on Fort Benning (Fort Benning 2001, 2003c). Four mussels of "Conservation Concern" are listed in the INRMP: Apalachicola floater (*Anodonta heardi*), eastern elliptio (*Elliptio complanata*), little spectaclecase (*Villosa lienosa*), and southern rainbow (*Villosa vibex*). The Apalachicola floater is a species of conservation concern in Georgia, and the remaining three species are identified as species of special concern only in Alabama (Federal Threatened).

In 2006, surveys for freshwater mussels were conducted at stream crossings that would be modified as part of the proposed Transformation actions. Stream crossings were sampled at Pine Knot Creek, Little Pine Knot Creek, Sally Creek (tributary), Randal Creek (and tributaries), Kendall Creek (and tributaries), Upatoi Creek (and tributaries), and Ochiltee Creek. No special-status mussel species were detected.

4.12.1.5 Unique Ecological Areas (UEAs)

In accordance with DoD Instruction 4715.3, Fort Benning and several conservation partners identified UEAs that represent the best examples on Fort Benning of a particular habitat or plant community type. UEAs were chosen based on characteristics of their biotic and abiotic features and in many cases contain remnant native plant communities that have experienced minimal disturbance relative to other similar communities (refer to Figures 4.12-3 and 4.12-4). As a result, such areas can serve as reference sites for the biodiversity and ecological processes associated with natural communities. Designation of UEAs is designed to ensure proactive management and long-term land-use planning and training activities that account for their presence and their preservation requirements (Pentecost 1999, Fort Benning 2001, 2003c). The management emphasis for UEAs is on communities and ecosystems, rather than individual species.

Designation of a UEA does not entail any restrictions in land use. However, since UEAs represent some of the rarest or highest quality areas on Fort Benning they receive priority for management activities and monitoring efforts, as identified in the INRMP. In some cases, no "active" management is required, although these areas are still monitored for unauthorized disturbances and surveyed for threatened and endangered species. Some UEAs receive active management in the form of timber harvest. Although no permit is required to cut trees in this area based on their status as a UEA, special consideration is given to these areas in the Installation's training compartment timber harvest plan. UEAs also receive priority for soil erosion projects, invasive species control, longleaf pine reforestation, road closures, and strict adherence to Best Management Practices.

Conservation of the UEAs is subject to consistency with the military mission and would be reassessed if the military needs of the Installation change during proposed Transformation action. Further development of the UEA concept will include a determination of the conservation significance of these areas, better-defined boundaries and buffers, and a specific management plan for each UEA.

In total, including designated buffer zones for the Piedmont Interface area, the existing UEAs encompass almost 21,400 acres and 15 separate sites. The boundaries and acreages are approximate and are refined

as the areas are further studied. Each UEA was identified initially by Fort Benning staff or by USFWS, TNC, or GA Natural Heritage staff, who evaluated their condition in the field and made a preliminary determination that each area deserved consideration as an area of conservation significance. Those UEAs proximate to sites affected by the proposed Transformation activities are listed in Table 4.12-5 and described below; descriptions are based on the INRMP (Fort Benning 2001, 2003c).

Longleaf Pine Loamhills UEA

This UEA, located within the southwest portion of the Installation, is characteristic of the Longleaf Pine Loamhills Ecological Group. It represents one of the best longleaf pine stands on the Installation in regard to both quality and size. Species of conservation concern that are present include the RCW and short-leaved skeleton-grass. Part of the management strategy for this area is to include a large reference area (potentially the western portion) in which the only active management will be prescribed burning. Such a reference area can be used to track the natural progression of a longleaf stand and may be valuable in evaluating uneven-aged forestry management techniques. The rest of the area will be managed in accordance with applicable Forest Management Operational Plans for longleaf pine. Longleaf pine restoration in the Minter Hill live-fire range is part of the management for this UEA. Longleaf pine seedlings have become naturally established in the area since 2001. Future management will include prescribed burning and thinning as necessary.

The Longleaf Pine Loamhills UEA is partly overlapped by proposed Transformation actions at the qualification training range in the southern range area.

Ochillee Creek Wetlands UEA

The Ochillee Creek Wetlands UEA is located within the central portion of the Installation and generally runs between two railroad lines that bisect the Installation. This area is a high-quality forested wetland along Ochillee Creek that is characteristic of the Mesic Hardwood Forests Ecological Group. Common species that are present include loblolly pine, white oak, water oak, magnolia, beech, tuliptree, American holly, and swamp chestnut oak (*Quercus michauxii*). This UEA contains Fort Benning's Champion loblolly pine. Species of conservation concern include a large disjunct population of tussock sedge. The area is used by the military for dismounted training; however, training does not usually occur in the wetlands. The area is intended to be managed passively.

The Ochillee Creek Wetlands UEA is partly within the site proposed for the Rail Car Storage/Tracks, and is adjacent to several development projects in the Harmony Church cantonment area.

Table 4.12-5: Fort Benning Unique Ecological Areas Potentially Affected by Transformation

Name	Military Training Compartments	Proposed Transformation Actions	Compatibility Issues
Longleaf Pine Loamhills	Portions of A14, A15, A16, A17	Qualification training range	Forest Management Operational Plans, RCW
Ochiltee Creek Wetlands	Portions of C1, C2, C3, E1, E7, R2, T1, T2, T6, and T7	Rail Car Storage/Tracks, cantonment area construction	Wetlands
Piedmont Interface	All or portions of K5, K6, O4, O5, O6, O7, O8, O10, and O11	Road construction/reinforcement, Oscar Range Complex development	Relict trillium populations
Prosperity Church Oak-Hickory Forest	Portion of E5	Heavy Maneuver Corridor - South	Siting of the heavy maneuver corridor
Hastings Relict Sandhills Community	Portions of K11, K12 (minus Hastings Range), K13, K14, and K17	Road upgrade/reinforcement	Gopher tortoise, RCW, Bachman's sparrow; off-road vehicles
Pine Knot Creek Blackwaters	Portions of D1, D2, D3, K15, K17, K18, K19, K20, K21, K22, and K23	Road upgrade/reinforcement	Wetlands and stream crossings; Bachman's sparrow, gopher tortoise
Arkansas Oak Rock Hills	All or portions of F4, F5, G5, G6, and H2	Adjacent to road upgrade/reinforcement	None
Upatoi Bluffs	Portions of AA, BB1, BB2, J1, J3, J4, J5, L6, M3, M4, P1, and P2	Adjacent to Drivers Training Area and cantonment area construction	None
Chattahoochee Backwaters	All or portions of A14, CC2, X5, Z1, Z3, and Z4	Adjacent to Alt. B Good Hope Maneuver Area	Bald eagle nest site
Hite Bowl Swamp	Portions of X1 and Y1	None	Not applicable
Lakeland Sandhills	Portions of D14 and J7	None	Not applicable
Longleaf Pine Sandhills	Portions of K8 and K13	None	Not applicable
Malone Cane Breaks	Central portion of M6	None	Not applicable
Slopes of Northern Affinities	Southern portion of K20	None	Not applicable
Upatoi Creek Flatwoods	Northern portion of K10	None	Not applicable

Piedmont Interface UEA

This UEA is located within the northeastern part of the Installation. This area is characteristic of the Stream Floodplain Ecological Group. Although this area occurs within the Fall Line transition between the Piedmont and the Coastal Plain Physiographic Regions, some of its geologic and vegetative features are not characteristic of the Fall Line Sandhills. The area contains seven streams that flow out of the Piedmont, generally from north to south, and that are characterized by extensive floodplains with high-quality hardwood stands. The area also contains the largest granite rock outcrop on Fort Benning in training compartment O7, which extends for a quarter mile along a bluff above the old Randall Creek channel. Characteristic flora of the area consists of Shumard oak, white oak, cherrybark oak (*Quercus pagoda*), swamp chestnut oak (*Quercus michauxii*), ash, loblolly pine, sweetgum, sycamore, hickory, elm, maple, and flowering dogwood. Relict trillium occurs in at least seven separate populations in this area. All seven populations were confirmed present in a 2006 survey (Fort Benning 2007c). Cox Creek in the northeast portion of the Installation contains the most diverse mussel fauna on Fort Benning, including several Alabama special concern species. Georgia-protected species in the area include Sandhills bean, Smith's sunflower, incised agrimony (cut-leaf harvest lice) (*Agrimonia incisa*), and wide-leaved bunchflower (*Melanthium latifolium*). The single greatest disturbance and threat to this area is feral swine due to their rooting style of feeding behavior.

Portions of the Piedmont Interface UEA are covered by proposed Ranges MRF2 and FM1; road construction and reinforcement, and the Modified Record Fire Range (non-range construction FID 47). The Heavy Maneuver Area - North is adjacent to the Piedmont Interface UEA.

Prosperity Church Oak-Hickory Forest UEA

This UEA, located within the southeastern portion of the Installation, is the largest and best example on Fort Benning of an oak-hickory upland forest. The area is characteristic of the Dry-mesic Hardwood and Dry-mesic Mixed Hardwood / Pine Forest Ecological Group, but it is distinct from other vegetation in the group because it is found on a dry hilltop in addition to a mid-slope location. Common species that are present include white oak, cherrybark oak, rock (mountain) chestnut oak (*Quercus prinus* [= *montana*]), hickory, tuliptree, sweetgum, flowering dogwood, chalk maple, eastern red cedar (*Juniperus virginiana*), farkleberry, black cherry, and a few scattered loblolly pine and ash trees. Shrubs include American holly, hawthorn, and sassafras. Special status species include croomia and American ginseng. The surrounding area is used by the military for mechanized training. Appropriate management prescriptions, such as the use of prescribed fire, remain to be determined (Fort Benning 2001, 2003c). The area is overlapped by the proposed Heavy Maneuver Corridor – South and an existing tank trail bisects the area.

Hastings Relict Sandhills Community UEA

This UEA, located within the northeast part of the Installation, is characteristic of the Longleaf Pine Sandhills Ecological Group. The deep sands of this UEA are subject to erosion. Loblolly pines are scattered throughout some areas, but longleaf pine dominates the overstory vegetation. Mixed upland oaks (turkey, bluejack, and sand post oaks) and common persimmon (*Diospyros virginiana*) are co-

dominants in the overstory and dominate the midstory. Common herbaceous species include common yellow false foxglove (beardgrass) (*Aureolaria pectinata*), prickly pear cactus (*Opuntia compressa*), goat's rue (*Tephrosia virginiana*), legumes, pineland silkgrass (*Heterotheca graminifolia*), and other perennials. Some portions of the area have only grasses, herbs, and small shrubs due to removal of longleaf pine and subsequent disturbance by tracked vehicles and frequent fire. The dominant soils are Lakeland sand and Troup loamy sand. Isolated clay pockets and ephemeral ponds occasionally lie close to the surface.

The deep sands of this UEA contain the densest population of gopher tortoises on the Installation. Many other special status wildlife species (see Table 4.12-4) also occur in this UEA. The dusky gopher frog is found only in this area on Fort Benning. Other species found here include the eastern diamondback rattlesnake, eastern tiger salamander, southern hognose snake, Florida pine snake, eastern coachwhip, southeastern pocket gopher, Bachman's sparrow, common ground dove, RCW, and incised agrimony.

Road improvements and upgrades as part of the proposed Transformation actions would occur partly within the Hastings Relict Sandhills Community UEA.

Pine Knot Creek Blackwaters UEA

This area is located within the east-central portion of the Installation. This area is characteristic of the Small Stream Swamps Ecological Group and represents the best example of a Coastal Plain stream on the Installation. It encompasses Pine Knot Creek and Little Pine Knot Creek. Unique hydrologic characteristics of a Coastal Plain blackwater stream include relatively constant flow and temperature, high acidity, low sediment load, and low fish diversity. Vegetation is typical of a hardwood bottom in the sandhills.

A proposed upgrade for a tank trail crosses the Pine Knot Creek Blackwaters UEA.

Arkansas Oak Rock Hills UEA

This UEA, located within the southeastern corner of the Installation, is characterized by longleaf pine on steep rocky ridges that run east to west. It also contains unusual plants in addition to numerous relatively undisturbed drains of varied steepness. Characteristic flora includes longleaf and shortleaf pine, post oak, southern red oak, and blackjack oak. Species of conservation concern include bottlebrush buckeye (*Aesculus parviflora*), Arkansas oak (*Quercus arkansana*), dwarf chinkapin oak (*Quercus prinoides*), lax water-milfoil, and incised agrimony. The military uses the area primarily for dismounted training. Cut-to-length logging is used where feasible for harvesting the pine species.

Road improvements and upgrades as part of the proposed Transformation actions would occur adjacent to the Arkansas Oak Rock Hills UEA.

Upatoi Bluffs UEA

This UEA occurs within the west-central portion of the Installation along the eastern side of Upatoi Creek and consists of steep topography and the bluff forests on the east / south sides of Upatoi Creek. The

bluffs are characteristic of the Mesic Hardwood Forests Ecological Group. Special status plant species (Table 4.12-3) that occur here include croomia, American ginseng, and Carolina silverbell (*Halesia tetraptera*). The area is intended to be managed passively. This area is rarely used for military training. When used for training, it is used only for foot traffic.

The Upatoi Bluffs UEA is adjacent to proposed Transformation action areas at the Drivers Training Course area and construction projects at the Sand Hill and Kelley Hill cantonment areas.

Chattahoochee Backwaters

This UEA encompasses the backwaters of the Chattahoochee River, primarily within the Alabama portion of the installation. It is a diverse mix of islands, peninsulas, sloughs, bays, and wetlands and includes riparian areas and adjacent upland hardwood / pine forests. The area is also called River Bend because of the 90-degree bend made here by the Chattahoochee River. The area contains extensive hardwoods and the largest water tupelo (*Nyssa aquatica*) forest on the installation. River birch (*Betula nigra*), loblolly pine, red maple, sweetgum, and Spanish moss (*Tillandsia usneoides*) also are found here. The area is characteristic of the River Floodplains and Cypress / Tupelo Swamps Ecological Group. Typical fauna of the backwater area includes waterfowl, wading and water birds, and many varieties of turtles and amphibians.

Species of conservation concern found here include: one breeding pair of bald eagles (*Haliaeetus leucocephalus*), breeding osprey (*Pandion haliaetus*), wood stork (*Mycteria americana*) feeding and roosting sites, the highest concentration on the installation of American alligators (*Alligator mississippiensis*), alligator snapping turtle (*Macrolemys temminckii*), Barbour's map turtle (*Graptomys barbouri*), a wading bird rookery, Allegheny chinquapin (*Castanea pumila*), white nymph (*Trepocarpus aethusae*), and serrate crownbeard (*Verbesina aristata*).

Within the main channel of the river in this area, a number of fish species of conservation concern occur. These include the spotted bullhead (*Ameiurus serracanthus*), bluestripe shiner, and spotted gar (*Lepisosteus oculatus*).

The backwaters area is used rarely by the military. If training occurs at all, it is dismounted training. Recreational fishermen and hunters, however, heavily use the area. The hardwoods in the area are intended to be managed passively in accordance with applicable Forest Management Operational Plans. Additionally, pines will be managed to produce tall dominant trees for possible future nesting trees for the bald eagle. During the bald eagle nesting season, December 1 to June 1, certain restrictions are placed on activities that could occur around the bald eagle nest. These include flight, training, and recreational restrictions (Fort Benning 2001, 2003c). The Chattahoochee Backwaters UEA would not be modified under Transformation Alternative A, but does coincide with portions of the Good Hope Maneuver Area that would be used for heavy equipment training under Transformation Alternative B.

4.12.2 Environmental Consequences

Impacts on biological resources would be considered significant if one of more of the following conditions would result:

- Substantial loss or degradation of habitat or ecosystem functions (natural features and processes) essential to the persistence of native plant and animal populations;
- Substantial loss or degradation of a sensitive habitat, including wetlands and UEAs that support high concentrations of special status species or migratory birds;
- Disruption of a federally listed species, its normal behavior patterns, or its habitat that substantially impedes the Installation's ability to either avoid jeopardy or conserve and recover the species (including violating Section 9 of the ESA); or
- Substantial loss of population or habitat for a state-protected or non-listed but special status species, increasing the likelihood of federal listing action to protect the species in the future.

The definition of "substantial" is dependent on the species and habitats in question and the regional context in which the impact would occur. Impacts may be considered more adverse if the action affects previously undisturbed habitat or if the impact would occur over a large portion of available habitat in the region. Mitigation measures are identified for adverse impacts. For mitigation for impacts to wetlands, refer Section 4.10.3 and Appendix G, Mitigation and Monitoring Plan.

4.12.2.1 No Action Alternative

If no action were taken, there would be no change to biological resources from current conditions. Existing uses of the land as well as conservation measures to sustain biological resources on the Installation training and range areas would continue.

This alternative would not result in significant impacts to vegetation, freshwater aquatic habitats, UEAs, and species of special concern from ongoing operation, training, and maintenance. All practices and BMPs listed in the INRMP and ESMPs would continue to be implemented. Adherence to the Installation's existing ESMP for the RCW would minimize potential effects, including suppressing wildfires that may adversely impact RCW cavity trees and habitat, replacing active cavities with artificial cavity inserts (if tree mortality results in the loss of a cavity tree, for example), shifting clusters to suitable locations if/when adverse effects in the area occur, and routine application of prescribed burns to maintain habitat. Overall, the possible loss of habitat in these clusters due to existing training and operations may lead to minor adverse effects on RCWs. No additional mitigation is proposed.

4.12.2.2 Transformation Alternative A

This section describes the impacts of Alternative A on biological resources. For each resource a determination is made of the impacts' significance and whether mitigation measures have been identified to reduce the impact. Mitigation measures are described in Section 4.12.3.

Upland Vegetation

Implementation of Alternative A would involve many construction, development, and maintenance projects, resulting in clearing or other disturbance of up to 9,844 acres of upland vegetation (Table 4.12-6). The construction areas used in these calculations represent a disturbance envelope, including the development footprint, as well as areas used for construction staging, foot traffic, vehicle storage, range impacts, and incidental ground disturbance. Construction in the cantonment areas would result in localized impacts within areas that are already extensively developed. Buildings and roadways would involve clearing of vegetation and substantial ground disturbance within the proposed project footprints. Generally, the direct impacts of range projects including training and heavy maneuver areas would be less severe than impacts resulting from non-range projects (e.g., buildings and roadways), but the impacts would be dispersed over large areas and may occur in undisturbed habitats. Range projects and heavy maneuver areas would require clearing or excavation of only a portion of the project footprint, while the remaining area would be used for vehicle traffic, foot traffic, and ordnance impact. Of the potentially disturbed area, 5,791 acres contain natural or semi-natural vegetation (non-plantation and non-altered areas) (Table 4.12-6).

Table 4.12-6: Vegetation Impacted by Transformation Alternative A

Vegetation Type (Existing acreage)	Range Impacts (Acres)	Range Impacts (%)	Non- Range Impact (Acres)	Non- Range Impact (%)	Total Impacts (Acres)	Total Impact (%)
Mesic Hardwood Forest (1,145)	23	2.0	4	0.4	27	2.4
Dry-Mesic Hardwood and Dry-Mesic Mixed Hardwood/Pine Forest (15,420)	558	3.6	102	0.7	660	4.3
Longleaf Pine Loamhills (17,597)	639	3.6	255	1.5	895	5.1
Longleaf Pine Sandhills (69,095)	4,148	6.0	694	1.0	4,842	7.0
Plantations (20,172)	834	4.1	150	0.7	985	4.9
Other Altered Areas (17,643)	1,171	6.6	795	4.5	1,965	11.1
Successional Uplands (10,516)	422	4.0	47	0.4	470	4.0
Total (151,588)	7,796	5.1	2,048	1.4	9,844	6.5

A majority of the impact would involve the disturbance or conversion of forested areas to range sites or developed areas. The amount of impacted vegetation through time is illustrated in Table 4.12-7. The heavy maneuver areas and drivers training area would be implemented from 2007 to 2010, with most training impacts realized in 2009; therefore, these impacts are included with 2009 calculations.

Table 4.12-7: Yearly Acres of Upland Vegetation Affected by Transformation Alternative A

Project Year	Vegetation Affected (Acres)
2007	1,835
2008	1,256
2009	5,449
2010	178
2011-2013	1,126

Tree removal within 25 ft of state waters (Section 4.10, Water Resources) would require a Stream Buffer Variance. Of the removed vegetation, merchantable timber would be sold via a timber sale contract controlled by Fort Benning's Land Management Branch. Any remaining non-commercial vegetative debris would be cleared and disposed under a separate slash removal contract in accordance with all applicable federal, state, and local rules and regulations.

Training in the proposed ranges and heavy maneuver areas would result in potential effects to vegetation due to vehicular traffic and clearing to maintain line-of-sight requirements. The loss of the existing native vegetation during the construction, operation, and maintenance of the Transformation projects would result in a change in both species composition and abundance. Plant species that typically thrive in the forested area, for example, would diminish and species that thrive in more open areas would flourish. Invasive weeds would also increase in the affected areas. Construction projects would primarily be developed in or near existing cantonment areas. Ranges, heavy maneuver areas, roads, and the driver training course would be dispersed across the Installation, contributing to habitat fragmentation. Edge effects may encroach into adjacent habitats and isolate large tracts of undisturbed land.

Construction-related disturbance and loss of ground cover would increase soil erosion. Soils at Fort Benning are typically sandy, with a high potential for erosion during rainfall (see Section 4.11, Geology and Soils). Maintenance of targets, roads, trails, and vehicles would also occur, resulting in more potential ground disturbance and POL spills. In addition, vehicular travel to and range usage will result in the disturbance to soil on the side of either paved or unpaved roads, resulting in potential fugitive dust emissions (discussed in more detail in Section 4.8, Air Quality).

The Transformation actions may affect the fire regime, depending on the type and nature of the proposed activity. Ranges and associated SDZs would likely experience more frequent fires due to the discharge of additional ordnance and an increased operational tempo. Wildfires in these areas are usually allowed to burn due to safety concerns. Under a more rapid fire interval, the intensity of each fire is expected be lower due to smaller fuel load. Increases in the fire frequency would affect the plant community, favoring

fire-tolerant species (longleaf pine communities) over oak-hickory and hardwood communities (Fort Benning 2001, 2003c).

Conversely, the fire frequency near buildings, roads, cantonment areas, and facility compounds may decrease due to a decrease in vegetative cover and additional fire-protection strategies that would be employed to protect property and additional personnel. Under either Alternative A or B, controlled burns and wildfires would be contained at smaller sizes because of the additional roadways and facilities distributed throughout the Installation. Within the proposed heavy maneuver areas and drivers training course, prescribed burns would be more difficult to schedule and execute due to increased training usage. A decreased fire frequency would favor oaks, hickories, and other encroaching hardwoods.

Alternative A would result in potential significant effects to vegetation. A substantial amount of native habitat would be lost, and disruption of ecosystem function in the disturbed areas would occur. Conversion to roads and buildings would remove vegetation entirely and range projects may affect the ecological fire regime. The impacted acreage would be distributed over the Installation rather than isolated in a single large impact zone. Stands of natural vegetation would become more fragmented and subject to edge effects due to runoff/erosion and non-native plant species invading from adjacent disturbed sites. Ecological processes such as nutrient cycling and succession would also be impacted by soil disturbance and limitations on seed dispersal and colonization between more isolated patches of habitat. Non-range projects would impact approximately 1.4 percent of the existing vegetative communities at Fort Benning. Range projects would impact a larger area, covering approximately 5.1 percent of the existing vegetative communities. The persistence of each ecological group at the Installation would not be threatened; although some forest groups would lose up to 7 percent of their existing cover. Based on the impacted area compared with existing area, Longleaf Pine Sandhills and Longleaf Pine Loamhills would be the most extensively impacted ecological groups aside from existing disturbed areas (Table 4.12-6).

Mitigation measures listed in Section 4.12.3 would help minimize the effects of this alternative; however, the potential for significant effects to vegetation would still remain. Permanent large-scale loss of vegetation and habitat fragmentation across the Installation are not amenable to mitigation measures and would represent a substantial loss or degradation of habitat.

Aquatic Habitats

Impacts to several of the aquatic and wetland habitat types identified in Section 4.12.1.2 would occur as a result of either Transformation alternative. Impacts to these habitats may include direct disturbance due to drainage, excavation and filling to support buildings and pavement, low water crossings, clearing for AT/FP setbacks, construction staging areas, vehicular traffic, and/or foot traffic. Table 4.12-8 lists the acreage of impacted habitats for Alternative A. Indirect impacts may occur downstream due to sedimentation, erosion, channelization, contamination, increased runoff, storm water diversion, and changes in fire regime. Herbaceous and shrub seepage bogs are dependent on a regular fire regime. A

decrease in fire frequency would lead to encroachment of woody species; however, the Transformation Alternative is not expected to reduce the fire frequency in this freshwater aquatic habitat.

The amount of impacted aquatic habitats through time is illustrated in Table 4.12-9. Range projects include the proposed ranges, heavy maneuver areas, and driver training areas. Non-range projects are the proposed cantonment projects, housing, and administrative facilities. The heavy maneuver areas and drivers training area would be implemented from 2007 to 2010, with most training impacts realized in 2009; therefore, these impacts are included with 2009 calculations.

The acreage of wetlands affected by Alternative A is listed in Table 4.12-10. Wetlands in the range and training areas were identified from the 2006 wetland delineation (Fort Benning 2006j) while wetland data for the non-range cantonment areas were taken from NWI databases (USFWS 2006g) further delineation of cantonment area would need to be undertaken. The INRMP estimates that Fort Benning contains approximately 16,926 acres of jurisdictional wetlands across the Installation (Fort Benning 2001, 2003c).

Table 4.12-8: Aquatic Habitats Potentially Impacted by Transformation Alternative A

Habitat Type (acres)	Range Impacts (Acres)	Range Impacts (%)	Non-Range Impacts (Acres)	Non-Range Impacts (%)	Total Impacts (Acres)	Total Impact (%)
Herbaceous and Shrub Seepage Bogs (440)	74	16.8	0	0.0	74	16.8
Gum / Oak Ponds (217)	0	0.0	0	0.0	0	0.0
Impounded/Flowing Water (2,504)	27	1.1	0	0.0	27	1.1
River Floodplains and Cypress-Tupelo Swaps (3,825)	26	0.7	13	0.3	39	1.0
Small Stream Swamps and Wooded Seepage Bogs (10,022)	338	3.4	22	0.2	360	3.6
Seasonal Depression Ponds (163)	0	0.0	0	0.0	0	0.0
Stream Floodplains (13,666)	500	3.7	7	0.1	508	3.7
Total (30,837)	964	3.1	43	0.1	1,007	3.3

Table 4.12-9: Wetlands Potentially Affected by Transformation Alternative A

Project Type	Wetland Area Impacted (Acres)	Percent Impacted of 16,926 existing acres
Range Projects	343	2.1
Non-range Projects	18	0.1
Total	361	2.2

The impacted acreage in Table 4.12-9 comprises a disturbance envelope defined by the construction, the boundaries of the proposed ranges, and potentially disturbed areas within the heavy maneuver areas, as well as areas used for construction staging, foot traffic, vehicle storage, and incidental ground disturbance. Within the construction footprints and disturbance envelope, wetland areas would be avoided wherever feasible; the entire area would not be disturbed or developed. In many cases; however, wetlands and freshwater aquatic habitats would require alteration for road crossings, line-of-sight requirements, or construction projects.

Transformation activities would include removing tree stumps and grubbing in some wetlands and filling some wetland areas to construct low water crossings and other structures. There are no adverse wetlands impacts when cutting trees for line-of-sight if a low-impact method of tree removal is utilized to minimize soil disturbance and when stumps and roots can be left in place, according to the USACE Regulatory office, Savannah District (Fort Benning 2004b). In construction areas; however, the trees, including stumps and roots, would need to be removed. Trees and other vegetation along streams provide shade that moderates water temperatures, provide woody debris necessary for aquatic ecosystem health, and provide natural filtration of sediment and other pollutants. Removal of streamside vegetation would result in an adverse impact to wetlands. Some aquatic wildlife species such as fish, salamanders, frogs, and turtles may be directly impacted during construction, as streams are temporarily diverted during emplacement of culverts for maintenance roads and construction of low-water stream crossings. Tree removal along streambanks may have an indirect impact to aquatic species due to increase in temperature from the loss of tree canopy. There would also be a potential loss of feeding and nesting areas for migrating waterfowl and wading birds, in addition to a reduction in spawning, feeding, and nursery habitat for fish and other aquatic species and a temporary fragmentation of their habitat during construction of low water crossings.

A number of creeks would be crossed by road construction and upgrade projects. The Railcar Storage project would cross and be located adjacent to a tributary to Ochillee Creek. The development of the Oscar Range Complex would potentially affect Randall Creek, Dozier Creek, and small tributaries. The two Tank/Fighting Vehicle Stationary Gunnery Ranges and Multipurpose Machine Gun Range 1 are proposed over several small tributaries to Upatoi Creek. The proposed Qualification Training Range, located in the southern portion of the Installation, overlaps tributaries to the Chattahoochee River. Several road crossings would be constructed or upgraded at locations on Upatoi Creek tributaries, Kendall Creek, Randall Creek, Pine Knot Creek, Little Pine Knot Creek, and Sally Creek Tributaries. Stream segments in the heavy maneuver areas also would be impacted by vehicle crossings. The impacts of road crossing and construction projects include, but are not limited to, loss of vegetative cover, sedimentation, channelization, turbidity, and degradation of water quality (see Section 4.10, Water Quality, for additional discussion). Erosion and sedimentation would occur on disturbed soils and would adversely affect aquatic organisms and habitat quality in Fall Line streams (Fort Benning 2001, 2003c). Aquatic habitats near the cantonment areas could be affected by the increased area of impervious surface that would result

from Alternative A. New buildings, roads, and parking areas would alter the storm water flow regime and increase the discharge into surface waters during storm events.

Alternative A would result in potential significant effects to aquatic and wetland habitats, including streambanks. Construction, demolition, road upgrades, and range projects included in the Transformation Alternative would directly impact up to 1,007 acres of aquatic and wetland habitats. Up to 2.7 percent of existing freshwater aquatic habitats would be disturbed and disruption of ecosystem function in the disturbed areas would occur. Range and non-range projects would impact approximately 3.3 percent of the existing wetland area at Fort Benning. The affected aquatic and wetland habitats would not necessarily be eliminated, but their functions and values would be degraded by direct or incidental filling, vegetation removal, alteration of hydrology, and inputs of sediment and pollutants.

Mitigation measures listed in Section 4.12.3 would reduce the extent and severity of impacts, but the residual impacts to aquatic habitats and wetlands would still be significant. Mitigation measures would not avoid or alleviate significant impacts to all aquatic and wetland habitats, particularly in range areas that cannot be configured to avoid wetlands. Heavy use impact areas associated with targets, stream crossings, sedimentation, and erosion would degrade natural features and processes of aquatic communities. A substantial area of wetland communities would be lost or decreased, degrading ecosystem functions that include the maintenance of water quality and associated fish and wildlife populations.

Fish and Wildlife

Under Alternative A, adverse impacts would result from the construction and subsequent use of the new facilities and infrastructure within the identified footprints of ranges, construction projects, driver training areas, and heavy maneuver areas. Although exact facility placement and construction area requirements have not been determined, each site footprint is large enough to accommodate the facilities and all the necessary work areas, including construction staging and materials stockpiling that would be required. Standard BMPs would control erosion and sedimentation, limiting the potential for offsite effects and degradation of surrounding habitat. However, within the identified footprints, the loss or severe degradation of existing fish and wildlife habitats is likely and is assumed for this analysis. Furthermore, indirect effects of the Transformation Alternative would affect populations of fish and wildlife in surrounding habitat beyond the footprints.

As discussed previously, Alternative A would result in the loss or degradation of 27 acres of aquatic habitats and 980 acres of wetland habitats, most of which occur adjacent to water bodies (Table 4.12-8). An estimated 361 acres of wetlands would be affected (Table 4.12-10). Populations of fish and other aquatic wildlife in streams would experience degradation of their habitats at stream crossings, and generally where new training and ground disturbance result in land clearing and erosion in watershed areas, especially in wetland habitats that are in close proximity to streams. In addition to increasing sedimentation and turbidity, land disturbance and the removal of vegetation along streams could result in some stream segments becoming inhospitable to native aquatic species, thereby interfering with dispersal

and utilization of up- or downstream areas that are not otherwise affected. Native fish species could be affected by construction projects that impact freshwater aquatic habitats. Construction impacts may include sedimentation, channelization, erosion, and reduction in water quality. Indirect impacts, such as invasive species and alterations of the fire regime may also have an effect on aquatic habitats.

Mitigation measures described in Section 4.12.3 would reduce the loss and degradation of aquatic and wetland habitats and the resulting effects on fishes and other aquatic wildlife. Considering the Installation as a whole, a relatively small percentage of each aquatic or wetland habitat type would be affected. In addition, with continued protection and management of these habitats and monitoring of aquatic species in accordance with the INRMP, it is expected that in the long term populations of native fishes and other aquatic species on the Installation would persist, although they would likely be diminished.

Construction activities associated with Alternative A would displace upland wildlife from suitable habitat in the immediate vicinity of the construction footprints in the short term. Displacement would occur due to soil disturbance, removal of vegetation, vehicle traffic, range impacts, and incidental human activity. Noise and activity during construction would result in disturbance to wildlife primarily within the site footprints, but habitat fragmentation and edge effects would extend into adjacent habitat. Alternative A is expected to be detrimental to wildlife species that inhabit forest and woodland areas, but may to some degree benefit species of more open grassland or ruderal settings, as well as forest and woodland species that are able to utilize edge habitats.

Reptiles and amphibians that occur in the affected areas would be especially vulnerable to mortality and displacement during construction and use of the areas. Animals that are displaced or flee would be vulnerable to vehicle traffic while searching for new territory. Unless suitable habitat is nearby, the displaced individuals are unlikely to survive.

Although a relatively small percentage – roughly 6 percent – of the available habitat would be directly affected, additional areas would experience more diffuse impacts of use by a larger number of Installation personnel. The total acreage of wildlife habitat subject to removal and disturbance would be substantial and expected to result in reduced wildlife populations, particularly among interior forest and woodland species. Some species are likely to disappear from local habitat patches that become too small, disturbed, or isolated to sustain them.

With the increase in noise and activity there would be a corresponding increase in potential disturbance to wildlife. As described in Section 4.7, Noise, ambient and impulse noise levels would increase over large areas of the Installation and in adjoining off-post areas to the north and northeast. Increased activity within already disturbed areas (i.e. developed areas, ranges, training areas, and established roads) would not significantly affect biological resources given the ongoing activity to which they are exposed. An increase in noise around existing firing points and within impact areas is not expected to significantly affect wildlife already subject to similar impacts within those areas.

New sources of noise and activity would be concentrated and most intense within the footprints of removed and degraded habitats described above. Hence the impact on wildlife populations is largely

accounted for by the affected acreage. The extent to which noise originating from distant sources would impact wildlife through startle responses, interference with communication, and short- to long-term hearing impairment, in otherwise unaltered habitat areas is difficult to estimate, but would presumably be minor due to the rapid attenuation of sound with distance from the source and the masking effect of the vegetation and topography (Larkin 1996). Wildlife that reside immediately adjacent to new sources of noise and activity to which they are unaccustomed are most likely to be affected, and could abandon those areas. In the long term; however, wildlife in the surrounding areas can be expected to coexist with military noise as long as other important habitat features are retained; no adverse long-term impacts are anticipated.

Activities will be conducted in accordance with USAIC 210-4 (Range and Terrain Regulation), guidelines and restrictions stated in the INRMP (Fort Benning 2001, 2003c), the RCW ESMP, and the terms and conditions of the USFWS BO on the effects of the Transformation on federally protected species (Appendix F). These procedures and requirements will help ensure the compatibility of training activities with the sensitive biological resources of the Installation.

Overall, Transformation Alternative A would result in potential significant effects to wildlife (including migratory birds), fish, and aquatic species. Individuals would be directly killed by construction activity and range impacts. Plant communities and aquatic habitats would be removed and degraded. Longleaf Pine Sandhills and Loamhills habitats would be substantially altered and wildlife would be displaced from these areas. Migratory birds and waterfowl in wetlands and aquatic habitat would be similarly disturbed. Habitat fragmentation across the Installation would impair species dispersal and would reduce the amount of undisturbed habitat available to wildlife.

Special-Status Species

Plant Species

Relict Trillium (Federal Endangered)

Potential direct impacts to relict trillium include damage to the plants by clearing from a proposed new road that will impact the Randall Creek North population. Affected plants may be relocated to a recipient site on Fort Benning or to a site on GDNr property in order to establish or enhance off-post relict trillium populations (Fort Benning 2007c). Potential indirect impacts on this species could arise where weed and hog control efforts by the Installation's natural resource managers are impeded by new training requirements. Increases in ground disturbance and the movement of vehicles and personnel may promote the spread of weeds into habitats that support relict trillium. Mitigation measures to reduce significant effects on relict trillium are included in Section 4.12.3.

The U.S. Army is currently in Section 7 consultation with the USFWS regarding these likely adverse effects (Fort Benning 2007c). Through the consultation, necessary and sufficient measures will be determined to ensure that the proposed Transformation does not jeopardize the continued existence of the species. Implementation of these measures would ensure that the proposed Transformation has no significant impact on relict trillium.

State-Listed Plant Species

Species not known to occur on Fort Benning include shoals spider lily, plumleaf azalea, Nevius' stonecrop, granite stonecrop, and bay star-vine (McDonald 2006). A slight possibility exists that habitats supporting previously unknown populations may be affected, but continuing adherence to INRMP policies and practices (Fort Benning 2001, 2003c) and mitigation measures for special status species identified in Section 4.12.3 would minimize adverse impacts. No significant impacts would result since the action would not jeopardize the future existence of the species or be likely to lead to trigger federal listing.

No known populations of Indian olive are likely to be affected (McDonald 2006). Alternative A would result in the direct loss or disturbance of up to 660 acres, 4.3 percent of the Installation acreage, of Dry-Mesic Hardwood and Dry Mesic Mixed Hardwood/Pine Forest, the ecological group most likely to support this species. Since not all potentially affected areas have been surveyed, there is a slight possibility the Transformation actions would impact a previously unknown population, through clearing, thinning, or ground disturbance. Such an impact would not be significant, as it would not jeopardize the future existence of the species or be likely to lead to trigger federal listing. Continuing implementation of the INRMP and mitigation measures listed in Section 4.12.3 would further minimize adverse impacts and help ensure the persistence of this species on the Installation.

Six localities for lax water-milfoil are known on Fort Benning, but none would be directly impacted by Alternative A (McDonald 2006). There is some possibility; however, that previously undiscovered locations in freshwater habitats that support this species could be affected. Range-related impacts in the Arkansas Oak Rock Hills UEA may affect downstream locations supporting this species by clearing vegetation, trampling individual plants, altering surface water distribution, or degrading water clarity through turbulence and sedimentation. Impacts in this UEA would be minimal, occurring in only 0.1 percent of the designated acreage (see below). Individuals may be trampled or disturbed, but the impact would be minor and would not impact the future existence of lax water-milfoil or be likely to lead to the Federal listing of the species. Therefore, the impact would not be significant. Continuing implementation of the INRMP and mitigation measures listed in Section 4.12.3 would further minimize impacts and help ensure the persistence of this species on the Installation.

No known populations of sweet pitcherplant would be affected within cantonment areas (McDonald 2006). The largest populations of sweet pitcherplant on Fort Benning are found in the Malone Cane Breaks UEA, which would not be disturbed or modified by Alternative A. This species is also present in moist woodlands, seepage areas, and wetland margins in the proposed Heavy Maneuver Area – North and training compartment O14. Road crossings, vehicle traffic, and habitat modification in these areas could possibly affect habitats of this species. Proposed activity outside of the tank trails in the Heavy Maneuver Area – North would not involve construction projects, grading, or paving. The impacts would not jeopardize the future existence of sweet pitcherplant or be likely to lead to the federal listing of the species, and therefore would not be significant. Continuing implementation of the INRMP and mitigation

measures listed in Section 4.12.3 would further minimize impacts and help ensure the persistence of these species on the Installation.

No known populations of croomia would be directly affected (McDonald 2006). Croomia occupies moist habitats in the Upatoi Bluffs UEA and Prosperity Church Oak-Hickory Forest UEA. Range construction, heavy maneuver training, and the drivers training area are adjacent to the Upatoi Bluffs UEA and may indirectly affect habitat through habitat fragmentation, erosion, sedimentation, invasive species, and alterations in the fire regime. These potential impacts would not jeopardize the future existence of croomia or lead to the federal listing of the species; hence they would not be significant. Continuing implementation of the INRMP and mitigation measures listed in Section 4.12.3 would further lessen impacts and help ensure the persistence of this species on the Installation.

No known populations of Pickering's morning glory would be directly affected (McDonald 2006). The largest known concentration of Pickering's morning glory inhabits the Lakeland Sandhills UEA, adjacent to the DMPRC. No Transformation projects are proposed in this UEA. Smaller population areas elsewhere on the Installation could be affected by construction projects and ranges, but the impact would not be significant because they would not jeopardize the future existence Pickering's morning glory or lead to the federal listing of the species. Continuing implementation of the INRMP and mitigation measures listed in Section 4.12.3 would further lessen impacts and help ensure the persistence of this species on the Installation.

No known populations of Georgia rockcress would be directly affected (McDonald 2006). Construction projects at the Main Post and Qualification Training Range in the southern range area are proposed near habitat occupied by Georgia rockcress. Indirect impacts may include erosion, sedimentation, and the spread of invasive plants. The stream bank ESPCP includes a buffer area along the stream bank which would help to protect Georgia rockcress along the Chattahoochee River. In any case, Alternative A would not jeopardize the future existence of Georgia rockcress or in any case lead to substantial loss of the species, and therefore would not be significant. Continuing implementation of the INRMP and mitigation measures listed in Section 4.12.3 would further lessen impacts and help ensure the persistence of this species on the Installation.

Other Plant Species of Conservation Concern

A small fraction of the known or potential habitat for these species would be affected by proposed Alternative A (Tables 4.12-3, 4.12-6 and 4.12-8). Known affected locations include:

- Carolina redtop (1 out of 3 known locations affected);
- Needle palm (*Rhapidophyllum hystrix*) (1 out of 66 known locations affected);
- Sandhills bean (8 out of 55 known locations affected);
- Smith's sunflower (1 out of 3 known locations affected); and
- White four-o'clock (*Mirabilis jalapa*) (3 out of 11 known locations affected).

Final

These species are not listed as threatened or endangered and their status is more secure than species discussed previously. Most of the known and potential habitat for these species would not be affected by the proposed Transformation (Tables 4.12-6 and 4.12-8), and it is unlikely that impacts would be of sufficient magnitude to jeopardize the species or trigger listing. Therefore, significant impacts on these species would not occur. There is a small likelihood that these and other species of concern could be present in previously unsurveyed or undiscovered locations affected by Alternative A. Continuing adherence to INRMP policies and practices (Fort Benning 2001, 2003c) and general mitigation measures for special status species identified in Section 4.12.3 would minimize potential short-term and long-term adverse impacts.

Animal Species

Federally Listed Animal Species that Would Not Be Affected

Alternative A would have no effect on federally-listed American alligator, wood stork, and bald eagle due to the absence of these species from areas of potential impact (Fort Benning 2007c) and continuing management efforts pursuant to the INRMP (Fort Benning 2001, 2003c).

Red-cockaded Woodpecker (RCW) (Federal Endangered)

The Biological Assessment provided a detailed analysis of the proposed Transformation's effects on the RCW (Fort Benning 2007c). The BA is voluminous and while not appended to the final EIS it can be accessed at: http://www.hqda.army.mil/acsim/brac/nepa_eis_docs.htm.

To summarize the results of that analysis, RCW cavity trees and foraging habitat would be removed or ultimately die as a result of project, road, and range construction, including staging areas and/or timber operations. The use of heavy equipment, increased traffic on infrequently used roads, and increased human activity would increase the potential disturbance and "harassment" (as defined by USFWS) of RCWs, particularly where the activity occurs within 200 ft of RCW cavity trees during the nesting season. Construction would result in the fragmentation of forested habitats, which may limit foraging and dispersal across unsuitable habitats. Newly cleared or disturbed areas would be susceptible to weed invasion, degrading the quality of foraging and nesting habitat. The removal of pine and hardwood habitat that is not currently RCW habitat, but could be managed and restored or converted to RCW habitat, would impede the further recovery of RCW on the Installation. The loss of pine forest and areas that could be restored as such is of particular concern because of continuing regional die-offs of loblolly pine (Fort Benning 2007c).

Operations and maintenance activities associated with Transformation Alternative A also would be likely to have adverse impacts on the RCW, through additional disturbance in SDZs associated with the new training activities, live-firing exercises that overlap foraging habitat, reduced access for RCW and other natural resource management, the encroachment of disturbance into RCW habitat, and impacts of ground disturbance on tree health (see Appendix F for more detail). Finally, the loss or "take" (as defined under the ESA) of RCW clusters would have a detrimental effect on the long-term recovery of the RCW population on Fort Benning.

A total of 108 RCW clusters on Fort Benning would be directly impacted by Alternative A. Of these, there would be 102 active RCW clusters impacted that contain primary breeding groups, 4 have solitary males, 1 is captured (occupied by RCW from an adjacent cluster), and 1 is inactive. Pre-project, 23 of the 99 analyzed active RCW clusters did not meet the Standard for Managed Stability (SMS) (according to the 2003 USFWS RCW Recovery Plan) and 97 did not meet the Recovery Standard (RS) (according to the 2003 USFWS RCW Recovery Plan).

Post-Transformation, 54 out of the 99 analyzed active RCW clusters would be directly taken as a result of Transformation Alternative A. The U.S. Army is currently undertaking Section 7 consultation with the USFWS regarding these likely adverse effects (Fort Benning 2007c). Through the consultation, reasonable and prudent measures to ensure that the Transformation action does not jeopardize the continued existence of the RCW will be determined. With the implementation of these measures, residual impacts would still likely be significant because of the magnitude of the impact and its interference with long-term recovery goals for the RCW. Proposed avoidance, minimization, and compensation measures that would lessen adverse effects on the RCW are detailed in the Biological Assessment (Fort Benning 2007c).

State-Listed Animal Species

State-listed animal species not known to occur in any of the areas affected by Alternative A include Barbour's map turtle, alligator snapping turtle, and bluestripe shiner (Table 4.12-4). Given the relatively limited acreage of aquatic habitats affected (about 3 percent) relative to their extent on the Installation as a whole, significant impacts on populations of these species would not occur. The possibility exists that previously unknown locations of these species may be affected, but continuing adherence to INRMP policies and practices (Fort Benning 2001, 2003c) and general mitigation measures for special status species identified in Section 4.12.3 would minimize adverse impacts.

Two state-listed species reside in areas of impact and would be adversely affected by Alternative A: gopher tortoise (State Threatened) and Bachman's sparrow (State Rare). Table 4.12-11 describes the overlap of known occurrences of these species by Alternative A activities. The percentage of locations impacted indicates the relative magnitude of the impact on populations of both species.

The gopher tortoise and its habitat on Fort Benning are monitored and protected because it is a keystone species (i.e., a species that plays an important role in its ecosystem and if it were removed or greatly decrease would cause a disproportionate impact to that ecosystem) with numerous vertebrate and invertebrate species utilizing the burrow (Fort Benning 2001, 2003c). There are 2,661 known active burrows on the Installation. An estimated 12.3 percent of active post-wide burrows (328 of 2,661 active burrows) would potentially be impacted by Alternative A (Fort Benning 2006k). The potential impacts would be spread out over 7 years. Because of the magnitude of the impact and the potential for future listing action by USFWS, it is considered significant if unmitigated. Continuing adherence to INRMP policies and practices (Fort Benning 2001, 2003c) and mitigation measures for gopher tortoise and other

special status species identified in Section 4.12.3 would reduce the impact on this species to a level that is less than significant.

Table 4.12-10: State-Listed Species Impacted by Transformation Alternative A

Species	Ecological Group	Percent of Area Impacted	Number of Occurrences Impacted by Range Projects	Number of Occurrences Impacted by Non-Range Projects	% Total Detections in Impacted Areas
Gopher tortoise (Occurrence = active burrow)	Mesic Hardwood Forest	2.4	1		12.3 (328 of 2661)
	Dry-Mesic Hardwood and Dry-Mesic Mixed Hardwood/Pine Forest	4.3	9		
	Longleaf Pine Loamhills	5.1	15		
	Longleaf Pine Sandhills	7.0	166	1	
	Plantations	4.9	63		
	Other Altered Areas	11.1	73		
Bachman's sparrow (Occurrence = singing male)	Longleaf Pine Loamhills	5.1	1		13.2 (36 of 272)
	Longleaf Pine Sandhills	7.0	24	1	
	Plantations	4.9	9		
	Other Altered Areas	11.1	1		

Impacts to Bachman's sparrow would occur predominately in the range project areas north of U.S. Highway 27/280. The majority of the detections occur in ongoing projects in the Heavy Maneuver Area – North and Heavy Maneuver Corridor – South. An estimated 13.2 percent (36 of 272) of post-wide detection records occur in areas that could be impacted by Alternative A (Figure 4.12-4) (Fort Benning 2006k). To some degree, Bachman's sparrow may be able to utilize open habitats that are created along the edges of forests and woodlands by Transformation activities. The species is widely distributed, and the impact would not be likely to jeopardize its existence on Fort Benning or trigger the need for federal listing. As a result, the impact is not considered significant.

Other Animal Species of Conservation Concern

A small fraction of the known or potential habitat for these species would be affected by Alternative A (Tables 4.12-4, 4.12-6 and 4.12-8). Known affected locations include:

- Coachwhip snake (4 out of 92 known locations affected);
- Florida pine snake (1 out of 38 known locations affected);
- Migrant loggerhead shrike (1 out of 7 known locations affected); and
- Southeast American kestrel (5 out of 25 known locations affected).

These species are not listed as threatened or endangered and their status is more secure than species discussed previously. Most of the known and potential habitat for these species would not be affected by the Transformation action, and it is unlikely that impacts in any case would be of sufficient magnitude to jeopardize the species or trigger listing. Therefore, significant impacts on these species would not occur. There is a small likelihood that these and other species of concern could be present in previously unsurveyed or undiscovered locations affected by Alternative A. Continuing adherence to INRMP policies and practices (Fort Benning 2001, 2003c) and general mitigation measures for special status species identified in Section 4.12.3 would minimize potential impacts.

There is suitable habitat for the Brazilian free-tailed bat and it could occur within the project area. The nature of impacts would primarily involve loss of roosting canopy, range impacts, vehicle traffic, and blockage or disturbance of subterranean roosting locations. The eastern woodrat and southern Appalachian woodrat may occur in the project area. Habitat preferences include many vegetation types, and could therefore be found in several of the project areas. These species may be affected by loss of suitable vegetation for nesting and fire suppression. Impacts would be minor and the disturbance to stream floodplains, hollow snags/trees, and caves would not substantially degrade mammal species at a population level across the Installation.

Dusky gopher frog habitat in the Hastings Relict Sandhills Community UEA would be impacted by range road crossings. The Heavy Maneuver Corridor – South would also overlap potential habitat for this species. The nature of the impacts would primarily involve vehicle traffic and range impacts. Small areas of construction would require ground disturbance, soil excavation, and clearing of vegetation. Because of the isolation, small size, and limited distribution of the Fort Benning dusky gopher frog population, the species is sensitive to local disturbances and fragmentation.

Individual frogs may be killed by construction vehicles, excavation, and incidental range activities. Small patches of habitat within the range areas and heavy maneuver areas would be permanently disturbed. Tracked vehicles can crush burrows used by dusky gopher frogs and gopher tortoises. The impacts would be dispersed throughout the training areas, while the larger regional habitat would remain intact. The population of dusky gopher frogs appears to be tolerant of ongoing range training at K15 and Hastings Range (Fort Benning 2001, 2003c) and the impacts of the proposed Transformation actions would be similar, although the operational tempo would increase. The impact would not be likely to jeopardize the future existence of this species on Fort Benning or lead to the federal listing of the species; however, the impacts could substantially degrade the only available habitat for the dusky gopher frog population on the Installation.

Transformation activities would impact longleaf pine sandhills, streams, floodplains and wetland areas that may be inhabited by other amphibian species of special concern, including the Apalachicola dusky salamander and three-lined salamander. Individuals may be killed directly by construction and range activities, or breeding areas may be disturbed. The species are widespread and the impact would not be likely to jeopardize the future existence of these species on Fort Benning or lead to the federal listing of these species.

Stream crossings that would be affected by the Transformation action were surveyed in 2006 (Abbott 2006). No special-status mussel species were detected. The overall impacts to freshwater mussels would not be significant. The ESPCP, NPDES permit, and Section 404 Permits will include measures to minimize impacts to aquatic habitats and wetlands. No federally-protected species or state-protected species are known in the affected area.

Overall, impacts on species of conservation concern are unlikely to be significant because substantial areas of habitat subject to a limited level of disturbance would remain. Species populations likely would be reduced, but not to levels that would cause the extirpation of the species or trigger the need for federal protection.

Unique Ecological Areas (UEAs)

Implementation of Alternative A would involve some construction, development, operational, and maintenance projects in and adjacent to UEAs. Table 4.12-11 provides the area of direct impact in each UEA. The impact areas used in these calculations represent a disturbance envelope, including the development footprint, as well as areas used for construction staging, foot traffic, vehicle storage, and incidental ground disturbance. The boundaries and acreages of UEAs are approximate and are refined as the areas are further studied. The majority of the area within the disturbance envelope would be used for range projects, heavy maneuver areas, and the drivers training area. Range projects would involve large areas for ordnance impact and small construction sites for firing lines and associated facilities. Some site clearing and soil excavation would be conducted. Overstory trees would be cleared for line-of-sight requirements. Maneuver areas and the driver training area would be disturbed due to tracked vehicle traffic.

Approximately 417 acres of UEAs would be impacted under Alternative A. Resident species may be inadvertently killed due to logging activities and mechanized and repair/maintenance vehicle traffic through the UEAs via low water crossings. Erosion occurring from traffic in the streams within the UEA and in adjacent upland areas may increase sedimentation in the UEA, lower water quality, and adversely effect habitat quality. Trees that are felled and left in place to establish line-of-sight may become an obstruction and impede water flow in certain areas of the UEA. Due to the loss of the canopy, water temperature and evaporation rates will increase in creeks and streams within the UEAs. Construction impacts would involve site clearing, soil excavation, and development of urban facilities. Both of these effects would have an impact on the hydrologic cycle and degrade and reduce populations of some species, resulting overall in potential moderate adverse effects to UEAs.

Ranges and construction projects would affect varying percentages of the existing acreage of different UEAs. The Piedmont Interface UEA would be impacted by several construction projects as well as ranges and would have the largest total area affected, but 94 percent of the UEA would be outside areas of direct impact and would not represent a significant impact. Relatively small portions of most of the other UEAs would be impacted. The proposed Heavy Maneuver Corridor – South would overlap 26 percent of

Table 4.12-11: UEAs Impacted by Transformation Alternative A

Name (Existing Acreage)	Impacted Acres	% Impacted	Management Issues	Transformation Actions Occurring in Each UEA
Longleaf Pine Loamhills (1,169)	65	5.6	Forest Management Operational Plans, RCW	Qualification training range
Ochillee Creek Wetlands (836)	46	5.5	Wetlands	Rail Car Storage/Tracks, cantonment area construction
Piedmont Interface (3,364)	213	6.3	Relict trillium populations	Oscar Range complex development
Hastings Relict Sandhills Community (2,648)	8	0.3	Gopher tortoise, RCW, Bachman's sparrow; off-road vehicles	Road upgrade/reinforcement
Prosperity Church Oak-Hickory Forest (272)	70	25.9	Siting of roadways	Heavy Maneuver Corridor - South
Pine Knot Creek Blackwaters (1,629)	10	0.6	Wetlands and stream crossings, Bachman's sparrow, gopher tortoise	Road upgrade/reinforcement
Arkansas Oak Rock Hills (3,823)	5	0.1	None.	Adjacent to road upgrade/reinforcement
Upatoi Bluffs (2,043)	0; Adjacent only	0	None.	Adjacent to Drivers Training Area and several construction projects
Chattahoochee Backwaters (3,409)	0	0	Bald eagle nest.	None
Hite Bowl Swamp (276)	0	0	Not applicable.	None
Lakeland Sandhills (128)	0	0	Not applicable.	None
Longleaf Pine Sandhills (169)	0	0	Not applicable.	None
Malone Cane Brakes (2,132)	0	0	Not applicable.	None
Slopes of Northern Affinities (655)	0	0	Not applicable.	None
Upatoi Creek Flatwoods (533)	0	0	Not applicable.	None

the Prosperity Church Oak-Hickory Forest UEA, with disturbance consisting of road upgrades and off-road vehicle impacts. UEAs adjacent to range projects or within SDZ arcs may be affected by changes in the fire regime, vehicle access, and/or sedimentation and erosion that would occur due to the Transformation actions.

With the exception of the Prosperity Church Oak-Hickory Forest UEA, Alternative A would not substantially diminish or degrade UEAs. A relatively large portion of the Prosperity Church Oak-Hickory Forest UEA would be significantly impacted indirectly through erosion, the spread of weeds, and increased fire frequency. This indirect effect could substantially degrade the oak-hickory forest in adjoining areas. Mitigation measures in Section 4.12.3 would reduce the impact, but it would remain significant.

4.12.2.3 Transformation Alternative B (Preferred Alternative)

This section describes the impacts of Alternative B on biological resources. Since impacts are similar in most respects to those described in Section 4.12.2.2 for Alternative A, the impact descriptions reference that section for more details. For each resource a determination is made of the impacts' significance and whether mitigation measures have been identified to reduce the impact. Mitigation measures are described in Section 4.12.3.

Upland Vegetation

Implementation of Alternative B would involve the clearing or other disturbance of up to 15,708 acres of upland vegetation (Table 4.12-12). Table 4.12-13 shows the impact through time. Impacts would be generally similar to those described for Alternative A, but of greater magnitude. This is due to the larger area of impact for the Good Hope Maneuver Area beginning in 2009. The affected areas comprise mostly dry-mesic hardwoods and mixed hardwood/pine forests, altered areas, plantations, and successional forests. As with Alternative A, the impacts would be significant, and would remain so after mitigation.

Aquatic and Wetland Habitats

Impacts of Alternative B on aquatic habitats are summarized in Tables 4.12-14 and 4.12-15. The acreage of wetland impacts is shown in Table 4.12-16. Impacts would be generally similar to those of Alternative A, but of slightly greater magnitude, again being due to the development of the Good Hope Maneuver Area in 2009. The acreage for Alternative B is slightly smaller, however. As with Alternative A, mitigation measures listed in Section 4.12.3 would reduce the extent and severity of the impacts, but the residual impact to freshwater aquatic habitats and wetlands would be significant because of the magnitude of the impact.

Table 4.12-12: Upland Vegetation Impacted by Transformation Alternative B

Vegetation Type (Existing acreage)	Range Impacts (Acres)	Range Impacts (%)	Non- Range Impact (Acres)	Non- Range Impact (%)	Total Impacts (Acres)	Total Impact (%)
Mesic Hardwood Forest (1,145)	83	7.3	4	0.4	87	7.6
Dry-Mesic Hardwood and Dry-Mesic Mixed Hardwood/Pine Forest (15,420)	3,511	22.8	137	0.9	3,649	23.7
Longleaf Pine Loamhills (17,597)	1,481	8.4	262	1.5	1,743	9.9
Longleaf Pine Sandhills (69,095)	3,859	5.6	873	1.3	4,732	6.8
Plantations (20,172)	1,269	6.3	844	4.2	2,113	10.5
Other Altered Areas (17,643)	3,565	20.2	151	0.9	3,716	21.1
Successional Uplands (10,516)	2,022	19.2	52	0.5	2,074	19.7
Total (151,588)	15,708	10.4	2,319	1.5	18,026	11.9

**Table 4.12-13: Yearly Acres of Upland Vegetation
Affected by Transformation Alternative B**

Project Year	Vegetation Affected (Acres)
2007	2,097
2008	1,253
2009	13,458
2010	161
2011-2013	1,143

Table 4.12-14: Aquatic Habitats Potentially Impacted by Transformation Alternative B

Habitat Type	Range Impacts (Acres)	Range Impacts (%)	Non-Range Impacts (Acres)	Non-Range Impacts (%)	Total Impacts (Acres)	Total Impact (%)
Herbaceous and Shrub Seepage Bogs (440)	74	16.8	8	1.8	82	18.6
Gum / Oak Ponds (217)	0	0.0	0	0.0	0	0.0
Impounded/Flowing Water (2504)	92	3.7	0	0.0	92	3.7
River Floodplains and Cypress-Tupelo Swamps (3825)	10	0.3	13	0.3	23	0.6
Small Stream Swamps and Wooded Seepage Bogs (10,022)	414	4.1	28	0.3	441	4.4
Seasonal Depression Ponds (163)	0	0.0	0	0.0	0	0.0
Stream Floodplains (13,666)	638	4.7	7	0.1	646	4.7
Total (30,837)	1,228	4.0	57	0.2	1,285	4.2

Table 4.12-15: Wetlands Potentially Affected by Transformation Alternative B

Project Type	Wetland Area Impacted (Acres)	Percent Impacted of 16,926 existing acres
Range Projects	311	1.9
Non-range Projects	18	0.1
Total	329	2.0

Fish and Wildlife

Impacts on fish and wildlife, apart from special status species, would be significant and similar to those described for Alternative A, due to the magnitude of direct and indirect impacts on habitats that support fish and wildlife populations. The habitats of most native species would be diminished or degraded, resulting in reduced population sizes.

Special-Status Species

Plant Species

Relict Trillium (Federal Endangered)

Potential impacts to relict trillium would be the same as for Alternative A, and would be less than significant in the long-term. While habitat in the Good Hope Maneuver Area does not support relict trillium growth and is not anticipated to be found; surveys would be conducted if these plants are identified during Transformation development and appropriate consultation would be reinitiated.

State-Listed Plant Species

Impacts on state-listed plant species under Transformation Alternative B would be the same as for Alternative A. No listed species are known to occur in areas affected by this alternative. The possibility exists that habitats supporting previously unknown populations may be affected, but continuing adherence to INRMP policies and practices (Fort Benning 2001, 2003c) and general mitigation measures for special status species identified in Section 4.12.3 would minimize significant impacts. The greater area of impact for this alternative does not include habitats or UEAs with a high potential to support listed plant species; the areas are mostly mixed forest, plantations, altered areas, and successional forest. No long-term significant impacts are anticipated.

Other Plant Species of Conservation Concern

A small fraction of the known or potential habitat for these species would be affected by proposed Alternative B (Tables 4.12-3, 4.12-13 and 4.12-15). Known affected locations include:

- Canadian frostweed (1 out of 3 known locations affected);
- Needle palm (1 out of 66 known locations affected);
- Sandhills bean (3 out of 55 known locations affected);
- Smith's sunflower (1 out of 3 known locations affected); and
- White four-o'clock (3 out of 11 known locations affected).

These species are not listed as threatened or endangered and their status is more secure than species listed above. Most of the known and potential habitat for these species would not be affected by the Alternative B (Tables 4.12-13 and 4.12-15), and it is unlikely that impacts in any case would be of sufficient magnitude to jeopardize the species or trigger listing. Therefore, significant impacts on these species would not occur. There is a small likelihood that these and other species of concern could be present in previously unsurveyed or undiscovered locations affected by Alternative B. Continuing adherence to INRMP policies and practices (Fort Benning 2001, 2003c) and general mitigation measures for special status species identified in Section 4.12.3 would minimize potential impacts.

Animal Species

Federally Listed Animal Species that Would Not Be Affected

Alternative B would have no effect on federally-listed species that include the listed mussel species (purple bankclimber, shiny-rayed pocketbook, Gulf moccasinshell, and oval pigtoe), American alligator, wood stork, and the bald eagle due to the absence of these species from areas of potential impact (Fort Benning 2007c) and continuing management efforts pursuant to the INRMP and ESMPs (Fort Benning 2001, 2003c). Continuing management protection under the ESMP for the bald eagle nest site in compartment A14, which is within one mile of the proposed Good Hope Maneuver Area, would ensure no effect on this species.

Red-cockaded Woodpecker (Federal Endangered)

A detailed analysis of the effects of Alternative B on RCW, was presented in the Biological Assessment (Fort Benning 2007c). Alternative B would impact far fewer RCW clusters when compared to Alternative A (refer to Figures 4.12-5 with Figure 4.12-6). Since Alternative B is the preferred alternative, the USFWS was requested to render a BO on this alternative. Following review of the BA, the USFWS issued a BO (Appendix F) that agreed that the anticipated level of take under the preferred alternative (B) would not likely result in jeopardy to the species or destruction or adverse modification of habitat.

A total of 88 RCW active clusters on Fort Benning would be directly impacted by Alternative B. Of these, there would be 82 active RCW clusters impacted that contain primary breeding groups, 4 have solitary males, 1 is captured (occupied by RCW from an adjacent cluster), and 1 is inactive. Pre-project, 14 of the 80 analyzed active RCW clusters did not meet SMS and 78 did not meet RS (8 active clusters were in non-contiguous habitat and thus not analyzed). The other eight clusters did not have continuous habitats with any of the proposed projects and, therefore, were not further analyzed. The BA (accessible at http://www.hqda.army.mil/acsim/brac/nepa_EIS_docs.htm) provides a detailed analysis for each affected cluster.

Post- Transformation, 32 active RCW clusters (of the 80 analyzed) would be directly “taken” by Transformation Alternative B as a result of forage loss, cavity tree removal, harassment, group-level impacts and/ or neighborhood level impacts. Impacts of Alternative B would likely be significant because of the magnitude of the impact and its interference with long-term goals to recover the species on Fort Benning, but the impacts would substantially less than for Alternative A.

Proposed avoidance, minimization, and compensation measures that would lessen significant effects on the RCW are detailed in the Biological Assessment (Fort Benning 2007c).

State-Listed Animal Species

As for Alternative A, state-listed animal species not known to occur in any of the areas affected by Alternative B, include Barbour’s map turtle, alligator snapping turtle, and bluestripe shiner (Table 4.12-4). Given the relatively limited acreage of impacts on aquatic habitats relative to their extent

on the Installation as a whole, significant impacts on populations of these species would not occur. The possibility exists that previously unknown locations of these species may be affected, but continuing adherence to INRMP policies and practices (Fort Benning 2001, 2003c) and general mitigation measures for special status species identified in Section 4.12.3 would minimize potential impacts.

Two state-listed species reside in areas of impact and would be adversely affected by Alternative B: gopher tortoise (State Threatened) and Bachman's sparrow (State Rare). Table 4.12-16 describes the overlap of known occurrences of these species by Alternative B activities. The percentage of locations impacted indicates the relative magnitude of the impact on populations of both species. The impact on the gopher tortoise species would amount to roughly 10.4 percent of known locations, which is less than for Alternative A. The impact would be significant because of its magnitude and because it increases the potential for future listing action by USFWS. However, continuing adherence to INRMP policies and practices (Fort Benning 2001, 2003c) and mitigation measures for gopher tortoise and other special status species identified in Section 4.12.3 would reduce the impact on this species to a level that is less than significant.

Impacts to Bachman's sparrow would occur predominately in the range project areas north of U.S. Highway 27/280 and would amount to 7.0 percent of known locations, which is substantially less than for Alternative A. To some degree, Bachman's sparrow may be able to utilize open habitats that are created along the edges of forests and woodlands by Transformation activities. The species is widely distributed, and the impact would not be likely to jeopardize its existence on Fort Benning or trigger the need for protective listing. As a result, the impact is not considered significant.

Table 4.12-16: State-Listed Species Impacted by Transformation Alternative B

Species	Ecological Group	Percent of Area Impacted	Number of Occurrences Impacted by Range Projects	Number of Occurrences Impacted by Non-Range Projects	% Total Detections in Impacted Areas
Gopher tortoise <i>(Occurrence = active burrow)</i>	Mesic Hardwood Forest	7.3	1	0	10.4 (278 of 2661)
	Dry-Mesic Hardwood and Dry-Mesic Mixed Hardwood/Pine Forest	22.8	12	0	
	Longleaf Pine Loamhills	8.4	15	0	
	Longleaf Pine Sandhills	5.6	119	2	
	Plantations	6.3	57	0	
	Other Altered Areas	20.2	72	0	
Bachman's sparrow <i>(Occurrence = singing male)</i>	Longleaf Pine Loamhills	8.4	1		7.0 (19 of 272)
	Longleaf Pine Sandhills	5.6	24	1	
	Plantations	6.3	9		
	Other Altered Areas	20.2	1		

Other Animal Species of Conservation Concern

A small fraction of the known or potential habitat for these species would be affected by Alternative B (Tables 4.12-4, 4.12-12 and 4.12-14). Known affected locations include:

- Coachwhip snake (2 out of 92 known locations affected);
- Florida pine snake (1 out of 38 known locations affected);
- Migrant loggerhead shrike (1 out of 7 known locations affected); and
- Southeast American kestrel (4 out of 25 known locations affected).

These species are not listed as threatened or endangered and their status is more secure than species discussed previously. Most of the known and potential habitat for these species would not be affected by the Alternative B, and it is unlikely that impacts in any case would be of sufficient magnitude to jeopardize the species or trigger listing. Therefore, adverse impacts on these species would not occur. As discussed for Alternative A, there is a small likelihood that these and other species of concern could be present in previously unsurveyed or undiscovered locations affected by Alternative B. Continuing adherence to INRMP policies and practices (Fort Benning 2001, 2003c) and general mitigation measures for special status species identified in Section 4.12.3 would minimize potential impacts to less than significant.

Unique Ecological Areas (UEAs)

Implementation of Alternative B would involve some construction, development, operational, and maintenance projects in and adjacent to UEAs. Table 4.12-17 provides the area of direct impact in each UEA. The areas used in these calculations represent a disturbance envelope, including the development footprint, as well as areas used for construction staging, foot traffic, vehicle storage, and incidental ground disturbance. The boundaries and acreages of UEAs are approximate and are refined as the areas are further studied. The majority of the area within the disturbance envelope would be used for range projects, heavy maneuver corridors, and the driver training area. Range projects would involve large areas for ordnance impact and small construction sites for firing lines and associated facilities. Some site clearing and soil excavation would be conducted. Overstory trees would be cleared for line-of-sight requirements. Maneuver areas and the driver training area would be disturbed due to tracked vehicle traffic.

Approximately 681 acres of UEAs would be affected by Alternative B (see Table 4.12-17). The difference between the two alternatives is entirely due to the Good Hope Maneuver Area and its overlap of the Chattahoochee Backwaters UEA (Section 4.12.1.5 describes the UEA and Figure 4.12-3 illustrates the location). This impact is considered significant because of the large area directly impacted, and the likelihood of indirect impacts on river habitats due to erosion in the watershed. Mitigation measures in Section 4.12.3 would reduce the impact, but it would remain significant. Otherwise, the acreages of affected UEAs are the same for both alternatives. Impacts described previously for Alternative A would

Table 4.12-17: UEAs Impacted by Transformation Alternative B

Name (Existing Acreage)	Impacted Acres	% Impacted	Management Issues	Transformation Actions Occurring in Each UEA
Longleaf Pine Loamhills (1,169)	65	5.6	Forest Management Operational Plans, RCW	Qualification training range
Ochillee Creek Wetlands (836)	46	5.5	Wetlands	Basic and Advanced Drivers Training Course
Piedmont Interface (3,364)	213	6.3	Relict trillium populations	Oscar Range complex development
Hastings Relict Sandhills Community (2,648)	8	0.3	Gopher tortoise, RCW, Bachman's sparrow; off-road vehicles.	Road upgrade/reinforcement
Prosperity Church Oak-Hickory Forest (272)	70	25.9	Siting of roadways	Heavy Maneuver Corridor – South
Pine Knot Creek Blackwaters (1,629)	10	0.6	Wetlands and stream crossings, Bachman's sparrow, gopher tortoise	Road upgrade/reinforcement
Arkansas Oak Rock Hills (3,823)	5	0.1	None	Adjacent to road upgrade/reinforcement
Upatoi Bluffs (2,043)	0	0	None	None
Chattahoochee Backwaters (3,409)	264	7.7	Bald eagle nest, aquatic and wetland habitats	Good Hope Maneuver Area
Hite Bowl Swamp (276)	0	0	Not applicable	None
Lakeland Sandhills (128)	0	0	Not applicable	None
Longleaf Pine Sandhills (169)	0	0	Not applicable	None
Malone Cane Brakes (2,132)	0	0	Not applicable	None
Slopes of Northern Affinities (655)	0	0	Not applicable	None
Upatoi Creek Flatwoods (533)	0	0	Not applicable	None

apply to Alternative B as well. In particular, the impact on the Prosperity Church Oak-Hickory Forest UEA would be significant because a relatively large portion of the UEA would be impacted directly, and indirect impacts of erosion, the spread of weeds, and increased fire frequency could substantially degrade the oak-hickory forest in adjoining areas. Mitigation measures in Section 4.12.3 would reduce the impact, but it would remain significant.

4.12.3 MITIGATION MEASURES

4.12.3.1 Transformation Alternative A

Mitigation measures for Alternative A are identified for each major category of biological resources discussed in Section 4.12.2.

Vegetation

Implementation of this Transformation alternative would incorporate the following mitigation measures and management practices, thereby minimizing effects on vegetation. Mitigation measures, per Army NEPA regulations, may include avoidance of effect; minimization of effect; repair, rehabilitation, or restoration of effect; reduction of effect; and/or compensation for effect.

- Facilities and supporting infrastructure to be constructed will be sited on previously disturbed ground to the maximum extent possible. Removal of longleaf and loblolly pine will be minimized. New developments would be clustered, rather than dispersed, to the extent practicable and consistent with other land use constraints to lessen edge effects on adjacent natural areas. Temporarily disturbed sites will be revegetated with native species wherever practicable.
- Mitigation measures for water resources (Section 4.10.3) and soils (Section 4.11.3) are also identified to reduce erosion, sedimentation, and potential contaminant impacts on vegetation.

Existing plans, such as the INRMP, the use of Land Condition Trend Analysis (LCTA) in conjunction with the Integrated Training Area Management Program (ITAM), and monitoring will be continued to measure the long term effects of expanded training and to identify and implement impact reduction strategies. Monitoring and control measures for invasive plant species will be funded as necessary to minimize the potential spread of these species into areas adjacent to newly disturbed and developed areas.

The above mitigation measures and existing management practices would help minimize the adverse effects of this alternative due to construction; however, the potential for significant effects to vegetation would still remain as a result of operations and maintenance. Permanent loss of vegetation and habitat fragmentation across the Installation, which cannot be mitigated, would represent a substantial loss or degradation of habitat.

Aquatic Habitats

Adherence to applicable federal, state, and local laws and regulations is required. This would include obtaining and following Section 404 permits due to potential disturbance to wetlands and obtaining stream buffer variances for tree removal and construction within the 25-ft buffer along streams (refer to Section 4.10.2 and 4.10.3, water resources for more detail). The Transformation actions under this alternative also would require applications for Section 401 certifications in conjunction with Section 404 permits because there is a potential for impacts to wetlands and the potential for discharge into navigable waters of the U.S. The following measures also are required:

- Mitigation measures for water resources (Section 4.10.3) and soils (Section 4.11.3) are also required to reduce erosion, sedimentation, and potential contaminant impacts on aquatic and wetland habitats.
- Mitigation for impacts to wetlands by avoidance would be incorporated into the design process by reducing stream crossings and placing trails, roads, and targets, where possible, out of wetland areas. The boundaries of wetland areas would be marked with flagging or painted trees to indicate the limits of construction.
- Unavoidable impacts to wetlands would be compensated by habitat restoration or by purchase of wetlands credits. Wetlands may be restored, enhanced, or created at locations to be determined through the Section 404 permitting process.
- Low impact methods of tree clearing would be utilized in streambank buffer zones and wetlands in accordance with the Georgia Forestry BMPs for Water Quality and Timber Harvesting. Streambank buffer zones and wetland areas would be re-marked with paint and/or flagging after timber operations that are likely to destroy, trample, or otherwise obscure the markings.
- All harvested trees should be felled so the stem is parallel with the run of the stream and therefore reducing the obstruction effect.
- Logging decks and defined skid trails would be located outside streambank buffer zones.
- Consistent with the INRMP (e.g., Section 8.2.4), a program to monitor and sustain the integrity and health of aquatic and wetland ecosystems on Fort Benning as it undergoes the Transformation will be developed.

Avoidance and mitigation measures would reduce the extent and severity of the adverse impacts, but the residual impact to freshwater aquatic habitats and wetlands would be significant. Mitigation measures would not avoid or alleviate impacts to all aquatic habitats. Ordnance impact zones, stream crossings, sedimentation, and erosion would degrade natural features and processes of aquatic and wetland habitats.

Fish and Wildlife

Mitigation measures cited in the preceding sections would reduce adverse impacts on fish and wildlife populations. Fort Benning would continue its long-term, proactive management of fish and wildlife species and habitats through cooperative efforts with regional partners as described in the INRMP.

Special-Status Species

Avoidance, compensation, and minimization measures identified through consultation with the USFWS will be implemented to reduce adverse effects on federally listed species. The specific mitigation measures emanating from this consultation is found in the BO (Appendix F). Mitigation measures identified in the preceding sections will also be implemented to reduce adverse impacts on all special status species.

Management for relict trillium specified in the ESMP includes measures that would be implemented to avoid and minimize potential effects on the species:

- Prior to land disturbing activities, surveys would be conducted if they have not been within the last 3 years.
- Populations would be marked; and to the extent possible, weed control, brush/vegetation removal, digging, and driving would be prohibited within these populations.
- Timber harvest would not occur within 200 ft of known populations of relict trillium.

Additional mitigation considerations for protected plant species in general would be used to reduce potential adverse impacts:

- Prior to land disturbance, vegetation surveys will be conducted for special status species in all areas not surveyed within the past 3 years, and in areas subject to clearing or construction.
- All known occurrences of Indian Olive on the Installation are flagged prior to any timber harvests. Flagged plants would be avoided during timber clearing wherever practicable.
- Project siting and design within UEAs would be configured to avoid sensitive habitat areas such as wetlands, riparian areas, hardwoods, and water tupelo.
- Ongoing monitoring and conservation programs on the Installation would be continued with special emphasis on the areas affected by Transformation.
- Mitigation measures identified in Section 4.10.3 (Water Resources) would be employed to reduce potential impacts to streambanks and wetlands, to minimize erosion, and to protect water quality, reducing the potential impacts to lax-water milfoil and Georgia rockcress.

Additional mitigation measures to avoid or reduce impacts on special status species include:

- Hollow snags and dead trees should be left where possible, to increase natural roosting places for bats.
- Avoid existing caves and subterranean locations by construction activities and human disturbance to minimize disturbance to bats.
- Construction will not occur within 1/8 mile (200 meters) – or other distance deemed necessary by the Installation RCW Specialist – of an active RCW cluster during the nesting season (April through July).
- Construction and use of the proposed facilities will not impede RCW management activities in surrounding areas.

- Prior to ground disturbance in areas where gopher tortoise may occur, a qualified biologist will search for occupied burrows in areas subject to construction and will relocate tortoises to a safe location. Where tortoises are known to occur in close proximity to construction areas, fencing or other barriers to keep the animals out of harm's way will be installed.
- Prior to vegetation clearing in support of Transformation, existing GIS data and site conditions will be reviewed by Fort Benning Natural Resource Management staff to determine the known or likely potential for special status species to occur. Areas that are potential habitat for special status species but have not been surveyed within the preceding 3 years will be surveyed. Subsequent clearing and land development will: a) minimize the loss of habitat for special status species and b) incorporate measures to minimize future losses of habitat or individuals incidental to use of the site.

Unique Ecological Areas

All required measures identified in preceding sections would reduce impacts on UEAs. Additional mitigation measures to avoid and/or minimize adverse impacts include:

- The drivers training and heavy maneuver areas will require proper siting and design to avoid and/or minimize impacts to sensitive resources in UEAs. Stream crossings should be limited and soil stabilization BMPs should be implemented along roadsides. Range facilities, targets, and berms should be configured to avoid and/or minimize impacts to wetland areas and sensitive vegetation within the UEAs.
- Where possible, additional acreage that includes appropriate habitat features will be incorporated into existing UEAs to offset losses caused by the Transformation actions.

4.12.3.2 Transformation Alternative B (Preferred Alternative)

Mitigation measures for Alternative B are the same as for Alternative A, but would also include the Chattahoochee Backwaters UEA. Similar mitigation measures would be undertaken for vegetation, aquatic habitats, fish and wildlife, and special status species.

4.13 CULTURAL RESOURCES

Definition of Resource

Cultural resources consist of prehistoric and historic districts, sites, structures, artifacts, objects, or any other physical evidence of human activity considered important to a culture, subculture, or community for scientific, traditional, religious, or other reasons. Cultural resources can be divided into two major categories: Prehistoric and Historic resources, and American Indian resources. Prehistoric and Historic resources include archaeological resources (prehistoric and historic) and architectural resources. American Indian resources are also known as traditional cultural properties.

Archaeological resources include any material remains of past human life or activities that are 100 years old or more and capable of providing scientific or humanistic understandings of past human behavior and cultural adaptation through the application of scientific or scholarly techniques (Archaeological Resources Protection Act of 1979, Section 3(I) 16 U.S.C. 470bb). For example, archaeological resources consist of sites, arrowheads, stone flakes, or bottles. *Architectural resources* include standing buildings, dams, canals, bridges, and other structures of historic or aesthetic significance (NPS 2002). *Traditional cultural resources* can include archaeological resources, buildings, neighborhoods, prominent topographic features, habitats, plants, animals, or traditional hunting and gathering areas that American Indians or others consider essential for the continuance of traditional cultures (NPS 1998). No traditional cultural properties have been identified on Fort Benning; therefore, this category will not be discussed further in this EIS.

Under the NHPA as amended, only cultural resources included in or eligible for inclusion on the National Register of Historic Places (NRHP), defined as ‘historic properties’, warrant consideration with regard to adverse impacts from a proposed action. Historic properties generally must be more than 50 years old to be considered for protection under the NHPA. However, under the NHPA, more recent structures, such as Cold War era military buildings, may warrant protection if they are “exceptionally significant.” To be considered eligible for the NRHP, cultural resources must meet one or more criteria as defined in 36 CFR 60.4 for inclusion on the NRHP. These criteria include association with an important event, association with a famous person, embodiment of the characteristics of an important period in history, or the ability to contribute to scientific research. Resources must also possess integrity (i.e., its important historic features must be present and recognizable). Historic properties may be buildings, structures, historic districts, or objects

Several other Federal laws and regulations have been established to manage cultural resources, including the Archaeological and Historic Resources Preservation Act of 1974, the ARPA of 1979, and the Native American Graves Protection and Repatriation Act (NAGPRA) of 1990. In addition, coordination and consultation with Tribes must occur in accordance with the above laws and implementing regulations as well as the American Indian Religious Freedom Act (1978); EO 13007, *Sacred Sites*; EO 13175, *Consultation and Coordination with Indian Tribal Governments*; and the DoD requirements relating to

the *Annotated American Indian and Alaska Native Policy* (1999), which emphasizes the importance of respecting and consulting with Tribal governments on a government-to-government basis. This policy requires an assessment through consultation of the effect of proposed DoD actions that could significantly affect Tribal resources, Tribal rights, and Indian lands before decisions are made by the respective services.

Related construction activities for actions identified in this section and the following subsections would be subject to the requirements of all applicable laws, regulations, and permits that may be required for construction. These may include, but not necessarily be limited to, NPDES and MS4 permits, which are described in more detail in Sections 1.6.2 and 4.10.1.1.

4.13.1 Affected Environment

The area of potential effect (APE), or ROI, for cultural resources includes areas throughout the Installation where the proposed Transformation projects would occur to support the mission changes and realignments, including construction, demolition, renovation, and improvement projects within the cantonment and training range areas (see Figures 3.2-2 through 3.2-7). It would include areas subject to direct effects from ground disturbance or building renovation as well as indirect effects to historic structures, historic districts, or archaeological sites from changes in visual setting.

4.13.1.1 Prehistoric and Historic Resources

In order to provide a regional context and to assess whether buried resources could be encountered during construction projects, the prehistory and history of the Fort Benning area along with cultural resources that are known to occur in the general area are discussed briefly in the following section.

Paleoindian Period (12,000 to 8,000 B.C.)

Humans have lived on what is now Fort Benning for thousands of years. The earliest settlers were Paleoindians who arrived between 14,000 and 11,500 years ago after the end of the last Ice Age. These earliest settlers are associated with a particular type of stone projectile point or knife manufactured into a weapon or tool, known as a Clovis point. These distinctive lanceolate-shaped, bifacially chipped tools had a unique fluted base and they have been recovered in contexts that firmly tie them to a particular lifestyle. Paleoindians lived in highly mobile, small, loose-knit bands and subsisted by gathering seasonally available foods and hunting large and small game as well as the occasional mastodon and other types of megafauna common during the Late Pleistocene. Variants of the Clovis technology developed in response to adaptations to the warming climate and the extinction of the megafauna. These late points did not have fluting at the base and exhibited prepared side hafting surfaces instead. Regional variants occurring in the Southeast are referred to as Dalton, Quad, Tallahassee, and Hardaway (Kane and Keeton 1998).

Seven Paleoindian points have been recovered from Fort Benning to date. Although no subsurface cultural deposits have been documented in association with these surface artifacts, these types of artifacts are extremely rare and are important because they can yield information regarding land use and tool

material sourcing preferences. Paleoindians had a preference for sites along the Chattahoochee and its major tributaries, the Upatoi and Ochillee, within Fort Benning (Elliott *et al.* 1995).

Archaic Period (8000 to 1000 B.C.)

Gradually, the climate became warmer, evolving into the modern Holocene environment of today. The coastal plain became dominated by the oak-pine forest with later encroachment and domination of pine species (Watts 1971). In response, subsistence strategies shifted and the Archaic culture emerged. Archaic people's tool kits began to diversify to complement their way of life and emphasized a reliance on modern game species. Diagnostic stone artifacts from this period include large stemmed points (Bolen, Kirk, Big Sandy, Morrow Mountain, Guilford) as well as specialized unifacial scrapers, and knives for processing animal hides. The stone tool kit also included graters and ground stone adzes and axes for working wood. Soapstone cooking vessels were used and traded over vast distances. Fiber-tempered pottery was developed and disseminated on a small scale (Sassaman 1983). West of the Mississippi River, earthen mounds were constructed (Saunders *et al.* 1994).

Numerous Archaic sites have been documented on Fort Benning. Archaeologists hypothesized that Archaic peoples lived in bands composed of one or more extended families and moved seasonally, exploiting a variety of terrestrial and riverine resources within a major river basin (Anderson and Hanson 1988). Within Fort Benning there is an Archaic preference for settlement along the Chattahoochee as well as within the interior along the major tributaries (Elliott *et al.* 1995).

Woodland Period (1000 B.C. to A.D. 1000)

During this time, there were changes that led to the establishment of ritual centers with increasing displays of public architecture and social stratification. Permanent villages were generally built in the floodplains of large to medium-sized rivers. Major innovations during this period include the practice of horticulture, the widespread adoption of pottery, and use of the bow and arrow. Other diagnostic features of this period are the use of subterranean storage pits, an indicator of sedentism and increased reliance on the storage of food surpluses. Diagnostic artifacts from the Woodland Period, include Yadkin projectile point and a transition from stemmed to smaller, triangular shaped projectile points, which are better adapted for use with arrows. Changes in pottery technology included the incorporation of sand or grit as a tempering agent and the use of more elaborate decorative techniques.

Mississippian Period (A.D. 1000 to 1550)

Around A.D. 1200, a large chiefdom with populous villages and vast agricultural fields stretched along the Chattahoochee River Valley and for three centuries controlled the region. Called the Mississippian Culture, this era of settlement and agricultural development lasted through the mid-1550s and resulted in several large sites along the Chattahoochee River and its associated streams. A later culture, called "Creeks" by the subsequent European settlers, was responsible for building Kasita Town, one of the largest and most prominent of these sites, located on a gentle curving bluff above the Chattahoochee River and on the land occupied by present-day Lawson AAF on Fort Benning. In 1775, noted naturalist

and explorer William Bartram visited Kasita Town and made a record of its high level of sophistication and the cultural achievements of its inhabitants, who called themselves the Muskogee.

Euro-American/African Settlement Period

Settlement by individuals of European and African descent began in the later 1790s and resulted in a substantial loss of land and life to the indigenous population of American Indian inhabitants. By 1840, the majority of the American Indian inhabitants had been forcibly removed to Oklahoma via the 1836 “Creek Trail of Tears.” During this time, large plantations were established south of Columbus, GA, inside the large meanders of the Chattahoochee River. African-American settlement of the Fort Benning area primarily consisted of slaves associated with plantations in the late half of the eighteenth through the mid-nineteenth century. Large plantations, such as the Woolfork Plantation along the Chattahoochee River at Fort Benning, would have included a community of several hundred slaves. After the Civil War, several African-Americans were able to purchase land in the Fort Benning area following Reconstruction and establish farmsteads. For about 80 years, this land was intensively farmed. In 1918, the land was purchased for the establishment of a temporary 50-acre tent encampment, named Camp Benning in honor of General Benning, a Confederate Army hero from the area. The U.S. War Department selected Camp Benning to serve as the new home for the U.S. Army Infantry School of Arms (later to become the U.S. Airborne Infantry School [USAIS]) upon the closing of that facility at Fort Sill, Oklahoma. In the fall of 1918, the School’s commandant, Colonel Henry Eames, selected a new site 9 miles south of Columbus, on a plateau above the Chattahoochee River, for the establishment of Camp Benning.

Military History

In June of 1919, the Army purchased a nearby plantation from its owner, Arthur Bussey, and established headquarters in the family residence, which was known as Riverside. Today, the house is the Commanding general’s residence (Quarters 1). On January 9, 1922, Congress issued War Department General Order Number 1, authorizing the retention of Camp Benning as a permanent military post, and re-designating it as Fort Benning. Construction of family housing, Soldiers’ quarters, a hospital, athletic fields, and mess facilities occurred during the 1920s. The former hospital (now the National Infantry Museum) and family quarters on Wold, Sigerfoos, and Austin Loop date from this era, as do the eastern-most Cuartel and Doughboy Stadium. By 1930, aviation activities had begun at Fort Benning and the Works Project Administration programs, spawned during the Great Depression, provided the impetus for construction of the first runways and hangars at Lawson AAF, the first airstrip at Fort Benning. Construction during this period was not restricted to aviation facilities, however, and included the Officer’s Club in 1934, a new building for the USAIS in 1935, and the Post Chapel in 1935.



The Cuartels under construction (circa 1925)



Tank training at Fort Benning circa 1942

The birth of the airborne infantry concept resulted in the performance of infantry parachute test jumps over Lawson AAF, leading to the establishment of the Parachute School in 1942. With increased demand by the war effort for combat officers, Fort Benning met the challenge with the organization and establishment of the Officer Candidate School (OCS), which operated from 1941 to 1946. When the Korean Conflict escalated, the OCS was re-opened to train junior officers. In 1967, under demands of the Vietnam Conflict, the non-commissioned OCS was established to provide squad and fire team leaders.

Also during the 1940s, wooden mobilization facilities were constructed at two new areas known as Sand Hill and Harmony Church. In 1949, a major reorganization occurred when all of the units and activities of Fort Benning were consolidated under one command, forming the U.S. Airborne Infantry Command. The 1950s at Fort Benning were characterized by activities reaffirming its permanent status. Several new units were established, including the Ranger Training Command and the U.S. Army Infantry Human Research Unit, designed to study human response to training procedures and techniques. Another new area, Kelley Hill, was added to the Installation and served as a self-sustaining entity, housing an entire infantry brigade. Housing facilities, a school, bachelor officer quarters, and Martin Army Hospital were built during this decade to improve the quality of life at Fort Benning.

The escalation of the Vietnam Conflict during the 1960s shifted the emphasis of instruction at the USAIS toward combined-arms training. With the cessation of U.S. military involvement in Vietnam, the U.S. military re-directed its organization toward an all volunteer army. At Fort Benning, the Modern Volunteer Army Program was initiated and in 1973, the 197th Infantry Brigade at Kelley Hill became the Army's first all-volunteer unit and the first combined-arms team under the Strategic Army Forces concept. Since that time, development of the Fort Benning area and the construction of new facilities to accommodate training and housing have continued. Today, Fort Benning continues to serve as the USAIS and trains many Soldiers for the needs of today's Army.



1945 training under realistic conditions with live grenades

4.13.1.2 Management

Management of cultural resources on Fort Benning is an ongoing effort and will be accomplished via compliance with applicable cultural resource laws and regulations, and the Installation's ICRMP. AR 200-4 and DoD Instruction 4715.3 require ICRMPs for all Army Installations. The ICRMP provides guidance for implementation of the Army's cultural resources management policy, as prescribed in AR 200-4, *Cultural Resources Management*, and is in the format of both an internal Army management plan (integrating the entirety of the cultural resources program with ongoing mission activities over a 5-year planning period) and a historic property component (an extractable portion of the plan that provides for the management and treatment of historic properties and requires external review and approval). The ICRMP allows for ready identification of potential conflicts between the Installation's mission and the cultural resources management (CRM) program, in addition to identifying the legal compliance actions necessary to maintain the availability of properties and acreage required for combat readiness. The ICRMP should provide Fort Benning with a guide to assess what the Installation should be doing to ensure compliance with historic preservation laws and regulations and with the tools to measure progress towards achieving the objectives outlined in the management section of the ICRMP. Fort Benning's ICRMP is in draft form, but should be completed by the end of 2007.

To further improve efficiency in the Installation's CRM program, Fort Benning has adopted the Army Alternative Procedures (AAP) for implementing the NHPA. Replacing NHPA Section 106 procedures (36 CFR 800), the Historic Properties Component (HPC) of the ICRMP provides the Standard Operating Procedures (SOPs) followed by Fort Benning when assessing proposed actions and their potential effects on Fort Benning's historic properties. Certification of Fort Benning's HPC by the ACHP was received in April 2006 (personal communication, Hamilton 2006).

The purpose of the AAP is to expedite the review of actions that might affect historic properties and leverage the NEPA process for coordination and consultation. At Fort Benning, the NEPA process of project review begins with the proponent submitting a Fort Benning Form 144R, (see discussion in Section 2.6). All projects are reviewed by the various Program Managers, including the Cultural Resources Manager. For those projects finding no effect to historic properties, a simple "concur" is noted, and the CRM review ends. Using Section 106 procedures, a finding of no adverse effect would still require review by the SHPOs and Tribes, as necessary. Under the HPC, however, a finding of no adverse effect will require no further review prior to the project notice to proceed, although record of the project is kept for a yearly review by the relevant state SHPO and Tribes in consultation with Fort Benning. An initial finding of an adverse effect for a project can be changed to no effect or no adverse effect if redesign or other avoidance measures are taken. Should mitigation be required, consultation with the appropriate SHPO and Tribes, as needed, will be conducted through the process required by NEPA. At this stage, comment may be made formally by all stakeholders, and Fort Benning must take into account such comments prior to deciding how to proceed. It should be noted that Memoranda of

Agreement between Fort Benning and other stakeholders are no longer used to document consultation and mitigation; instead the NEPA documents and the HPC steps are used. Thus, a time-consuming effort normally found under 36 CFR 800 has been streamlined, while appropriate coordination with stakeholders occurs.

Only NHPA Section 106 is covered by the AAP. Other legal requirements such as the NAGPRA, ARPA, NHPA Section 110, and other mandates are unaffected by the AAP. Fort Benning's ICRMP will address compliance with these requirements. Informal contacts between Installation Cultural Resource Managers, SHPO staff, and Tribal Representatives are maintained to assure appropriate alternatives are explored and considered early to achieve the highest level of historic preservation commensurate with mission requirements.

Status of Cultural Resource Inventories

Section 110 of the NHPA requires that all federal entities inventory their properties for cultural resources so that those resources can be effectively managed and protected. Fort Benning has completed its Section 110 requirement and the entire Installation (excluding those areas that pose a safety risk) has been surveyed as part of the cultural resource management program to identify, document, and evaluate all cultural resources on the Installation. Each survey produced recommendations as to whether the cultural resources discovered were eligible, potentially eligible, or not eligible for inclusion on the NRHP. The Georgia and Alabama SHPOs have concurred with a majority of these determinations of eligibility.

Archaeological Resources. Since 1987, over 120 archaeological surveys encompassing over 170,000 acres have been completed at Fort Benning, effectively completing the Installation's NHPA Section 110 requirements. As of 2003, all of the areas of Fort Benning, except those that pose threats to human health and safety (e.g. impact/dud areas), have been inventoried for archaeological resources. These surveys have ranged in size and scope from small-scale linear surveys to large-scale, multi-year inventories. As a result of these surveys, 3,982 archaeological sites have been recorded. A majority of those sites (n=2,831) have been determined ineligible for inclusion in the NRHP. The Georgia and Alabama SHPOs have concurred with these determinations and these determinations have been included in consultation with federally recognized Tribes. The remaining 1,151 cultural and/or archaeological sites consist of 79 sites determined eligible for the NRHP, including Yuchi Town (1RU63) which is listed on the NRHP and is also designated as a National Historic Landmark. The remaining 1,072 sites have not yet been evaluated for NRHP eligibility (Fort Benning 2006l). Brockington and Associates, Inc. and Goodwin and Associates are currently in the process of evaluating 179 sites for eligibility to the NRHP (personal communication, Hamilton 2006). Preliminary results of these evaluations determined that 27 of the 179 sites are considered eligible to the NRHP and 152 were ineligible to the NRHP. However, the reports have not yet been completed for these evaluations and therefore, SHPO concurrence has not been received to date and Tribal consultation is still in process. Another Phase II survey began in winter 2006 to determine the eligibility of 30 additional sites. Unevaluated sites require the same protection as eligible sites until their eligibility can be formally determined (personal communication, Hamilton 2006).

Therefore, Fort Benning is responsible for managing 893 archaeological sites which have not yet been fully evaluated for NRHP eligibility and 106 sites eligible to the NRHP.

Architectural Resources/Historic Districts. Fort Benning is rich in buildings, structures, and objects, and has dedicated considerable effort toward the identification, preservation, and management of these historic properties. Since 1987, four architectural surveys have been conducted of Fort Benning's cantonment and other developed areas (Main Post, Lawson AAF, Custer Road, Sand Hill, Kelley Hill, Harmony Church, and the Ammunition Storage Point). The surveys identified and evaluated four distinctive districts, combining several hundred buildings. These potential historic districts are as follows: 1) the Main Post Historic District, 2) the Lawson AAF Historic District, 3) the Parachute Jump Tower Historic District, and 4) the Ammunition Storage Area Historic District. NRHP nominations are in process. Three of the districts are considered to be eligible to the NRHP, and are treated as though they are listed. Therefore, no changes would occur to management of these resources if they were formally nominated or listed. The fourth, the Ammunition Storage Area, is the exception because this resource falls under a program comment and requires no further compliance under NHPA.

Fort Benning has also completed a Historic District Tree Management Plan in 1995 (updated in 2003) to aid management of the landscape associated with the numerous historic structures within historic districts on the Installation. Without a carefully managed landscaping plan, the various historic districts located within the Installation would lose a major part of their defining characteristics - the landscape.

In addition to identifying and documenting historic districts, the cantonment/developed area surveys resulted in the identification of 1,782 buildings, structures, and objects. Many of the buildings, structures, and objects (n=638) are contributing resources to the three NRHP-eligible Historic Districts. An additional 21 buildings, structures, and objects are individually eligible to the NRHP, and one of those 21 buildings (Riverside or Quarters 1) is individually listed on the NRHP. A total of 28 of the 1,782 buildings, structures, and objects surveyed have been demolished in accordance with either a nationwide Programmatic Agreement or in consultation with the Georgia SHPO. The remaining 1,095 buildings, structures, and objects are ineligible to the NRHP; the Georgia SHPO concurred with these recommendations (Fort Benning 2005e). Two of the cantonment areas inventoried (Kelley Hill and Harmony Church) yielded no historic buildings, structures, or objects and Sand Hill contains only a single eligible building (Fort Benning 2006l).

Cemeteries. All known historic cemeteries on Fort Benning property have been inventoried and delineated and are currently maintained by the Installation. Previously unknown historic cemeteries have recently been discovered on Fort Benning for a total of over 80 Installation-managed historic cemeteries. Cemeteries and graves are among those properties that ordinarily are not considered eligible for inclusion in the National Register unless they meet special requirements. The National Register Criteria for Evaluation include considerations by which burial places may be eligible for inclusion in the National Register. To qualify for listing under Criteria A (association with events), B (association with people), or C (design), a cemetery or grave must meet not only the basic criteria, but also the special requirements of

Criteria Considerations C or D, relating to graves and cemeteries. For instance, it must have *outstanding* importance to the community, State, or nation; or the events or trends with which the burial place is associated must be *clearly* important, and the connection between the burial place and its associated context must be unmistakable (NPS 1992).

Burial places evaluated under Criterion D for the importance of the information they may impart do not have to meet the requirements for the Criteria Considerations. These sites generally have been considered as archeological sites. Under Criterion D, the common requirements are that the property has information to contribute and the information is considered important. The importance of the information to be yielded usually is determined by considering a research design or a set of questions that could be resolved by controlled investigation of the site. However, although cemeteries and other burial places may be evaluated for their potential to yield information, they also may possess great value to those who are related culturally to the people buried there. In accordance with Georgia State law, prior to any disturbance, archival and genealogical research would be conducted to establish previous ownership and history of the properties, identify occupants of the cemetery, and identify descendants who may have an interest in the project.

If a historic cemetery cannot be avoided, then it will be examined for historic significance and integrity prior to removal. For historic Euroamerican cemeteries, final removal of remains and reburial locations, if necessary, are a real property issue. The general process that the Real Estate Division (both the Installation and USACE) follows is to determine if there is justifiable cause to move the cemetery, notify all family members through letters if they can be found or by public announcements if family members are unknown, obtain the applicable permits from the state for removal, determine how family members would like to handle the reinterment, and then assist in the reinterment. If no family members are identified or come forward then the Army will determine where the cemetery and/or remains would be relocated (43 CFR 10, AR 200-4, and personal communication, DeCarlo 2007).

American Indian Resources. An ethnographic overview study identified federally-recognized Tribes that are potentially associated with Fort Benning lands (Deaver 2000). These American Indian Tribes include: the Alabama-Coushatta Tribe of Texas, the Alabama-Quassarte Tribal Town of the Creek Nation of Oklahoma, the Chickasaw Nation of Oklahoma, the Coushatta Tribe of Louisiana, the Kialegee Tribal Town of the Creek Nation of Oklahoma, the Muscogee (Creek) Nation of Oklahoma, the Poarch Band of Creek Indians, the Seminole Tribe of Florida, the Seminole Nation of Oklahoma, the Thlopthlocco Tribal Town, and the Keetoowah Band of Cherokee Indians of Oklahoma (Fort Benning 2006l). In addition to identifying the Tribes, the report described efforts to assess the interest of these Tribes in consulting with Fort Benning on the identification of properties of traditional religious and cultural importance; suggested types and resources sensitive to the Tribes; recommended procedures for site and resource protection; and strategies for handling inadvertent or unavoidable damage to sensitive resources. Currently, no Tribe has identified a property of traditional religious or cultural importance on Fort Benning managed lands (Fort Benning 2005e). Fort Benning has a Reinterment Comprehensive Agreement with several American Indian Tribes so that reinterment elsewhere on Post is an option for any displaced American Indian

burials or related cultural items located on Fort Benning as part of the NAGPRA process (Fort Benning 2003d).

As part of the consultation process associated with the proposed Transformation action, a consultation meeting was held at Fort Benning for identified Tribes on November 29 and 30, 2006.

4.13.2 Environmental Consequences

For cultural resources, the threshold for significant impacts includes any disturbance that cannot be mitigated and affects the integrity of a historic property (an eligible cultural resource). The threshold also applies to any cultural resource that has not yet been evaluated for its eligibility to the NRHP or disturbs a resource that has importance to a traditional group under American Indian Religious Freedom Act (AIRFA), EO 13007, and NAGPRA.

Analysis of potential impacts to cultural resources considers both direct and indirect impacts. Direct impacts may be the result of physically altering, damaging, or destroying all or part of a resource, altering characteristics of the surrounding environment by introducing visual or audible elements that are out of character for the period the resource represents, or neglecting the resource to the extent that it deteriorates or is destroyed. Indirect impacts are those that may occur as a result of the completed project, such as increased vehicular or pedestrian traffic in the vicinity of the resource.

The APE has been defined as the project footprints as presented in Figures 3.2-2 through 3.2-7. Projects include new construction of structures and renovation of existing structures in the cantonment area and construction of ranges, roads, and utilities and an increase in training in Ranges. Numerous cultural resources are located within the APE. These resources are displayed in Tables 4.13-1 and 4.13-2. Table 4.13-1 lists the archaeological sites and Table 4.13-2 lists the architectural sites within the APE. Only archaeological sites and architectural resources determined eligible or contribute to the NRHP or those that have not been evaluated are included in these tables. Fifteen historic cemeteries are also present within the APE for Transformation activities (Table 4.13-3). These tables also indicate the appropriate action alternative that could affect the resource, the potential impact from the action, and recommended mitigation measures.

Table 4.13-1: Eligible and Unevaluated Archaeological Resources within the APE

Site Number	Site Affiliation	Project Location	Project Name	NRHP Eligibility Status	Alternative	Potential Impact	Proposed Mitigation
9ME216	Historic	Custer Road	Museum Operations Support Buildings	Eligible	A,B	Construction, Visual	Data Recovery Excavation
9ME63	Historic	Custer Road	Museum Operations Support Buildings	Eligible	A,B	Construction, Visual	Data Recovery Excavation
9ME1025	Historic	Custer Road	Museum Operations Support Buildings	Recommended Eligible	A,B	Construction, Visual	Testing/Evaluation
9ME1026	Prehistoric	Custer Road	Museum Operations Support Buildings	Recommended Eligible	A,B	Construction, Visual	Not Affected
9CE2011	Prehistoric	Main Post	Hospital Replacement	Recommended Eligible	A,B	Construction	Currently being Evaluated, Avoidance
9CE1360	Historic	Harmony Church	Railyard	Recommended Eligible	A,B	Construction	If impacted consult with Tribes and GASHPO
9CE1361	Prehistoric	Harmony Church	Railyard	Recommended Eligible	A,B	Construction	If impacted consult with Tribes and GASHPO
9CE1362	Historic	Harmony Church	Railyard	Recommended Eligible	A,B	Construction	If impacted consult with Tribes and GASHPO
9CE1363	Historic	Harmony Church	Railyard	Recommended Eligible	A,B	Construction	If impacted consult with Tribes and GASHPO
9CE1364	Historic	Harmony Church	Railyard	Recommended Eligible	A,B	Construction	If impacted consult with Tribes and GASHPO
9CE1365	Historic	Harmony Church	Railyard	Recommended Eligible	A,B	Construction	If impacted consult with Tribes and GASHPO
9ME94	Prehistoric	Northern Range	Stationary Tank Range 1	Eligible	A,B	No Visual/SDZ Area	None

Table 4.13-1: Eligible and Unevaluated Archaeological Resources within the APE

Site Number	Site Affiliation	Project Location	Project Name	NRHP Eligibility Status	Alternative	Potential Impact	Proposed Mitigation
9ME742	Historic	Northern Range	Range Heavy Use Area	Eligible	A,B	SDZ/Ordnance Cleanup	If impacted consult with Tribes and GASHPO
9ME54	Prehistoric	Northern Range	Range Heavy Use Area	Eligible	A,B	Clearing, Construction	Data Recovery
9ME81	Historic	Northern Range	Stationary Tank Range 1	Eligible	A,B	Visual/SDZ	Protection
9ME1040	Historic	Northern Range	Drivers Training Area	Eligible	A,B	Light Vehicle Use	Avoidance,
9CE1370	Prehistoric	Northern Range	Drivers Training Area	Recommended Eligible	B	Light Vehicle Use	Avoidance
9CE1367	Historic	Northern Range	Drivers Training Area	Recommended Eligible	B	Light Vehicle Use	Avoidance
9CE1879	Historic	Northern Range	Vehicle Recovery Area	Recommended Eligible	B	Heavy/light Vehicle Use	Avoidance
9CE1878	Prehistoric	Northern Range	Vehicle Recovery Area	Recommended Eligible	B	Heavy/light Vehicle Use	Avoidance
9CE1886	Prehistoric	Northern Range	Vehicle Recovery Area	Recommended Eligible	B	Heavy/light Vehicle Use	Avoidance
9CE1883	Prehistoric	Northern Range	Vehicle Recovery Area	Recommended Eligible	B	Heavy/light Vehicle Use	Avoidance
9ME1294	Prehistoric	Northern Range	Stationary Tank Range 2	Recommended Eligible	A,B	SDZ	, None
9ME1289	Prehistoric	Northern Range	Stationary Tank Range 2	Recommended Eligible	A,B	SDZ	None
9ME1290	Prehistoric	Northern Range	Stationary Tank Range 2	Recommended Eligible	A,B	SDZ	None
9ME1291	Prehistoric	Northern Range	Stationary Tank Range 2	Recommended Eligible	A,B	SDZ	None
9ME158	Historic	Northern Range	Heavy Maneuver Area North	Eligible	A	Tank Maneuvers, Road Improvement	Avoidance Using Proper Signage or Barriers
9ME102	Historic	Northern Range	Heavy Maneuver Area North	Eligible	A,B	Light Vehicle Use	Avoidance

Table 4.13-1: Eligible and Unevaluated Archaeological Resources within the APE

Site Number	Site Affiliation	Project Location	Project Name	NRHP Eligibility Status	Alternative	Potential Impact	Proposed Mitigation
9ME1319	Prehistoric	Northern Range	Heavy Maneuver Area North	Eligible	A,B	Light Vehicle Use	Avoidance
9ME1324	Historic	Northern Range	Heavy Maneuver Area North	Recommended Eligible	A,B	Light Vehicle Use	Avoidance
9ME691	Historic	Northern Range	Heavy Maneuver Area North	Eligible	A	Tank Maneuvers, Road Improvement	Avoidance Using Proper Signage or Barriers
9CE100/14	Prehistoric	Northern Range	Heavy Maneuver Area South	Eligible	A,B	Tank Maneuvers, Road Improvement	Avoidance Using Proper Signage or Barriers
9CE1161	Prehistoric	Northern Range	Heavy Maneuver Area South	Eligible	A,B	Tank Maneuvers, Road Improvement	Avoidance Using Proper Signage or Barriers
9CE50	Prehistoric	Northern Range	Heavy Maneuver Area South	Eligible	A,B	Tank Maneuvers, Road Improvement	Avoidance Using Proper Signage or Barriers
9CE101	Historic	Northern Range	Heavy Maneuver Area South	Eligible	A,B	Tank Maneuvers, Road Improvement	Avoidance Using Proper Signage or Barriers
9CE51	Prehistoric	Northern Range	Heavy Maneuver Area South	Eligible	A,B	Tank Maneuvers, Road Improvement	Avoidance Using Proper Signage or Barriers
9CE1733	Historic	Northern Range	Heavy Maneuver Area South	Eligible	A,B	Tank Maneuvers, Road Improvement	Avoidance, Excavation
9CE46	Prehistoric	Northern Range	Road Construction and Improvements	Eligible	A,B	Construction, Grading	Avoidance, Excavation
9ME434	Historic	Northern Range	Road Construction and Improvements	Eligible	A,B	Construction, Grading	If Affected Consult with Tribes and GASHPO
9ME472	Historic	Northern Range	Road Construction and Improvements	Eligible	A,B	Construction, Grading	If Affected Consult with Tribes and GASHPO
9ME1316	Prehistoric	Northern Range	Tracked Vehicle Training Course	Eligible	A,B	Light Vehicle Use	Avoidable

Table 4.13-1: Eligible and Unevaluated Archaeological Resources within the APE

Site Number	Site Affiliation	Project Location	Project Name	NRHP Eligibility Status	Alternative	Potential Impact	Proposed Mitigation
9ME57	Historic	Northern Range	Fire & Movement Range 2	Recommended Eligible	A,B	Light Vehicle Use	Testing/Evaluation
9CE1245	Prehistoric	Northern Range	Repair Training Area Roads	Eligible	A,B	Light Vehicle Use	If impacted, Consult with Tribes and GASHPO
9CE1813	Historic	Northern Range	Repair Training Area Roads	Recommended Eligible	A,B	Light Vehicle Use	Testing/Evaluation
9CE894	Prehistoric	Southern Range	Good Hope Maneuver Area	Eligible	B	Tank Maneuvers, Road Improvement	Avoidance Using Proper Signage or Barriers
9CE873	Prehistoric	Southern Range	Good Hope Maneuver Area	Eligible	B	Tank Maneuvers, Road Improvement	Avoidance Using Proper Signage or Barriers
9CE898	Historic	Southern Range	Good Hope Maneuver Area	Eligible	B	Tank Maneuvers, Road Improvement	Avoidance Using Proper Signage or Barriers
9CE910	Historic	Southern Range	Good Hope Maneuver Area	Eligible	B	Tank Maneuvers, Road Improvement	Avoidance Using Proper Signage or Barriers
9CE544	Prehistoric	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation, Avoidance Using Proper Signage or Barriers
9CE2506	Prehistoric	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation, Avoidance Using Proper Signage or Barriers
9CE2587	Prehistoric	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation, Avoidance Using Proper Signage or Barriers

Table 4.13-1: Eligible and Unevaluated Archaeological Resources within the APE

Site Number	Site Affiliation	Project Location	Project Name	NRHP Eligibility Status	Alternative	Potential Impact	Proposed Mitigation
9CE2592	Prehistoric	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation, Avoidance Using Proper Signage or Barriers
9CE2595	Historic	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation, Avoidance Using Proper Signage or Barriers
9CE2593	Prehistoric	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation, Avoidance Using Proper Signage or Barriers
9CE2600	Prehistoric	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation, Avoidance Using Proper Signage or Barriers
9CE2002	Prehistoric	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE1742	Historic	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE2006	Historic	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement Maneuvers	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE1746	Historic	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers

Table 4.13-1: Eligible and Unevaluated Archaeological Resources within the APE

Site Number	Site Affiliation	Project Location	Project Name	NRHP Eligibility Status	Alternative	Potential Impact	Proposed Mitigation
9CE1748	Prehistoric	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE1749	Prehistoric	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE1066	Prehistoric	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE1932	Historic	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE1931	Historic	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE1934	Prehistoric	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE1938	Historic	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE1762	Prehistoric	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE899	Prehistoric	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers

Table 4.13-1: Eligible and Unevaluated Archaeological Resources within the APE

Site Number	Site Affiliation	Project Location	Project Name	NRHP Eligibility Status	Alternative	Potential Impact	Proposed Mitigation
9CE1943	Historic	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE1940	Prehistoric	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE908	Prehistoric	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE884	Prehistoric	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE897	Prehistoric	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE886	Prehistoric	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE904	Prehistoric	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE905	Prehistoric	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE1944	Historic	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers

Table 4.13-1: Eligible and Unevaluated Archaeological Resources within the APE

Site Number	Site Affiliation	Project Location	Project Name	NRHP Eligibility Status	Alternative	Potential Impact	Proposed Mitigation
9CE1942	Historic	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE1947	Historic	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE1946	Historic	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE2268	Historic	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE1771	Prehistoric	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE1051	Historic	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE1040	Historic	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE1562	Historic	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE1563	Historic	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers

Table 4.13-1: Eligible and Unevaluated Archaeological Resources within the APE

Site Number	Site Affiliation	Project Location	Project Name	NRHP Eligibility Status	Alternative	Potential Impact	Proposed Mitigation
9CE2262	Historic	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE2272	Historic	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE2279	Prehistoric	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE2281	Prehistoric	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE881	Prehistoric	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE882	Prehistoric	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE52	Prehistoric	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE38	Prehistoric	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE879	Prehistoric	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers

Table 4.13-1: Eligible and Unevaluated Archaeological Resources within the APE

Site Number	Site Affiliation	Project Location	Project Name	NRHP Eligibility Status	Alternative	Potential Impact	Proposed Mitigation
9CE875	Prehistoric	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE876	Historic	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE880	Prehistoric	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE903	Prehistoric	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE2285	Historic	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE2292	Prehistoric	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE1566	Historic	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE1036	Prehistoric	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE1044	Historic	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers

Table 4.13-1: Eligible and Unevaluated Archaeological Resources within the APE

Site Number	Site Affiliation	Project Location	Project Name	NRHP Eligibility Status	Alternative	Potential Impact	Proposed Mitigation
9CE1046	Prehistoric	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE565	Historic	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE1321	Historic	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE1322	Historic	Southern Range	Good Hope Maneuver Area	Eligible	B	Tank Maneuvers, Road Improvement	Avoidance, Protection, Excavation
9CE573	Historic	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE564	Historic	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE562	Historic	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE561	Historic	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE578	Historic	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers

Table 4.13-1: Eligible and Unevaluated Archaeological Resources within the APE

Site Number	Site Affiliation	Project Location	Project Name	NRHP Eligibility Status	Alternative	Potential Impact	Proposed Mitigation
9CE587	Historic	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE594	Historic	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE600	Prehistoric	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE601	Prehistoric	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE602	Prehistoric	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE608	Prehistoric	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers
9CE2004	Historic	Southern Range	Good Hope Maneuver Area	Recommended Eligible	B	Tank Maneuvers, Road Improvement	Testing/Evaluation Avoidance Using Proper Signage or Barriers

Table 4.13-2: Eligible and Unevaluated Architectural Resources within the APE

Building Number	Building Location	Historic District	NRHP Eligibility Status	Alternative	Potential Impact	Proposed Mitigation
NA	Benning Blvd. Pkwy.	NA	Eligible	B	Construction Access	Follow Treatment Plan
M9389	Main Post/Bridge	NA	Eligible	A,B	Road Construction	HAER
9	Main Post	Main Post	Contributing	A,B	Renovation	Follow Treatment Plan
73	Main Post	Main Post	Contributing	A,B	Renovation	Follow Treatment Plan
74	Main Post	Main Post	Contributing	A,B	Renovation	Follow Treatment Plan
75	Main Post	Main Post	Contributing	A,B	Renovation	Follow Treatment Plan
76	Main Post	Main Post	Contributing	A,B	Renovation	Follow Treatment Plan
83	Main Post	Main Post	Contributing	A,B	Renovation	Follow Treatment Plan
130	Main Post	Main Post	Contributing	A,B	Renovation	Follow Treatment Plan
224	Main Post	Main Post	Contributing	A,B	Renovation	Follow Treatment Plan
234	Main Post	Main Post	Contributing	A,B	Renovation	Follow Treatment Plan
259	Main Post	Main Post	Contributing	A,B	Renovation	Follow Treatment Plan
260	Main Post	Main Post	Contributing	A,B	Renovation	Follow Treatment Plan
285	Main Post	Main Post	Contributing	A,B	Renovation	Follow Treatment Plan
328	Main Post	NA	Eligible	A,B	Renovation	Follow Treatment Plan
336	Main Post	Main Post	Contributing	A,B	Renovation	Follow Treatment Plan
337	Main Post	Main Post	Contributing	A,B	Renovation	Follow Treatment Plan
490	Main Post	Main Post	Contributing	A,B	Renovation	Follow Treatment Plan
496	Main Post	Main Post	Contributing	A,B	Renovation	Follow Treatment Plan
497	Main Post	Main Post	Contributing	A,B	Renovation	Follow Treatment Plan
2962	Main Post	Main Post	Contributing	A,B	Demolition	HABS
9200	Kelley Hill	NA	Eligible	A,B	Reassign	Follow Treatment Plan
9201	Kelley Hill	NA	Eligible	A,B	Reassign	Follow Treatment Plan
9202	Kelley Hill	NA	Eligible	A,B	Reassign	Follow Treatment Plan
9203	Kelley Hill	NA	Eligible	A,B	Reassign	Follow Treatment Plan
9204	Kelley Hill	NA	Eligible	A,B	Reassign	Follow Treatment Plan
9205	Kelley Hill	NA	Eligible	A,B	Reassign	Follow Treatment Plan
9207	Kelley Hill	NA	Eligible	A,B	Reassign	Follow Treatment Plan

Table 4.13-3: Cemeteries within the APE

Cemetery Name	Location	Project Name	Alternative	Potential Impact	Proposed Mitigation
Unknown 5	Northern Range	Drivers Training Course	A,B	Light Vehicle Use	Avoidance
Anthony	Northern Range	Heavy Maneuver Area North	A	Tank Maneuvers, Road Improvements	Avoidance
McCook	Northern Range	Heavy Maneuver Area South	A,B	Tank Maneuvers, Road Improvements	Avoidance
Culpepper	Northern Range	Heavy Maneuver Area South	A,B	Tank Maneuvers, Road Improvements	Avoidance
Prosperity Church	Northern Range	Heavy Maneuver Area South	A,B	Tank Maneuvers, Road Improvements	Avoidance
Mount Paran 1	Northern Range	Heavy Maneuver Area South	A	Tank Maneuvers, Road Improvements	Avoidance
O'Quin	Northern Range	Heavy Maneuver Area South	A,B	Tank Maneuvers, Road Improvements	Avoidance
Sylvester	Northern Range	Heavy Maneuver Area South	A,B	Tank Maneuvers, Road Improvements	Avoidance
Cook	Northern Range	Heavy Maneuver Area South	A,B	Tank Maneuvers, Road Improvements	Avoidance
Walker	Northern Range	Heavy Maneuver Area South	A	Tank Maneuvers, Road Improvements	Avoidance
9CE272	Northern Range	Heavy Maneuver Area South	A,B	Tank Maneuvers, Road Improvements	Avoidance
Hickey	Northern Range	Heavy Maneuver Area South	A,B	Tank Maneuvers, Road Improvements	Avoidance
Orr-Osteen	Southern Range	Good Hope Maneuver Area	B	Tank Maneuvers, Road Improvements	Avoidance
Hewell	Southern Range	Good Hope Maneuver Area	B	Tank Maneuvers, Road Improvements	Avoidance
Jamestown	Southern Range	Good Hope Maneuver Area	B	Tank Maneuvers, Road Improvements	Avoidance

4.13.2.1 No Action Alternative

Under the No Action Alternative, no changes to NRHP-listed or eligible cultural resources or unevaluated properties would occur

4.13.2.2 Transformation Alternative A

Under Alternative A, 2,011 acres within the cantonment areas would be disturbed and 8,730 acres within the Ranges would be disturbed. This has the potential to affect an estimated 65 cultural resources and 12 historic cemeteries (Table 4.13-4). Detailed descriptions of the projects under Alternative A are included in Section 3.0. Because the actions are so numerous, they are described generally here and in terms of overall acreage affected by ground disturbing actions. Visual impacts are discussed for historic properties in this section also. More detailed information, in accordance with the HPC as part of SHPO and Tribal consultation process, is provided in a confidential appendix due to the sensitive nature of the information. An executive summary of the findings is provided in Appendix I. Mitigation measures to avoid, reduce, or minimize adverse impacts to cultural resources eligible to the NRHP are discussed in Table 4.13-1 and 4.13-2 and Section 4.13.3.

Cantonment Areas

Transformation activities proposed within the cantonment areas include construction of new barracks facilities for the projected increase in personnel, construction of new training facilities, and renovation and demolition of existing buildings. All of these activities will be coordinated through the CRM program at Fort Benning (applying the coordination and consultation requirements prescribed in the ICRMP) to mitigate any adverse impacts to historic properties.

Main Post/Custer Road. There are 15 proposed projects within the Main Post cantonment area. These range from clinic renovations to demolition and the construction of headquarters complexes. These actions will potentially affect 2 NRHP-eligible and 2 recommended eligible sites (1 prehistoric and 3 historic) in the Custer Road area, 1 recommended eligible site at the Main Post, and 19 buildings within the Main Post (see Tables 4.13-1 and 4.13-2). One bridge would also be adversely affected by road construction. Renovations to 18 buildings that are members of the Main Post NRHP-eligible District could have an adverse effect to the design and setting of the district and the individual contributing members. Construction and demolition activities could also have an adverse effect to the district, but could be mitigated by compatible design and landscaping (see Section 4.13.3).

Kelley Hill. Currently, two actions are planned within the Kelley Hill cantonment area. These actions include portions of the 3 ID BCT (Heavy) Complex and Marne Road and Lindsay Creek Parkway Intersection Improvements. Kelley Hill does not currently contain any eligible historic structures or districts. Seven structures, however, may be eligible at the time of demolition because they would be 50 years old and may be adversely affected.

Table 4.13-4: Cultural Resources Affected Under the Action Alternatives

Resource	Alternative A	Alternative B
Sites, Eligible	22	25
Sites, Recommended Eligible	16	93
Total Sites	38	118
Architectural Resources	27	28
Cemeteries	12	12
Total Resources	77	158

Sand Hill. Six actions are planned within the Sand Hill cantonment area. These include a Trainee Barracks Complex; Health Clinic Expansion (Winder); Solomon Dental Clinic Expansion; Training Aids Center Building Conversions; Reception Station Barracks and Processing Center; and Sand Hill Chapel. There are no eligible archaeological sites or architectural resources within the areas of these actions.

Harmony Church. Twenty-four actions are planned within the Harmony Church cantonment area. Of these actions the AT/FP Access Control Point and the Railyard have the potential to adversely affect six NRHP recommended eligible sites (see Table 4.13-1). These resources include six sites that are recommended eligible (see Table 4.13-1). If the sites cannot be avoided, mitigation measures as discussed in Section 4.13.3 would be implemented.

Ranges and Training Areas

Thirteen actions are proposed within the area north of U.S. Highway 27/280, including the Heavy Maneuver Area North, Heavy Maneuver Area South, the Stationary Tank Ranges, the range heavy use areas, road improvements, construction of ammunition storage igloos, and the Drivers Training Course. These actions primarily consist of expanding the size and amount of usage for existing ranges, providing transportation corridors, and constructing entirely new ranges for expanded training capabilities in tanks, light vehicles, and small arms. Within these project areas, there are 27 eligible and recommended eligible archaeological sites (see Table 4.13-1).

The increased use at the Heavy Maneuver Areas would have an adverse effect on eight eligible sites. Based on the expected heavier training load brought with the introduction of the Armor School, there would be an increase in routine operations and maintenance including road grading and hardening of some stream crossings. It is anticipated that under this alternative larger numbers of tracked vehicles would depart from already established roads or training locations, potentially leading to disturbance to archaeological sites. The Stationary Tank Ranges established in the north could adversely affect two eligible sites and four recommended eligible sites. However, most areas of potential disturbance are with SDZs and the likelihood of disturbance is very low. One eligible site would be adversely affected by visual intrusions and possible ordnance use. Clearing of the ranges in the north (the range heavy use areas), road improvement and construction, and Drivers Training Areas would potentially adversely affect 10 eligible and 3 recommended eligible sites.

Construction of ammunition storage igloos in the Ammunition Storage Area could have an adverse affect on the district; however, those impacts have already been addressed through the Program Comment issued in August 2006 by the AHCP. Twelve historic cemeteries are present within the areas of the

Northern Range subject to the projects under Alternative A (see Table 4.13-3). These cemeteries would be avoided, if possible. If avoidance is not possible, these resources would be examined for historic significance and then removed in accordance with federal and state laws and regulations. The addition of a new range south of U.S. Highway 27/280 would not adversely affect any eligible or recommended eligible archaeological sites under Alternative A.

4.13.2.3 Transformation Alternative B (Preferred Alternative)

Under Alternative B, 2,011 acres within the cantonment areas would be disturbed and 18,020 acres within the Ranges would be disturbed. This has the potential to affect an estimated 146 eligible or recommended eligible cultural resources and 12 historic cemeteries.

Cantonment Areas

Transformation activities proposed within the cantonment areas under Alternative B are the same as for Alternative A, including construction of new housing and associated facilities for the projected increase in personnel, construction of new training facilities, and renovation and demolition of existing buildings. A total of 11 eligible and recommended eligible archaeological sites and 28 eligible structures (including an eligible historic district) could be adversely affected by this alternative.

Ranges and Heavy Maneuver Training Areas

Projects under Alternative B north of U.S. Highway 27/280, including the Stationary Tank Ranges, the range heavy use areas, construction of ammunition storage igloos, and Road Improvements are the same as for Alternative A. A total of 27 recommended eligible and 11 eligible sites would be adversely affected by the projects. In addition, a new Drivers Training Area and a Heavy Maneuver Area South with reduced acreage would adversely affect six recommended eligible and seven eligible sites. A total of 31 recommended eligible and eligible sites would be adversely affected in the ranges north of U.S. Highway 27/280. Like Alternative A, potential adverse impacts from construction of ammunition storage igloos in the Ammunition Storage Area have been addressed through the Program Comment issued in August 2006. Twelve historic cemeteries are also present within the area subject to the projects under Alternative B (see Table 4.13-3). These cemeteries would be avoided if possible. If avoidance is not possible, then these resources would be examined for historic significance and then removed in accordance with federal and state laws and regulations. A 9,500-acre area would be exposed to tank maneuvers, ground disturbance, and additional disturbance. Much of the proposed Good Hope Maneuver Area has been dedicated to light (infantry) training at least since World War II. Tracked vehicle traffic is expected to occur not only on existing trails and roads but will extend off the existing trails and roads. It is anticipated that the existing trails and roads are likely to require some upgrading. Although the proposed area contains 5 eligible archaeological sites and 71 recommended eligible sites, sites most likely to be affected would be located near existing trails. A total of 51 recommended eligible sites and 4 eligible sites are located within 100 meters of the trails and could be adversely affected by the range activities. Three historic cemeteries are also present within the area subject to the heavy maneuver disturbance associated with the Armor School under Alternative B (see Table 4.13-3). These cemeteries

would be avoided if possible. If avoidance is not possible, they would be examined for historic significance and then removed in accordance with Real Property established procedures.

4.13.3 MITIGATION MEASURES

4.13.3.1 Transformation Alternative A

The proposed avoidance, mitigation measures, and consultation will minimize or eliminate adverse effects to the historic properties. Refer to Tables 4.13-1 and 4.13-2 for specific mitigation recommendations for each resource. The mitigation measures for archaeological resources that are eligible or potentially eligible for inclusion on the NRHP consist of:

- avoiding direct effects to the resources through design;
- protecting resources from potential contamination during construction and operations through the SPCC and NPDES requirements;
- protecting resources through the use of signs and education of Soldiers;
- excavation/data recovery of historic properties in accordance with Fort Benning's HPC in the event that disturbance cannot be avoided, and;
- other mitigation measures as may be developed in consultation with the SHPO and federally recognized American Indian Tribes.

Data recovery plans would be prepared and implemented for each site undergoing extensive excavation as mitigation for disturbance. The field work portion of all data recovery operations and investigations should be completed prior to groundbreaking operations on the site. If previously unidentified cultural resources sites are discovered during construction or during the course of operations, the Cultural Resource Manager will be notified. Fort Benning will make an eligibility determination using HPC procedures. Eligible sites will require either (1) avoidance of impacts to the site's integrity through the use of additional protective measures (i.e. berms, redirecting routes); (2) excavation to acquire the scientific and historic information inherent within its archeological and historical context; or (3) other mitigation as determined through consultation. Fort Benning would comply with NAGPRA in implementing regulations if deemed appropriate.

The mitigation measures for architectural sites and historic districts eligible or potentially eligible for inclusion on the NRHP consist of:

- minimizing adverse effects to the structures through the design process;
- conducting HABS/HAER documentation prior to renovation or demolition; and
- using compatible styles and maintaining appropriate landscaping in accordance with Fort Benning's Historic District Tree Management Plan.

Consultation with the SHPO, federally-recognized American Indian Tribes, and interested parties to develop measures and implementation of mitigation would be conducted in accordance with SOPs of Fort Benning's HPC.

4.13.3.2 Transformation Alternative B (Preferred Alternative)

The mitigation measures for Alternative B for cultural resources would be the same as those identified for Alternative A.

4.14 SAFETY

This section addresses safety aspects associated with training and operational activities conducted by units stationed at or operating from Fort Benning. Additionally, this section describes the safety aspects required for demolition and construction and also on- and off-duty transportation safety. These operations include activities within the cantonment areas as well as training conducted within the training ranges.

The Army Safety Program, AR 385-10 (U.S. Army 2000a), governs Army policies, responsibilities, and procedures to protect and preserve Army personnel and property against accidental loss. The regulation provides for operational safety, safe and healthy work places, and assures compliance with applicable safety laws and regulations. Army policy dictates that all Army plans, programs, decision processes, operations, and activities effectively integrate the following principles.

- Accidents are an unacceptable impediment to Army missions, readiness, morale, and resources requiring accident risk management to be employed by decision makers.
- Every level of decision maker will utilize the risk management process to avoid unnecessary risk to missions, personnel, equipment, and the environment.
- The acquisition process will maximize the use of engineering design to control unnecessary risks.
- Life cycle safety considerations will be considered in the acquisition, use, and disposal of chemicals and hazardous materials such that public health and safety is not endangered or compromised.
- Appropriate action is taken to quickly correct nonconformities with standards, hazards, and accident causes.
- Work performance standards for military and civilian managers and supervisors include accident prevention and occupational health and are rated on these aspects.

A key principal of the safety program is risk management. It is not possible to eliminate all safety risks associated with an activity but it is possible to minimize the risk through a risk management program. This program allows decision makers to assess the risk involved for each safety hazard, determine impacts to the mission or personnel should the event occur, and estimate the probability of it occurring. An extreme example of this would be an operation needed to transit a field littered with UXO. The safety hazard would be inadvertent detonation of the bomb; the impact could be loss of life, serious injury, and/or equipment destroyed; and the likelihood of this occurrence could be high; therefore, the risk would be considered catastrophic. The decision maker can minimize this risk by sending in an ordnance disposal team prior to crossing or find another way around the field and still meet mission objectives. Using risk management as a tool allows decision makers to prioritize the risks involved so the operation can be implemented in a safer manner.

Safety programs are required to include accident reporting, workplace safety, transportation safety, as well as family and off-the-job safety for all Installations and (where applicable) range safety, explosive safety, aviation safety, tactical safety, radiation safety, and system safety.

Accident Reporting and Records, Army Regulation 385-40 (U.S. Army 1994), details the classes of accidents and the reporting requirements for each class. The classes are designated A through F and range from loss of life to loss or damage of equipment by dollar value and the corresponding reporting requirement for each class of accident.

Workplace Safety applies to on-the-job safety and implements the requirements of 29 CFR 1910 *et seq.* These requirements include protective clothing and equipment, hazard materials communication, health and safety standards for the workplace, on-the-job reporting requirements, and myriad other requirements designed to protect the health and safety of workers.

Transportation Safety entails a large part of Army functions because most troop movements are done by ground-based vehicles. Army Regulation 385-55, *Prevention of Motor Vehicle Accidents* (U.S. Army 1987), provides the policies and procedures to install a transportation safety program at Army installations. This regulation includes both on-the-job and off-the-job safety requirements. On-the-job requirements describe safe handling, loading, and operation of government-owned vehicles ranging from automobiles to trucks to troop carriers to tanks. Vehicular accidents of Soldiers while off-duty are also a prime concern for the Army. Off-the-job topics stress training for vehicle operation for four-wheeled vehicles and motorcycles, seatbelt use, counseling, enforcement, and other prevention programs.

In addition to transportation, family and off-the-job safety is a critical part of safety and training programs for the Army. The Army provides training for off-duty activities such as recreation, in-home hazards, travel, and other topics.

Range Safety covers prevention of accidents on Army ranges. AR 385-63, *Range Safety*, (U.S. Army 2003) prescribes policies and responsibilities for ranges on the use of live firing of small arms, rockets, guided missiles, and lasers, and provides guidance for using risk management. SDZs are a key aspect of providing safe range operations. An SDZ is an area downrange from a firing line which is an exclusion area for other activities and personnel such that bullets, fragments, and debris from the use of the range will stay contained within the SDZ. Figure 4.14-1 shows a typical layout of an SDZ.

Explosive safety entails the use, storage, and disposition of ordnance on Army facilities. The *U.S. Army Explosive Safety Program*, AR 385-64 (U.S. Army 2000a), provides the guidance for implementing explosive safety programs that comply with DoD Standard 6055.9. This includes explosive safety arcs around storage facilities, prescribes the coordination process between the Army and the Department of Defense Explosive Safety Board (DDESB), site survey requirements, and transportation of explosives.




Figure 4.14-1: Typical SDZ

Aviation Safety involves all safety aspects of aircraft operations and responsibilities for personnel working in or around aircraft such as pilots and crew or maintenance personnel as well as individuals flying aboard aircraft. *Army Aviation Accident Prevention*, AR 385-95 (U.S. Army 1999), details the responsibilities and policies regarding aviation safety. Clear Zones and Accident Potential Zones are established near military airfields based on the analysis of military aircraft accident history and a determination of where, within the airfield environs, an accident is likely to take place and how large an impact area is likely to result from any single accident. Land use controls are implemented in these areas to reduce the level of risk associated with these zones.

4.14.1 Affected Environment

The ROI for safety encompasses the Installation and ranges associated with Fort Benning. On-and Off-Duty, family and public safety encompasses the cantonment areas and includes operations and maintenance activities, transportation and construction safety, as well as provides the general safety background for the Post's personnel. The ROI for explosive safety include igloos, ranges, as well as UXO associated with ordnance use and storage.

At Fort Benning, the Directorate of Public Safety commands the Military Police Units, the Fort Benning Fire Prevention and Protection Division, and the Post Safety Office. This Directorate ensures unity of

effort among Fort Benning emergency services to ensure a safe and secure environment to work, train, live, and play.

Public Safety

Scoping concerns identified areas along the Fort Benning border that are not fenced, with particular concern expressed about Chatsworth Road, located at the northern boundary of the Post. Existing Fort Benning security procedures increased access controls points and barriers ensure public safety and limit unauthorized access to the Installation.

Transportation Safety

Fort Benning provides transportation safety briefings for on- and off-duty personnel and families. On-the-job requirements describe safe handling, loading, and operation of government-owned vehicles ranging from automobiles to trucks to troop carriers to tanks. Off-the-job topics stress training for vehicle operation for four-wheeled vehicles and motorcycles, seatbelt use, counseling, enforcement, and other prevention programs.

Construction Safety

Construction and demolition activities performed or contracted by the USACE must follow the *USACE Safety and Health Manual* 386-1-1 (USACE 2003b). This manual outlines all of the requirements to comply with OSHA standards during the construction and demolition process, non usage contracts would not necessarily be required to follow the USACE manual, but would be required to comply with all applicable OSHA standards and regulations.

Explosive Safety

Infantry training at Fort Benning has been conducted since the establishment of the Installation in 1918. Infantry training has required, and continues to require, the use of “blank” as well as “live” ammunition. The type of ammunition used for training purposes is very diverse. It encompasses virtually every weapon system from small caliber individual weapons to air-delivered 500-pound bombs, with the exception perhaps of some long-range artillery guns or missiles and air defense systems. Blank ammunition and various pyrotechnic simulators are used throughout the entire training area. Live-fire training is conducted in designated ranges and training areas, with projectiles directed towards designated ordnance impact areas. Current annual weapons use at Fort Benning is presented in Table 4.14-1.

Table 14.14-1: Baseline Annual Weapons Use Fort Benning

	Day	Night	Total
Small Caliber	30,120,421	2,978,943	33,099,363
Percent Day/Night	91%	9%	
Large Caliber	246,046	40,054	286,100
Percent Day/Night	86%	14%	

Source: USACHPPM 2006a and Fort Benning 2004b, includes DMPPRC operational data

Explosive safety quantity distance arcs are imaginary arcs surrounding ammunition storage igloos to provide a safety buffer in case of a detonation inside the bunker. Certain activities and personnel density limits are instituted within these arcs to protect people and facilities from explosion and fragmentation.

The main “dudged” ordnance impact areas on Post are compartments A20 and K15 with 9,300 and 5,500 acres, respectively. Smaller isolated “dudged” ordnance impact areas are found in the periphery of the main ordnance impact areas and within the Malone Range Complex (USACE 2006ab). The Fort Benning military and civilian personnel and the community are routinely advised and reminded not to handle any suspected UXO, and to report suspicious ordnance to the Explosive Ordnance Detachment and to the Director of Public Safety through calling 911. UXO warning articles are periodically published in the Fort Benning Bulletin, as well as in the Post newspaper, *The Bayonet*.

Range Safety - Surface Danger Zones

Fort Benning currently offers 119 ranges; 34 basic marksmanship ranges, 11 direct fire gunnery ranges, 16 collective live fire ranges, 32 indirect firing facilities, 7 special live fire ranges, and 19 non-live fire facilities covering a total of 3,173 acres (U.S. Army 2006). An additional 3,612 acres are currently under construction and predominately associated with the approved DMPRC, IPBC, and ISBC.

The SDZ is an “invisible” line that surrounds the firing range and ordnance impact area portions of a range and provides a buffer area to protect personnel from the non-dud producing rounds that may be ricocheted during operation of the range. For each training scenario on a range, the SDZ is computed to take into account the firing positions and ordnance used, so the SDZ exclusion zone will vary. For the purposes of this analysis, the cumulative/maximum SDZ possible for the action alternatives will be utilized. The SDZ is an “exclusion” or safety zone for personnel on or in the vicinity of the range. Its function is to provide a buffer zone that contains projectiles, fragments, debris, and components resulting from the firing of weapon systems; these items have an approximately one in a million chance of landing outside of the SDZ (personal communication, Weekley 2006). SDZs are updated on the basis of data derived from research and development, testing, and/or actual firing experience and differ depending on the type of activity occurring on the range (small arms training versus tank gunnery) and the type of ammunition being fired on the range (AR 385-63). The area comprising the SDZ is closed to all personnel not directly using the range complex during currently ongoing exercises. The acreage associated with the SDZ for the current ranges equals 52,396 acres for the maximum extent of SDZ. Figure 4.14-2 shows the current ranges and SDZs.

4.14.2 Environmental Consequences

The threshold level of significance for safety is exceeded when construction would occur within an area with UXOs; the SDZ exclusion area overlaps with personnel support areas; the SDZ of a range extends off the Installation, or is granted an exception per AR-385-63; or when a violation of applicable OSHA standards occurs. During construction only authorized personnel would be allowed within the footprint for construction. In addition, all workers must adhere to safety standards established by the Installation

November 2003 *U.S. Army Corps of Engineers Safety and Health Requirements Manual* EM 385-1-1, and OSHA.

4.14.2.1 No Action Alternative

There would be no change under the No Action Alternative from current conditions as described under the affected environment sections. Therefore, there would be no impacts to safety.

4.14.2.2 Transformation Alternative A

Public Safety


General safety briefings and safety orientation for new personnel would continue and be provided to the Soldiers gained by Fort Benning under Alternative A. While there would be a substantial increase in personnel, the number of accidents per capita should remain approximately the same. Because there currently is no fencing along the Chatsworth Road, unauthorized residents could continue to trespass onto Fort Benning. This could pose a safety risk to citizens who inadvertently wander onto the ranges because part of Alternative A includes a tank road and firing ranges adjacent to this northern boundary. The safety risks could include accidentally getting in the path of an oncoming tank and being downrange of a firing line. These risks are discussed further in the following transportation and range safety sections.

Transportation Safety

The Fort Benning Safety office provides in-depth transportation training for on- and off-duty personnel. These training activities would be provided and the requirement would apply to all of the activities proposed under Alternative A. Despite efforts to train personnel, accidents still occur and would likely increase proportionally with the number of people and vehicles associated with the Transformation. Tank and heavy vehicle drivers also receive intense accident avoidance training and should minimize accidents if encounters with citizens trespassing onto Installation lands occur on tank trails. Limited fencing in the Oscar complex is being installed as part of infrastructure upgrades and should minimize safety risks in this portion of the Installation where numerous homes are in close proximity to the Post boundaries.

Construction Safety

Most of the proposed construction and demolition activities for Alternative A would be performed or contracted by the USACE and would follow the *USACE Safety and Health Manual* 386-1-1. These requirements would also be imposed on non-USACE contracted activities, through in-house or acquired by other contracting means, if non-USACE contracts are used. This manual outlines all of the requirements to comply with OSHA standards during the construction and/or demolition process. The timber harvest/slash removal and range construction, as well as range maintenance, may involve heavy machinery and some safety risks to personnel working and/or monitoring these activities. As with all work on Fort Benning, OSHA requirements and other applicable worker safety regulations must be followed. Appropriate measures to limit unauthorized persons from accessing the range area during construction, timber harvest/slash removal, and maintenance are required.



4.14-2: Existing SDZs

Explosive Safety

The proposed addition of the Armor School with this action alternative would require additional ordnance use and storage. Ammunition storage igloos construction is proposed in association with Alternative A. The siting of these igloos is north of the Harmony Church area, as an expansion to the existing ammunition storage area. Ordnance would be used in strict compliance with Army and DoD regulations to assure the safe use of these items. Additional storage space would be required and new igloos would be sited in accordance with DoD Standard 6055.9 (DoD 2004) with the required explosive safety quantity distance arcs for the amount and type of ordnance planned in the storage bunker.

The total amount of ammunition fired at Fort Benning would increase substantially (about 27 percent) as a result of the Alternative A (see Table 2.3-4 in Section 2.3.3), but there would not be a change in the footprint of the duded impact areas, as Alternative A would utilize existing “duded” areas. The increase of artillery operations shooting into the duded area would increase, but the size of the area would remain the same. Additional use would lead to additional UXOs in the area, but this area already has sufficient safety requirements to protect against inadvertent UXO detonations (personal communication, Weekley 2006).

Range Safety - Surface Danger Zones

Under Alternative A, there would be 23 new ranges covering 4,529 acres constructed by 2011. The SDZs associated with the proposed ranges would encompass 56,925 acres if all of the ranges were active at the same time. Of these 56,925 acres, only a small piece of an SDZ falls outside the Installation boundary near the Hastings Range. AR 385-63 allows for SDZs to extend past the Installation boundary only if the area meets the requirements of AR 385-63, and if an agreement is made with the landowner; applicable environmental and local regulations are met; and controls are in place to prohibit entry by unauthorized personnel and to provide decontamination after use. Figure 4.14-3 shows the ranges and SDZs associated with Alternative A. Among the duties of a Range Safety Officer (RSO), present at each active firing range, is to ensure there are no unauthorized personnel or equipment located downrange while the range is being used. The new small arms ranges, in the northern area of the Installation (near Chatsworth Road), would be controlled by an RSO so the chances of an unauthorized citizen being on range and in danger is minimal. A long-term solution would be fencing to prevent unauthorized entry onto the Installation.

In summary, there would be increased safety risks introduced within the training areas due to the increased tank and heavy vehicles traffic and ordnance use, but implementation of all existing safety programs should minimize any safety hazards. Unauthorized entry onto Installation lands could be minimized by erecting fences and ensuring that RSOs undertake thorough review of downrange activities prior to range use. Under these circumstances, safety would be protected and not be significantly impacted.




Figure 4.14-3: Proposed SDZs under Transformation Alternatives A and B

4.14.2.3 Transformation Alternative B

Public Safety

General safety briefings and safety orientation for new personnel would continue and be same as described for Alternative A.

Transportation Safety

The transportation safety briefings would continue and be the same as discussed under Alternative A. In addition, there would be increased use of existing roads in the Good Hope Maneuver Area for heavy maneuvering. Tracked and wheeled vehicles would be traveling on roads along the eastern boundary of the Good Hope Maneuver Area that are in close proximity to existing residential areas. Currently, signage (but not fencing) is present to discourage unauthorized access to Fort Benning in the Good Hope Maneuver Area. As with Alternative A, limited fencing in the Oscar complex is being installed through infrastructure upgrades.

4.14.3 MITIGATION MEASURES

To minimize public safety risks, for either Transformation alternative, fencing along the northern boundary of the proposed small arms ranges in the Oscar Complex is planned as part of the proposed infrastructure upgrades. This fencing would be erected in accordance with guidance for protective barriers provided in U.S. Army Field Manual 3-19.30, Physical Security (U.S. Army 2001b) and mitigate potential public safety risks due to unlawful entry.

4.15 CUMULATIVE IMPACTS

The CEQ defines cumulative impacts as the “impact on the environment which results from the incremental impact of the action(s) when added to other past, present, and reasonably foreseeable future actions regardless of what agency (federal or non-federal) or person undertakes such other actions” (CEQ 1508.7). These other projects all occur within a geographical (spatial) defined ROI or affected environment, which is defined in the following paragraph (Section 4.15.1). Projects presented may occur within the next 7 years, since they have the potential of occurring within the same time period as, or shortly after, the Transformation activities. Information for these projects has been obtained from the Final EIS for the DMPRC (Fort Benning 2004b), planning documents of surrounding communities, and Fort Benning personnel. In addition, the DMPRC EIS considered the cumulative effects analysis and provided many of the thresholds.

4.15.1 Region of Influence

The overall ROI for the purposes of this EIS is shown in Figure 4.15-1 and consists of Chattahoochee, Muscogee, Marion, and Talbot counties, Georgia and Russell County, Alabama; this ROI includes the cities of Columbus, Buena Vista, and Cusseta, Georgia; Phenix City, Alabama; and the Fort Benning Military Installation. Individual ROIs have also been established for some media (or resources); these ROIs may be larger or smaller in size than the overall ROI and are defined in subsequent sections. Please note that the numbers used in the figure are not sequential but represent a tracking system used by the Installation.

4.15.2 Past and Present Actions within the ROI

Numerous projects related to training improvements, cultural facilities, residential developments, and utility services are being undertaken at Fort Benning. Recently completed and ongoing projects with the potential to affect the ROIs are discussed below; each project is also identified on Figure 4.15-1 by its associated number in *parentheses*. In accordance with CEQ’s guidance, actions identified herein are focused on those that are relevant and useful in analyzing whether or not the reasonably foreseeable effects of the Transformation alternatives may have a continuing, additive, and significant relationship to those effects in the ROI.




Figure 4.15-1: Projects Considered for Cumulative Effects

Recently Completed Actions at Fort Benning

- Privatization of the Water and Wastewater Treatment System (5) (FY04) – The wastewater treatment system at Fort Benning, which consists of three facilities and a network of underground piping, has been privatized. The contract for the system includes the day-to-day upkeep of the system and requires the contractor to abide by applicable federal, state, and Installation policies and guidelines. The process includes either the “mothballing” or demolition (to the concrete slab) of the existing water and wastewater treatment facilities and the construction of a series of new underground utility transport lines, for the purpose of connecting the existing on-Post facilities to the new owner’s off-Post facilities. During the construction of these connection lines (18 to 24 months), the new owner will utilize the on-Post facilities. Approximate size of the overall project area is 50 to 60 acres. An EA, FNSI, and Supplemental EA were prepared for this action.
- Communications Tower (36) (FY04) – A communication tower was constructed in the South Harmony Church area, west of Cusseta Road and south of El Caney Road.
- Installation of Anti-Terrorist/Force Protection Measures (10 through 16) (FY03) – This consisted of the construction of an enhanced physical security perimeter barrier around the Installation’s four cantonment areas that included either fence, guard rail, or use of existing natural barriers (e.g., streams and steep ridges) and establishment of permanent access control points at the Installation’s seven entry points. Drainage for perimeter roads and erosion control measures were required, in addition to protective lighting at the seven access control points. An EA and FNSI were prepared for this project (Fort Benning 2003f). Approximate size of the overall project area is 20 to 25 acres.
- Barracks Project (2) (FY03) – Work consisted of the construction of a new barracks complex along Dixie Road, Main Post, Fort Benning, GA. The new barracks are located across from the existing Easley and McAndrews ranges. The project also included the demolition of six existing buildings. Approximate size of the overall project area is 30 to 35 acres.

Columbus and Fort Benning completed a “Land Exchange,” (24, 32) (FY99) swapping two parcels of land, known as the North Tract and the South Tract, for which an EIS and ROD were prepared (Fort Benning 1999), as well as a BA and BO. Columbus is currently developing the 2,470-acre North Tract (24) located adjacent to the Fort Benning northwestern boundary line. This development will be primarily industrial, mixed with recreational land use. In exchange, Fort Benning received the South Tract land (32), a 2,536-acre parcel located at the southernmost end of the Installation, which is currently used by the Installation for training and land management (reforestation and habitat restoration) purposes.

Ongoing Actions at Fort Benning

- Residential Communities Initiative (RCI) (42) (FY05-15) – Consistent with authorities contained in the 1996 Military Housing Privatization Initiative, Fort Benning has transferred responsibility for providing housing and ancillary supporting facilities to Fort Benning Family Communities

LLC. Fort Benning conveyed 3,945 existing family housing units of which 754 will be renovated (482 non-historic and 272 historic) and 2,930 will be demolished; 3,185 new units will be constructed for an end state inventory of 4,200 housing units (which includes 261 “no-work” units, 221 historic and 40 non-historic). In addition, the Fort Benning Family Communities LLC has been provided with a 50-year lease of the underlying land, as well as an additional 536 acres for lease to site new housing. An EA, FNSI, and errata sheet have been prepared for this action (Fort Benning 2005f).

- New Post Exchange Army and Air Force Exchange Service (AAFES) (21) (FY06) – Work consists of constructing a new AAFES on the land across the street from the existing AAFES on Custer Road, Main Post, Fort Benning. The old AAFES will be reutilized in another format; it is not scheduled for demolition at this time. Work will additionally consist of landscaping and parking lot construction. Approximate size of the overall project area is 10 to 15 acres. An EA and FNSI have been prepared for this action (AAFES 2005).
- Ongoing Improvements and Training at Ranges and other Training Areas (*No map location shown, but predominantly along Dixie Road*) (FY06) – Minor range construction and target maintenance projects are ongoing activities at Fort Benning. These types of improvements have been assessed for environmental effects and NEPA documentation has been prepared for these ongoing activities. Additionally, training activities are ongoing at ranges and other training areas; there have been some recent increases in training operations of the same type and nature as historical training activities.
- Infantry Platoon Battle Course (IPBC) (7) (FY06) – Work consists of the construction of a new IPBC in the A12 portion of Fort Benning and would include tree clearing, grading, cut-and-fill, construction of the range and target firing area, and placement of targetry, in addition to the construction/emplacement of support facilities, access roads and trails, and associated utilities. Approximate size of the overall project area is 1,000 acres. An EA was prepared for this action (Fort Benning 2005g).
- The Digital Multi-Purpose Range Complex (DMPRC) (40) (FY05) is being constructed near the D13 area on Fort Benning. The DMPRC will provide a state-of-the-art range facility for conducting advanced gunnery exercises in a realistic training environment. Support facilities associated with the DMPRC will be located adjacent to the range. The DMPRC design includes as many as 22 water crossings (average dimensions: 350 ft long by 29 ft wide each), and up to 1,500 acres of vegetation removal on the construction site is required. The DMPRC is being constructed on approximately 1,800 acres and an EIS was prepared (Fort Benning 2004b).
- Barracks Replacement, Kelley Hill, Phase III (1) (FY05) – Work consists of the demolition of existing buildings (9043, 9046, 9047, 9053, 9054, 9055, 9057, 9058, and 9074), the construction of new facilities, and landscaping around the new facilities in the Kelley Hill area of Fort Benning. Approximate size of the overall project area is 10 to 15 acres.

- Infantry Squad Battle Course (ISBC) (6) (FY04) – Work consists of the conversion of an existing Fort Benning range, Galloway Range, into an Infantry Squad Battle Course and includes the removal/replacement and upgrading of existing targetry, the construction of associated support facilities, the demolition of currently existing temporary buildings on site, and associated utility placement. Approximate size of the overall project area is 180 to 190 acres.
- National Infantry Museum (22) (FY04) – A new infantry museum is being constructed on the land between South Lumpkin and Fort Benning Roads on the Installation's border with the City of Columbus. Work will also consist of establishing a World War II Company Street. The existing museum building, located on Baltzell Avenue, Main Post, Fort Benning, would be reutilized in another manner, but would not be demolished. Approximate size of the overall project area is 20 to 30 acres. An EA, FNSI, and errata sheet were prepared for this action by the Army (Fort Benning 2004d).
- Uchee Creek Campground Expansion (43) (FY07) – Approximately 19 acres will be improved at the existing Fort Benning Uchee Creek Campground. The campground is found in Russell County, AL, adjacent to the Chattahoochee River. Improvements include construction of up to 29 additional pull-through recreational vehicle sites, ten chalets, a new playground, as well as upgrades to existing playgrounds and common areas. An EA and FNSI were prepared for this action by Fort Benning in February 2007 (Fort Benning 2007b).
- Stationing Actions (*no map locations*) (FY06 and FY07) – Some stationing actions (both activations and deactivations) that involved moving Soldiers, staff, and equipment have been evaluated by Fort Benning as to the level of impacts they would introduce to the human and natural environment and have been categorically excluded (i.e., the actions do not require an environmental assessment or EIS). The activations include the: 362nd Multi-Role Bridge Company, 92nd Military Police Battalion, 2nd Battalion, 1st Cavalry, 24th Ammunition Heavy Lift Platoons; deactivations include the 756th Medical Detachment, 1/30 Infantry Battalion 3ID (Unit of Action), 36th Engineer Company, and other activations that would not introduce impacts at the Installation.

Recently Completed and Ongoing Actions Outside of Fort Benning

The proposed Transformation activities have the potential for cumulative effects on the following actions outside of Fort Benning:


- Forest industry divestment of timberlands (*see graphic to the right*) (ongoing) – Much of the land surrounding the northeastern, eastern, and southern boundaries of Fort Benning formerly held by timber companies including MeadWestvaco, Ingram and Legrand, and Weyerhaeuser has been sold in recent years as these timber companies are divesting of their forestland holdings. MeadWestvaco continues to own large, contiguous tracts of land south of and adjacent to and northeast of Fort Benning. Some of these lands are currently owned in fee and some are leased.

The graphic below (adapted from TNC 2006b) depicts the lands in the vicinity of Fort Benning

that have been sold by these timber companies and those that are currently held in fee or leased by MeadWestvaco.

- Safety improvements to the Highway Interchange at I-185/U.S. Highway 27/280 in Columbus (to the north of Fort Benning) (28 and 29) (FY06/07) – Highway improvements are currently underway and consist of reconstructing the interchange 105 at I-185 and U.S. Highway 27/280.

Divestment of Timberlands in the vicinity of Fort Benning



Safety improvements also include removing and replacing guardrails and possibly installing medians along 10.5 miles of U.S. Highway 27/280. Approximate size of the overall project area is 5 to 10 acres.

4.15.3 Reasonably Foreseeable Future Actions within the ROI

There are several construction projects planned for implementation on Fort Benning proper during the same time frame as the projects analyzed in the alternatives in this EIS, FY 2007-2013, as well as soon thereafter. Some of the projects have been previously identified as part of the Installation's master planning process and have been preliminarily assessed for environmental impacts via the NEPA process; however, each project is still pending compliance with NEPA and final approval, except as indicated below. Other

reasonably foreseeable actions on Fort Benning, such as routine road and tank trail maintenance, range and building maintenance, building renovations, unit motor pool maintenance, troop training, and routine airfield activities, would continue in the current manner on an annual basis.

The projects relevant to cumulative impact analysis in the ROI are listed below. In addition, each project is identified on Figure 4.15-1 by its associated number. FY refers to the period between October 1 and September 30 of each year and is the period the Army uses for budget phases.

Within Fort Benning

- National Guard Pre-Ranger Complex Expansion (37) (FY06/07) – The National Guard Pre-Ranger Complex is located within the South Harmony Church area. The National Guard proposes to establish an area south of First Division Road that would be used for field training exercises.
- DMPTR (23) (FY15) – Work would consist of upgrading the existing Hastings Range to a DMPTR and would include removal/replacement and upgrading of existing targetry, expansion of the existing tank trails, construction of associated support facilities, demolition of currently existing temporary buildings on site, and associated utility placement. Approximate size of the overall project area is 1,000 acres (Fort Benning 2004b)
- Central Issue Facility (41) (FYTBD) – Expansion of the existing Central Issue Facility on Main Post. The existing Central Issue Facility (Building 2386) has exceeded its maximum storage capability due to the Global War on Terrorism requirements.

Transformation activities that have been scheduled for construction for FY 2014 and beyond have not been approved or funded and are not required for BRAC implementation or for the relocation of the Armor School; however, these projects were initially identified to support Transformation or ongoing missions at Fort Benning to support the increase in operations and Installation population. These reasonably foreseeable actions are addressed as potential future projects and their potential impacts considered herein. The Transformation projects are shown in Figure 4.15-2 and listed in Table 4.15-1. The list of proposed projects described in the table is intended to be comprehensive, but during the course of implementing the Transformation action, unidentified projects may arise. The listed projects may be modified or locations moved, or new projects added. The future projects will be evaluated and the appropriate NEPA evaluation undertaken. This evaluation could result in projects that are categorically excluded (i.e., would not require either an environmental assessment or EIS), require an assessment, or would be of such an extent that an EIS may be called for. Ongoing Installation categorically excluded projects (for past and present actions) have already received environmental impact scrutiny from EMD and do not present cumulative impacts.

Table 4.15-1: Transformation-Related Future Project List

Geographic Area	Project Title	Total Potential Area of Disturbance (in acres)
Sand Hill	Blood Donor Center	32
	Shopette with Class Six/Gas/Food/Car Wash	
	Recreation Center Addition	
	Physical Fitness Center Addition	
Harmony Church	Consolidated Maintenance Facility	70
	Mini-Mall with Food/Barber/Laundry/etc.	
	Range Control and Maintenance Complex	
	Consolidated Maneuver Center Battle Lab Complex	
	Garrison Support Facilities	
Kelley Hill	Expand Shopping Center	18
	Central Issue Facility	
	Troop Issue Subsistence Activity Building	
	598th DS Maintenance Facility (36th ENG Group)	
Main Post	Organizational Storage Building (36th ENG Group)	296
	Tactical Equipment Shop (36th ENG Group)	
	Vehicle Maintenance Facility and Shop (36th ENG Group)	
	Multi-Role Bridge Company Maintenance Complex	
	36th ENG Group Headquarters	
	Veterinary Facility	
	Army Lodging	
	Centralized Catering/Golf Clubhouse Facility	
	Lodging and Dining Facilities	
	CIDC Group/BDE Headquarters Bldg	
North of U.S. Highway 27/280 Ranges	3 Forward Operations Bases (FOBs)	1,413
	Engineer Assault Range	
	3 IPBCs	
	MPTR	
	Hand Grenade Complex	
	2 MRFs	
	2 CLFXs	
	1 Fire and Movement Range	
South of U.S. Highway 27/280 Ranges	Anti-Armor Tracking and Live Fire Range Complex	275
	Multi-Purpose Machine Gun Range	
	2 Urban Assault Courses	

Outside of Fort Benning

The projects listed below are those that occur beyond the Fort Benning boundary but within the ROI and were determined to be relevant for cumulative impact analysis.

- Oxbow Project, Lumpkin Road (25), Columbus, GA (date undetermined; tentatively scheduled to begin within the next 2 to 3 years) – Work would consist of the further development of the Oxbow Meadows Environmental Learning Center by creating additional outdoor classrooms, a


series of walking trails, a series of hiking trails, pavilion, and construction (to include dredge and fill) of a 350-slip capacity marina on the Chattahoochee River. Approximate size of the overall project area is 10 to 15 acres (Fort Benning 2005h). The site is located off of South Lumpkin Road to the west of the new National Infantry Museum site. Development of a hotel and conference center has also been proposed in this area (Jones 2006).

- Phenix City Riverwalk Phase II, (26) Phenix City, AL (date undetermined) – Work would consist of the construction of a hiking/biking trail between the 13th and 14th Street bridges in Phenix City. Approximate size of the overall project area is 5 to 10 acres (Fort Benning 2005a).
- Alternative Transportation System, Phase II, (27) North Riverwalk, Columbus, GA (date undetermined; scope of work decision pending implementation of Chattahoochee River Restoration Project, below) – Work would consist of continuing to construct the hiking/biking trail (Riverwalk) northward along the Chattahoochee River from 12th Street to 14th Street. Approximate size of the overall project area is 5 to 10 acres (Fort Benning 2005h).
- Widening/Improvements to Buena Vista Road, (30) Columbus, GA (FY07) – Work would consist of widening and reconstructing 1.15 miles of an existing two (2) and four (4) lane road to a four (4) through-lane system with turn lanes and medians, as required. Approximate size of the overall project area is 5 to 10 acres (Fort Benning 2005h).
- Widening/Improvements to St. Mary's Road, (31) Columbus, GA (date undetermined) – Two projects are planned to provide for (1) the widening of an 1-mile stretch of St. Mary's Road from Buena Vista Road to Robin Road (to be completed by the end of calendar year 2007) and (2) widening and reconstruction of a 1.25-mile stretch of St. Mary's Road just west of Fort Benning from Robin Road to Northstar Drive. Intersections are being reworked and the existing bridge over I-185 is being widened as part of this project (Georgia Department of Transportation 2006). Approximate size of the overall project area is 10 to 20 acres.
- Chattahoochee River Restoration (33) (FY07) – Work would consist of breaching the Eagle-Phenix Dam and the City Mills Dam along the Chattahoochee River, in order to restore the historic and natural course of water along this portion of the river, which extends from just north of the City of Columbus and down to its most southern edge. The desired outcome is to increase Fall Line shoal fish habitat and recreation (Eubanks and Buckalew 2005). Approximate size of the project area is 2.5 miles (approximately 35 acres).
- Tri-State Water Disputes (*throughout ROI*) – For more than a decade, the states of Georgia, Alabama, and Florida have been in dispute regarding the withdrawal and use of water from the Apalachicola-Chattahoochee- Flint and Alabama-Coosa-Tallapoosa River basins. The Apalachicola-Chattahoochee- Flint River basin is within the ROI. The Chattahoochee River originates in the Blue Ridge Mountains of the Appalachian Highlands of northeast Georgia, where it flows southwesterly for 120 miles before turning south and flowing approximately 200

miles along the Georgia and Alabama borders, and a small part of the Florida (FL) border. The Flint River includes Blackshear Dam and Lake, Flint River Dam, and Lake Worth. The river originates south of Atlanta, GA, in the Piedmont Province and flows southerly to the upper Coastal Plain, where it joins the Chattahoochee River in Lake Seminole to form the Apalachicola River. The Apalachicola River includes the Corps-operated Jim Woodruff Lock and Dam and Lake Seminole along its length. The river lies entirely within the Coastal Plain along the 180 miles of its length and flows south across northwest FL from GA to Apalachicola Bay in FL. In 1997, Congress ratified two interstate water compacts agreed to by the GA, AL, and FL state legislatures concerning withdrawals of water and public usage from the two river basins. These compacts put litigation on hold and allowed the states to work together to manage the resources; however, the states could not reach an agreement during these compacts and they expired without resolution (in 2003 for the Apalachicola-Chattahoochee- Flint River basin). Active, on going discussions between the states address water supply and allocation at various scales and locations throughout the basin (Upper Chattahoochee Riverkeeper 2006).

- Kia Automotive Assembly and Manufacturing Plant (*to the north of the map window*) – Construction began on a new \$1.2 billion automotive assembly and manufacturing plant in early 2007, located in West Point, GA (near LaGrange) about 30 miles north of the Columbus/Phenix City area. The 2.4 million square foot plant will be situated on a site covering nearly 28 million square feet and is scheduled to begin production in 2009 and is expected to produce 300,000 vehicles per year at full capacity. In addition to the expected employment of about 3,000 people, an additional 2,600 employees are expected to be hired at five supplier facilities in GA (Georgia Governor 2006). The supplier facilities are considering locating in the Columbus/Phenix City area. Secondary development is expected within the ROI in the form of retail, commercial, residential-type growth (Jones 2006).
- Aflac, Incorporated expansion (45) – Aflac, an international holding company based in Columbus, GA, is one of the area's largest employers and is expanding to accommodate 2,000 new administrative professional employees in the next 4 to 7 years. An additional 340,000 square feet of office space is being constructed at the company's Paul S. Amos Campus at Corporate Ridge in Columbus. The new construction is the company's third major expansion project within 7 years. In 1998, Aflac established its Computer Service Center, which employs 600, and, in 2001, the company opened the Corporate Ridge office, which handles claim processing and call center operations (Aflac 2005).
- 14th Amendment Highway Corridor (also known as Proposed Interstate 14) (46) – Section 1927 of the Safe, Accountable, Flexible, Efficient Transportation Equity Act: A Legacy for Users, directed the U.S. Department of Transportation to study two new highway corridors. One links Augusta, GA, Macon, GA, Columbus, GA, Montgomery, AL and Natchez, MS. The other links Savannah, GA, Augusta GA and Knoxville, TN and is referred to in the statute as the 3rd Infantry Division Highway (also known as Interstate 3). FHWA has not formally designated highways,

U.S. Army Corps of Engineers, Mobile District
Environmental Impact Statement – Fort Benning, GA
October 2007



development of critical open areas. In turn, the military can conduct training and operations with little compromise while local communities' partnerships assume habitat, biodiversity, and wildlife management responsibilities (U.S. Army 2006d). The Nature Conservancy is Fort Benning's conservation partner charged with developing, planning, negotiating, and securing ACUB land interests. TNC has worked closely with Fort Benning, with staff on Post, since 1993. Key ACUB strategies are:

- "no-development" lands in 1- to 3-mile zones around the northeastern and western sides of the installation, primarily for noise and smoke land use compatibility;
- Fall Line habitat protection and restoration extending out along the northeast boundary as much as 10 miles, to secure viability of gopher tortoise and relict trillium off Post, as well as other associated rare species and wetlands, and provide future habitat for RCW; and
- mature pine habitat protection and restoration, extending westward into Alabama providing similar Fall Line habitat, as well as the best opportunity for near-term RCW restoration and protection off Post by linking existing habitat.

Possible future direction for the ACUB program is restoration and protection of pine uplands and riverine systems southward along the Chattahoochee River, offering similar potential for RCW restoration linked with existing habitat. Projects underway include two conservation easements under negotiation along the northeast boundary, with relict trillium, gopher tortoise, wetland, noise/smoke buffer, and future RCW relevance. The Fort Benning ACUB program requested \$1 million in 2006, and received \$800,000. It plans to request \$3 million in 2007 and subsequent years (TNC 2006a and 2006b).

- Expansion of Hospitality Market (*throughout ROI*) – Columbus has been working to increase hotel capacity and plans to add an additional 200 rooms in 2007. The city's average hotel occupancy rate in 2003 was approximately 65 percent, as compared to the regional occupancy rate of 57 percent and the national occupancy rate of 59 percent. Many of the new and planned hotel developments are near Fort Benning, particularly on Victory Drive and near the new Infantry Museum site. The city also will continue to court conventions, meetings, corporate business, sports events, and leisure travelers. Columbus attracted nearly 965,472 visitors in FY 2005 and the city aims for more than 1 million annual visitors (Columbus Ledger-Enquirer 2006).
- Columbus Metropolitan Airport Growth (*northeast of downtown Columbus, not on map*) – According to the Master Plan Update (Columbus Airport Commission 1994), the following have been recommended and are in varying levels of accomplishment: automotive parking lot expansion; relocating a taxiway, marketing to cargo and larger aircraft operators, and extending a runway.
- General urban growth (*throughout ROI*) – The urban growth associated with the Columbus Metropolitan Area has been robust over recent years and is expected to continue, particularly

when considering the alternatives coupled with the aforementioned cumulative impact projects. A 2003 Government Accounting Office Testimony on the DoD's approach for managing encroachment used Columbus and Fort Benning as an example of rapid growth near a military installation; see figures in Section 4.2. The Army and Fort Benning have been working with the community to appropriately plan development near the Installation. The efforts have had some positive results, for example, the previously mentioned ACUB program. These types of projects are small housing and strip mall type developments, renovation, or rehabilitation of existing structures to allow for denser populations. Growth will still occur in the ROI, but under planning guidelines developed by the surrounding communities with input from Fort Benning, such as current zoning practices and the development of a JLUS.

4.15.4 Cumulative Effects under the No Action Alternative

Cumulative effects to all resources would remain similar to those impacts described under each of the No Action Alternative discussions for each resource. While this alternative is not viable for BRAC-directed actions, if the No Action were to occur, no broad-scale construction would be undertaken and the approximate 14,400 people would not be relocated to the Installation. It was determined that there would be no cumulative impacts would occur within the ROI (described for each resource category found in Sections 4.2 through 4.14) under the No Action Alternative.

4.15.5 Cumulative Effects under Alternatives A and B

Potential cumulative impacts within the ROI would be the same if Alternative A or B were implemented; therefore, the following discussion applies to both alternatives. This approach is justified because the amount of people that would move is the same under both alternatives, the number and type of facilities that would be constructed are nearly identical, the type of operations would not differ between the two alternatives, and the overall area disturbed would be within Fort Benning and would not differ to such an extent to cumulatively change impacts. For cumulative impact analysis, the Transformation action, its impacts (direct and indirect), and projects constructed between 2007 through 2013 are considered in their totality—each year will not be analyzed separately.

The resource areas covered in this section reflect those considered in the impact analysis in Section 4.2 through 4.14. The threshold criteria for cumulative impacts are the same as those described in the corresponding impact section but reiterated here for ease of reading.

4.15.5.1 Land Use

Potential cumulative impacts on land use would be considered significant for the Transformation alternatives if one or more of the following occurs:

- they are incompatible with surrounding land uses; or
- they change land uses in such a way that mission-essential training is degraded; or
- they are inconsistent or in conflict with the environmental goals, objectives, or guidelines of a community or county comprehensive plan for the affected area.

Past and present development has framed the modern land use pattern for the ROI. For Fort Benning, this includes the existing placement of facilities, training areas, infrastructure, and associated circulation patterns. For lands adjacent to Fort Benning, this includes the trend of increasing urbanization resulting in development pressures on the principally rural agricultural lands surrounding the Installation and comprehensive plans addressing the communities' goals and objectives directing growth. There have been long-standing interrelationships between the land use and development throughout the communities associated with Fort Benning and the operations and growth of the Installation. Many of those who are stationed at or work on Fort Benning live outside the Installation. Regardless of where they live; however, most take part in activities in the surrounding communities. Development of schools, utilities infrastructure, neighborhoods, and services are all influenced by this interrelationship.

Within the cantonment areas, past, present, and future projects are occurring in Kelley Hill and Main Post. These include the development of approximately 70 acres in Kelley Hill of barracks for the 3 ID and 140 acres in the Main Post for construction of the new AAFES Shopping Center (approximately 22 acres), physical fitness center (approximately 6 acres), and the Infantry Museum (approximately 112 acres). These projects are being constructed in areas that have typically been disturbed, but do not displace other land uses. The projects have been appropriately sited compatible with existing land uses. Development proposed with the Transformation actions after 2013 considered compatibility with these past, present, and future projects and many (such as the museum support buildings) are interactive. These include the following:

- Harmony Church: Consolidated Maneuver Center Battle Lab Complex (approximately 15 acres), Range Control and Maintenance Complex (approximately 17 acres), Consolidated Maintenance Facility (approximately 31 acres), Consolidated Maneuver Center Battle Lab Complex (approximately 3 acres), and Mini-Mall with Food/Barber/Laundry/etc. (approximately 5 acres).
- Kelley Hill: Troop Issue Subsistence Activity Building (approximately 6 acres) and Central Issue Facility (approximately 10 acres).
- Main Post: CIDC Group/BDE Headquarters Building (approximately 4 acres), Centralized Catering/Golf Clubhouse Facility (approximately 8 acres), Army Lodging (approximately 15 acres), Dining Facility to Support Army Lodging (approximately 57 acres), New Shopping Center

Addition (approximately 1 acre, and AMF Complex (36th Engineering Corps) (approximately 192 acres).

- Sand Hill: RCI Housing (approximately 356 acres), Physical Fitness Center Addition (approximately 10 acres), Recreation Center Addition (approximately 7 acres), Shoppette w/ Class Six/Gas Food/Car Wash (approximately 7 acres), and Blood Donor Clinic (approximately 2 acres).

The largest scale future development within the cantonment areas is the RCI housing project in the Sand Hill area; the remainder is redevelopment projects (primarily in the Main Post, much of which is associated with the 36th Engineering Corps complex). The land use associated with these projects is consistent with the land use configuration that would result from the combination of existing and proposed Transformation projects.

Outside of cantonment areas, the past, present, and future projects include the development of a CACTF (approximately 11 acres), DMPRC (approximately 2,340 acres), IPBC (approximately 962 acres), ISBC (approximately 186 acres), UACC (approximately 7 acres), and a Combat Live Fire Exercise Course (CLFE) (approximately 109 acres). Land use and range operations compatibility was taken into consideration when siting these facilities. Potential future projects that could interact with the Transformation proposed action projects, within the ranges and training areas, include the following:

- Range Development North of U.S. Highway 27/280: two Modified Record Fire Ranges (approximately 24 acres each), Fire and Movement Range (approximately 20 acres), three Forward Operating Bases (approximately 60 acres each), one Hand Grenade Complex (approximately 2 acres), two stand alone IPBCs (approximately 164 acres each), one IPBC integrated with a Multi-Purpose Training Range (MPTR) and CLFX (approximately 370 acres total), one CLFX (approximately 200 acres), and one Squad Defense Range (approximately 10 acres).
- Range Development South of U.S. Highway 27/280: an Anti-Armor Tracking and Live Fire Range Complex (approximately 25 acres), a Multi-Purpose Machine Gun Range (approximately 238 acres), and an Urban Assault Course (approximately 12 acres).

The heavy ordnance use areas associated with the training ranges are estimated to encompass approximately 250 acres. In combination with the proposed Transformation action within the training areas and ranges, cumulative actions affecting ranges would further contribute to the complexity and density of land uses throughout the Installation. The majority of the larger-scale development would occur north of U.S. Highway 27/280 adjacent to similar existing training and range assets so there would be no incompatible land use to training and range areas within Fort Benning. Because these actions are occurring within the Installation boundaries, there would be no incompatibility (with the exception of noise, see Section 4.15.5.6) anticipated with land uses outside Installation boundaries.

The impact of ongoing and future growth and urbanization and encroachment in the communities adjacent to and outside of Installation boundaries is a potentially significant impact that could result in degradation

of the mission essential training at Fort Benning if left unchecked. The communities surrounding Fort Benning are planning for the anticipated growth expected with the proposed Transformation action, including development of residential areas, schools, and services. The State of Georgia 3,000-ft planning zone is recognized in the comprehensive planning documents for Muscogee County/Columbus and Chattahoochee County/Cusseta, but additional land use controls are lacking. It remains to be seen how compatibility within this 3,000-ft planning zone will be addressed in the comprehensive plan updates for Harris, Talbot, and Marion Counties.

4.15.5.2 Aesthetics and Visual Resource

Impacts for aesthetics and visual assessments are considered to be significant if one or more of the following criteria are found to be true.

- Changes to form, line, color, and/or texture substantially degrade an existing viewshed or alter the character of a viewshed by the introduction of anomalous structures or elements.
- Changes that would result in changes in viewers' expectations (measured against the relative importance of those views) and result in a negative impression of the viewshed. The emphasis of this criterion is on views from public view areas.

Past and present construction and renovation actions have minor effect on the existing viewsheds and site character both within and outside of the Installation. New construction would result in change to some of the existing underdeveloped character of the Installation, with new buildings designed to complement the existing surrounding land uses and architectural character. To the greatest extent possible, site planning would retain wildlife habitats, natural buffers, and thick forest cover to balance the developed and open areas.

Within Fort Benning, future projects are also expected to be consistent with the aesthetic quality of the surrounding buildings. New construction is expected to consolidate tenants from run-down WWII structures and off-Post leased facilities into efficient facilities that would be consistent with the theme of their respective planning zones and follow the Georgian Revival and Colonial architectural styles consistent with the rest of the Post. Consequently, these project impacts would not be significant when impacts are incrementally considered within the Installation, as long as existing regulations and guidance provided in the Installation Design Guide (IDG) are followed for all new construction and renovation projects. Transformation actions, along with past, present, and future projects within Fort Benning boundaries have little incremental or interactive impacts with those found outside the boundaries; therefore, no significant cumulative impacts are anticipated to aesthetics and visual resources. No viewsheds would be degraded, no negative impressions created in public view areas, and illumination would not cause disturbance to adjacent areas.

4.15.5.3 Socioeconomics

For purposes of this analysis, social and economic changes are considered significant if they fall outside the historical extremes of social and economic change within the ROI, refer to Section 4.4.2 for further

definition. As with the ROI under environmental consequences, the ROI for cumulative impacts includes the counties where the Installation is located and those that could potentially be impacted, both directly and indirectly, by past, present, and future actions. This is justified because of the considerable increase in population under the Transformation action and the potential to impact surrounding counties—areas that are considered in past, present, and reasonably foreseeable actions.

Rapid growth in the region is anticipated from these proposed actions, expansion of Aflac, and construction of the new Kia plant. These projects would add to the construction spending both at Fort Benning and in the region and would have positive economic effects on employment generation, income, and sales volume. Although all economic impacts as measured by the EIFS model resulted in outputs that did not exceed historical RTV values, additional spending for all of these activities could potentially have moderate beneficial economic development impacts. Housing would need to expand in the overall region to support these actions and increased demands for public services such as schools, hospitals, and police/fire departments would need to be met. Cumulatively, impacts would potentially be significant (but not adverse), as the socioeconomic growth, fueled by these actions, occurs within the ROI.

4.15.5.4 Transportation

Refer to Section 4.5.2 for detailed threshold information which is applied here. No significant adverse impact is anticipated if changes to the traffic patterns and level of service do not change or cause an intersection to fail. An intersection is said to have failed when it reaches LOS E or worse. Moderate impacts would occur if changes to the traffic patterns and level of service cause an intersection to perform more poorly as a result of implementing that past, present, or future action in conjunction with what is anticipated under the Transformation action. A drop from LOS A to LOS C, or from LOS B to LOS D, would be considered moderate. Significant adverse impacts would result if changes to the traffic patterns and level of service would cause an intersection to fail that was not failing under existing conditions. There are two types of areas evaluated for potential cumulative impacts from this proposed action with past, present, or future projects: on Post and at entry/exit gates and access points off Post.

Within the Post, the analysis of the Transformation action shows that traffic impacts are significant in only a few intersections. Anticipated traffic increases due to past, present, and future projects would represent less than 10 percent of the number of trips generated under the Transformation action (Alternative A or B) for three of the four cantonment areas (see Table 4.15-2).

Table 4.15-2: Trip Generation Comparison – Cumulative versus Transformation Actions

Location		AM Out	PM Out	AM In	PM In
Main Post	Additional Cumulative Trips	382	978	297	879
	Transformation Action	5,048	12,274	12,532	9,920
	Percent Increase	8%	8%	2%	9%
Kelley Hill	Additional Cumulative Trips	45	242	98	201
	Transformation Action	326	610	607	577
	Percent Increase	14%	40%	16%	35%
Harmony Church	Additional Cumulative Trips	81	234	142	227
	Transformation Action	5,441	11,039	10,667	5,955
	Percent Increase	1%	2%	1%	4%
Sand Hill	Additional Cumulative Trips	211	587	122	520
	Transformation Action	4,600	6,798	4,444	5,931
	Percent Increase	5%	9%	3%	9%

The projects to be implemented by Fort Benning (described in Section 4.5.3) are expected to accommodate these increases in traffic. Therefore, there would be no significant impacts to traffic of the Transformation action on Post when impacts are incrementally considered with past, present, and future projects.

The Transformation action, in combination with additional trips identified in both action alternatives (Table 4.15-2), has the potential to have adverse impacts to access points and the off-Post transportation network connected to these points. The best way to indicate where this may occur is to examine increased traffic volumes at the Fort Benning ACPs. If any of the ACPs experience a substantial increase in traffic volumes, it is reasonable to assume that the off-Post transportation network serving the affected ACP would also experience increased traffic volume. The critical time at the ACPs is the AM peak hour when traffic entering the Post is heaviest due to gate security requirements of inspecting identification cards for all drivers and passengers before entering. The traffic forecasts prepared for the Transformation action show that the highest volume entering Fort Benning is at the 11th Airborne Division Road ACP in the Sand Hill cantonment area where traffic at the AM peak hour is 946 vehicles (see Table 4.15-3). To process these vehicles, up to two security personnel per lane and three lanes at the 11th Airborne Division Road ACP would be required. This requirement applies an estimated processing rate of 1,170 vehicles per hour (390 vehicles/hr/lane) for a mix of 70 percent decaled and 30 percent non-decaled vehicles, and a medium processing rate¹. Additionally the ACP design and its location would need to be such that there is enough room for vehicle storage in case some unexpected queuing occurs at the gate. This is particularly true in areas close to intersections or highway ramps.

¹ Taking into consideration processing rates estimated by the Military Traffic Management Command (MTMC) for 100 percent DoD-decaled vehicles and an estimate made by STV Incorporated (STV 2003) for 100 percent non-decaled vehicles at Fort Benning, GA for a specific number of security personnel and three processing scenarios (i.e., low, medium, and high).

Table 4.15-3: Traffic at Two ACPs under the No Action and Action Alternatives

Custer/Fort Benning Blvd	AM		PM	
	Northbound	Southbound*	Northbound	Southbound*
Existing	137	575	562	101
No-Action	145	634	597	107
Growth Rate vs. Existing	1.1%	2.0%	1.2%	1.2%
Action Alternative (A or B)	209	731	661	203
Growth Rate vs. Existing	8.8%	4.9%	3.3%	15.0%
11th/187th	AM		PM	
	Eastbound*	Westbound	Eastbound*	Westbound
Existing	495	198	124	324
No-Action	525	211	132	344
Growth Rate vs. Existing	1.2%	1.3%	1.3%	1.2%
Action Alternative (A or B)	946	503	553	637
Growth Rate vs. Existing	13.8%	20.5%	34.9%	14.5%

Note: *Indicates entering traffic to a cantonment area.

The access roads leading to the Sand Hill cantonment area, mainly U.S. Highway 27/280, are considered to have enough capacity, according to conversations with the consultants working on the Fort Benning Comprehensive Transportation Study and personnel at the Installation (personal communication, Shad 2006). The Main Post has several access roads and the increased traffic would not be concentrated on a single place. At the ACP on Custer and Fort Benning Boulevard, the increase is moderate and the road would be able to handle it without major disruptions.

With implementation of the transportation mitigations (4.9.3) for the Transformation action, it is not anticipated that there would be significant cumulative impacts that are adverse when impacts are incrementally considered with past, present, or future actions.

4.15.5.5 Utilities

The threshold level of significance for utilities is the potential for change in demand that would adversely affect the ability of utility providers to provide service to existing customers (see Section 4.6.2); in addition, significance is determined by the ability of facilities to effectively accommodate additional demands.

Based on approximate numbers of proposed Transformation action military and civilian population, along with actions in the past, present, and future, estimated utility use would increase accordingly both on and off Post. Sustainable design measures; however, could be implemented to minimize utility use on Post and off-Post utility service capacities are anticipated to handle the increase in demand. Overall, implementation of the Transformation action would result in substantial (but not adverse) increased use of utility systems and services; however, these impacts when incrementally considered with other on- and off-Post actions are not considered adverse because it is anticipated that each utility system should have the capacity to meet these increased demands.

4.15.5.6 Noise

The threshold level of significance for noise is the increase of any Zone III (incompatible) noise contours where there are sensitive noise receptors (residences, hospitals, libraries, etc.) and construction noise resulting in an hourly equivalent sound level of 75 dBA at a sensitive receptor (see Section 4.7.2 for more details).

The ROI for noise impacts is the Installation and communities exposed to noise generated from the Installation. Off-Post noise generators (e.g., cars, trucks, and airplanes from the city airport) would need to increase considerably to make a negligible change in the noise environment. As presented in Section 4.7.2, off-Post noise contours would both increase in some locations and decrease in others from projected conditions (see Figure 4.7-2). When additional range construction slated for implementation in and beyond FY 2014 (see Figure 4.15-1 and Table 4.15-1) is implemented, noise contours would increase considerably (Figure 4.15-3) from existing conditions (see Figure 4.7-1).

When compared to projected conditions (Table 4.15-4), Zone III noise levels would increase on Post by about 6 percent and off Post by less than 1 percent. For Zone II, there would be a 9 percent increase in noise levels off Post and decrease about 2 percent on Post.

Table 4.15-4: Comparison of Existing, Projected, and Cumulative Noise Zones

Zone	Existing			Projected			Cumulative		
	Acres	On Post	Off Post	Acres	On Post	Off Post	Acres	On Post	Off Post
LUPZ	76,478	56,498	19,980	111,780	58,403	53,377	113,189	57,262	55,927
Zone II	49,484	48,053	1,431	59,003	51,844	7,159	58,967	51,077	7,890
Zone III	32,578	32,288	290	43,260	42,959	301	46,159	45,855	303
Total	158,540	136,839	21,701	214,043	153,206	60,837	218,315	154,194	64,121

On Post, there would be an increase of 2,896 acres within Noise Zone III as a result of future range projects. There would actually be a decrease of 767 acres within Noise Zone II and LUPZ on Post. Compatibility within the increased Noise Zone III areas would be similar to existing and projected noise exposure in the Main Post, Sand Hill, Kelley Hill, and Harmony Church cantonment areas (see Figure 4.7.1). Noise sensitive land uses are located in these areas, but similar to the discussion in Section 4.2.2.1, the noise impacts cumulatively would not be significant on Post.

Off Post, there would be a minor increase, incrementally, in Noise Zone III (2 acres) when compared to the projected noise contours; however, no increases in sensitive noise receptors would occur. There would be 731 additional acres in Noise Zone II and 2,550 additional acres in the LUPZ. The 731 additional acres within Noise Zone II would primarily occur within the panhandle/Chattsworth Road area of Muscogee County/Columbus (approximately 550 acres), as well in western Marion County (approximately 145 acres), and southwestern Talbot County (33 acres). In Zone II there would be additional residential areas exposed as well as two more churches (Table 4.15-5). The same number of impacted schools would not change from those found under the Transformation action.

In the LUPZ, areas potentially exposed to such noise levels would expand outward to the northeast into southern and northeastern Muscogee County and southwestern Talbot County, to the north into southern Harris County, and to the east into western Marion County. In summary, noise impacts, when incrementally considered would be moderate but not significant for land uses and sensitive noise.

Table 4.15-5: Comparison of Noise Sensitive Receptors Noise Contours

Noise Receptor	Zone II (65-75 dB)			Zone III (>75 dB)		
	Existing	Projected	Cumulative	Existing	Projected	Cumulative
Schools ^a	2	1	1	0	0	0
Churches ^b	0	3	5	0	0	0
Parks ^c	0	0	0	0	0	0
TOTAL	2	4	6	0	0	0

Sources: a) Georgia Tech 2005, b) ESRI 2004, c) Fort Benning 2006m.

4.15.5.7 Air Quality

The threshold level of significance for air quality is the violation of applicable federal or state laws and regulations, such as the CAA, and the potential for any *stationary* source (i.e., a specific facility) to be considered a major source of emissions as defined in 40 CFR 52.21, where total emissions of any pollutant subject to regulation under the CAA is greater than 250 tpy for attainment areas.

The ROI would remain the same as that described in 4.8.1. Regional activities, including those within Fort Benning that will introduce air quality impacts include the construction and operation of a Kia manufacturing facility in West Point, GA and the expansion of the existing Aflac facility in Columbus, GA.

The Kia plant is proposed to be constructed near West Point, GA, approximately 40 miles northwest of Fort Benning. The 2,000,000-square-foot manufacturing facility is expected to begin production sometime in 2008 and employ nearly 3,000 workers. Manufacturing is expected to comprise two vehicle assembly lines and an engine facility. In addition to the Kia plant, smaller supply companies integral to the Kia production process will likely set up shop within proximity of the plant. Overall, air quality impacts will be concentrated in two areas, manufacturing production emissions from the plant itself and mobile source emissions as a significant population commutes to West Point to work at the plant (and possibly, other nearby supply facilities). Operational emissions at the Kia facility can be

expected to be controlled by state-of-the-art technologies and permitted by the GDNR. The Kia facility has the potential to be categorized and regulated as a major source of air pollutants, primarily for VOCs, NO_x, and HAPs.

The Aflac facility located in Columbus, GA is composed of office space. Upon completion of the expansion construction, which will occur in phases over the period 2007 to 2012, the primary air quality impact will be due to commuting workers, as the workforce increases by 2,000 employees, many of whom may be expected to commute from localities within the region to the Aflac facility in Columbus.

An indirect impact of these two commercial projects is the possible increase in construction to provide additional housing for workers who will relocate to the region. This is an almost inevitable occurrence as Kia and Aflac seek to fill a certain portion of the expanded work force requirements with individuals of particular educational or job experience assets. While it is expected that residential construction activities in the region will increase as a result of the regional workforce increases, the extent of this action is not known.

Future actions that may add to air quality impacts primarily include the construction actions for those ongoing Transformation projects that would occur in FY 2014 and beyond and were assumed to occur from 2014 to 2017 for the purposes of this analysis. Thereafter, only on-Post operational emissions would continue to impact the local air quality.

Table 4.15-6 summarizes the estimated annual emissions from these construction activities for the assumed period 2014 through 2017. Detailed information on the emission estimates can be found in Appendix E.

**Table 4.15-6: Criteria Pollutant
Construction Emissions Tons per Year**

Year	VOC	CO	NO_x	SO₂	PM₁₀	PM_{2.5}
2014	36	124	183	20	339	44
2015	28	93	103	11	310	37
2016	2	9	18	2	10	2
2017	0.3	0.1	0.1	0.0	0.0	0.0

The years 2014 and 2015 would involve a significant number of construction projects. Thereafter, the pace of construction drops dramatically as most of the projects have a 1-year timeline, and none have timelines exceeding a 2 year duration. Operational emissions associated with the Transformation, which will achieve 100 percent activity at the end of the construction period, have been previously discussed in Section 4.8.

The incremental impacts of known actions could result in a degradation of regional air quality. During the period 2014 to 2017, the additional Fort Benning construction activities have the capability to produce significant air emissions, particularly NO_x, PM₁₀, and to a lesser extent, PM_{2.5}. During this period, the impacts of PM_{2.5} on ambient air quality will be extremely important. Should Fort Benning be include in an area categorized as nonattainment, remaining Fort Benning Transformation projects may require a

General Conformity Applicability Analysis prior to proceeding to determine if *de minimus* levels of PM_{2.5} would be exceeded.

Ultimately, the construction impacts will cease as the Transformation action is fully implemented. Transformation operations will continue into the foreseeable future and involve the operational parameters described in Section 4.8, with a modest increase in overall emissions associated with Fort Benning. Regional impacts of the Kia manufacturing facility operations and increased commuter traffic patterns associated with both the Kia plant and the Aflac office complex are expected to become permanent air quality degradation actions. The most significant degradation action is the operation of the Kia plant, which will potentially be regulated as a major source of emissions for VOCs, NO_x, and HAPs.

4.15.5.8 Hazardous Materials, Toxic Substances, and Hazardous Waste

The threshold level of significance for hazardous materials, toxic substances, and hazardous waste is surpassed if the storage, use, handling, or disposal of these substances substantially increases the risk to human health due to direct exposure, substantially increases the risk of environmental contamination, or violates applicable federal, state, DoD, and local regulations.

The ROI for this resource is the regional area and its ability to absorb the additional materials, substances, and waste that would be generated in combination with all the other present and future projects. The implementation of the Transformation action would not have significant impacts to hazardous materials, toxic substances, and hazardous waste when impacts are incrementally considered with past, present, and/or future actions in the ROI. There would be no increased risk to human health due to direct exposure associated with storage, use, handling, or disposal; would not substantially increase the risk of environmental contamination; or violate federal, state, DoD, or local regulations. While Section 4.9.2.2 provides justification for this conclusion for Alternatives A and B, the conclusion would not differ under this cumulative analysis. Projects in the past, present, and foreseeable future would not introduce adverse regional impacts to store, use, handle, or dispose of materials, nor would there be an adverse increase of exposure to these materials and substances.

4.15.5.9 Water Resources

The threshold level of significance for water resources is defined as any long-term impacts (chemical, physical, or biological effects) that would alter the historical baseline or standard water quality conditions. Additionally, actions that adversely impact water bodies currently considered impaired under CWA would be considered significant. The ROI for water resources is provided in Section 4.10.1.

Minor incremental effects to jurisdictional wetlands and to impaired waterways are possible. Those waterways include Randall Creek and unnamed tributaries of Ochillee Creek, Chattahoochee River, Upatoi Creek, Spring Creek, and Pine Knot Creek. However, the Transformation action would not result in any significant effects on water resources when impacts are incrementally considered with past, present, and future actions.

On post, the potential for cumulative adverse effects to wetland areas and waterways would be mitigated to insignificance through the adherence to existing installation policies and recommendations by GDNR to reduce and/or maintain point and non-point sediment; complying with NPDES permit limits and requirements; adopting Natural Resources Conservation Service Conservation practices; following guidance in the wetland permitting process; implementing Soil Erosion Control Plans; and applying BMPs. More detailed discussion of measures that would minimize significant impacts is outlined in Sections 4.10.2 and 4.10.3. Off Post, there is the potential for adverse cumulative impacts if off post, non-Fort Benning projects do not employ mitigation measures (outlined in 4.10.1 and 4.10.3) to minimize adverse impacts to water resources.

4.15.5.10 Geology and Soils

Cumulative impacts would be considered significant if ground disturbance or other activities would violate applicable federal or state laws and regulations, such as the Georgia Erosion and Sedimentation Act, and the potential for NOV's for the failure to receive applicable state permits, such as a NPDES construction/operation permit under the Erosion and Sedimentation Act. The ROI would remain similar to that provided in Section 4.11.1.

Impacts to geology, topography, and soils are site-specific and are not affected by development in the region. No significant cumulative impacts to the *geology* or *topography* within or immediately adjacent to the ROI are expected. In total, construction projects currently occurring or occurring within the reasonably foreseeable future that would be considered cumulative would impact approximately 1,820 acres within the Installation (Table 4.15-1). The cumulative impacts to soils, however, would be additive to those of the Transformation action (i.e., would occur as a result of these present and future projects) would include soil compaction, and disturbed and modified soil layers. Exposed soils would become more susceptible to erosion, and soil productivity, (i.e., the capacity of the soil to produce vegetative biomass), would also decline in disturbed areas and be completely eliminated for those areas within the footprint of paved or other hardened areas and new structures. Impacts to soils from construction and/or demolition activities occurring in areas that are currently or previously developed would be minimal, given the fact that these soils have been previously disturbed or modified and in some areas are already covered by structures, concrete, or other appropriate surfaces.

The soil disturbance anticipated with the Transformation action, when incrementally considering impacts of past, present, and future actions, could result in cumulative adverse impacts to soils. However, because the Installation would be required to adhere to the same regulatory requirements for past, present, and future construction projects (see Section 4.11.1), the cumulative impacts would not be significant. Off Post, there is the potential for adverse impacts if those projects do not employ adequate mitigation measures to minimize adverse impacts to soil resources.

4.15.5.11 Biological Resources

Impacts on biological resources would be considered significant if one of more of the following conditions would result:

- substantial loss or degradation of habitat or ecosystem functions (natural features and processes) essential to the persistence of native plant and animal populations;
- substantial loss or degradation of a sensitive habitat, including wetlands and UEAs that support high concentrations of special status species or migratory birds;
- disruption of a federally listed species, its normal behavior patterns, or its habitat that substantially impedes the Installation's ability to either avoid jeopardy or conserve and recover the species (including violating Section 9 of the ESA); or
- substantial loss of population or habitat for a state-protected or non-listed but special status species, increasing the likelihood of Federal listing action to protect the species in the future.

The definition of "substantial" is dependent on the species and habitats in question and the regional context in which the impact would occur. Impacts may be considered more adverse if the action affects previously undisturbed habitat or if the impact would occur over a large portion of available habitat in the region.

Cumulative impacts to vegetation, wetlands, wildlife, protected species, and UEAs may occur due to the additional habitat disturbance resulting from increased human population, supplemental training ranges, additional housing, commercial areas, roads, and recreational facilities in the region. The impacts would be dispersed in time and place, but would have a collective effect in changing the native landscape at Fort Benning and surrounding region. The Transformation action alternatives would increase the population of the region, leading to new facilities both on and off the Installation. Expansion of the Aflac facility and Kia manufacturing plant also brings new jobs to the area and increases the demand for housing and commercial services. The influx in population and development would disturb and fragment habitat surrounding Fort Benning. Disturbance and clearing of the longleaf pine ecosystem may impact sensitive plant species and reduce available habitat for sensitive wildlife such as RCW and gopher tortoise. Habitat fragmentation may affect reproduction, dispersal, and migration of these and other species.

The Chattahoochee River Restoration project is expected to have a beneficial effect on biological resources after an initial period of increased turbidity and sedimentation. Other construction projects and the overall increase in impervious surfaces are likely to increase the sediment load in Fall Line streams, which are sensitive to erosion from unstable soils. The individual effects of each project would be controlled and permitted as required, but cumulative impacts to stream ecosystems may occur. Sedimentation and changes in flow rate could affect fish and other aquatic species.

Implementation of ACUB initiatives could potentially offset impacts for biological resources, including special status species. The protection of key habitat areas adjacent to Fort Benning would potentially result in contiguous corridors for special status species protection. Specifically, the Fall Line habitat

protection and restoration areas may extend out along the northeastern boundary of the Installation as much as 10 miles. The ACUB program would manage these lands to secure viability of gopher tortoise and relict trillium populations off Post, as well as other associated rare species and wetlands; and to provide future habitat for RCW. Mature pine habitat protection and restoration, extending westward into Alabama providing similar Fall Line habitat, would provide the best chance at providing near-term RCW restoration and protection off post by linking existing habitat. The restoration and protection of pine uplands and riverine systems southward along the Chattahoochee River offer similar potential for RCW restoration linked with existing habitat (TNC 2006a). Fort Benning's participation in the RCW donor population program is evaluated in the BA (accessible at the aforementioned Army website).

Transformation actions would potentially have significant cumulative impacts to biological resources. The details of each project in the cumulative impact analysis remain to be determined, but several of the projects are expected to involve potentially significant impacts to biological resources. The projects may occur in sensitive habitats, wetlands, UEAs, and may affect threatened and endangered species. Each new project within the Installation would be subject to review under NEPA and the ESA. These review processes and consultation with the USFWS, when applicable, would potentially reduce the significant impact of each individual project on biological resources to the maximum extent practicable.

4.15.5.12 Cultural Resources

The threshold for significant impacts to cultural resources includes any adverse disturbance that cannot be mitigated and affects the integrity of a historic property (an eligible cultural resource) or that may affect a cultural resource that has not yet been evaluated to determine its eligibility to the NRHP or one that has importance to a traditional group under American Indian Religious Freedom Act (AIRFA), EO 13007, and NAGPRA.

For cultural resources, cumulative effects would be contained within the Installation and would be similar to the environmental consequences provided in Section 4.13.2, in that cultural resources could potentially be affected where ground disturbance would occur to expose unknown cultural resources, where structures are renovated or demolished, or where visual elements may be introduced that are out of character with a historic property within the view shed. Impacts to cultural resources may incrementally occur from past, present, or future actions on Post if additional ground disturbance results from expanded training ranges and/or additional housing, commercial areas, roads, and recreational facilities are required. On Post, these impacts can be avoided, minimized, or mitigated, but would have a collective effect in reducing the overall number of historic properties on Fort Benning and in the surrounding region.

Under existing plans and designs, Transformation projects starting in 2014 could affect the historic Cottage Mill cemetery, nine eligible and potentially eligible sites, and the Phillips-Wragg historic cemetery. These proposed projects would also affect 34 eligible or potentially eligible sites, 2 unevaluated sites, 9 structures, and 3 cemeteries (Tables 4.15-7 through 9).

Table 4.15-7: Eligible and Unevaluated Archaeological Sites Affected, Cumulative

Site Number	Site Affiliation	Project Location	Project Name	NRHP Eligibility Status
Cumulative Ongoing				
9CE433	Prehistoric	Northern Range	DMPRC	Eligible
9CE1735	Historic	Northern Range	DMPRC	Eligible
9CE2028	Prehistoric	Northern Range	DMPRC	Eligible
9CE2030	Prehistoric	Northern Range	DMPRC	Eligible
9CE2032	Prehistoric	Northern Range	DMPRC	Eligible
9CE2033	Historic	Northern Range	DMPRC	Eligible
9CE2038	Historic	Northern Range	DMPRC	Eligible
9ME893	Prehistoric	Northern Range	CLFX1	Eligible
9CE2369	Prehistoric	Southern Range	IPBC	Eligible
Cumulative Future				
9CE18	Prehistoric	Northern Range	RCI	Eligible
9CE36	Prehistoric	Northern Range	RCI	Eligible
9CE374	Prehistoric	Northern Range	RCI	Eligible
9CE1000	Prehistoric	Northern Range	RCI	Eligible
1RU377	Historic	Northern Range	RCI	Eligible
1RU389	Historic	Northern Range	RCI	Eligible
9CE2068	Prehistoric	Northern Range	IPBC4	Eligible
9CE2113	Prehistoric	Northern Range	MPTR1	Eligible
9CE2470	Prehistoric	Northern Range	MPTR1	Eligible
9CE2479	Prehistoric	Northern Range	MPTR1	Eligible
9CE2486	Prehistoric	Northern Range	Range Heavy Use Area	Eligible
9CE2487	Prehistoric	Northern Range	MPTR1	Eligible
9ME51	Prehistoric	Northern Range	Range Heavy Use Area	Eligible
9ME54	Prehistoric	Northern Range	Range Heavy Use Area	Eligible
9ME55	Historic	Northern Range	Range Heavy Use Area	Not Evaluated
9ME608	Historic	Northern Range	Range Heavy Use Area	Eligible
9ME626	Prehistoric	Northern Range	CLFX2	Eligible
9ME742	Historic	Northern Range	Range Heavy Use Area	Eligible
9ME748	Historic	Northern Range	Range Heavy Use Area	Eligible
9ME757	Historic	Northern Range	FM2	Eligible
9ME992	Historic	Sand Hill	N.A.	Eligible
9ME752	Historic	Northern Range	FM2	Eligible
9ME757	Historic	Northern Range	FM2	Eligible
9ME893	Prehistoric	Northern Range	CLFX1	Eligible
9ME839	Prehistoric	Northern Range	CLFX1	Eligible
9ME1335	Prehistoric	Northern Range	CLFX2	TBD
9ME626	Prehistoric	Northern Range	CLFX2	Eligible
9CE2411	Prehistoric	Southern Range	MPMG2	Eligible
9CE1623	Prehistoric	Northern Range	MPTR1/CLFX5/IPBC3	Eligible
9CE1622	Prehistoric	Northern Range	MPTR1/CLFX5/IPBC3	Eligible
9CE2481	Prehistoric	Northern Range	MPTR1/CLFX5/IPBC3	Eligible
9CE2470	Prehistoric	Northern Range	MPTR1/CLFX5/IPBC3	Eligible
9CE2478	Prehistoric	Northern Range	MPTR1/CLFX5/IPBC3	Eligible
9CE2479	Prehistoric	Northern Range	MPTR1/CLFX5/IPBC3	Eligible
9CE2471	Prehistoric	Northern Range	MPTR1/CLFX5/IPBC3	Eligible
9CE2092	Prehistoric	Northern Range	MPTR1/CLFX5/IPBC3	Eligible

Table 4.15-8: Eligible and Unevaluated Architectural Resources Affected, Cumulative

Building Number	Building Location	Project Name	Historic District?	NRHP Eligibility Status
Cumulative Future				
85	Main Post	Conversion	Main Post	Eligible
124	Main Post	Conversion	Main Post	Eligible
214	Main Post	Conversion	Main Post	Eligible
216	Main Post	Conversion	Main Post	Eligible
217	Main Post	Conversion	Main Post	Eligible
218	Main Post	Conversion	Main Post	Eligible
219	Main Post	Conversion	Main Post	Eligible
220	Main Post	Conversion	Main Post	Eligible
221	Main Post	Conversion	Main Post	Eligible

Table 4.15-9: Cemeteries Affected, Cumulative

Cemetery Name	Location	Project Name
Ongoing		
Phillips-Wragg	Northern Range	DMPRC
Cottage Mill	Southern Range	IPBC
Future		
Ginn-Pate	Northern Range	CLFX2
Possible	Northern Range	Range Heavy Use Area
Unknown 6	Sand Hill	Shoppette

There would be potential adverse impacts from these future Transformation actions in 2014 and beyond; however, because all future construction projects would be under the same regulatory requirements for mitigation, these cumulative impacts would not be considered significant.

4.15.5.13 Safety

The threshold level of significance for safety is exceeded when construction and/or operational activities are proposed within an area with UXOs; the SDZ exclusion area overlaps with personnel support areas; and/or the SDZ of a range extends off the Installation with exception per AR-385-63, or OSHA violations occur.

The ROI for cumulative effects for safety, therefore, consists of the Installation and any area subjected to an SDZ exclusion arc that extends off the Installation. No past, present, or future actions would be adverse to safety. Construction would not occur within UXO areas, the SDZs would be designed not to overlap with personnel support areas; and would not extend off Post. Therefore, no significant cumulative impacts to safety would occur.

4.16 IRREVERSIBLE OR IRRETRIEVABLE COMMITMENTS OF RESOURCES

4.16.1 Irreversible and Irretrievable Commitment of Resources

An irreversible/irretrievable commitment of resources results from a decision to use or modify resources when they are renewable only over a long period of time, such as soil productivity, or when they are nonrenewable resources, such as cultural resources. The single most irreversible and irretrievable commitment of resources associated with the proposed action is the loss of forested lands for the projects associated with the training range improvements and alterations, including its support facilities and access roads. It is considered an irreversible commitment because, for the foreseeable future, this area will be used for a range and re-establishing it as a forest is not reasonable for quite some time. Some wetland areas and vegetation will be permanently lost due to construction; in addition, there is a potential for the displacement of wildlife or the loss of protected species and their habitat. Although these actual resources will be lost, through the design and other mitigation, much of the impacts will be offset or minimized.

The materials and energy required for the construction, operation, and maintenance of the projects in the proposed action, particularly the range improvements and operations, also represent irretrievable commitments of resources. The total amount of construction materials required for this action is relatively insignificant when compared to the resources available in the region. The energy required for construction consists of the fuels necessary to operate heavy construction equipment and trucks. Although energy conservation is a vital and critical issue, the energy resource commitment to the proposed action is not anticipated to be excessive in terms of region-wide usage. Materials and energy are not in short supply and their use would not have a significant effect upon continued availability of these resources. Construction, operation, and maintenance would also require a substantial expenditure of Federal funds that would not be directly retrievable.

4.16.2 Unavoidable Adverse Effects

The environmental analysis of the alternatives includes the avoidance, minimization, or other mitigation of potential adverse effects on natural, cultural, and environmental resources; however, all adverse impacts may not be completely avoided and/or mitigated. Some adverse effects would be temporary in nature; for example, there would be temporary minor adverse effects to air quality due to the presence of construction equipment and repeated occurrences of temporary effects due to subsequent training by mechanized vehicles, in addition to the ongoing use of prescribed fire for habitat management. Other adverse effects could be long-term in nature; for example, the removal of protected species habitat due to land-clearing activities for construction and subsequent training/use by mechanized vehicles.

Current noise impacts near the Installation boundary would continue and not be readily avoided or completely mitigated. Adverse impacts from Zone III noise in the action alternatives cannot be completely avoided or minimized, although sensitive receptors are currently present there. Operations within training areas and ranges would continue to result in noise generation. Limiting night firing on ranges is currently on a voluntary basis only and imposing rigid restrictions on night firing would

Final

decrease the realism of the training for Soldiers and, therefore, impede the training mission of Fort Benning. Continued communication with the public would help address noise concerns. Programs to discourage or avoid incompatible land uses (e.g., ACUB and the Joint Land Use Study programs) may minimize noise impacts to the community. Any mitigation measures identified in the future will be considered to mitigate the unavoidable adverse effects that have been identified in this EIS.

5.0 LIST OF PREPARERS

U.S. Army Corps of Engineers, Mobile District

Name	Title	Education/Responsibility	Experience
Julie Morgan	BRAC NEPA Support Team – Project Manager	B.A., Anthropology, MA Historical Administration. Responsible for the overall management of the BRAC NEPA document preparation	12 years

The Louis Berger Group, Inc.

Name	Title	Education/Responsibility	Experience
Erin Andersen	Production Specialist	B.A., Sociology	9 years
Najja Bracey	Economist	M.A., International Relations and Economics. Responsible for Socioeconomics	4 years
Timothy Canan, AICP	Manager and Senior Planner	M.U.R.P., Urban and Regional Planning. Responsible for project management and all sections	17 years
Jill Cavanaugh, AIA Associate	Architect/Planner	B.A., Architecture, M.S. Architecture and Urban Design. Responsible for Aesthetics and Visual Resources	6 years
Jess Commerford, AICP	Senior Vice President	B.G.S., Political Science, M.S. Urban and Regional Planning. Responsible for all sections	17 years
Carlos Espindola	Senior Transportation Engineer	M.S., Civil Engineering / Transportation. Responsible for Transportation	10 years
Julie Flesch-Pate	Senior Environmental Planner	B.S., Biochemistry, Certified Public Manager. Responsible for Water Resources	13 years
Joel Gorder	Planner/Environmental Scientist	M.U.R.P., Responsible for Geology and Soils	11 years
Alan Karnovitz	Senior Economist	B.S. Natural Resource Science M.P.P. Public Policy. Responsible for Socioeconomics	25 years

TEC Inc.

Name	Title	Education/Responsibility	Experience
James Campe	Senior Environmental Analyst	B.S., Naval Architecture and Offshore Engineering,. Responsible for Safety	18 years
Cathy Doan	Environmental Analyst	B.S., English, MA Human Resources Development. Responsible for Utilities	10 years

Name	Title	Education/Responsibility	Experience
Mike Dungan	Senior Environmental Analyst	Ph.D., Ecology and Evolutionary Biology. Responsible for Biological Resources	26 years
Elaine Emerson	Technical Editor	B.A., English Literature and American Studies. Responsible for QA/QC	16 years
Ellen Graap-Loth	Senior Environmental Analyst	B.S., Natural Resources. Responsible for Hazardous and Toxic Substances and Wastes	17 years
Lesley Hamilton	Senior Environmental Analyst	B.A., Chemistry. Responsible for Air Quality	17 years
Edie Mertz	Graphics Specialist	A.A., General Education. Responsible for Graphics	13 years
Kelly Mitchell	Cultural Resources Specialist	B.S., Anthropology, M.A. History. Responsible for Cultural Resources.	11 years
William C. Palmer	GIS Specialist and Planner	B.A. Economics, M.A. Urban and Environmental Planning. Responsible for GIS	5 years
Kathy L. Rose	Manager and Senior Environmental Analyst	B.A. Political Science/German, M.A. International Relations, M.S. Forest Resource Management. Responsible for all sections and QA/QC	12 years
Teresa Rudolph	Cultural Resource Senior Analyst	B.A./M.A., Anthropology. Responsible for Cultural Resources	27 years
Carol Wirth	Senior Planner	B.S. Ecology and Evolutionary Biology. Responsible for DOPAA, Land Use, QA/QC	12 years

Federal-State Agencies							
First	Last	Title	Organization	Address	City	State	Zip Code
			Columbus Consolidated Government Planning Division	100 10th St., 6th Floor, Government Center Tower	Columbus	GA	31902
			Columbus/Muscogee County Soil Conservation Service	100 10th St., 6th Floor, Government Center Tower	Columbus	GA	31993
Tom	Fisher	Albany Field District	USACE	1104 North Westover Rd.	Albany	GA	31707
Gregory	Hogue	Regional Environmental Officer	USDI, Office of Environmental Policy & Compliance	Russell Federal Building, Suite 1144, 75 Spring Street, S.W.	Atlanta	GA	30303
Willie R.	Taylor	Director	USDI, Office of Environmental Policy & Compliance	(MS:2342MIB), 1849 C Street, N.W.	Washington	DC	20240
J.I.	Palmer, Jr.	Administrator, Region IV	USEPA	61 Forsyth Street S.W.	Atlanta	GA	30303
Bob	Lord	Region IV, Wetland Section	USEPA	61 Forsyth Street S.W.	Atlanta	GA	30303
Gerald	Miller	Commander, Savannah District	USACE	Post Office Box 889	Savannah	GA	31402
James D.	Giattina	Director, Water Management Division	USEPA	61 Forsyth Street S.W.	Atlanta	GA	30303
		Soil Conservation Service	USDA	Post Office Box 18	Buena Vista	GA	31803
James R.	Crozier	Region 5 Representative	Georgia Soil and Water Conservation Commission	4344 Albany Highway	Dawson	GA	39842
Barbara	Jackson		Georgia State Clearinghouse	270 Washington Street, SW., 8th Floor	Atlanta	GA	30334
M. Barnett	Lawley	Commissioner of Conservation	AL Department of Conservation and Natural Resources	64 N. Union Street	Montgomery	AL	36130
		Alabama State Historic Preservation Officer	Alabama Historic Commission	468 South Perry Street	Montgomery	AL	36130
Ray	Luce	Director, Historic Preservation Division	GA DNR	34 Peachtree Street, N.W., Suite 1600	Atlanta	GA	30303
John	Doresky	Fort Benning Field Office	USFWS	P.O. Box 52560	Fort Benning	GA	31995
Ralph	Costa	RCW Recovery Coordinator	USFWS	261 Lehotsky Hall	Clemson	SC	29634
Dr. Carol A.	Couch	Director	Georgia EPD	2 Martin Luther King Jr. Dr., SE, Suite 1152 East	Atlanta	GA	30334
Noel	Holcom	Commissioner	Georgia DNR	2 Martin Luther King Jr. Dr., SE, Suite 1252 East	Atlanta	GA	30334
Linda	MacGregor	Branch Chief	Watershed Protection Branch, GA EPD	4220 International Pkwy, Suite 101	Atlanta	GA	30354
Becky	Kelley	Director	Parks, Recreation and Historic Sites Division, GA DNR	2 Martin Luther King Jr. Dr., SE, Suite 1352	Atlanta	GA	30334

Elected Officials						
Agency	First	Last	Address	City	State	Zip Code
Alabama Governor	Bob	Riley	600 Dexter Avenue	Montgomery	AL	36130
Alabama, 28 th State Senate District	Myron C.	Penn	11 S. Union Street Room 731	Montgomery	AL	36130
Alabama, 79th House District	Mike	Hubbard	11 S. Union Street Room 536-A	Montgomery	AL	36130
Alabama, 80 th State House District	Lesley	Vance	11 S. Union Street Room 630-E	Montgomery	AL	36130
Alabama, 81st State House District	Betty Carol	Graham	11 S. Union Street Room 531	Montgomery	AL	36130
Alabama, 82nd State House District	Pebblin W.	Warren	11 S. Union Street Room 532-C	Montgomery	AL	36130
Alabama, 83 rd State House District	George	Bandy	11 S. Union Street Room 529	Montgomery	AL	36130
Alabama, 84 th State House District	Billy	Beasley	11 S. Union Street Room 625-A	Montgomery	AL	36130
Alabama, U.S. House of Representatives, 3 rd District	Mike	Rogers	324 Cannon HOB	Washington	DC	20515
Alabama, U.S. Senate	Jeff	Sessions	335 Russell Senate Office Building	Washington	DC	20510
Alabama, U.S. Senate	Richard	Shelby	110 Hart Senate Office Building	Washington	DC	20510
Board of Commissioners, Cusseta, GA	Larry	Dillard	P.O. Box 299	Cusseta	GA	31805
Board of Commissioners, Russell County, AL	Cattie	Epps	P.O. Box 969 County Courthouse	Phenix City	AL	36868
Chairman, Marion County	Myron	Well	240 Cool Springs Road	Buena Vista	GA	31803
Georgia Governor	Sonny	Perdue	Office of the Governor, Georgia State Capitol	Atlanta	GA	30334
Georgia State House District 129	Vance	Smith, Jr.	P.O. Box 171	Pine Mountain	GA	31822
Georgia State House District 130	Debbie	Buckner	780 Fielder's Mill Road	Junction City	GA	31812
Georgia State House District 131	Richard	Smith	P.O. Box 2122	Columbus	GA	31902
Georgia State House District 132	Calvin	Smyre	P.O. Box 181	Columbus	GA	31902
Georgia State House District 133	Carolyn	Hugley	P.O. Box 6342	Columbus	GA	31917
Georgia State Senate District 14	George	Hooks	P.O. Box 928	Americus	GA	31709
Georgia State Senate District 15	Ed	Harbison	P.O. Box 1292	Columbus	GA	31902
Georgia State Senate District 29	Seth	Harp	P.O. Box 363	Midland	GA	31820
Georgia, State House District 135	Lynmore	James	114 Walnut Street	Montezuma	GA	31063
Georgia, State House District 148	Bob	Hanner	9610 Plains Highway	Parrott	GA	39877
Georgia, U.S. House of Representatives, 10th District	Charlie	Norwood	2104 Rayburn HOB	Washington	DC	20515
Georgia, U.S. House of Representatives, 11th District	Phil	Gingrey, M.D.	119 Cannon HOB	Washington	DC	20515
Georgia, U.S. House of Representatives, 12th District	John	Barron	226 Cannon HOB	Washington	DC	20515
Georgia, U.S. House of Representatives, 13th District	David	Scott	417 Cannon HOB	Washington	DC	20515
Georgia, U.S. House of Representatives, 1st District	Jack	Kingston	2368 Rayburn HOB	Washington	DC	20515
Georgia, U.S. House of Representatives, 2nd District	Sanford	Bishop, Jr	2429 Rayburn HOB	Washington	DC	20515
Georgia, U.S. House of Representatives, 3rd District	Jim	Marshall	515 Cannon, HOB	Washington	DC	20515
Georgia, U.S. House of Representatives, 4th District	Hank	Johnson	1133 Longworth HOB	Washington	DC	20515
Georgia, U.S. House of Representatives, 5th District	John	Lewis	343 Cannon HOB	Washington	DC	20515
Georgia, U.S. House of Representatives, 6th District	Tom	Price	424 Cannon HOB	Washington	DC	20515
Georgia, U.S. House of Representatives, 7th District	John	Linder	1026 Longworth HOB	Washington	DC	20515
Georgia, U.S. House of Representatives, 8th District	Lynn	Westmorland	1213 Longworth HOB	Washington	DC	20515
Georgia, U.S. House of Representatives, 9th District	Nathan	Deal	2133 Rayburn HOB	Washington	DC	20515
Georgia, U.S. Senate	Saxby	Chambliss	416 Russell Senate Office Bldg.	Washington	DC	20510
Georgia, U.S. Senate	Johnny	Isakson	120 Russell Senate Office Bldg	Washington	DC	20510
Marion County Commission	Ronald	Graham	P.O. Box 481	Buena Vista	GA	31803
Marion County Commission	George	Neal	240 Cool Springs Road	Buena Vista	GA	31803
	Ralph	Brown	P.O. Box 158	Buena Vista	GA	31803
	Jeff	Hardin	601 12th Street	Phenix City	AL	36867
	Jerry	Hays	P.O. Box 481	Buena Vista	GA	31803
	Julius	Hunter, Jr	139 Whippoorwill Lane	Columbus	GA	31906
	Robert S.	Poydasheff	100 10th St., 6th Floor, Government Center Tower	Columbus	GA	31901
	H.H.	Roberts	601 12th Street	Phenix City	AL	36867
	Evelyn	Turner Pugh	325 Jefferson Drive	Columbus	GA	31907

American Indian Tribal Representatives							
First	Last	Title	Organization	Address	City	State	Zip Code
Debbie	Thomas		Alabama/Coushatta Tribe of Texas	571 State Park Road 56	Livingston	TX	77351
Tarpie	Yargee	Honorable	Alabama/Quassarte Tribal Town	P.O. Box 187 117 North Main Street	Wetumka	OK	74880
Augustine	Asbury	Honorable	Alabama/Quassarte Tribal Town	P.O. Box 187 117 North Main Street	Wetumka	OK	74880
Joanne	Battiste	Honorable	Alabama-Coushatta Tribe of Texas	571 State Park Road 56	Livingston	TX	77351
Bill	Anoatubby	Honorable	Chickasaw Nation	3rd Floor P.O. Box 1548	Ada	OK	74821
Gingy	Nail		Chickasaw Nation	124 South Broadway American Building, 3rd Floor P.O. Box 1548	Ada	OK	74821
Lovelin	Poncho	Honorable	Coushatta Tribe of Louisiana	P.O. Box 818, 1940 Bell Road	Elton	LA	70532
Kevin	Sickey	Honorable	Coushatta Tribe of Louisiana	P.O. Box 99	Elton	LA	70532
Gary	Bucktrot	Honorable	Kialegee Tribal Town	P.O. Box 332 108 N. Main Street	Wetumka	OK	74883
Evelyn	Bucktrot	Honorable	Kialegee Tribal Town	108 N. Main Street, P.O. Box 332	Wetumka	OK	74883
Marsey	Harjo		Kialegee Tribal Town	108 N. Main Street, P.O. Box 332	Wetumka	OK	74883
Phillip	Martin	Honorable	Mississippi Band of the Choctow Indians	P.O. Box 6010	Philadelphia	MS	39350
A.D.	Ellis	Honorable	Muscogee (Creek) Nation of Oklahoma	P.O. Box 580 HWY 75 & Loop 56	Okmulgee	OK	74447
Joyce	Bear		Muscogee (Creek) Nation of Oklahoma	P.O. Box 580 HWY 75 & Loop 56	Okmulgee	OK	74447
Bufford	Rolin	Honorable	Poarch Band of Creek Indians	HCR 69A, Box 85B 5811 Jack Springs Road	Atmore	AL	36502
Robert	Thrower		Poarch Band of Creek Indians	HCR 69A, Box 85B 5811 Jack Springs Road	Atmore	AL	36502
Kenneth	Chambers	Honorable	Seminole Nation of Oklahoma	P.O. Box 1498	Wewoka	OK	74884
Kelly	Haney	Honorable	Seminole Nation of Oklahoma	P.O. Box 1498	Wewoka	OK	74884
Emmain	Spain		Seminole Nation of Oklahoma	P.O. Box 1768	Seminole	OK	74868
Mitchell	Cypress	Honorable	Seminole Tribe of Florida	AH-THA-THI-KI Museum HC-61, Box 21A	Clewiston	FL	33440
Willard	Steele		Seminole Tribe of Florida	AH-THA-THI-KI Museum HC-61, Box 21A	Clewiston	FL	33440
George	Scott	Honorable	Thlopthlocco Tribal Town	P.O. Box 188	Okemah	OK	74859
Charles	Coleman		Thlopthlocco Tribal Town	P.O. Box 188	Okemah	OK	74859
George	Wickliffe	Honorable	United Keetoowah Band of the Cherokee Indians of Oklahoma	P.O. Box 189	Park Hill	OK	74451
Lisa	Stopp	Honorable	United Keetoowah Band of the Cherokee Indians of Oklahoma	P.O. Box 189	Park Hill	OK	74451
Lisa	Stopp		United Keetoowah Band of the Cherokee Indians of Oklahoma	P.O. Box 189	Park Hill	OK	74451

Interest Groups						
First	Last	Organization	Address	City	State	Zip Code
		Audobon Society of Columbus	P.O. Box 442	Hamilton	GA	31811
		Chattahoochee Nature Center	9135 Willeo Road	Roswell	GA	30075
		Chattahoochee RiverWatch	30 W. 10th Street P.O. Box 1492	Columbus	GA	31909
Biff	Hadden	Columbus Chamber of Commerce	901 Front Ave	Columbus	GA	31901
Frank	Schnell	Columbus Museum	1251 Wynnton Road	Columbus	GA	31906
Dick	Ellis	Development/ Columbus Consolidated Government	100 10th St., 6th Floor, Government Center Tower	Columbus	GA	31809
		Georgia Bass Chapter Federation	11575 Northgate Trail	Roswell	GA	30075
E.J.	Williams	Georgia DNR	116 Rum Creek Drive	Forsyth	GA	31029
Claude	Yearwood	Georgia Forestry Association, Inc	505 Pinnacle Court	Norcross	GA	30071
		Georgia Trappers Association, Inc	Rural Route 1, Box 204A	Lutherville	GA	30251
Greg	Paxton	Georgia Trust for Historic Preservation	1516 Peachtree Street, NW	Atlanta	GA	30309
		Georgia Wildlife Federation	11600 Hazelbrand Road	Covington	GA	30014
		Georgia Woman Flyfishers	116 Kenninghall Ct.	Smyrna	GA	30082
Joy	Kramer	Greater Columbus Chamber of Commerce	P.O. Box 1200	Columbus	GA	31902
		National Wildlife Society	1401 Peachtree Street N.E. Suite 240	Atlanta	GA	30309
Mike	Gaymon	Phenix City-Russell County Chamber of Commerce	1107 Broad Street	Phenix City	GA	36887
		Sierra Club, Georgia Chapter	1447 Peachtree Street N.E. Suite 305	Atlanta	GA	30309
		The Georgia Conservancy, Inc	1776 Peachtree St., NW St. 400 South Tower	Atlanta	GA	30309
		The Nature Conservancy	303 12th Street, Chattahoochee Fall Line Office	Columbus	GA	31901
Laurel	Moore-Barnhill	USDA Forest Service, Savannah River	P.O. Box 700	New Ellenton	SC	29809
		Wildlife Society, Georgia Chapter	2150 Dawsonville Highway	Gainesville	GA	30501
Wade	Harrison	Chattahoochee Fall Line Project Director	P.O. Box 52452	Fort Benning	GA	31995

Public Requests for Final EIS				
First	Last	City	State	Zip Code
Tony	Denigian	Mountain View	CA	94043
John	Imhoff	Ovray	CO	81427
Richard	Park	Diamondhead	MS	39525
Eileen	Regan	Broomfield	CO	80021
Rid	Jones	Columbus	GA	31902
Judy	Rowe	Midland	GA	31820
Frances	Veal	Box Springs	GA	31801
Gary	Jones	Columbus	GA	31506
John	Woodward	Columbus	GA	31901
Gordon	Cox	Phenix City	AL	36869
Elaine	Gillispee	Columbus	GA	31901
Dasher Enterprises		Columbus	GA	31907
Linda	Boyd	Midland	GA	31820

General EIS Recipients				
First	Last	City	State	Zip Code
Randy and Debbie	Addison	Buena Vista	GA	31803
Paul	Anthony	Buena Vista	GA	31803
William and Bethany	Beasley	Box Springs	GA	31801
Charles and Jane	Bentley	Buena Vista	GA	31803
Velma	Bentley	Box Springs	GA	31801
William	Birkhead	Columbus	GA	31907
Congressman S.D.	Bishop	Columbus	GA	31901
Paul	Bourff	Box Springs	GA	31801
Timothy and Sandra	Brown	Box Springs	GA	31801
Kevin	Brown	Buena Vista	GA	31801
Stanley	Bullard	Buena Vista	GA	31803
Kenneth	Bullard	Columbus	GA	31909
James	Cannon	Box Springs	GA	31801
Elizabeth Turner and Doroty	Carson	Box Springs	GA	31801
William	Carter	Box Springs	GA	31801
Steve	Catrett	Box Springs	GA	31801
David	Costine	Box Springs	GA	31801
Jacqueline	Costine	Box Springs	GA	31801
Betty Jo	Cotton	Buena Vista	GA	31803
Lisa	Culpepper	Box Springs	GA	31801
Linda	Devine, HQ ACC/A7ZP	Langley AFB	VA	23665
Helen	Dillard	Buena Vista	GA	31803
Robert	Ferrell, Jr	Columbus	GA	31909
David	Felder	Buena Vista	GA	31803
Lewis	Fokes	Buena Vista	GA	31803
Jeannette	Forsyth	Ellaville	GA	31806
Ralph	Forsyth	Box Springs	GA	31801
Charles	Francis	Box Springs	GA	31801
Harry	Franklin	Columbus	GA	31907
Cathy	Fussell	Buena Vista	GA	31803
Charles and Gennie	Gartland	Buena Vista	GA	31803
Steve	Golden	Box Springs	GA	31801
Stan and Catherine	Goodroe	Buena Vista	GA	31803
Charles	Goodwin	Cussetta	GA	31805
Faron	Gosner	Box Springs	GA	31803
La Dema	Graves	Smiths	AL	36877
Bobby	Gray	Box Springs	GA	31801
James	Haas	Buena Vista	GA	31803
Lonnie	Hale	Mauk	GA	31058
Martha	Hall	Buena Vista	GA	31803
Sammie	Hall	Buena Vista	GA	31803
Earl	Harbuck	Box Springs	GA	31801
Kenneth	Harmon	Box Springs	GA	31801

General EIS Recipients				
First	Last	City	State	Zip Code
Larry	Harper	Buena Vista	GA	31803
Frank	Hendricks	Buena Vista	GA	31803
Debra	Herrin	Buena Vista	GA	31803
Joanne	Horne	Buena Vista	GA	31803
Daniel	Hudson	Box Springs	GA	31803
Jeannette	Icard	Buena Vista	GA	31803
Ken	Kahler	Box Springs	GA	31801
Frank	Lee	Box Springs	GA	31801
Marion	Matthews	Box Springs	GA	31801
R.S.	Mattson	Buena Vista	GA	31803
Matthew and Tracey	McKenzie	Box Springs	GA	31803
Rick	Morris	Lagrange	GA	31240
Elizabeth Turner and Doroty	Murray	Buena Vista	GA	31803
Carol	Murray	Buena Vista	GA	31803
Joseph	Nash	Buena Vista	GA	31803
Joanna	Nobles	Box Springs	GA	31801
Luther	North	Buena Vista	GA	31803
Theo and Mary Taylor	Parker	Buena Vista	GA	31801
Dennis and Norma	Parker	Buena Vista	GA	31803
Bascom and Myra	Parker	Buena Vista	GA	31803
Deborah	Pearce	Columbus	GA	31903
Gordon	Pope	Buena Vista	GA	31803
Kenny	Powell	Columbus	GA	31906
Catherine	Prepton	Buena Vista	GA	31801
Roger	Presnell	Buena Vista	GA	31803
Druid	Preston	Macon	GA	31210
Catherine	Preston	Buena Vista	GA	31803
Robert and Amy	Price	Buena Vista	GA	31803
Vernon and Sherrill	Prior	Buena Vista	GA	31803
Benny	Ramsey	Box Springs	GA	31801
Tina	Ramsey	Ellaville	GA	31806
Sam and Carol	Rigdon	Buena Vista	GA	31803
Felix	Rivas	Columbus	GA	31907
Betty Jo	Robinson	Box Springs	GA	31801
Jeff	Robinson	Box Springs	GA	31801
Deborah	Robinson	Box Springs	GA	31801
Steve	Robinson	Box Springs	GA	31801
Cathy	Robinson	Box Springs	GA	31801
Darrell	Robinson	Juniper	GA	31801
Patricia	Roth	Buena Vista	GA	31803
Edward and Verna	Rumph	Box Springs	GA	31803
JoAnn	Schmidt	Buena Vista	GA	31803
Kurt	Schmitz	Columbus	GA	31909

General EIS Recipients				
First	Last	City	State	Zip Code
Werner	Schurr	Buena Vista	GA	31803
Donna	Scott	Buena Vista	GA	31803
Doyle	Simmons	Buena Vista	GA	31803
George	Stanton	Columbus	GA	31907
Murry and Grace	Stone	Smiths Station	AL	36877
Michael and Joyce	Strickland	Box Springs	GA	31801
Bobby and Ginger	Swint	Buena Vista	GA	31803
David	Taylor	Box Springs	GA	31801
Mary and Crystal	Thomas	Box Springs	GA	31801
Irene	Thomas	Buena Vista	GA	31803
Chris	Thomas	Buena Vista	GA	31803
Jackie	Thomaston	Box Springs	GA	31801
Tom	Tidd	Columbus	GA	31904
Windell and Wendy	Timms	Box Springs	GA	31801
Clarence	Trivett	Box Springs	GA	31801
James	Trivett	Box Springs	GA	31801
William	Turner	Box Springs	GA	31801
Marcus	Turner	Box Springs	GA	31801
Daniel	Underwood	Albany	GA	31707
Kevin	Van	Leflore	GA	30240
Bert	Veal	Box Springs	GA	31801
Brianna	Veenstra	Columbus	GA	31904
William	Warren	Box Springs	GA	31801
JoAnne	Watson	Mauk	GA	31058
Drew and Mary	Weed	Box Springs	GA	31801
Kurt	Weigel	Largo	FL	33773
Yvonne	Wessner	Columbus	GA	31909
Hugh	Westbury	Fort Benning	GA	31905
David	Wiese	Box Springs	GA	31801
Linda	Wilkins	Buena Vista	GA	31803
Louis	Willett, Jr	Columbus	GA	31907
Harry	Winters	Mauk	GA	31058
Karl	Wright	Phenix City	AL	36867
Residents		Buena Vista	GA	31803
Residents		Box Springs	GA	31801
Residents		Box Springs	GA	31803
Residents		Buena Vista	GA	31803
Resident		Buena Vista	GA	31803
Resident		Butler	GA	31006

Public Requests for Draft EIS				
First	Last	City	State	Zip Code
David	Arrington	Columbus	GA	31902
Will	Burgin	Columbus	GA	31901
Myles B.	Caggins, Jr	Columbus	GA	31904
Patti	Cullen	Columbus	GA	31902
Jesse	Dashe	Columbus	GA	31907
Willie	Davis	Midland	GA	31820
Owen and Mabel	Ditchfield	Columbus	GA	31903
David	Erickson	Columbus	GA	31909
Wade	Harrison	Columbus	GA	31901
Lena	Hausel	Midland	GA	31820
Nate	Hunt	Atlanta	GA	30303
Chris	Hurst	Atlanta	GA	30334
Rick	Jones	Columbus	GA	31920
Dorothy	McDaniel	Columbus	GA	31901
Dana	Newman	Columbus	GA	31902
Bob	Poydasheff	Columbus	GA	31901
Burnie	Quick	Columbus	GA	31906
Brant	Slay	Omaha	GA	31821
Gena	Taylor	Columbus	GA	31902
Teresa	Tomlinson	Columbus	GA	31906

Repositories				
Organization	Address	City	State	Zip Code
Chattahoochee Valley Regional Library	1120 Bradley Drive	Columbus	GA	31906
Columbus Public Library	3000 Macon Road	Columbus	GA	31906
Fort Benning Main Post Library	Building 93	Fort Benning	GA	31905
Harris County Public Library	138 N. College St.	Hamilton	GA	31811
Phenix City Public Library	1501 17th Ave.	Phenix City	AL	36867
Richland Public Library	112 Wall St	Richland	GA	31825
South Columbus Branch Library	2034 South Lumpkin Road	Columbus	GA	31903

Fort Benning and Fort Knox Distribution List						
First	Last	Organization	Address	City	State	Zip Code
Walter	Wojdakowski	Commanding General	Infantry Hall (Bldg 4)	Fort Benning	GA	31905
		Commander, U.S. Army Infantry Center	Infantry Hall (Bldg 4)	Fort Benning	GA	31905
		Deputy CG/Assistant Commandant	Infantry Hall (Bldg 4)	Fort Benning	GA	31905
		PWD, Southeast Region, IMA	1593 Hardee Avenue SW	Fort McPherson	GA	30330
		Commander, 75 th Ranger Regiment	Building 2834	Fort Benning	GA	31905
		Commander, 3 rd Brigade, 3 rd Infantry Division	Building 9050 (Kelley Hill)	Fort Benning	GA	31905
		Commander, 29 th Infantry Regiment	Building 5500 (Harmony Church)	Fort Benning	GA	31905
		Commander, 11 th Infantry Regiment	Building 2749	Fort Benning	GA	31905
		Group	Building 2827	Fort Benning	GA	31905
		Commander, Ranger Training Brigade	Building 5024 (Harmony Church)	Fort Benning	GA	31905
		Commander, Infantry Training Brigade	Building 3410 (Sand Hill)	Fort Benning	GA	31905
		Commander, US Army TRADOC HQ Attn ATBO-GE	5A North Gate Road	Fort Monroe	VA	23651
		US Army, Northeast Region Office Attn: SFIM-NE-ER	5A North Gate Road	Fort Monroe	VA	23651
		US Army, Northeast Region Office Attn: ATJA	11 Bernard Road	Fort Monroe	VA	23651
Paul A.	Hird, PAHM	BRAC Project Manager, SAIC Contractor	USAMEDDAC	Fort Benning	GA	31905
	LTC Gillette	Armor School	111 E. Chaffee Ave., Bldg. 1101	Fort Knox	KY	40121

Media Points of Contact				
Organization	Address	City	State	Zip Code
WRBL TV 3 (CBS)	1350 13th Avenue	Columbus	GA	31901
WKCW (99.3 FM)	1253 13th Avenue	Columbus	GA	31901
WTVM TV 9 (ABC)	1909 Wynnton Road	Columbus	GA	31994
WGSY (100 FM)	1501 13th Avenue	Columbus	GA	31901
WXTX TV 54 (FOX)	6524 Buena Vista Road	Columbus	GA	31994
WOKS (1340 AM) and WXFE (105 FM)	P.O. Box 1998	Columbus	GA	31902
Columbus Ledger-Enquirer	P.O. Box 830	Columbus	GA	31902
The Bayonet	1819 S. Lumpkin Rd.	Fort Benning	GA	31903
Tri-County Journal & Chattahoochee Chronicle	P.O. Box 850, 71 Webb Lane	Buena Vista	GA	31803
Mellow Times News	2904 Macon Road	Columbus	GA	31907

7.0 REFERENCES CITED

- 32 Code of Federal Regulations (CFR) Part 651. Environmental Analysis of Army Actions. Accessible at: http://www.access.gpo.gov/nara/cfr/waisidx_01/32cfr651_01.html.
- 40 CFR Part 50. Protection of the Environment. Chapter I. Environmental Protection Agency. Subchapter C. Air Programs. National Primary and Secondary Ambient Air Quality Standards. Part 59. Subpart D. National Volatile Organic Compound Emission Standards for Architectural Coatings. Table 1. VOC Content Limits by Product Category. Part 93.153. Determining Conformity of Federal Actions to State or Federal Implementation Plans. Subpart B. Determining Conformity of General Federal Actions to State or Federal Implementation Plans. Applicability.
- 40 CFR Parts 1500 to 1508. Council on Environmental Quality (CEQ) - Regulations for Implementing the Procedural Provisions of the National Environmental Policy Act (NEPA). Accessible at: http://ceq.eh.doe.gov/nepa/regs/ceq/toc_ceq.htm.
- Abbott, S. 2006. Freshwater Mussel Survey on 27 Pre-Determined Stream Locations. Fort Benning, GA. May-June. USFWS Southeast Region, Atlanta, GA.
- Aflac. 2005. Aflac Announces Phase One of a Major Expansion. Accessible at: <http://www.aflac.com/us/en/aboutaflac/PressReleaseStory.aspx?rid=783297>. 15 November.
- Alabama Association of Regional Councils. 2002. AARC Planning. Accessible at: <http://www.alarc.org/planning/index.html>
- American Planning Association. 2006. Full Speed Ahead. Communities are gearing up for a new round of military base expansions. *Planning Magazine*. Accessible at: <http://www.columbusga.com/mpo/BRAC/PLANNING%20MAGAZINE%20OCTOBER%20ARTICLE.pdf>. October.
- Anderson, D.G., and Hanson, J.J. 1988. Prehistory and History along the Upper Savannah River: Technical Synthesis of Cultural Resource Investigations. Richard B. Russell Multiple Resource Area, Volumes I & II. Russell Papers, Southeast Archeological Center. National Park Service. Tallahassee, FL.
- Army and Air Force Exchange Service (AAFES). 2005. Environmental Assessment for the Proposed Construction of a Shopping Center. Fort Benning, GA. July.
- Army Training Requirements and Resources System. 2006. Course Catalog. Accessible at <https://www.atrrs.army.mil/atrrscc/course.aspx>. Accessed various dates in October.
- Base Closure and Realignment Commission (BRAC Commission). 2005. Defense Base Closure and Realignment Commission Report. 8 September.
- Chattahoochee River Basin Watershed Protection Plan (CRBWPP). 2006. Environmental Protection Division. Georgia Department of Natural Resources. Chattahoochee River Basin Watershed Protection Plan. Accessed 25 October at: <http://www.gaepd.org/Documents/chatt.html>

Columbus 2007, The City of Columbus, Georgia and the Board of Water Commissions of Columbus, Georgia d/b/a Columbus Water Works v. The United States Army Corps of Engineers, United States District Court, Middle District of Georgia, Docket number MDL-1824.

Columbus Airport Commission. 1994. Columbus Metropolitan Airport Master Plan Update. Columbus, GA.

Columbus Consolidated Government. 2006a. History of Columbus, GA Accessible at: <http://www.columbusga.org/history/history.htm>. Accessed 11 November.

_____. 2006b. Consolidation: A New Government for Columbus, GA. City/County Government Consolidation. January 1, 1971. Accessible at: <http://www.columbusga.org/history/>. Accessed 11 November.

_____. 2003. Chapter 8: Land Use. Updated. Accessible at: http://www.columbusga.com/mpo/Comp_Planning.html. Accessed 27 September.

_____. 1993. Muscogee County Comprehensive Plan. 1993-2000. Accessible at: <http://www.dca.state.ga.us/development/PlanningQualityGrowth/programs/currentplans.asp>.

Columbus Fire and Emergency Medical Services. 2007. Five Year Strategic Plan. Columbus, GA. January 2007 Revision.

Columbus Ledger-Enquirer. 2006. 350 new hotel rooms Fort Benning, corporate, conventions, leisure travelers spurring boom. By Tony Adams. Staff Writer. 21 August.

Columbus Parks. 2007. Website information gathered in February from: http://www.columbusga.org/parks/park_sites/riverwalk.htm.

Columbus Police Department. 2007. Website information gathered in February from: <http://www.columbusga.org/police/depts.html>.

Commission on Review of Overseas Military Facility Structure of the United States (Commission on Review). 2005. Report to the President and Congress. Required by P.L., 108-132, Section 128. As amended by P.L. 108-324, Section 127. 15 August.

Council on Environmental Quality (CEQ). 2005. Memorandum to Heads of Federal Agencies regarding Guidance on the Consideration of Past Actions in Cumulative Effects Analysis. 24 June.

Cusseta-Chattahoochee Unified Government. 2007. Fire protection information found at: <http://www.ugoccc.us/>.

Deaver, S. 2000. An Ethnographic Overview of the Fort Benning Military Reservation. GA and AL. November.

Defense Base Closure and Realignment Act of 1990, as amended. Defense Base Closure and Realignment Act. Public Law 101-510. Enacted 5 November. Amended by the National Defense Authorization Acts for Fiscal Years 1992/1993. Public Law 102-190, 1993. Public Law 102-484, 1994. Public Law 103-160, 1995. Public Law 103-337. Public Law 104-106, 1996. Base Closure Community Redevelopment and Homeless Assistance Act of 1994. Public Law 103-421. Accessible at: <http://www.acq.osd.mil/installation/reinvest/manual/dbcra90.html>

- Department of Defense (DoD). 2006. Base Realignment and Closure 2005. U.S. Department of Defense. Visited 21 April. Accessible at: <http://www.defenselink.mil/brac/>
- _____. 2005. Armed Forces Information Service News Article. President Sends BRAC Commission Report to Congress. By Gerry J. Gilmore. American Forces Press Service. 16 September. Visited 25 April. Accessible at: http://www.defenselink.mil/news/Sep2005/20050916_2762.html.
- Departments of the Army, the Navy, the Air Force. 1987. Water Supply Sources and General Considerations. TM 5-813-1/AFM 88-10, Vol 1. 4 June.
- Directorate of Public Works (DPW). 2005. Housing Division and Director of Morale. Extracted from the Command Data Summary.
- Directorate of Resource Management. 2005. Manpower and Equipment Division. Extracted from the Command Data Summary.
- Duncan, L., Dilustro, J., Collins, B. 2004. Avian response to forest management and military training activities. Fort Benning, GA. Georgia Journal of Science. Vol. 62:95-103.
- Eastin, K.E. 2006. Installations in the 21st Century. *Army Magazine*. Volume 56, Number 4, Pages 51-54. Accessible at: <http://www.ausa.org/pdfdocs/ArmyMag/Apr06/Eastin.pdf>. April
- Elliott, D.T., Hamilton, J.L, Thomason P., Emrick, M. and Stoops, R.W., Jr. 1995. Historic Preservation Plan for the Cultural Resources on U S. Army Installations at Fort Benning Military Reservation. Chattahoochee and Muscogee Counties, GA, and Russell County, AL. Submitted by Garrow & Associates, Inc. For the Southeast Archeological Center, National Park Service. Tallahassee, FL.
- ESRI. 2004. U.S. MapData Cultural Landmarks. Redlands, CA.
- Eubanks, M.J. and Buckalew, J.O. 2005. Chattahoochee River Restoration: Removal of City Mills and Eagle and Phenix Dams. Proceedings of the 2005 Georgia Water Resources Conference. Held April 25-27, 2005, at The University of Georgia. KKathryn J. Hatcher. Editor, Institute of Ecology. The University of Georgia, Athens, GA. Accessible at: <http://www.uga.edu/water/GWRC/Papers/EubanksM-GWRCpaper.pdf>
- Federal Highway Administration (FHWA). 2006. Information on SAFETEA-LU Section 1927 14th Amendment Highway Corridor and 3rd Infantry Division Highway Corridor a.k.a. "I-14" and "I-3". Accessible at: <http://www.fhwa.dot.gov/Planning/sec1927corridors.htm>. Updated 30 October.
- Fire Departments Net. 2007. Rural fire department information for Muscogee County, GA and Russell, AL accessed at: <http://www.firedepartments.net>.
- Fort Benning. 2007a. Fort Benning Schools Community Website. Accessible at: <http://www.am.dodea.edu/benning/>. Visited 5 July.
- _____. 2007b. Uchee Creek Campground Expansion, Fort Benning, Russell county, Alabama. February.

- _____. 2007c. Biological Assessment for BRAC 2005 and Transformation Actions at Fort Benning, GA. April.
- _____. 2006a. Range and Training Land Program Development Plan. Fort Benning, GA. U.S. Army Engineering and Support Center. Huntsville, AL. June.
- _____. 2006b. Monthly update. Fort Benning, Georgia Home of the Maneuver Center. PowerPoint Presentation. 28 March.
- _____. 2006c. Command Data Summary. Last updated 8 May.
- _____. 2006d. Geographic Information System Data layers received from Fort Benning Conservation and Range Divisions.
- _____. 2006e. Maneuver Center of Excellence Implementation Timeline. Maneuver Center Realignment and Coordination Cell Infantry Futures Group. U.S. Army Infantry Center. Fort Benning, GA. Updated 25 April.
- _____. 2006f. Maintenance and Facilities Requirements. PowerPoint Presentation. Information received in July from Fred Hart, Strategic Planner, BRAC, Director of Logistics. Strategic Business Branch. Fort Benning, GA.
- _____. 2006g. Existing Conditions Section for the Draft Fort Benning Comprehensive Traffic Study. Fort Benning, GA. (includes drawings for proposed transportation improvement projects).
- _____. 2006h. Hazardous Waste Program. U.S. Army Infantry Homepage. Environmental Management Division. Accessible at :
https://www.benning.army.mil/emd/program_mgt/hazardous_waste/index.htm
- _____. 2006i. Important Notes for Visiting Units. U.S. Army Infantry Homepage. Environmental Management Division. Accessible at :
https://www.benning.army.mil/emd/program_mgt/content/visiting_units.htm.
- _____. 2006j. Preliminary Jurisdictional Determination Report. Wetlands Delineations and Stream Evaluations. Fort Benning, GA.
- _____. 2006k. Fort Benning Terrestrial Resources Inventory Report. 1995-1999. Conducted by: U.S. Fish and Wildlife Service, West GA Field Sub-Office.
- _____. 2006l. U.S. Army Infantry Center. Fort Benning, GA & AL. Historic Properties Component of the Integrated Cultural Resources Management Plan (ICRMP). For Certification under the Army Alternative Procedures for Historic Properties. February.
- _____. 2006m. Recreation Areas GIS dataset. ITAM Program. Fort Benning, GA.
- _____. 2005a. Requirements Analysis for Permanent Facilities. U.S. Army Armor Center. Fort Benning GA. November.
- _____. 2005b. Environmental Assessment 362nd Engineer Multi-Role Bridge Company, establishment at Fort Benning, GA. U.S. Army Corps of Engineers, Fort Worth District, TX. October

- _____. 2005c. Fort Benning Environmental Action Plan. Fort Benning, GA.
- _____. 2005d. Fort Benning Installation Action Plan. Fort Benning, GA.
- _____. 2005e. Environmental Assessment for Development and Implementation of a Historic Properties Component (HPC) Plan for Fort Benning in Accordance with Army Alternative Procedures. Prepared for Fort Benning, GA. October.
- _____. 2005f. Residential Communities Initiative. Final Environmental Assessment. Fort Benning, GA. June.
- _____. 2005g. Final Environmental Assessment for the Construction of the Infantry Platoon Battle Course. Fort Benning, GA and AL. August.
- _____. 2005h. Environmental Assessment for Temporary Brigade Combat Team Support Facilities. Brigade Combat Team Training at Fort Benning, GA. Environmental Management Division. U.S. Army Garrison. Fort Benning, GA. U.S. Army Corps of Engineers. Fort Worth District, TX. January.
- _____. 2004a. Historic Properties Component of the Integrated Cultural Resource Management Plan. Third Draft. Department of the Army. U.S. Army Infantry Center. Fort Benning, GA. & AL, For Certification under the Army Alternate Procedures for Historic Properties. In lieu of 36 CFR Part 800 for Section 106. Compliance of the National Historic Preservation Act. Third Draft. July.
- _____. 2004b. Final Environmental Impact Statement Digital Multi-Purpose Range Complex. April.
- _____. 2004c. Integrated Contingency Plan. Fort Benning, GA.
- _____. 2004d. Final Environmental Assessment for the Construction of an Infantry Museum. Fort Benning, GA.
- _____. 2003a. Air Emissions Inventory for 2003. Environmental Management Division. Fort Benning, GA.
- _____. 2003b. Storm Water Pollution Prevention Plan Certification and Delegation of Certification Authority.
- _____. 2003c. Part 70 Operating Permit. No. 9711-215-0021-V-01-0. 16 June.
- _____. 2003d. Integrated Natural Resources Management Plan. Fort Benning Army Installation. 2001-2005. Updated September.
- _____. 2003e. Comprehensive Agreement between the U.S. Army Infantry Center. Fort Benning, GA and Signatory Tribes Regarding the Reinterment Site for Indian Burials.
- _____. 2003f. Environmental Assessment for the Installation of Anti-Terrorism/Force Protection Measures at the U.S. Army Infantry Center. Fort Benning, GA. July.
- _____. 2002. Asbestos Management Plan. Environmental Management Division. Fort Benning, GA.

- _____. 2001. Integrated Natural Resource Management Plan. Environmental Management Division. Fort Benning, GA.
- _____. 2000. Installation Spill Contingency Plan. Fort Benning, GA.
- _____. 1998. Final Polychlorinated Biphenyl (PCB). Management Manual. Fort Benning, GA. Prepared by: U.S. Army Corps of Engineers, Savannah District by Law Engineering and Environmental Services, Inc. July.
- _____. 1994. Real Property. Master Plan for the U.S. Army Infantry Center and Fort Benning Long Range Component. March.
- Fort Benning Futures Partnership. 2005. Growing Benning. Regional Challenge for Mission Sustainability Workshop. PowerPoint Presentation. 10 May
- Fort Benning Morale, Welfare, and Recreation (MWR). 2006. Uchee Creek Recreational Area. Accessible at: <http://www.benningmwr.com/uchee31905.htm>. Accessed 12 November.
- Fort Knox. 2006a. Armor School Live Training. PowerPoint Presentation. Prepared for Planning Charrette supporting the EIS and BA. 16 – 18 October.
- _____. 2005. KY Division for Air Quality Emissions Inventory Survey for Calendar Year.
- Garten, C.T., and Ashwood, T.L. 2004. Modeling Soil Quality Thresholds to Ecosystem Recovery at Fort Benning, GA, ORNL/TM-2004/41, Environmental Sciences Division, Oak Ridge National Laboratory. Oak Ridge, TN.
- Georgia Administrative Rules and Regulations (GARR). Chapter 391. Georgia Department of Natural Resources, Section 3. Environmental Protection. Subsection 1. Air Quality Control.
- Georgia Department of Community Affairs. Undated. List of Local Government County Planning Level Designations.
- Georgia Department of Natural Resources (GDNR). 2006a. Special Concern Plants List. Accessible at: <http://georgiawildlife.dnr.state.ga.us/content/specialconcernplants.asp>. Accessed 30 October.
- _____. 2006b. Special Concern Animals List. Accessible at: <http://georgiawildlife.dnr.state.ga.us/content/specialconcernanimals.asp>. Accessed 30 October.
- _____. 2005. A Comprehensive Wildlife Conservation Strategy for GA. Georgia Department of Natural Resources, Wildlife Resources Division. Accessible at: www.gadnr.org.
- _____. 2003. Tracking List of Special Concern Animals in GA. Accessible at: <http://georgiawildlife.dnr.state.ga.us> Accessed 20 September.
- Georgia Department of Transportation. 2006. Public information open house handout package for proposed Widening of St. Mary's Road from Robin Road to Northstar Drive. Project STP-215-1-(2). Accessible at: [http://tomcat2.dot.state.ga.us/PublicOutreach_ex/projectInfo/projectInfo.cfm?projID=332780-&projNum=STP-215-1\(2\)&projName=St.%20Mary#](http://tomcat2.dot.state.ga.us/PublicOutreach_ex/projectInfo/projectInfo.cfm?projID=332780-&projNum=STP-215-1(2)&projName=St.%20Mary#). 17 August.

- Georgia Environmental Protection Division (GEPD). 2006a. GA 2004 305(b)/303(d). List Documents final. Accessible at: <http://www.gadnr.org/epd/Documents/305b.html>.
- _____. 2006b. Georgia Environmental Protection Division. Watershed Protection Branch. 25 October MS4 permitting information provided. Atlanta, GA.
- _____. 2006c. Georgia Environmental Protection Division. Existing Rules and Corresponding Laws. Accessed 1 November. Accessible at: http://www.gaepd.org/Documents/rules_exist.html
- _____. 2003a. Total Maximum Daily Load Evaluation for Thirty-One Stream Segments in the Chattahoochee River Basin For Sediment (Biota Impacted). Submitted to U.S. Environmental Protection Agency Region 4. Atlanta, GA. Submitted by: Georgia Department of Natural Resources, Environmental Protection Division. Atlanta, GA. January. Accessible at: http://www.gadnr.org/epd/Files_PDF/techguide/wpb/TMDL/Chattahoochee/chat_bio_tmdl.pdf
- _____. 2003b. Total Maximum Daily Load Evaluation for Seventy-Nine Stream Segments in the Chattahoochee River Basin For Fecal coliform. Submitted to U.S. Environmental Protection Agency, Region 4. Atlanta, GA. Submitted by: Georgia Department of Natural Resources Environmental Protection Division. Atlanta, GA. February . Accessible at: http://www.gadnr.org/epd/Files_PDF/techguide/wpb/TMDL/Chattahoochee/chat_fc_tmdl.pdf
- Georgia Governor. 2006. Georgia Governor Sunny Purdue Press Release. Governor Perdue, Chairman Chung Break Ground for New Kia Motors Plant in West Point. Facility to Employ an Estimated 2,893, Plus 2,600 Employed by Suppliers. Accessible at: <http://www.gov.state.ga.us/press/2006/press1291.shtml>. 20 October.
- Georgia Tech. 2005. GIS layer for Kindergarten through 12th grade schools in the State of GA..
- Government Accounting Office (GAO). 2003. Testimony Before the Committee on Environment and Public Works. U.S. Senate. Military Training. Department of Defense Approach to Managing Encroachment on Training Ranges Still Evolving. Statement of Barry W. Holman. Director Defense Infrastructure Issues. Accessible at: <http://www.gao.gov/new.items/d03621t.pdf>. 2 April.
- Hall, L.S., P.R. Krausman, and M.L. Morrison. 1997. The habitat concept and a plea for standard terminology. *Wildlife Society Bulletin*. 25:171-182.
- Harland Bartholomew and Associates. 1994. Real Property. Master Plan for the US Army Infantry Center and Fort Benning. Long Range Component. Harland Bartholomew and Associates, Inc. Saint Louis, MO.
- Harris County. 2007. Police and Fire Departments Information derived from these websites: <http://www.harriscountysheriff.org> and <http://www.harris-county.com/communities/firedepartments.php>.
- Holcomb, D.B. 2005. Biodiversity in the Chattahoochee Headwaters. Rare Fishes Found in Recent Study. Proceedings of the Georgia Water Resources. Conference, held April 25-27, 2005. Institute of Ecology. University of Georgia.

Homeless Resource Network. 2006. Emergency and Transitional Shelters listed at:
<http://www.homelessnetwork.org/services.html>.

Joint Harris County, City of Pine Mountain, City of Shiloh, City of Waverly Hall Comprehensive Planning Commission. 1992. A Joint County/City Comprehensive Plan for Harris County and the cities of Pine Mountain, Shiloh and Waverly Hall. July.

Jones, R., AICP. 2006. Record of Conversation between Rick Jones, Planning Director, City of Columbus and Carol Wirth, TEC Inc. regarding land use planning for the Columbus-Muscogee County Area. 28 September.

Kane, S. and Keeton, R. 1998. The Land and the People. Southeast Archaeological Center. Tallahassee, FL. Fort Benning, GA. National Park Service.

Lee-Russell Council of Governments (LRCOG). 2006. About LRCOG. Accessible at:
<http://www.lrcog.com/aboutlrcog.html>. Accessed 14 November.

Lower Chattahoochee Regional Development Center. 2006. Comprehensive Plan for the Unified Government of Cusseta-Chattahoochee County. Draft Community Assessment. 2007-2030. July.

McDonald, J. 2006. Ft. Benning Terrestrial Resource Inventory Report for Species of Management Concerns. USDA Chattahoochee-Oconee National Forest. Gainesville, FL.

Muscogee County Sheriff's Office. 2007. Website information gathered in February from:
<http://www.columbusga.org/Sheriff/index.htm>

National Center for Rural Law Enforcement (NCRLE). 2007. Small Town Police Enforcement Georgia. Accessible at: <Http://64.219.0.24/Rural/GAPD.asp> and <Http://64.219.0.24/Rural/GASO.asp>.

National Institute for Occupational Safety and Health (NIOSH). 2006. Criteria for a Recommended Standard: Occupational Noise Exposure. Accessible at:
<Http://www.cdc.gov/niosh/docs/98-126/chap1.html>.

National Park Service (NPS). 2002. How to Apply the National Register Criteria for Evaluation. National Register Publications Bulletin 15. U.S. Department of the Interior.

_____. 1998. Guidelines for Evaluating and Documentation Traditional Cultural Properties. National Register Publications Bulletin 38. U.S. Department of the Interior.

_____. 1992. Guidelines for Evaluating and Registering Cemeteries and Burial Places. National Register Bulletin 41.

NatureServe. 2006. NatureServe Explorer: An Online Encyclopedia of Life. Version 5.0. NatureServe. Arlington, VA. Accessible at: <http://www.natureserve.org/explorer>. Accessed 26 September.

Occupational Safety and Health Administration (OSHA). 2006. Safety and Health Topics: Hazardous and Toxic Substances. U.S. Department of Labor, Occupational Safety & Health Administration. Accessible at: <http://www.osha.gov/SLTC/hazardoustoxicsubstances/index.html>

- Patrick, T.S., Allison, J.R., and Krakow, G.A. 1995. Protected Plants of GA. An Information Manual on Plants Designated by the State of GA as Endangered, Threatened, Rare or Unusual. Georgia Department of Natural Resources.
- Pentecost, Colonel B.M. 1999. Memorandum for Record: Unique Ecological Areas. Operations and Training Director. 10 June.
- Phenix County. 2007. Police and Fire Departments information accessed at: [Http://www.phenixcityal.us](http://www.phenixcityal.us).
- Phillips, J.A. 2006. Statement of Dr. John A. Phillips. Superintendent, Muscogee County School District. Columbus, GA. On behalf of the Seven Rivers National Coalition, request for Federal Funding for School Districts Surrounding Military Installations Gaining Large Numbers of Personnel before the House Appropriations Committee. Subcommittee on Labor, Health and Human Services, Education and Related Agencies. Accessible at: <http://appropriations.house.gov/files/JohnPhillipsTestimony.pdf>. 30 March.
- Pyne, M. 2001. Ecological groups. Fort Benning, GA--a re-analysis. Report submitted to Fort Benning under DAMD17-00-2-0017 05 17. October, 17 pp.
- Russell County Sheriff's Office. 2007. Information obtained from Sheriff's website: [Http://www.rcso.org/patrol.html](http://www.rcso.org/patrol.html).
- Sassaman, K.E. 1983. Middle and Late Archaic Settlement in the South Carolina Piedmont. Unpublished M.A. thesis. Department of Anthropology. University of South Carolina, Columbia.
- Saunders, J.W., Thurman, A., and Saucier R.T. 1994. Four Archaic? Mound Complexes in Northeast LA. In *Southeastern Archaeology* 13(2):134-153.
- Stats Indiana. 2006a. Population data. Select GA, AL and Counties population tab, and US for comparison. Accessible at: http://www.stats.indiana.edu/uspr/a/us_profile_frame.html
- _____. 2006b. Housing data. Select GA and AL Counties, housing tab and US for comparison. Accessible at: http://www.stats.indiana.edu/uspr/a/us_profile_frame.html
- Streich, J.P., and Kemp, A.C. 1994a. Sweet Pitcherplant Restoration and Management Plan. Mike-6, Long Branch Site (revised). Unpublished report prepared by The Nature Conservancy, Atlanta.
- _____. 1994b. Sweet Pitcherplant Restoration and Management Plan: Oscar-14, Randall Branch Site (revised). Unpublished report prepared by The Nature Conservancy, Atlanta.
- The Bugwood Group. 2006. Insects: The Top 50 in GA. Accessible at: <http://www.gaipm.org/top50/>. Accessed 30 October.
- The Chattahoochee Valley Schools Project. 2005. A report prepared through the collaboration of the following school systems: Chattahoochee, Harris, Marion, Muscogee, Talbot, Lee, Phenix City, and Russell; and presented by Muscogee County to Fort Benning on behalf of all listed school systems.

- The Nature Conservancy (TNC). 2006. Fort Benning Army Compatible Use Buffer (ACUB). Review. Wade Harrison. 4 October.
- _____. 2006b. The Nature Conservancy. Fort Benning Army Compatible Use Buffer (ACUB). Review. Wade Harrison. 4 October.
- The Valley Partnership Joint Development Authority. 206. Fort Benning Joint Land Use Study, Request for Proposals. 29 October.
- Trulia. 2007. Trulia Real Estate Search Engine. Current Median home prices for ROI counties, 2007. Last retrieved 3 April: Chattahoochee County, Georgia: http://www.trulia.com/home_prices/Georgia/Chattahoochee_County-heat_map/
Muscogee County, Georgia: http://www.trulia.com/home_prices/Georgia/Muscogee_County-heat_map/
Harris County, Georgia: http://www.trulia.com/home_prices/Georgia/Harris_County-heat_map/
Marion County, Georgia: http://www.trulia.com/home_prices/Georgia/Marion_County-heat_map/
Russell County, Alabama: <http://local.reply.com/real-estate/AL/russell-county.html>
- Upper Chattahoochee Riverkeeper. 2006. Tristate Water Allocations. Three States, Two Basins, One Water War. Accessible at: <http://www.chattahoochee.org/policy5.htm>
- U.S. Army. Undated. Installation Design Guide for the Headquarters, U.S. Army Infantry Center and Fort Benning, GA. Prepared by Laubmann-Reed & Associates, Inc. under the direction of U.S. Army Engineer District, Savannah Corps of Engineers. Savannah, GA.
- _____. Various dates (vd). Military Construction Project Data. Form 1391.
- _____. 2006a. Posture Statement. Accessible at: http://www.army.mil/aps/06/16_download.html.
- _____. 2006b. Base Realignment and Closure Manual for Compliance with the National Environmental Policy Act. January.
- _____. 2006c. Armor School and Center at Fort Knox. Visited 24 April. Accessible at: <http://www.knox.army.mil/school/>.
- _____. 2006d. Army Compatible Use Buffer Program. Accessible at: http://www.sustainability.army.mil/tools/programtools_acub.cfm#20/. Updated 1 May.
- _____. 2005a. Army Regulation 350-19. The Army Sustainable Range Program. Headquarters Department of the Army. Washington, DC. Accessible at: http://www.army.mil/usapa/epubs/pdf/r350_19.pdf. 30 August.
- _____. 2005b. U.S. Army Infantry Center Regulation 210-4. Headquarters U.S. Army Infantry Center and Fort Benning. Installations Range and Terrain Regulation. 11 May.
- _____. 2005c. Army Regulation 210-20. Installations Real Property. Master Planning for Army Installations. Headquarters Department of the Army. Washington, DC. Accessible at: <https://134.11.61.26/ArchivePub/Publications/DA/AR/ByPub.htm>. May 16.

- _____. 2004a. Training Circular No. 25-8. Training Ranges. Headquarters Department of the Army. Washington, D.C. April.
- _____. 2004b. Training Circular No. 25-1. Training Land. Headquarters Department of the Army. Washington, D.C. 15 March.
- _____. 2004c. The Army Strategy for the Environment. Sustain the Mission. Secure the Future. Accessible at: <https://www.asaie.army.mil/Public/ESOH/doc/ArmyEnvStrategy.pdf>.
- _____. 2003. Range Safety. May.
- _____. 2001a. Army Regulation 5-10. Management Stationing. Headquarters Department of the Army Washington, DC. Accessible at: <https://134.11.61.26/ArchivePub/Publications/DA/AR/ByPub.htm>. March 1.
- _____. 2001b. U.S. Army Field Manual 3-19.30. Physical Security. 8 January.
- _____. 2000a. U.S. Army Explosive Safety Program. February.
- _____. 1999a. Environmental Surveys, Assessments, and Documentation for Land Exchange between the U.S. Army (Fort Benning, Georgia) and Consolidated Government of Columbus/Muscogee County, Georgia. Final Environmental Impact Statement. Volume I. 25 January.
- _____. 1999b. The Army Radiation Safety Program. May.
- _____. 1994. Accident reporting and Records. November.
- _____. 1987. Prevention of Motor Vehicle Accidents. March.
- _____. 1986. Technical Manual. Installation Master Planning. TM 5-803-1. Headquarters, Department of the Army. 13 June.
- U.S. Army Corps of Engineers (USACE). 2006a. Fort Benning, GA, Modified Record Fire Range Intermediate Grading Erosion Control Plan, Sheet , General Notes. U.S. Army Corps of Engineers, Savannah District.
- _____. 2003a. Range and Training Land Program Development Plan. Fort Benning, GA. Final Submittal. Contract No. DACA87-00-D-0017. Delivery Order 0056. U.S. Army Engineering and Support Center. Huntsville AL.
- _____. 2003b. Health and Safety Requirements. November.
- _____. 2002a. Final Programmatic Environmental Impact Statement for Army Transformation and Record of Decision. Prepared by U.S. Army Corps of Engineers Mobile District with technical assistance from Tetra Tech, Inc. Accessible at http://notes.tetrattech-ffx.com/army_transformation_peis/TCPPEIS.htm. Record of Decision signed 11 April.
- _____. 2002b. The Strategic Ecosystem Management Plan (SEMP) Approach. March.
- U.S. Army Center for Health Promotion and Preventive Medicine (USACHPPM). 2006a. Fort Benning Noise Contours for the NEPA BRAC Documentation. March.

- _____. 2006b. U.S. Army Center for Health Promotion and Preventive Medicine. Fact Sheet: How does the Department of Defense assess noise and its impacts? Operational Noise Program. Aberdeen Proving Ground, MD. Accessible at: <Http://chppm-www.apgea.army.mil/dehe/morenoise>.
- _____. 2006c. Noise metrics factsheets. Operational Noise Program. Aberdeen Proving Ground, MD. Accessible at: <Http://chppm-www.apgea.army.mil/dehe/morenoise>.
- U.S. Army Reserve. 2006. Find a Reserve Center Results. Accessible at: <http://www.goarmy.com/ReserveListJobsByUnit.do?uicCd=WST4AA&fw=nps>. Visited on 9 May.
- U.S. Bureau of Economic Analysis (USBEA). 2004. . Muscogee, Chattahoochee, Harris and Marion Counties, GA and Russell County, AL. Employment Data. Select major area, minor area. Accessible at: <http://www.bea.gov/bea/regional/reis/> CA25N NAICS.
- U.S. Bureau of Labor Statistics (USBLS). 2005. Local Area Labor Force Data. Accessible at: <ftp://ftp.bls.gov/pub/special.requests/la/laucnty05.txt>
- U.S. Census Bureau. 2005. 2005 Population Estimates. Accessible at: <http://www.census.gov/popest/counties/CO-EST2005-01.html>. Visited 28 December 2006
- _____. 2000a. Housing Data. H3, H6, H8, H76, H85. Accessible at: http://factfinder.census.gov/servlet/DTGeoSearchByListServlet?ds_name=DEC_2000_SF3_U&lang=en&ts=164731777414
- _____. 2000b. De-cennial census of the population accessible at <http://www.census.gov/main/www/cen2000.html>. Visited 5 September 2007.
- _____. 1995. County Population Census Counts 1900-1990. Accessible at: <http://www.census.gov/population/cencounts/gal90090.txt>.
- United States Department of Agriculture (USDA). Natural Resources Conversation Service. 2006a. Web Soil Survey. Accessible at: <http://websoilsurvey.nrcs.usda.gov/app/WebSoilSurvey.aspx>
- _____. 2006b. Net Change in Acreage of Prime Farmland Used as Rangeland. 1982 – 1997. Accessible at <http://www.nrcs.usda.gov/technical/land/meta/m6003.html>.
- _____. 2003. User's Guide: Revised Universal Soil Loss Equation Version 2 -RUSLE2.
- _____. 1999. Soil Taxonomy. A Basic System of Soil Classification for Making and Interpreting Soil Surveys. Agriculture Handbook: Number 436.
- U.S. Environmental Protection Agency (USEPA). 2006. Criteria Pollutant Green Book. Accessible at: <http://www.epa.gov/oar/oaqps/greenbk/>.
- _____. 2005. National Emission Inventory (NEI) database. August.

- _____. 2002. Lists/Assessment Unit information Year 2002. Environmental Protection Agency: 305(b). Accessed 27 October. Accessible at: http://iaspub.epa.gov/tmdl/enviro.control?p_list_id=GA-R03130001.
- _____. 1971. U.S. Environmental Protection Agency Noise from Construction Equipment and Operations, Building Equipment and Home Appliances. NTID 300-1.
- USFWS. 2006a. U.S. Fish and Wildlife Service. Endangered and Threatened Wildlife and Plants. Review of Native Species That are Candidates or Proposed for Listing and Endangered or Threatened. Annual Notice of Findings on Resubmitted Petitions. Annual Description of Progress on Listing Actions. Federal Register 71: 53756-53836.
- _____. 2006b. Alabama's Federally Listed Species by County. Accessible at: <http://fws.gov/daphne/es/specieslst.htm>. Accessed 4 October.
- _____. 2006c. Listed Species in Chattahoochee County. Accessible at: <http://fws.gov/athens/endangered/counties>. Accessed 18 September.
- _____. 2006d. Listed Species in Marion County. Accessible at: <http://fws.gov/athens/endangered/counties>. Accessed 18 September.
- _____. 2006e. Listed Species in Muscogee County. Accessible at: <http://fws.gov/athens/endangered/counties>.
- _____. 2006f. Species Profile for the American Alligator. Accessible at: http://ecos.fws.gov/species_profile/servlet/gov.doi.species_profile.servlets.SpeciesProfile?spcode=C000. Accessed 26 October.
- _____. 2006g. National Wetlands Inventory (NWI). Classification of wetlands and deepwater habitat of the United States. U.S. Fish and Wildlife Service. Branch of Habitat
- _____. 2005. Georgia rockcress. *Arabis Georgiana*. Species Assessment and Listing Priority Assignment Form. October.
- _____. 2001. Endangered and Threatened Wildlife and Plants. Final Rule to List the Mississippi Gopher Frog Distinct Population Segment of Dusky Gopher Frog as Endangered. Federal Register 66 223 62993-63012.
- _____. 1999. South Florida Multi-Species Recovery Plan. US Fish and Wildlife Service, South Florida Field Office. 18 May, pp 3-3 thru 3-30.
- _____. 1990. Relict Trillium Recovery Plan. Atlanta, GA, 20 pp.
- U.S. Geological Service (USGS). 2006. USGS. Chattahoochee River Basin. Accessed 25 October. Accessible at: <http://ga.water.usgs.gov/nawqa/basin7.html>.
- Webster, R. 2006. Phase II Socioeconomic Analyses for Proposed Mission Realignment. Fort Benning, GA. 2006-2010. 10 August.

Watts, W.A. 1971. Postglacial and Interglacial Vegetation History of Southern GA and Central FL.
Ecology, Vol. 52:676-90.

Western Regional Air Partnership (WRAP). 2004. Fugitive Dust Handbook.

8.0 PERSONS CONSULTED

Bartlett, L. 2006. Logistics Management Specialist. Fort Benning, GA.

Barron, M. 2006. Wildlife Biologist, RCW Specialist. Fort Benning, GA.

Brent, J. 2006. Chief, Environmental Management Division. Fort Benning, GA

Brown, J.E. 2006. NEPA Coordinator. Fort Benning, GA.

Brown III, J.W. 2006. BRAC Coordinator. Fort Benning, GA.

Carlson, J. 2006. Radiation and Safety Officer. Fort Benning, GA.

Chauvey, P. 2006. Chief, Environmental Management Division, Compliance. Fort Benning, GA.

Clarke, M. 2006. PCB/Lead/Asbestos Program Manager, Environmental Management Division. Fort Benning, GA.

DeCarlo, D. 2007. Real Estate Division. Fort Benning, GA.

Gaines, G. 2006. CAA Program Manager. Fort Knox, KY.

Fincher, M. 2007. Utilities Manager, Directorate of Public Works. Fort Benning, GA.

Griffin, J. 2006. GIS Coordinator, Columbus Consolidated Government.

Gustafson, P. 2006 and 2007. CAA/Noise Programs Manager. Fort Benning, GA.

Hamilton, C.E. 2006. Cultural Resources Manager. Fort Benning, GA.

Hines, B. 2006. Utilities Engineer. Fort Benning, GA.

Hobson, R. 2007. Office of Planning and Quality Growth, Georgia Department of Community Affairs

Hollon, G. 2006. Soil Conservation. Fort Benning, GA.

Holloway, K. 2006. Facility Master Planner. Fort Benning, GA.

Jones, R. 2006. Columbus Consolidated Government, Planning/Zoning Division.

Kelly, J. 2006. Georgia Department of Natural Resources, Environmental Protection Division, Air Protection Branch, Planning and Regulatory Development Unit. .

Malphrus, M. 2007. District Manager for Waste Management, Alabama.

Mickey, C. 2006. Communications Programs Manager. Fort Benning, GA.

Mixon, G. 2006. Planning Director, Middle Flint Regional Development Council.

Morpeth, D. 2006 and 2007. Solid Waste Program Manager. Fort Benning, GA.

Morris, R. 2006. Planning Director, Lower Chattahoochee Regional Development Council.

Pentecost, Colonel, B.M. 1999. Operations and Training Director. Fort Benning, GA.

Final

Perkins, D. 2006. BRAC Environmental Program Manager, Installation Management Command - Southeast Region (IMCOM-SE). Fort McPherson, GA.

Poppert, J. 2006. Recycling Clerk. Fort Knox, KY.

Reynolds, D. 2006. Maneuver Center Realignment Coordination Cell. Fort Benning, GA.

Scott, B. 2006. Lee-Russell Council of Governments.

Seda, F. 2006. ISCP/SPCC/SWP3/EPCRA Program Manager, Environmental Management Division. Fort Benning, GA.

Shad, P. 2006. PBS&J (consultant preparing transportation studies for Fort Benning, GA).

Stoinoff, C. 2006. DAS-Strategic Planning Team. Fort Knox, KY.

Swiderek, P. 2006. Chief, Environmental Management Division, Conservation Branch. Fort Benning, GA.

Thornton, R. 2006. Threatened & Endangered Species Biologist, Conservation Branch. Fort Benning, GA.

Veenstra, L. 2006. Environmental Attorney. Fort Benning, GA.

Weekley, F. 2006. Range Manager. Fort Benning, GA.

Wilkins, J. 2006 and 2007. CWA/Waste Water Programs Manager. Fort Benning, GA.

Woodruff, A. 2006. Manager, Planning and Outreach, Office of Planning and Quality Growth, Georgia Department of Community Affairs.

9.0 ACRONYMS AND ABBREVIATIONS

AAF	Army Airfield	cfs	Cubic Feet per Second
AAFES	Army and Air Force Exchange Service	CHMCC	Centralized Hazardous Materials Control Center
AAP	Army Alternative Procedures	CID	Criminal Investigation Command
ACHP	Advisory Council on Historical Preservation	CLFX	Convoy Live Fire Exercise
ACM	Asbestos Containing Materials	CO	Carbon Monoxide
ACP	Access Control Point	COF	Company Operations Facility
ACUB	Army Compatible Use Buffer	CRBWPP	Chattahoochee River Basin Watershed Protection Plan
ADEM	Alabama Department of Environmental Management	CRM	Cultural Resource Manager
ADNL	A-Weighted Day-Night Level	CSE	Combat Support Equipment
AGL	Above Ground Level	CWA	Clean Water Act
AIRFA	American Indian Religious Freedom Act	CWW	City of Columbus Water Works
AL	Alabama	dB	Decibel
AMF	Army Modular Force	dBA	A-Weighted Decibel
ANCOC	Armor Crewman/Scout Advanced NCO Course	dBc	C-Weighted Decibel
APE	Area of Potential Effect	DDESB	Department of Defense Explosive Safety Board
AR	Army Regulation	DMPRC	Digital Multi-Purpose Range Complex
ARPA	Archaeological Resources Protection Act	DNL	Day-Night Sound Level
ARTEP	Army Training and Evaluation Program	DNR	Department of Natural Resources
ASIP	Army Stationing and Installation Plan	DoD	Department of Defense
AST	Aboveground Storage Tank	DOL	Directorate of Logistics
ASTM	American Society for Testing and Materials	DOT	Department of Transportation
BA	Biological Assessment	DPW	Directorate of Public Works
BCT	Brigade Combat Team	DRMO	Defense Reutilization and Marketing Office
BFV	Bradley Fighting Vehicle	DRMS	Defense Reutilization Market Service
BGD	Buildings and Grounds Division	DS/GS	Direct Support/General Support
BMP	Best Management Practices	DTDCD	Directorate of Training, Doctrine and Combat Development
BO	Biological Opinion	EA	Environmental Assessment
BOLC	Basic Officer Leader Course	EAP	Environmental Action Plan
BRAC	Base Realignment and Closure	ECS	Equipment Concentration Site
Btu	British thermal unit	EIFS	Economic Impact Forecast System
CAA	Clean Air Act	EIS	Environmental Impact Statement
CAAA	Clean Air Act Amendments	EMD	Environmental Management Division
CACTF	Combined Arms Collective Training Facility	ENG	Engineer Group
CAP	Centralized Accumulation Point	EO	Executive Order
CAV	Cavalry	EOD	Explosive Ordnance Disposal
CDI	Capabilities Development and Integration	EPCRA	Emergency Planning and Community Right to Know Act
CDNL	C-Weighted Day-Night Level	ERA	Environmental Restoration, Army
CEQ	Council on Environmental Quality	ESA	Endangered Species Act
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act	ESMP	Endangered Species Management Plan
CFH	Cubic Feet per Hour	ESPCP	Erosion, Sedimentation, and Pollution Control Plan
CFR	Code of Federal Regulation	FAA	Federal Aviation Administration
		FCS	Future Combat Systems
		FHWA	Federal Highways Administration

Final

FIRM	Flood Insurance Rate Map	LRCOG	Lee-Russell Council of Governments
FNSI	Finding of No Significant Impact	LUPZ	Land Use Planning Zone
FORSCOM	Forces Command	M	Mechanized
FPPA	Farmland Protection Policy Act	MACH	Martin Army Community Hospital
ft	foot/feet	MBTA	Migratory Bird Treaty Act
FTX	Field Training Exercise	mcf	Thousand Cubic Feet
FWPCA	Federal Water Pollution Control Act	MCM	Minimal Control Measures
FY	Fiscal Year	METRA	Metropolitan Transit (METRA) Columbus Transportation System
GA	Georgia	mgd	Million Gallons per Day
GADNR	Georgia Department of Natural Resources	MIM	Maneuver Impact Miles
GAO	Government Accounting Office	MM	Million
GDOT	Georgia Department of Transportation	MOGAS	Motor Gasoline
GDPR	Global Defense Posture and Realignment	MOU	Memorandum of Understanding
GEPD	Georgia Environmental Protection Division	MOUT	Military Operations Urban Terrain
GIS	Geographic Information System	MP	Military Police
gpd	Gallons per day	MPTR	Multi Purpose Training Range
Grp	Group	MRBC	Multi-Role Bridge Company
HEMTT	Heavy Equipment Mobile Transport Truck	MRF	Materials Recovery Facility
HETT	Heavy Equipment Transport Truck	MSA	Metropolitan Statistical Area
HMMWV	High Mobility Multipurpose Wheeled Vehicle	MS4	Municipal Separate Storm Water Sewer System
HPC	Historic Properties Component	MSL	Mean Sea Level
HQ	Headquarters	MWR	Morale, Welfare, and Recreation
HSMS	Hazardous Substance Management System	NAAQS	National Ambient Air Quality Standards
HUC	Hydrologic Unit Code	NAGPRA	Native American Graves Protection and Repatriation Act
IAP	Installation Action Plan	NCOA	Non-commissioned Officer Academy
ICP	Integrated Contingency Plan	NCO	Non-commissioned Officer
ICRMP	Integrated Cultural Resource Management Plan	NCP	National Oil and Hazardous Substances Pollution Contingency Plan
ID	Infantry Division	NEPA	National Environmental Policy Act
IET	Initial Entry Training	NHPA	National Historic Preservation Act
INRMP	Integrated Natural Resources Management Plan	NIOSH	National Institute for Occupational Safety and Health
IONMP	Installation Operational Noise Management Plan	NO ₂	Nitrogen Dioxide
IPBC	Infantry Platoon Battle Course	NOI	Notice of Intent
IRP	Installation Restoration Program	NOR	Notice of Registration
ISBC	Infantry Squad Battle Course	NOV	Notice of Violation
ISCP	Installation Spill Contingency Plan	NPDES	National Pollutant Discharge Elimination System
ITAM	Integrated Training Area Management	NRCS	Natural Resource Conservation Service
JLUS	Joint Land Use Study	NRHP	National Register of Historic Places
km ²	Square Kilometers	NTU	Nephelometric Turbidity Unit
KY	Kentucky	NWI	National Wetland Inventory
LBP	Lead Based Paint	O ₃	Ozone
LEED	Leadership in Energy and Environmental Design	OCS	Officer Candidate School
lf	Linear Feet	OMA	Operations and Maintenance, Army
LOS	Level of Service	OSHA	Occupational Safety and Health Administration

OSUT	One Station Unit Training	SMS	Standard for Managed Stability
PAO	Public Affairs Office	SO ₂	Sulfur Dioxide
Pb	Lead	SOCOM	Special Operations Command
PCB	Polychlorinated biphenyl	SOF	Special Operations Forces
pCi/L	Picocuries per Liter	SOP	Standard Operating Procedures
PCPI	Per Capita Personal Income	SPCC	Spill Prevention Control and Countermeasures
PIP	Public Involvement Plan	STX	Situational Training Exercise
PK	Unweighted Peak	SWMP	Solid Waste Management Plan
PL	Public Law	SWMU	Solid Waste Management Unit
PM ₁₀	Particulate Matter less than 10 Microns	SWP3	Stormwater Pollution Prevention Plan
PM _{2.5}	Particulate Matter less than 2.5 Microns	TBD	To be determined
POI	Program of Instruction	TC	Training Circular
POL	Petroleum, Oil, and Lubricant	TCE	Trichloroethylene
PSD	Prevention of Significant Deterioration	TDM	Travel Demand Management
PUAL	Pending Unit Action List	TMDL	Total Maximum Daily Load
RCI	Residential Communities Initiative	TNC	The Nature Conservancy
RCRA	Resource Conservation and Recovery Act	tpy	Tons per Year
RCW	Red-Cockaded Woodpecker	TRADOC	Training and Doctrine Command
RDP	Range Development Plan	TSCA	Toxic Substances Control Act
REC	Record of Environmental Consideration	TSM	Abrams Series of Tanks
RGR	Range Regiment	UA	Unit of Action
RMS	Range Maintenance Section	UAC	Urban Assault Course
ROD	Record of Decision	UEA	Unique Ecological Area
ROI	Region of Influence	UPH	Unaccompanied Personnel Housing
RRC	Regional Readiness Command	U.S.	United States
RS	Recovery Standard	USAAA	U.S. Army Audit Agency
RSO	Range Safety Officer	USAARMS	U.S. Army Armor School
RTLTP	Range and Training Land Program	USACE	U.S. Army Corps of Engineers
RTV	Rational Threshold Value	USACHPPM	U.S. Army Center for Health Promotion and Preventive Medicine
SAP	Satellite Accumulation Point	USAEC	U.S. Army Environmental Center
SBV	Stream Buffer Variance	USAIC	U.S. Army Infantry Center
SC	South Carolina	USARC	U.S. Army Reserve Center(s)
SDWA	Safe Drinking Water Act	USC	U.S. Code
SDZ	Surface Danger Zone	USDA	U.S. Department of Agriculture
SEMP	Strategic Ecosystem Management Plan	USEPA	U.S. Environmental Protection Agency
SERDP	Strategic Environmental Research & Development Program	USFWS	U.S. Fish and Wildlife Service
SERO	Southeastern Regional Environmental Office	USGS	United States Geological Survey
SHPO	State Historic Preservation Office	UST	Underground Storage Tank
SIP	State Implementation Plan	UXO	Unexploded ordnance
		VEC	Valued Environmental Resources
		VOC	Volatile Organic Compound
		WMU	Watershed Management Unit
		WWTP	Waste Water Treatment Plant

Appendix A:

NOTICE OF INTENT

ROUTINE USES OF RECORDS MAINTAINED IN THE SYSTEM, INCLUDING CATEGORIES OF USERS AND THE PURPOSES OF SUCH USES:

In addition to those disclosures generally permitted under 5 U.S.C. 552a(b) of the Privacy Act, these records or information contained therein may specifically be disclosed outside the DoD as a routine use pursuant to 5 U.S.C. 552a(b)(3) as follows: The 'Blanket Routine Uses' published at the beginning of the Air Force's compilation of record system notices apply to this system.

POLICIES AND PRACTICES FOR STORING, RETRIEVING, ACCESSING, RETAINING, AND DISPOSING OF RECORDS IN THE SYSTEM:**STORAGE:**

Maintained in file folders, note books/binders, in computers and on computer output products.

RETRIEVABILITY:

Retrieved by name, Social Security Number and detachment number.

SAFEGUARDS:

Records are accessed by person(s) responsible for servicing the record system in performance of their official duties and by authorized personnel who are properly screened and cleared for need-to-know. records are stored in locked rooms and cabinets. Those in computer storage devices are protected by computer system software.

RETENTION AND DISPOSAL:

Records at unit of assignment are destroyed one year after acceptance of commission or one year after disenrollment. Records at HQ AFROTC for disenrolled cadets are destroyed after three years. Computer records are destroyed when no longer needed. Records are destroyed by tearing into pieces, shredding, pulping, macerating or burning. Computer records are destroyed by erasing, deleting or overwriting.

SYSTEM MANAGER(S) AND ADDRESS:

Director of Senior Program, Air Force Reserve Officer Training Corps, 551 East Maxwell Boulevard, Maxwell Air Force Base, AL 36112-6110, and Commander of appropriate AFROTC detachment.

Official mailing addresses are published as an appendix to the Air Force's compilation of systems of records notices.

NOTIFICATION PROCEDURE:

Individuals seeking to determine whether this system of records contains information on them should address inquiries to the AFROTC Detachment Commander at location of assignment. Official mailing addresses are published

as an appendix to the Air Force's compilation of system of records notices.

Request for information involving an investigation for disenrollment should be addressed to Commander, Air Force Reserve Officer Training Corps, 551 East Maxwell Boulevard, Maxwell Air Force Base, AL 36112-6110. Requests should include full name and SSN.

RECORD ACCESS PROCEDURES:

Individuals seeking to access records about themselves contained in this system should address requests to the AFROTC Detachment Commander at location of assignment. Official mailing addresses are published as an appendix to the Air Force's compilation of systems of records notices.

Request for information involving an investigation for disenrollment should be addressed to Commander, Air Force Reserve Officer Training Corps, 551 East Maxwell Boulevard, Maxwell Air Force Base, AL 36112-6110. Requests should include full name and SSN.

CONTESTING RECORD PROCEDURES:

The Air Force rules for accessing records, and for contesting contents and appealing initial agency determinations are published in Air Force Instruction 33-332; 32 CFR part 806b; or may be obtained from the system manager.

RECORD SOURCE CATEGORIES:

Sources of records in the system are educational institutions, secondary and higher learning; government agencies; civilian authorities; financial institutions; previous employer; individual recommendations, interviewing officers; and civilian medical authorities.

EXEMPTIONS CLAIMED FOR THE SYSTEM:

Portions of this system may be exempt under the provisions of 5 U.S.C. 552a(k)(5), as applicable, but only to the extent that disclosure would reveal the identity of a confidential source.

Parts of this system may be exempt pursuant to 5 U.S.C. 552a(k)(5), but only to the extent that disclosure would reveal the identity of a confidential source.

[FR Doc. 05-23131 Filed 11-22-05; 8:45 am]

BILLING CODE 5001-06-M

DEPARTMENT OF DEFENSE**Department of the Army****Intent To Prepare Environmental Impact Statements for Realignment Actions Resulting From the 2005 Base Closure and Realignment Commission's Recommendations**

AGENCY: Department of the Army, DoD.

ACTION: Notice of intent.

SUMMARY: The Defense Base Closure and Realignment (BRAC) Commissions were established by Public Law 101-510, the Defense Base Closure and Realignment Act of 1990 (BRAC Law), to recommend military installations for realignment and closure. The 2005 Commission's recommendations were included in a report which was presented to the President on September 8, 2005. The President approved and forwarded this report to Congress on September 16, 2005. Since a joint resolution to disapprove these recommendations did not occur within the statutorily provided time period, these recommendations have become law and must be implemented in accordance with the requirements of the BRAC Law.

The BRAC Law exempts the decision-making process of the Commission from the provisions of the National Environmental Policy Act of 1969 (NEPA). The Law also relieves the Department of Defense from the NEPA requirement to consider the need for closing, realigning, or transferring functions and from looking at alternative installations to close or realign. Nonetheless, the Department of the Army must still prepare environmental impact analyses during the process of property disposal, and during the process of relocating functions from a military installation being closed or realigned to another military installation after the receiving installation has been selected but before the functions are relocated. These analyses will include consideration of the direct and indirect environmental and socioeconomic effects of these actions and the cumulative impacts of other reasonably foreseeable actions affecting the installations.

The Department of the Army intends to prepare individual Environmental Impact Statements (EIS) pursuant to section 102(2)(C) of NEPA, regulations of the Council on Environmental Quality (40 CFR 1500-1508), and the Army NEPA regulation (32 CFR 651 *et seq.*) for each of the actions listed below.

Opportunities for public participation will be announced in the respective local newspapers. The public will be

invited to participate in scoping activities for each EIS and comments from the public will be considered before any action is taken to implement these actions.

Environmental Impact Statements are planned for each of the following realignment actions:

a. Fort Meade, Maryland. The BRAC realignment action will co-locate and consolidate Department of Defense information and information technology missions at Fort Meade.

(1) EIS alternatives could include evaluating siting locations for structures and related projects within Fort Meade that involve new building construction only or new building construction combined with renovation of existing facilities. The alternatives would evaluate areas to provide for construction of, but not be limited to, six to eight 4-story administration buildings, a full day care child development center, a standard-design Whole Barracks Complex, and a physical fitness center.

(2) The proposed BRAC action may have significant environmental impacts due to the infrastructure and facilities construction that will be required to accommodate an estimated increase of over 5,500 personnel. Significant issues to be analyzed in the EIS may include potential impacts to air quality from increased vehicle emissions, installation and regional traffic increases, land use changes, natural resources, water use, solid waste, cultural resources, and cumulative impacts from increased burdens to the facility based on projected growth.

b. Aberdeen Proving Ground (APG), Maryland. APG will be receiving numerous Army, Navy and Air Force activities to transform it into a full spectrum research, development, acquisition center for Command, Control, Communications, Computers, Intelligence, Surveillance, and Reconnaissance (C4ISR) Defense Chemical and Biological Systems. The Army Test and Evaluation Command Headquarters and Civilian Personnel Offices will also be consolidated at APG.

(1) Alternatives to be examined in the EIS could include alternative distribution of new activities between APG and the Edgewood Area for military field training exercises; alternative siting schemes for placement of buildings and related infrastructure to accommodate an increase of about 15,000 Army personnel within the APG and Edgewood Area. These may include siting schemes for new building construction only, or new building

construction combined with renovation of existing facilities.

(2) The proposed BRAC action may have significant environmental impacts due to the large amount of infrastructure and facilities construction that will be required to accommodate an increase of personnel and military training operations. Significant issues to be analyzed in the EIS will include on-post and local air quality conditions, on-post and regional traffic conditions, housing, socioeconomic, noise due to increased vehicle use, threatened and endangered species to include bald eagle habitat, historic buildings and archeological resources, wetlands, biological resources, land use, and community facilities and services.

c. Fort Belvoir, Virginia. Fort Belvoir will be receiving numerous Department of Defense activities from leased space within the National Capital Region (NCR); National Geospatial Intelligence Agency units from various NCR leased locations and Bethesda, Maryland; primary and secondary medical care functions from Walter Reed Medical Center to a new, expanded DeWitt Army Hospital; and inventory control point functions for consumable items to the Defense Logistics Agency from the Naval Support Activist, Mechanisburg and Wright-Patterson Air Force Base, Ohio.

(1) EIS alternatives may consist of moving all activities to the Fort Belvoir Main Post, moving all activities to the Engineer Proving Ground (EPG), or moving a portion of the activities to the Main Point and a portion to the EPG. Other alternatives could include alternative land locations for specific projects within Fort Belvoir, within the EPG, or a combination of both; new construction only; new construction combined with renovation of existing facilities; alternative facility siting schemes, or other modifications of specific projects.

(2) The proposed BRAC action may have significant environmental impacts due to the large amount of infrastructure and facilities construction that will be required to accommodate an estimated increase of over 18,000 personnel. Significant issues to be analyzed in the EIS will include potential impacts to air quality condition in the Northern Virginia region, transportation systems in the Northern Virginia region, traffic conditions with Fort Belvoir, threatened and endangered species, historic buildings and archeological resources, wetlands, biological resources, land use, and community facilities and services.

d. Fort Lee, Virginia. Fort Lee will receive the Transportation Center and School from Fort Eustis, Virginia, and

the Ordnance Center and School from Aberdeen Proving Ground, Maryland. These functions will be consolidated with the Quartermaster Center and School, the Army Logistics Management College, and Combined Arms Support Command to establish a Combat Service Support Center at Fort Lee.

(1) Alternatives to be examined in the EIS may include the usage of only Fort Lee for field training exercises, the usage of other military installations (Fort A.P. Hill) for field training exercises, or a combination of both; alternative land locations for specific projects with Fort Lee and Fort A.P. Hill; new construction only; new construction combined with renovation of existing facilities; alternative facility siting schemes, or other modifications of specific projects.

(2) The proposed BRAC action may have significant environmental impacts due to the large amount of infrastructure and facilities construction that will be required to accommodate an estimated increase of over 7,000 personnel. Significant issues to be analyzed in the EIS will include air quality conditions, traffic conditions, noise due to increased training activities, threatened and endangered species, historic buildings and archeological resources, wetlands, biological resources, land use, and community facilities and services.

e. Fort Benning, Georgia. Fort Benning will receive the Armor Center and School from Fort Knox, Kentucky; 81st Regional Readiness Center from Fort Gillem, Georgia; and the U.S. Army Reserve Center from Columbus, Georgia.

(1) Alternatives to be examined by the EIS may consist of alternative siting locations with Fort Benning for facility construction projects, new construction only, renovation and use of existing facilities, or a combination of both new construction and use of existing facilities, and usage of alternatives land locations within Fort Benning for training activities.

(2) As a result of new construction and training activities associated with moving nearly 10,000 personnel to Fort Benning, the BRAC action has the potential to cause significant environmental impacts to threatened and endangered species such as the red-cockaded woodpecker, archeological sites, wetlands, soil erosion, and increased noise impacts to the surrounding public.

f. Fort Sam Houston, Texas. Navy and Air Force medical training activities from various locations within the U.S. and the 59th Medical Wing from Lackland Air Force Base, Texas, will move to Fort Sam Houston to form a Department of Defense medical training

center. The Army Installation Management Agency (IMA) Headquarters from Virginia, the Northwest IMA Regional office from Illinois, and the Army Environmental Center from Maryland will also move to Fort Sam Houston.

(1) Alternatives to be examined in the EIS could consist of alternative locations within Fort Sam Houston for siting facility construction, new construction only, renovation and use of existing facilities (to include historic buildings), or a combination of both new construction and use of existing facilities, and usage of alternative locations within Camp Bullis, a sub-post of Fort Sam Houston, for training activities.

(2) As a result of moving approximately 9,000 new personnel to Fort Sam Houston and associated new construction, renovation and training activities, implementing the proposed BRAC action could have potential significant impacts to traffic on and off post, air quality and historic properties, to include contributing elements of the Fort Sam Houston National Historic Landmark District.

g. Fort Carson, Colorado. Fort Carson will receive a Heavy Brigade Combat team and a Unit of Employment Headquarters from Fort Hood, Texas, and the inpatient care services from the U.S. Air Force Academy, Colorado. Another Infantry Brigade Combat Team from overseas could also be transferred to Fort Carson as a result of the BRAC recommendation.

(1) Alternatives that may be considered in the Fort Carson EIS could include phasing movement of units to the fort, alternative siting locations within the post of placement of new facilities, construction of only new facilities, utilization and renovation of existing facilities, a combination of new construction and utilization of existing facilities, and utilization of alternative locations within Fort Carson for training activities.

(2) Fort Carson will gain approximately 10,000 Army personnel as a result of the BRAC action. Construction of new facilities, renovation of existing infrastructure and additional training activities could have significant environmental impacts on Fort Carson and its environs. Impacts could concur to local air and water quality, archaeological resources, noise and traffic.

h. Pinion Canyon Maneuver Site, Colorado. Pinion Canyon Maneuver Site (PCMS) is a subpost of Fort Carson and a primary training area for units stationed at Fort Carson and other Army posts. The new combat units stationed

at Fort Carson will increase the training tempo at the PCMS.

(1) The EIS to be prepared for the PCMS will examine a number of implementation alternatives that could include alternative placement of new construction projects, alternative locations within the PCMS for training activities, and alternative timing for units to conduct training activities at the PCMS.

(2) The Fort Carson BRAC action has the potential to significantly impact natural resources at the PCMS since the approximately 10,000 new personnel to be stationed there will now be training at the PCMS on a regular basis. New construction and increased training activities at the PCMS could have an impact on archaeological resources, natural resources, air and water quality, and soil erosion.

FOR FURTHER INFORMATION CONTACT: Public Affairs Office of the affected installations or the appropriate higher headquarters as indicated: (1) Fort Meade, MD—(301) 677-1301; (2) Aberdeen Proving Ground, MD—(410) 278-1147; (3) Fort Belvoir, VA—(703) 805-2583; (4) Fort Lee, VA—(804) 734-6862; (5) Fort Benning, GA—(706) 545-3438; (6) Fort Sam Houston, TX—(210) 221-1099; (7) Fort Carson and Pinion Canyon Maneuver Site, CO—(910) 396-2122/5600.

Dated: November 18, 2005.

Addison D. Davis IV,

Deputy Assistant Secretary of the Army (Environment, Safety and Occupational Health), OASA(I&E).

[FR Doc. 05-23162 Filed 11-22-05; 8:45 am]

BILLING CODE 3710-08-M

DEPARTMENT OF DEFENSE

Defense Logistics Agency

Privacy Act of 1974; Systems of Records

AGENCY: Defense Logistics Agency.

ACTION: Notice to add a system of records.

SUMMARY: The Defense Logistics Agency proposes to add a system of records notice to its inventory of record systems subject to the Privacy Act of 1974 (5 U.S.C. 552a), as amended.

DATES: This action will be effective without further notice on December 23, 2005 unless comments are received that would result in a contrary determination.

ADDRESSES: Send comments to the Privacy Act Officer, Headquarters, Defense Logistics Agency, ATTN: DP,

8725 John J. Kingman Road, Stop 2533, Fort Belvoir, VA 22060-6221.

FOR FURTHER INFORMATION CONTACT: Ms. Susan Salus at (703) 767-6183.

SUPPLEMENTARY INFORMATION: The Defense Logistics Agency notices for systems of records subject to the Privacy Act of 1974 (5 U.S.C. 552a), as amended, have been published in the **Federal Register** and are available from the address above.

The proposed system report, as required by 5 U.S.C. 552a(r) of the Privacy Act of 1974, as amended, was submitted on October 5, 2005, to the House Committee on Government Reform, the Senate Committee on Homeland Security and Governmental Affairs, and the Office of Management and Budget (OMB) pursuant to paragraph 4c of Appendix I to OMB Circular No. A-130, 'Federal Agency Responsibilities for Maintaining Records About Individuals,' dated February 8, 1996 (February 20, 1996, 61 FR 6427).

Dated: November 17, 2005.

L.M. Bynum,

OSD Federal Register Liaison Officer, Department of Defense.

SYSTEM NAME:

Information Technology Access and Control Records.

SYSTEM LOCATION:

Director, Information Operations, Headquarters Defense Logistics Agency, ATTN: J-6, 8725 John J. Kingman Road, Stop 6226, Fort Belvoir, VA 22060-6221, and the Defense Logistics Agency field activities. Official mailing addresses are published as an appendix to DLA's compilation of systems of records notices.

CATEGORIES OF INDIVIDUALS COVERED BY THE SYSTEM:

Defense Logistics Agency (DLA) civilian and military personnel, contractor employees, and individuals requiring access to DLA-controlled networks, computer systems, and databases.

CATEGORIES OF RECORDS IN THE SYSTEM:

System contains documents relating to requests for and grants of access to DLA computer networks, systems, or databases. The records contain the individual's name; social security number; citizenship; physical and electronic addresses; work telephone numbers; office symbol; contractor/employee status; computer logon addresses, passwords, and user identification codes; type of access/permissions required; verification of need to know; dates of mandatory

Appendix B:

AMMUNITION OPERATIONAL DATA

Appendix B

The following data were used to calculate the noise levels within the existing and proposed ranges at Fort Benning. The weapons use data were supplied by Fort Benning Range Division (with input from Fort Knox Armor School) to the U.S. Army Center for Health Promotion and Preventative Medicine, Operational Noise Program, at Aberdeen Proving Grounds, Maryland. The resulting noise contours and resulting impacts to land use planning zones are presented in section 4.7, Noise.

Operational Noise Consultation, No. 52-EN-046P-06, Ft. Benning, GA; Mar 06

FORT BENNING RANGE OPERATIONS
SMALL CALIBER WEAPON EXPENDITURE

EXISTING RANGES WITH EXISTING AMMUNITION UTILIZATION	Pistol, 22 Cal. Live	Pistol, .45 Cal. Live	Pistol, 6.5 MM. Live	Pistol, 7 MM. Live	Pistol, 9 MM. Live	Pistol, 9 MM. Blank	Trainer AT4, 9MM TPT	Rifle, 22 Cal. Live	Rifle, 30 Cal. Live	Rifle, 300 MAG. Live	Rifle, 5.56 MM. Live	Rifle, 5.56 MM. Blank	Rifle, 6.5 MM. Live	Rifle, 6.5 MM. Blank	Rifle, 7.62 MM. Live	MACHINE GUN, 7.62 MM. Live	MACHINE GUN, 7.62 MM. Blank	MACHINE GUN, .50 CAL. LIVE	SHOTGUN, 12 GAUGE
	BRANN																		
	BUCHANAN																		
	BURROUGHS																		
	CACTUS																		
	CARMOUCHE																		
	COOLIDGE LOWER																		
	COURSEN WEST																		
	DUKE																		
	EASLEY																		
	ENGLISH																		
	FARNSWORTH																		
	FISKE																		
	GRISWOLD MTC																		
	HOOK TRAP-SKEET																		
	MAERTENS																		
	MALONE 02																		
	MALONE 03																		
	MALONE 04																		
	MALONE 05																		
	MALONE 07																		
	MALONE 09																		
	MALONE 11																		
	MALONE 12																		
	MALONE 14																		
	MALONE 15																		
	MALONE 16																		

Operational Noise Consultation, No. 52-EN-046P-06, Ft. Benning, GA; Mar 06

EXISTING RANGES WITH EXISTING AMMUNITION UTILIZATION, CONT'D.

	PISTOL, 22 CAL. LIVE	PISTOL, .45 CAL. LIVE	PISTOL, 6.5 MM, LIVE	PISTOL, 7 MM, LIVE	PISTOL, 9 MM, LIVE	PISTOL, 9 MM, BLANK*	TRAINER AT4, 9MM TPT	RIFLE, 22 CAL. LIVE	RIFLE, 30 CAL. LIVE	RIFLE, 300 MAG. LIVE	RIFLE, 5.56 MM, LIVE	RIFLE, 5.56 MM, BLANK*	RIFLE, 6.5 MM, LIVE	RIFLE, 7.62 MM, LIVE	MACHINE GUN, 7.62 MM, LIVE	MACHINE GUN, 7.62 MM, BLANK*	MACHINE GUN, .50 CAL. LIVE	SHOTGUN, 12 GAUGE
MALONE 17																		
MALONE 18																		
MALONE 22																		
MALONE 27																		
MCANDREWS																		
MCKENNA MOUT																		
PARKS																		
PATTON																		
PIERCE																		
POOL																		
RED CLOUD																		
ROOSEVELT																		
RUTH																		
SIMPSON																		
WAGNER																		
YOUNG																		

Operational Noise Consultation, No. 52-EN-046P-06, Ft. Benning, GA; Mar 06

EXISTING RANGES WITH CHANGE IN AMMUNITION UTILIZATION UNDER DOPAA FY07-13

	PISTOL, .38 CAL. LIVE	PISTOL, 357 MAG. LIVE	PISTOL, 45 CAL. LIVE	PISTOL, 6.5 MM. LIVE	PISTOL, 7 MM. LIVE	PISTOL, 9 MM. LIVE	PISTOL, 22 CAL. LIVE	RIFLE, 5.56 MM. LIVE	SHOTGUN, 12 GAUGE
BRINSON									
PHILLIPS	X								
SHELTON									

MODIFIED, RECONSTRUCTION, OR UPGRADE OF EXISTING RANGES UNDER DOPAA FY07-13

	PISTOL, 9 MM. LIVE	TRAINING AT4, 9MM TPT	RIFLE, 5.56 MM. LIVE	RIFLE, 5.56 MM. BLANK	MACHINE GUN, 7.62 MM. LIVE	MACHINE GUN, 50 CAL. LIVE	SHOTGUN, 12 GAUGE
COMBAT PISTOL QUALIFICATION COURSE (Formerly Porter Range)							
CONVOY LIVE FIRE "3" (Formerly Hastings Range)							
INFANTRY PLATOON BATTLE COURSE "1" (Formerly Garnsey Range)							
INFANTRY SQUAD BATTLE COURSE "1" (Formerly Galloway Range)							
INFANTRY PLATOON BATTLE COURSE "3" (Formerly Hastings Range)							
MULTI PURPOSE TRAINING RANGE (Formerly Hastings Range)							
SQUAD DEFENSE (Formerly Malone 26)							
STATIONARY TANK RANGE "1" (Formerly Ware Range)							
URBAN ASSAULT COURSE "1" (Formerly Martin Range)							
URBAN ASSAULT COURSE "C" (Formerly Booker Demo Range)							

Operational Noise Consultation, No. 52-EN-046P-06, Ft. Benning, GA; Mar 06

CONSTRUCTION OF NEW RANGES UNDER DOPAA FY07-13

		PISTOL, 9 MM, LIVE	RIFLE, 5.56 MM, LIVE	RIFLE, 5.56 MM, BLANK	MACHINE GUN, 7.62 MM, LIVE	MACHINE GUN, .50 CAL, LIVE
25M ZERO "3"	PN65037	X	X	X	X	
25M ZERO "5"	PN65039	X	X	X	X	
DIGITAL MULTI-PURPOSE RANGE COMPLEX	PN40525	X	X	X	X	
FIRE & MOVEMENT "1"	PN65032	X	X	X	X	
MODIFIED RECORD FIRE "2"	PN65044	X	X	X	X	
MODIFIED RECORD FIRE "3"	PN65045	X	X	X	X	
MODIFIED RECORD FIRE "4"	PN65046	X	X	X	X	
MODIFIED RECORD FIRE "5"	PN65047	X	X	X	X	
MODIFIED RECORD FIRE "6"	PN65048	X	X	X	X	
SHOOT HOUSE "1"	PN58963	X	X	X	X	
SHOOT HOUSE "2"	PN58964	X	X	X	X	
SQUAD BATTLE COURSE "CC01"	-----	X	X	X	X	
STATIONARY TANK "2"	PN65383				X	X

Operational Noise Consultation, No. 52-EN-046P-06, Ft. Benning, GA; Mar 06

**FORT BENNING RANGE OPERATIONS
DEMOLITION AND LARGE CALIBER WEAPON EXPENDITURE
EXISTING OPERATIONS AND DOPAA FY07-13**

RANGE	PROJECT NUMBER	WEAPON	DAYTIME (0700-2200)	NIGHTTIME (2200-0700)
A20 Impact Area	n/a	Bomb, MK82 500 lbs.	3	0
Brann	n/a	20mm Gun, Inert	1,264	0
		Demolition, 1.25 lbs	48	0
Cactus	n/a	120mm Tank, Inert	290	0
		25mm Gun, Inert	2,784	0
		Bangalore, 1 section	480	0
		Cratering Charge, 40 lbs	96	0
		Hand Grenade, Fragmenting	267	0
Carmouche	n/a	120mm Tank, Inert	10,579	2,476
		25mm Gun, Inert	106,527	27,521
Concord	n/a	120mm Mortar, HE	108	15
		120mm Mortar, Inert	54	0
		155mm Howitzer, HE	101	37
		155mm Howitzer, Inert	8	13
		81mm Mortar, HE	554	128
		81mm Mortar, Inert	5	150
Coolidge	n/a	120mm Mortar, HE	1,499	375
		120mm Mortar, Inert	155	0
		20mm Gun, Inert	24	0
		25mm Gun, Inert	500	0
		40mm Grenade, HE	10,008	0
		60mm Mortar, Inert	32	0
		81mm Mortar, HE	3,157	657
		81mm Mortar, Inert	0	45
		AT4 Rocket, HE	170	0
		RAAWS Rocket, HE	30	0
		TOW Missile, Inert	36	0
Digital Multi Purpose Range Complex	PN40525	105mm Stryker Main Gun, Inert	246	62
		120mm Tank, Inert	1,138	227
		25mm Gun, Inert	11,232	2,816
		Bangalore, 1 section	480	0
		Cratering Charge, 40 lbs	96	0
		Hand Grenade, Fragmenting	1,513	0
Duke	n/a	AT4 Rocket, HE	145	0
		RAAWS Rocket, HE	2	0
Firing Point 001	n/a	81mm Mortar, HE	40	10
		81mm Mortar, Inert	5	0
Firing Point 002	n/a	120mm Mortar, HE	108	15
		120mm Mortar, Inert	54	0
		81mm Mortar, HE	40	10
		81mm Mortar, Inert	5	0
Firing Point 003	n/a	81mm Mortar, HE	40	10
		81mm Mortar, Inert	5	0
Firing Point 004	n/a	81mm Mortar, HE	40	10
		81mm Mortar, Inert	5	0
Firing Point 075	n/a	81mm Mortar, HE	40	10
		81mm Mortar, Inert	5	0
Firing Point 076	n/a	81mm Mortar, HE	40	10
		81mm Mortar, Inert	5	0
Firing Point 077	n/a	120mm Mortar, HE	108	15
		120mm Mortar, Inert	54	0
		81mm Mortar, HE	40	10
		81mm Mortar, Inert	5	0
Firing Point 078	n/a	120mm Mortar, HE	108	15
		120mm Mortar, Inert	54	0

Operational Noise Consultation, No. 52-EN-046P-06, Ft. Benning, GA; Mar 06

*Inert: Rounds that do not make noise upon impact, e.g., illumination, practice, smoke.

RANGE	PROJECT NUMBER	WEAPON	DAYTIME (0700-2200)	NIGHTTIME (2200-0700)
Firing Point 110	n/a	120mm Mortar, HE	108	15
		120mm Mortar, Inert	54	0
		81mm Mortar, HE	40	10
		81mm Mortar, Inert	5	0
Firing Point 203	n/a	120mm Mortar, HE	108	15
		120mm Mortar, Inert	54	0
		155mm Howitzer, HE	101	37
		155mm Howitzer, Inert	8	13
		81mm Mortar, HE	40	10
		81mm Mortar, Inert	5	0
Firing Point 204	n/a	120mm Mortar, HE	108	15
		120mm Mortar, Inert	54	0
		81mm Mortar, HE	40	10
		81mm Mortar, Inert	5	0
Firing Point 206	n/a	120mm Mortar, HE	108	15
		120mm Mortar, Inert	54	0
		81mm Mortar, HE	40	10
		81mm Mortar, Inert	5	0
Firing Point 207	n/a	120mm Mortar, HE	108	15
		120mm Mortar, Inert	54	0
		81mm Mortar, HE	40	10
		81mm Mortar, Inert	5	0
Firing Point 210	n/a	155mm Howitzer, HE	138	50
		155mm Howitzer, Inert	11	17
Firing Point 212	n/a	155mm Howitzer, HE	138	50
		155mm Howitzer, Inert	9	17
Firing Point 330	n/a	155mm Howitzer, HE	101	37
		155mm Howitzer, Inert	8	13
Firing Point 331	n/a	155mm Howitzer, HE	101	37
		155mm Howitzer, Inert	8	13
Firing Point 332	n/a	155mm Howitzer, HE	101	37
		155mm Howitzer, Inert	8	13
Firing Point 333	n/a	155mm Howitzer, HE	138	50
		155mm Howitzer, Inert	11	17
Firing Point 401	n/a	155mm Howitzer, HE	101	37
		155mm Howitzer, Inert	8	13
Firing Point 402	n/a	155mm Howitzer, HE	101	37
		155mm Howitzer, Inert	8	13
Firing Point 501	n/a	155mm Howitzer, HE	101	37
		155mm Howitzer, Inert	8	13
Firing Point 503	n/a	155mm Howitzer, HE	101	37
		155mm Howitzer, Inert	8	13
Firing Point 505	n/a	155mm Howitzer, HE	101	37
		155mm Howitzer, Inert	8	13
Firing Point 506	n/a	155mm Howitzer, HE	101	37
		155mm Howitzer, Inert	8	13
Firing Point 600	n/a	155mm Howitzer, HE	138	50
		155mm Howitzer, Inert	11	17
Firing Point 602	n/a	155mm Howitzer, HE	138	50
		155mm Howitzer, Inert	11	17
Firing Point 603	n/a	155mm Howitzer, HE	138	50
		155mm Howitzer, Inert	11	17
Firing Point 606	n/a	155mm Howitzer, HE	101	37
		155mm Howitzer, Inert	8	13

Operational Noise Consultation, No. 52-EN-046P-06, Ft. Benning, GA; Mar 06

RANGE	PROJECT NUMBER	WEAPON	DAYTIME (0700-2200)	NIGHTTIME (2200-0700)
Hand Grenade Familiarization "1" {formally Malone I}	PN64751	Hand Grenade, Fragmenting	40,834	0
K15 Impact Area	n/a	Bomb, MK82, 500 lbs.	20	0
Malone 21	n/a	40mm Grenade, HE	58,213	0
Malone 24	n/a	60mm Mortar, HE	2,009	0
		81mm Mortar, HE	110	0
		81mm Mortar, Inert	4,515	0
Malone 25	n/a	81mm Mortar, HE	1,509	0
		81mm Mortar, Inert	86	3,308
McKenna MOUT	n/a	Demolition, 0.25 lbs	14	0
Mine Training Area	n/a	Mine, Claymore M18A1	65	0
		Simulator, Ground Burst M115A24	15	0
		Simulator, Hand Grenade M116	10	0
Multi Purpose Training Range "1" {formally Hastings}	PN64551	120mm Tank, Inert	10,816	1,510
		25mm Gun, Inert	97,837	25,301
Patton	n/a	AT4 Rocket, HE	8	0
		Mine, Claymore M18A1	3	0
Red Cloud	n/a	25mm Gun, Inert	16,913	0
		40mm Grenade, HE	10,294	0
		60mm Mortar, HE	614	0
		60mm Mortar, Inert	200	0
		81mm Mortar, APERS	1,488	0
		81mm Mortar, HE	788	0
		81mm Mortar, Inert	9	0
Stationary Tank "1" {formally Ware}	PN65382	120mm Tank, Inert	7,256	1,814
		25mm Gun, Inert	64,424	16,106
Stationary Tank "2"	PN65383	120mm Tank, Inert	7,256	1,814
		25mm Gun, Inert	76,916	19,230
Urban Assault Course "1" {formally Martin}	PN65066	Demolition, 1.25 lbs	500	0
Urban Assault Course "2" (formally Booker)	n/a	Demolition, 1.25 lbs	500	0
Victory	n/a	Demolition, 1.25 lbs	347	0
		Demolition, 0.25 lbs	210	0
Warner	n/a	40mm Grenade, HE	99,132	0
Young	n/a	Demolition, 0.25 lbs	1,078	0

Appendix C:

ECONOMIC IMPACT FORECAST SYSTEM (EIFS)

Appendix C

SOCIOECONOMIC IMPACT ASSESSMENT

Socioeconomic impacts are linked through cause-and-effect relationships. Military payrolls and local procurement contribute to the economic base for the region of influence (ROI). In this regard, renovation, demolition, and construction of family housing at Fort Benning would have a multiplier effect on the local and regional economy. With the proposed action, direct jobs would be created, generating new income and increasing personal spending. This spending generally creates secondary jobs, increases business volume, and increases revenues for schools and other social services.

THE ECONOMIC IMPACT FORECAST SYSTEM

The U.S. Army, with the assistance of many academic and professional economists and regional scientists, developed EIFS to address the economic impacts of NEPA-requiring actions and to measure their significance. As a result of its designed applicability, and in the interest of uniformity, EIFS should be used in NEPA assessments for RCI. The entire system is designed for the scrutiny of a populace affected by the actions being studied. The algorithms in EIFS are simple and easy to understand, but still have firm, defensible bases in regional economic theory.

EIFS was developed under a joint project of the U.S Army Corps of Engineers (USACE), the U.S. Army Environmental Policy Institute (AEPI), and the Computer and Information Science Department of Clark Atlanta University, Georgia. EIFS is an on-line system, and the EIFS Web application is hosted by the USACE, Mobile District. The system is available to anyone with an approved user-id and password. University staff and the staff of USACE, Mobile District are available to assist with the use of EIFS.

The databases in EIFS are national in scope and cover the approximately 3,700 counties, parishes, and independent cities that are recognized as reporting units by federal agencies. EIFS allows the user to define an economic ROI by identifying the counties, parishes, or cities to be analyzed. Once the ROI is defined, the system aggregates the data, calculates multipliers and other variables used in the various models in EIFS, and prompts the user for forecast input data.

THE EIFS MODEL

The basis of the EIFS analytical capabilities is the calculation of multipliers that are used to estimate the impacts resulting from Army-related changes in local expenditures or employment. In calculating the multipliers, EIFS uses the economic base model approach, which relies on the ratio of total economic activity to basic economic activity. Basic, in this context, is defined as the production or employment engaged to supply goods and services outside the ROI or by federal activities (such as military installations and their employees). According to economic base theory, the ratio of total income to basic income is measurable (as the multiplier) and sufficiently stable so that future changes in economic activity can be forecast. This technique is especially appropriate for estimating aggregate impacts and makes the economic base model ideal for the EIS process.

The multiplier is interpreted as the total impact on the economy of the region resulting from a unit change in its base sector; for example, a dollar increase in local expenditures due to an expansion of its military installation. EIFS estimates its multipliers using a location quotient approach based on the concentration of industries within the region relative to the industrial concentrations for the nation.

The user inputs into the model the data elements which describe the Army action: the change in expenditures, or dollar volume of the construction project(s); change in civilian or military employment; average annual income of affected civilian or military employees; the percent of civilians expected to relocate due to the Army's action; and the percent of military living on-post. Once these are entered into the EIFS model, a projection of changes in the local economy is provided. These are projected changes in sales volume, income, employment, and population. These four indicator variables are used to measure and evaluate socioeconomic impacts. Sales volume is the direct and indirect change in local business activity and sales (total retail and wholesale trade sales, total selected service receipts, and value-added by manufacturing). Employment is the total change in local employment due to the proposed action, including not only the direct and secondary changes in local employment, but also those personnel who are initially affected by the military action. Income is the total change in local wages and salaries due to the proposed action, which includes the sum of the direct and indirect wages and salaries, plus the income of the civilian and military personnel affected by the proposed action. Population is the increase or decrease in the local population as a result of the proposed action.

THE SIGNIFICANCE OF SOCIOECONOMIC IMPACTS

Once model projections are obtained, the Rational Threshold Value (RTV) profile allows the user to evaluate the significance of the impacts. This analytical tool reviews the historical trends for the defined region and develops measures of local historical fluctuations in sales volume, income, employment, and population. These evaluations identify the positive and negative changes within which a project can affect the local economy without creating a significant impact. The greatest historical changes define the boundaries that provide a basis for comparing an action's impact on the historical fluctuation in a particular area. Specifically, EIFS sets the boundaries by multiplying the maximum historical deviation of the following variables:

		Increase	Decrease
Sales Volume	X	100%	75%
Income	X	100%	67%
Employment	X	100%	67%
Population	X	100%	50%

These boundaries determine the amount of change that will affect an area. The percentage allowances are arbitrary, but sensible. The maximum positive historical fluctuation is allowed with expansion because economic growth is beneficial. While cases of damaging economic growth have been cited, and although the zero-growth concept is being accepted by many local planning groups, military base reductions and closures generally are more injurious to local economics than are expansion.

The major strengths of the RTV are its specificity to the region under analysis and its basis on actual historical data for the region. The EIFS impact model, in combination with the RTV, has proven successful in addressing perceived socioeconomic impacts. The EIFS model and the RTV technique for measuring the intensity of impacts have been reviewed by economic experts and have been deemed theoretically sound.

The following are the EIFS inputs and output data and the RTV values for the ROI. These data form the basis for the socioeconomic impact analysis presented in Section 4.4.

EIFS REPORT: Fort Benning

STUDY AREA

Chattahoochee, GA

Harris, GA

Muscogee, GA

Marion, GA

Russell, AL

FORECAST INPUT

Change In Local Expenditures	\$583,992,800
Change In Civilian Employment	2,126
Average Income of Affected Civilian	\$29,377
Percent Expected to Relocate	100
Change In Military Employment	1,010
Average Income of Affected Military	\$24,378
Percent of Military Living On-post	19%

FORECAST OUTPUT

Employment Multiplier	2.54	
Income Multiplier	2.54	
Sales Volume – Direct	\$645,250,600	
Sales Volume – Induced	\$993,686,000	
Sales Volume – Total	\$1,638,937,000	15.63%
Income – Direct	\$190,353,600	
Income - Induced	\$175,728,500	
Income – Total (place of work)	\$366,082,000	6.20%
Employment – Direct	6,017	
Employment – Induced	4,437	
Employment – Total	10,454	6.55%
Local Population	7,331	
Local Off-base Population	7,809	2.78%

RTV SUMMARY

	Sales Volume	Income	Employment	Population
Positive	10.86%	10.16%	5.1%	3.06%
Negative	-8.27%	-6.15%	-9.54%	-2.17%

Appendix D:

TRANSPORTATION REPORT

Appendix D

METHODOLOGY FOLLOWED TO ESTIMATE PREFERRED ALTERNATIVE LEVEL OF SERVICE

Estimates of the trips generated were prepared using the procedure established by the Institute of Transportation Engineers (ITE) in its Trip Generation Handbook (2nd Edition) and its associated Trip Generation rates (7th Edition). Based on a survey of developments with different Land Uses, the trips generated in each of them were associated to an independent variable (square footage and, number of trainees/residents/employees) and time period of analysis (AM and PM peak hours on Weekdays) through a regression analysis.

Using the trip generation procedure outlined by the ITE, the trips generated by each of the projects were estimated. These trips are presented in Tables D1 through D4, organized by the different cantonment locations where new development is planned. These trips reflect the net increase in activity as the result of the implementation of each project. Since, most of the movement of troops for training and instruction is either by walking or by a military transport (truck), the number of auto trips generated for such facilities has been reduced. As the tables indicate, the projects that would have the greatest potential impact on neighboring transportation infrastructure are the new headquarter buildings that are equivalent to office buildings. Other facilities, where people are expected to drive either their personal vehicles or military vehicles are maintenance and utility facilities, child development center and shoppettes.

Table D1: Trips Generated in Main Post, By Peak Hour and Direction of Flow

Number	Project Name	AM Out	PM Out	AM In	PM In
54931	Child Development Center, 6-10 Yr Facility	554	342	651	258
62952	HQ Complex, 14th Combat Support Hospital	556	581	556	475
64459	Tng Sppt Brigade	7	13	11	5
65061	Museum Operations Support Buildings (Main)	482	879	482	879
65068	Trainee Barracks Complex, BCT + Infrastructure Spp	1	11	5	4
65080	Health Clinic Expansion, Main Post	75	123	75	123
65118	General Instruction Complex/Student Dining	11	192	52	390
65206	Army Lodging	190	127	122	149
65224	Centralized Catering/Golf Clubhouse Facility	207	382	324	156
65284	Maneuver Center HQ Bldg Expansion and CDI	13	93	104	16
65285	Renovation of Maneuver Center HQ Bldg 4	2	17	19	3
65288	Infantry Officer Basic Course HQ/Gen Inst.	9	74	72	13
65322	Infantry Officer Basic Course HQ/Gen Inst.	34	253	277	45
65344	Dining Facility to Support Army Lodging	181	3,076	827	6,245
65395	SOF Special Troops Battalion HQ Building	811	5,749	6,562	1,015
65578	CIDC Group/BDE Headquarters Building	34	249	272	44
65580	Child Development Center Under 6 Years	1,881	113	2,121	100
	Total	5,048	12,274	12,532	9,920

Table D2: Trips Generated in Kelley Hill, By Peak Hour and Direction of Flow

Number	Project Name	AM Out	PM Out	AM In	PM In
64460	DS/GS (weapons) Maintenance Facility	279	365	518	365
64791	New Shopping Center Addition	44	226	68	209
65323	Troop Issue Subsistence Activity Building	3	19	21	3
	Total	326	610	607	577

Table D3: Trips Generated in Sand Hill, By Peak Hour and Direction of Flow

Number	Project Name	AM Out	PM Out	AM In	PM In
51256	Maneuver Center Reception Station, Phase 2	1,654	1,654	1,197	1,197
62956	Health Clinic Expansion - Winder	210	347	210	347
64368	Solomon Dental Clinic Expansion	264	435	264	435
64462	Reception Station Barracks/ Processing Center	4	38	32	13
64481	Blood Donor Clinic	156	257	156	257
64719	Shoppette w/ Class Six/Gas Food/Car Wash	1,476	1,887	1,536	1,887
65068	Trainee Barracks BCT, Alternate Site	12	79	88	26
65245	Recreation Center Addition	170	314	266	128
65247	Physical Fitness Center Addition	290	820	210	854
65247	Physical Fitness Center Addition	180	509	130	530
65249	Chapel, Sand Hill	107	102	126	111
65287	Bldg Conversion to Training Aids Center	53	56	53	46
65337	Expand Transportation Motor Pool	0	0	0	0
67419	Maneuver Center Reception Station, Phase 3	24	300	176	100
	Total	4,600	6,798	4,444	5,931

Table D4: Trips Generated In Harmony Church, By Peak Hour And Direction Of Flow

Number	Project Name	AM Out	PM Out	AM In	PM In
38134	Barracks Complex (29th & 75th)	3	3	3	2
64080	Troop Medical Center	539	888	539	888
64370	Trainee Barracks Complex 1, Borrow Area/Pit	14	107	105	36
64459	Training Support Brigade Complex (Ph. 1 & 2)	85	157	133	64
64461	Ammunition Storage Igloos	73	143	104	149
64491	Equipment Concentration Site/Army Res. Center	1,170	1,222	1,170	1,000
64740	Mini-Mall with Food/Barber/Laundry/etc.	88	490	138	452
64790	Battle Command Training Center	109	201	171	82
65041	Trainee Barracks Complex 3	5	39	33	13
65056	IET Brigade Headquarters Building	585	4,174	4,736	737
65061	Museum Operations Support Bldg	14	26	14	26
65065	Chapel	154	148	181	160
65084	Range Control and Maintenance Complex	288	301	288	246
65246	Recreation Center, Harmony Church	306	565	479	231
65250	Consolidated Maneuver Center Battle Lab Complex	29	40	83	55
65251	Unit Maintenance Activity Facility	245	256	245	209
65252	Centralized Wash Facility with Soaking Capability	1,619	1,692	1,619	1,385
65253	16th CAV Gen Inst/Armor Off. Basic Course HQ	42	306	338	54
65322	General Instruction Building Complex	8	56	63	10
65438	Vehicle Maintenance Instruction Facility	56	77	160	107
67648	Maneuver Center Simulation Facility	9	148	65	49
Total		5,441	11,039	10,667	5,955

The resulting volumes under this scenario are the sum of the background traffic (existing volumes plus historic growth) calculated in the analysis of the No-Action Alternative plus the above traffic volumes that result from the implementation of the preferred alternative.

Before adding the traffic volumes generated by the new projects, they must be distributed through the transportation network. The first step in the distribution process is to determine the directions from which the traffic is coming and to which it is going as it enters or leaves the project area. This step considers the directional splits of the traffic flow on streets adjacent to the new buildings. The number of trips generated by a new building is hence split into north-south or east-west directional trips. The next step is to distribute this traffic as it flows through the different intersections according to the peak hour turning movements observed at each intersection.

Considering that the access to the Fort Benning area is through designated gates, it is necessary to consider during the analysis that the traffic would move towards or from these gates to their respective buildings. It has been assumed that the traffic would take the shortest (or the only available) route to the gate from the building. The distribution of traffic at the intersections along their route is made according to the intersection splits based on the 2006 traffic counts (by PBS&J).

Appendix E:

AIR QUALITY APPROACH AND CALCULATIONS

APPENDIX E

Air quality impacts were estimated for the two primary elements associated with the Transformation proposed action: construction and operations. The following is a discussion of the assumptions, references, and methods used to perform the air emission estimate calculations.

CONSTRUCTION

Air quality impacts from proposed construction activities were estimated from (1) combustion emissions due to the use of fossil fuel-powered equipment; (2) fugitive dust emissions (PM₁₀ and PM_{2.5}) during demolition activities, earth-moving activities, and the operation of equipment on bare soil; and (3) VOC emissions from application of asphalt materials during paving operations.

Factors needed to derive the construction source emission rates were obtained from *Compilation of Air Pollution Emission Factors, AP-42, Volume I* (USEPA 1995); *Median Life, Annual Activity, and Load Factor Values for Nonroad Engine Emissions Modeling* (USEPA 2004a); *Exhaust and Crankcase Emission Factors for Nonroad Engine Modeling—Compression-Ignition* (USEPA 2004b); *Nonroad Engine and Vehicle Emission Study—Report* (USEPA 1991); *Exhaust Emission Factors for Nonroad Engine Modeling—Spark-Ignition* (USEPA 2004c); *Conversion Factors for Hydrocarbon Emission Components* (USEPA 2004d); *Comparison of Asphalt Paving Emission Factors* (CARB 2005); *WRAP Fugitive Dust Handbook* (WRAP 2004); and *EMFAC 2002 (v2.2) Emission Factors (On-Road)* (CARB 2002).

The analysis assumed that all construction equipment was manufactured before 2000. This approach over-estimates emissions from proposed construction equipment, as the future equipment fleet would include a substantial amount of newer, lower-emitting equipment compared to 2000 vintage equipment. The analysis also inherently reduced PM₁₀ fugitive dust emissions from earth-moving activities by 50 percent as this control level is included in the emission factor itself.

Off-Road Equipment Emissions. The NONROAD model (EPA 2005) is the EPA standard method for preparing emission inventories for mobile sources that are not classified as being related to on-road traffic, railroads, air traffic, or water-going vessels. As such, it is the starting place for quantifying emissions from construction-related equipment. The NONROAD model uses the following general equation to estimate emissions separately for CO, NO_x, PM (essentially all of which is PM_{2.5} from construction sources), and total hydrocarbons (THC), nearly all of which are NMHC1:

$$\text{EMS} = \text{EF} * \text{HP} * \text{LF} * \text{Act} * \text{DF}$$

Where:

EMS = estimated emissions

EF = emissions factor in grams per horsepower hours

HP = peak horsepower

LF = load factor (assumed percentage of peak horsepower)

Act = activity in hours of operation per period of operation

DF = deterioration factor

The emissions factor is specific to the equipment type, engine size, and technology type. The technology type for diesel equipment can be “base” (before 1988), “tier 0” (1988 to 1999), or “tier 1” (2000 to 2005). Tier 2 emissions factors could be applied to equipment that satisfies 2006 national standards (or slightly earlier California standards). The technology type for two-stroke gasoline equipment can be “base” (before 1997), “phase 1” (1997 to 2001), or “phase 2” (2002 to 2007). Equipment for phases 1 and 2 can have catalytic converters. For this study, all diesel equipment was assumed to be either tier 0 or tier 1 and all two-stroke diesel equipment was assumed to be phase 1 without catalytic converters.

The load factor is specific to the equipment type in the NONROAD model regardless of engine size or technology type, and it represents the average fraction of peak horsepower at which the engine is assumed to operate. NONROAD model default values were used in all cases. Because Tier 0 and Tier 1 equipment was conservatively used throughout the analysis period (2007 to 2013), deterioration factors were not used to estimate increased emissions due to engine age. Based on the methodology described, it is possible to make a conservative estimate of emissions from off-road equipment if the types of equipment and durations of use are known.

Construction calculations were performed for each year when construction is proposed, 2007 to 2013. Information from supplied Form 1391s, *Military Construction Project Data*, and timeline information provided by Installation personnel were used to identify periods of construction for large, multi-year projects, as well as detailed information on acreages to be cleared, building square footages, excavation/demolition/cut and fill, grading, trenching, gravel work, concrete work, paving, and pavement marking.

Fugitive Dust. Emission rates for fugitive dust were estimated using guidelines outlined in the Western Regional Air Partnership (WRAP) fugitive dust handbook (WRAP 2004). Although these guidelines were developed for use in western states, they assume standard dust mitigation best practices activities of 50 percent from wetting; therefore, they were deemed applicable but conservative for the Southeastern United States. The WRAP handbook offers several options for selecting factors for PM₁₀ (coarse PM) depending on what information is known.

After PM_{10} is estimated, the fraction of fugitive dust emitted as $PM_{2.5}$ is estimated, the most recent WRAP study (MRI 2005) recommends the use of a fractional factor of 0.10 to estimate the $PM_{2.5}$ portion of the PM_{10} .

For site preparation activities, the emission factor was obtained from Table 3-2 of the WRAP Fugitive Dust Handbook. The areas of disturbance and approximate durations were used in conjunction with the large scale of land-disturbing activities occurring, resulting in the selection of the first factor with worst-case conditions for use in the analysis.

PM_{10} , $PM_{2.5}$, and Mobile Sources. Diesel exhaust is a primary, well-documented source of $PM_{2.5}$ emissions. The vast majority of PM emissions in diesel exhaust is $PM_{2.5}$. Therefore, all calculated PM is assumed to be $PM_{2.5}$. A corollary result of this is that the PM_{10} fraction of diesel exhaust is estimated very conservatively as only a small fraction of PM_{10} is present in the exhaust. However, ratios of PM_{10} to $PM_{2.5}$ in diesel exhaust are not yet published and therefore for the purposes of the EIS calculations, all PM emissions are equally distributed as PM_{10} and $PM_{2.5}$.

VOC Emissions from Paving and Pavement Marking. VOC emissions from the application of hot mix asphalt were calculated throughout the construction period of 2007 to 2013. The estimates used asphalt volumes as provided in the Form 1391s, and used the published CARB hot mix asphalt emission factor. VOC emissions from pavement marking (road and parking lot striping, etc.) were calculated based on the use of acrylic water-based paint containing a commonly formulated quantity of VOCs and using a typical industry application volume.

Construction Workers – Mobile Sources. Mobile source emissions were calculated for construction workers for each of the construction years. These emissions assumed that each worker drove their own car, and that the average mileage driven each workday within the Fort Benning fenceline, was 10 miles (to include driving during lunch break) and at a rate not exceeding 30 miles per hour. Emission factors were derived from the California Air Resources Board (CARB) EMFAC 2002 mobile emissions model, Scenario Year: 2006 – Passenger Vehicle Model Years: 1965 to 2006. Although construction continues to 2013, no adjustments were made to the emission factors to account for newer model vehicles, resulting in more conservative emissions estimates in the out-years.

OPERATIONS

Operations evaluated for air emissions include mobile source emissions generated by the growth of commuters to Fort Benning, emissions from boilers installed in large (barracks-scale) new buildings, annual fuel storage tank throughput emissions due to the relocation of military vehicles associated with the Armor School, ordnance detonation emissions as part of the Armor School training, and emissions from new emergency generators installed at specified, newly constructed locations.

Operational areas evaluated but determined to be exempt or otherwise not requiring further analysis included:

- Engine test stands that will be relocated with the Armor School. These engine test stands allow for an engine to be removed from a military vehicle (such as a tank) and operated for training purposes. Although the engine is physically relocated outside of the vehicle, it does remain attached to the vehicle and is therefore regulated as a mobile source (Personal communication, Gaines 2006).
- Fugitive dust generated by training activities to, from, and at the ranges. A letter from Harold Reheis, Director, GA DNR, to the Southeastern Regional Environmental Office (SERO), dated 21 April 2003, states that the “use of vehicles and equipment in military training and military exercises, on ranges and unpaved road and trails, is not subject to Rule (n).” The letter further states “. . . Rule (n) is not applicable to most vehicle and equipment travel at a military base, since the travel is not a part of a process and there is no manufactured product.” The letter referenced above from Harold Reheis, GA EPD, April 2003, gives relief during military training and exercises, but not for other activities such as construction.

Mobile Source Emissions. Mobile source emissions are associated with the population increase at Fort Benning. This increase will result in a total of 5,749 new employees, of which 1,242 are civilian and the rest are military. For the purposes of estimating commute emissions from personally-owned vehicles (POVs), it was assumed that 100 percent of the civilians (1,242) would commute to Fort Benning each workday. Additionally, it was assumed that 70 percent of the military (2,286) would also live off the installation and commute daily to Fort Benning. A total daily commuting distance of 10 miles per day was used, with each worker driving a car. Annual emissions were scaled based on the percentage of Transformation construction activities that were completed, with the first year of commuter traffic beginning in 2011. Emission factors were derived from the CARB EMFAC 2002 mobile emissions model, Scenario Year: 2006 – Passenger Vehicle Model Years: 1965 to 2006. No adjustments were made to the emission factors to account for newer model vehicles in future years.

Boiler Emissions. Boiler emissions were calculated based on the following assumptions:

- Only large buildings/complexes (150,000 sf) would use boilers. All other buildings would use small, electric space heating units.

- With the exception of the replacement hospital heating plant, the boilers would be less than 10 MM Btu in size.
- With the exception of the replacement hospital heating plant, boilers would supply heat only. Hot water would be generated by separate hot water heaters.
- With the exception of the replacement hospital heating plant, boilers would only use natural gas as an energy source.
- The replacement hospital heating plant will be similarly sized to the current hospital's heating plant, therefore assumed using two 16.2 MM Btu/hour input capacity and one 36.1 MM Btu/hour input capacity boilers. These boilers are capable of operating using either natural gas (primary fuel source) or fuel oil number 2.

With these assumptions, boiler emissions were calculated using annual fuel consumption estimates for a nearly 10 MM Btu boiler documented as part of the Fort Benning *2003 Air Emission Inventory* and the same annual fuel consumption values as were used for the current hospital boiler plant systems. Emission factors came from AP-42.

Fuel Storage Tank Throughput. Fuel storage tank throughput emissions were calculated based on emissions calculated for tank throughput at Fort Benning in the *2003 Air Emission Inventory* and on the volume of JP-8 (the fuel used by Armor School vehicles) reported by Fort Knox in 2005. Based on information provided by Fort Knox personnel, the amount of JP-8 at the Installation that was used by the Armor School was estimated at 70 percent (the remaining 30 percent was used at the airfield).

Ordnance Detonation. Ordnance detonation emissions associated with operation of the Armor School were estimated using annual ordnance quantities detonated as provided by Armor School staff, broken into three subgroups: small arms, large arms, and smoke generating devices. Small arms was defined as ordnance .50 caliber or less in size, large arms was defined as greater than .50 caliber in size, and smoke generating devices were defined as sources such as markers, grenades, and smoke pots. Using ordnance detonation emission values from the Fort Benning *2003 Air Emission Inventory*, ratios were applied to the Fort Knox data to generate annual emission estimates for each of the three subgroups. Currently, Fort Benning is developing an air emissions inventory that uses emission factors developed by the Army Environmental Center and will be reflected in the upcoming 2006 inventory.

Emergency Generators. A total of 12 emergency generators were identified, of which eight would be associated with the new hospital. Emission estimates were obtained using AP-42 emission factors for the appropriate kilowatt rating, and estimates of annual use (monthly test runs), as determined in the *2003 Air Emission Inventory*. It was assumed that all of the emergency generators would run on diesel fuel.

REFERENCES

- California Air Resources Board (CARB). 2005. Comparison of Asphalt Paving Emission Factors.
- _____. 2002. Emission Factors (EMFAC) 2002 (v2.2) Emission Factors (On-Road). September.
- Federal Code of Regulations, Title 40, Protection of the Environment, Chapter I, Environmental Protection Agency, Subchapter C, Air Programs: Part 50, National Primary and Secondary Ambient Air Quality Standards. Part 59, Subpart D, National Volatile Organic Compound Emission Standards for Architectural Coatings, Table 1, VOC Content Limits by Product Category. Part 93.153, Determining Conformity of Federal Actions to State or Federal Implementation Plans, Subpart B—Determining Conformity of General Federal Actions to State or Federal Implementation Plans, Applicability.
- Georgia Administrative Rules and Regulations, Chapter 391, Georgia Department of Natural Resources, Section 3, Environmental Protection, Subsection 1, Air Quality Control.
- Midwest Research Institute (MRI). 2005. MRI Project No. 110397. Analysis of the Fine Fraction of Particulate Matter in Fugitive Dust, conducted for the Western Governors Association Western Regional Air Partnership (WRAP). October
- Fort Benning. 2003. Part 70 Operating Permit, 9711-215-0021-V-01-0. 16 June.
- U.S. Army. Various dates (vd). Military Construction Project Data, Form 1391.
- Fort Knox. 2005. Kentucky Division for Air Quality Emissions Inventory Survey for Calendar Year 2005.
- U.S. Environmental Protection Agency (USEPA). 2005. National Emission Inventory (NEI) database. August.
- _____. 2004a. EPA Report No. NR-005c, Median Life, Annual Activity, and Load Factor Values for Nonroad Engine Emissions Modeling
- _____. 2004b. EPA Report No. NR-009c, Exhaust and Crankcase Emission Factors for Nonroad Engine Modeling—Compression-Ignition
- _____. 2004c. EPA Report No. NR-010d, Exhaust Emission Factors for Nonroad Engine Modeling—Spark-Ignition. April.
- _____. 2004d. EPA 420-P-04-001, NR-002b, Conversion Factors for Hydrocarbon Emission Components. April.
- _____. 1995. Compilation of Air Pollution Emission Factors, AP-42, Volume I.
- _____. 1991. EPA 460/3-91-02, Nonroad Engine and Vehicle Emission Study—Report.
- _____. 2006. Criteria Pollutant Green Book, <http://www.epa.gov/oar/oaqps/greenbk/>. Website accessed in September through November.

Versar, Incorporated. 2004. Air Emissions Inventory for 2003, Fort Benning, Georgia. November.

Webster, R. 2006. Phase II Socioeconomic Analyses for Proposed Mission Realignment at Fort Benning, Georgia, 2006-2010. 10 August.

Western Regional Air Partnership (WRAP). 2004. *WRAP Fugitive Dust Handbook*. November.

Alternative A: Air Emissions By Year 2007

Clearing		1290	AC																
	Equipment	Number	Hr/day	# days	Hp	LF	VOC	CO	NOx	SO2	PM	VOC	CO	NOx	SO2	PM			
Appendix A	Chain saw	24	6	250	5	0.7	120.06	351.02	1.82	NA	7.7	33,351	97,508	506	N/A	2,139			
	Backhoe/loader	6	8	250	98	0.21	0.99	3.49	6.9	0.85	0.722	539	1,900	3,757	463	393			
	Skid/steer Loader	6	8	62.5	168	0.59	0.68	2.7	8.38	0.93	0.402	446	1,770	5,494	610	264			
	Dozer	12	6	100	299	0.58	0.68	2.7	8.38	0.93	0.402	1,872	7,432	23,068	2,560	1,107			
	Dump truck (12 CY)	18	8	250	275	0.21	0.68	2.7	8.38	0.89	0.402	3,117	12,375	38,409	4,079	1,843			
Subtotal																			
Demo Buildings		120,277	SF																
Equipment		Number	Hr/day	# days	Hp	LF	VOC	CO	NOx	SO2	PM	VOC	CO	NOx	SO2	PM			
Dozer		2	8	270	90	0.59	0.99	3.49	6.9	0.93	0.722	501	1,765	3,490	470	365			
Skid steer loader		2	8	270	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	77	347	822	136	69			
Crane		1	8	15	120	0.43	0.3384	0.8667	5.6523	0.93	0.2799	5	12	77	13	4			
											Subtotal	582	2,124	4,388	620	438			
Equipment		Number	Hr/day	# days	Hp		VOC	CO	NOx	SO2	PM	VOC	CO	NOx	SO2	PM			
Backhoe/loader		2	8	135	98	0.21	0.99	3.49	6.9	0.85	0.722	97	342	676	83	71			
Skid steer loader		2	8	135	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	38	174	411	68	35			
Dump truck		8	2	135	275	0.21	0.68	2.7	8.38	0.89	0.402	187	743	2,305	245	111			
											Subtotal	322	1,258	3,392	396	216			
Cut/Fill/Excavate/Borrow		920,706	CY																
Equipment		Number	Hr/day	# days	Hp	LF	VOC	CO	NOx	SO2	PM	VOC	CO	NOx	SO2	PM			
Skid steer loader		3	8	128	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	54	247	584	97	49			
Dump truck (40 CY)		28	8	123	710	0.59	0.68	2.7	8.38	0.89	0.402	17,303	68,701	213,228	22,646	10,229			
Backhoe/loader		5	8	116	98	0.21	0.99	3.49	6.9	0.85	0.722	208	735	1,453	179	152			
Excavator		5	8	116	513	0.59	0.68	2.7	8.38	0.93	0.402	2,105	8,360	25,946	2,879	1,245			
Dozer		5	8	116	620	0.59	0.68	2.7	8.38	0.93	0.402	2,545	10,103	31,358	3,480	1,504			
MT Loader		5	8	116	158	0.59	0.68	2.7	8.38	0.93	0.402	648	2,575	7,991	887	383			
Small generator		10	8	120	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	69	374	476	85	41			
											Subtotal	22,933	91,095	281,035	30,253	13,603			
Trenching		42,785	CY		67 CY= 1 site/1 day														
Equipment		Number	Hr/day	days	Hp	LF	VOC	CO	NOx	SO2	PM	VOC	CO	NOx	SO2	PM			
Backhoe/loader		15	8	128	98	0.21	0.99	3.49	6.9	0.85	0.722	690	2,432	4,809	592	503			
Boring Equipment		5	4	128	60	0.23	0.5213	2.3655	5.5988	0.93	0.473	41	184	436	72	37			
Excavator		5	8	128	90	0.21	0.99	3.49	6.9	0.85	0.722	211	745	1,472	181	154			
Dump truck		20	1	128	275	0.21	0.68	2.7	8.38	0.89	0.402	222	880	2,731	290	131			
Delivery truck		5	2	128	180	0.21	0.68	2.7	8.38	0.89	0.402	73	288	894	95	43			
Small generator		10	8	128	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	74	399	508	90	43			
Trencher		5	8	128	100	0.21	0.99	3.49	6.9	0.85	0.722	235	827	1,636	201	171			
											Subtotal	1,545	5,756	12,485	1,523	1,083			

[illegible]

Alternative A: Air Emissions By Year 2007

Delivery truck	4	1	115	180	0.21	0.68	2.7	8.38	0.89	0.402	26	104	321	34	15
Backhoe/loader	4	8	25	98	0.21	0.99	3.49	6.9	0.85	0.722	36	127	250	31	26
										Subtotal	686	2735	8182	905	426
Paving	7,393 CY														
Equipment	Number	Hr/day	# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO₂ g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO₂ lb	PM lb
Grader	1	4	19	150	0.59	0.68	2.7	8.38	0.93	0.402	10	40	124	14	6
Roller	2	4	19	30	0.59	1.8	5	6.9	1	0.8	11	30	41	6	5
Paver	1	8	19	107	0.59	0.68	2.7	8.38	0.93	0.402	14	57	177	20	9
Delivery truck	2	2	33	180	0.21	0.68	2.7	8.38	0.89	0.402	7	30	92	10	4
										Subtotal	43	157	435	49	24
Volume of hot mix asphalt			199611 ft ³												
Average density of HMA			145 lb/ft ³												
CARB EF for HMA			0.04 lb/ton												
VOC emissions from HMA paving			579 lb												
Pavement Marking	22,478 LF														
4" Solid Line=	215 ft/gal		VOC content of paint =	1.3	lb/gal										
VOC															
lb															
136															
Fugitive Dust Emissions:															
tons/acre/mo	PM ₁₀	acres	days of disturbance	PM ₁₀ Total	PM _{2.5} /PM ₁₀ Ratio	PM _{2.5} Total									
0.42		108	250	378	0.1	37.8									
POV Emissions from Construction Workers															
Assume 10 miles per day on-base per day per vehicle (one vehicle per worker)															
On-base POV emissions															
# vehicles	# days	mi/day	VOC lb/mi	CO lb/mi	NOx lb/mi	SOx lb/mi	PM lb/mi	VOC lb	CO lb	NOx lb	SOx lb	PM lb			
190	250	10	0.001497	0.013925	0.001489	0.000009	0.000080	711.08	6614.38	707.28	4.275	37.84			
							Subtotal	711	6,614	707	4	38			
2007 Emission Totals:															
VOC T/yr	CO T/yr		NOx T/yr	SO ₂ T/yr	PM ₁₀ T/yr	PM _{2.5} T/yr									
36	126		215	24	391	50									

Alternative A: Air Emissions By Year 2008

Clearing	714 AC		# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
	Number	Hr/day													
Chain saw	24	6	150	5	0.7	120.06	351.02	1.82	NA	7.7	20,010	58,505	303	N/A	1,283
Backhoe/loader	6	8	150	98	0.21	0.99	3.49	6.9	0.85	0.722	323	1,140	2,254	278	236
Skid/steer Loader	6	8	38	168	0.59	0.68	2.7	8.38	0.93	0.402	271	1,076	3,340	371	160
Dozer	12	6	60	299	0.58	0.68	2.7	8.38	0.93	0.402	1,123	4,459	13,841	1,536	664
Dump truck (12 CY)	18	8	150	275	0.21	0.68	2.7	8.38	0.89	0.402	1,870	7,425	23,046	2,448	1,106
										Subtotal	23,598	72,606	42,784	4,632	3,449
Demo Buildings	48,617	SF													
Equipment	Number	Hr/day	# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
Dozer	2	8	108	90	0.59	0.99	3.49	6.9	0.93	0.722	200	706	1,396	188	146
Skid steer loader	2	8	108	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	31	139	329	55	28
Crane	1	8	6	120	0.43	0.3384	0.8667	5.6523	0.93	0.2799	2	5	31	5	2
										Subtotal	233	850	1,755	248	175
Equipment	Number	Hr/day	# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
Backhoe/loader	2	8	54	98	0.21	0.99	3.49	6.9	0.85	0.722	39	137	270	33	28
Skid steer loader	2	8	54	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	15	69	164	27	14
Dump truck	8	2	54	275	0.21	0.68	2.7	8.38	0.89	0.402	75	297	922	98	44
										Subtotal	129	503	1,357	159	86
Cut/Fill/Excavate/Borrow	611,210	CY													
Equipment	Number	Hr/day	# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
Skid steer loader	3	8	115	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	49	222	525	87	44
Dump truck (40 CY)	28	8	111	710	0.59	0.68	2.7	8.38	0.89	0.402	15,614	61,999	192,425	20,437	9,231
Backhoe/loader	5	8	104	98	0.21	0.99	3.49	6.9	0.85	0.722	187	659	1,302	160	136
Excavator	5	8	104	513	0.59	0.68	2.7	8.38	0.93	0.402	1,888	7,495	23,262	2,582	1,116
Dozer	5	8	104	620	0.59	0.68	2.7	8.38	0.93	0.402	2,281	9,058	28,114	3,120	1,349
MT Loader	5	8	104	158	0.59	0.68	2.7	8.38	0.93	0.402	581	2,308	7,164	795	344
Small generator	10	8	108	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	62	337	428	76	37
										Subtotal	20,663	82,077	253,221	27,257	12,256
Trenching	142,593	CY													
Equipment	Number	Hr/day	days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
Backhoe/loader	21	8	250	98	0.21	0.99	3.49	6.9	0.85	0.722	1,887	6,651	13,149	1,620	1,376
Boring Equipment	7	4	250	60	0.23	0.5213	2.3655	5.5988	0.93	0.473	111	504	1,192	198	101
Excavator	7	8	250	90	0.21	0.99	3.49	6.9	0.85	0.722	578	2,036	4,025	496	421
Dump truck	28	1	250	275	0.21	0.68	2.7	8.38	0.89	0.402	606	2,406	7,468	793	358
Delivery truck	7	2	250	180	0.21	0.68	2.7	8.38	0.89	0.402	198	788	2,444	260	117
Small generator	14	8	250	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	202	1,092	1,388	247	119
Trencher	7	8	250	100	0.21	0.99	3.49	6.9	0.85	0.722	642	2,262	4,472	551	468
										Subtotal	4,224	15,738	34,139	4,164	2,960
Building Construction	1,487,996	SF													

Alternative A: Air Emissions By Year 2008

Equipment	Number	Hr/day	# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
Foundation (slab)															
Skid steer loader	11	2	192	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	75	339	803	133	68
Concrete truck	30	4	112	250	0.21	0.68	2.7	8.38	0.89	0.402	1,058	4,200	13,036	1,384	625
Dump truck	21	6	120	275	0.21	0.68	2.7	8.38	0.89	0.402	1,309	5,198	16,132	1,713	774
Delivery truck	5	1	220	180	0.21	0.68	2.7	8.38	0.89	0.402	62	248	768	82	37
Backhoe/loader	5	8	48	98	0.21	0.99	3.49	6.9	0.85	0.722	86	304	601	74	63
Small generator	14	4	250	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	101	546	694	123	59
										Subtotal	2691	10835	32035	3510	1626
Equipment	Number	Hr/day	# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
Small generator	11	4	144	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	46	247	314	56	27
Delivery truck	3	2	192	180	0.21	0.68	2.7	8.38	0.89	0.402	65	259	804	85	39
Skid steer loader	7	8	312	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	309	1,404	3,323	552	281
Concrete truck	11	4	120	250	0.21	0.68	2.7	8.38	0.89	0.402	416	1,650	5,121	544	246
Crane	1	8	240	120	0.43	0.3384	0.8667	5.6523	0.93	0.2799	74	189	1,235	203	61
										Subtotal	910	3750	10798	1440	653
Small diesel engines	35	8	365	25	0.43	1.7	5	8.5	0.93	0.9	4,118	12,111	20,588	2,253	2,180
Grading															
Site prep (grading, drainage, utilities etc)	714 AC														
Equipment	Number	Hr/day	# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
Dozer	6	6	45	90	0.59	0.99	3.49	6.9	0.93	0.722	188	662	1,309	176	137
Skid steer loader	12	4	125	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	106	482	1,141	190	96
Backhoe/loader	12	6	97	98	0.21	0.99	3.49	6.9	0.85	0.722	314	1,106	2,186	269	229
Small generator	6	4	125	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	22	117	149	26	13
Dump truck	36	1	82	275	0.21	0.68	2.7	8.38	0.89	0.402	256	1,015	3,150	334	151
										Subtotal	885	3,382	7,935	996	626
Gravel Work	87,815 CY														
Equipment	Number	Hr/day	# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
Grader	6	8	225	135	0.58	0.68	2.7	8.38	0.93	0.402	1,268	5,034	15,623	1,734	749
Skid steer loader	12	8	215	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	366	1,659	3,926	652	332
Small generator	6	8	225	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	78	421	535	95	46
Dump truck (12 CY)	36	1	215	275	0.21	0.68	2.7	8.38	0.89	0.402	670	2,661	8,258	877	396
										Subtotal	2,381	9,774	28,342	3,358	1,523
Small diesel engines	20	6	215	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	187	1006	1279	227	109
Concrete Work	102,885 CY														
Equipment	Number	Hr/day	# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
Skid steer loader	11	2	206	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	80	364	862	143	73
Concrete truck (9 CY)	46	1	288	250	0.21	0.68	2.7	8.38	0.89	0.402	934	3,709	11,511	1,223	552
Dump truck (12 CY)	34	0.5	260	275	0.21	0.68	2.7	8.38	0.89	0.402	383	1,519	4,716	501	226
Delivery truck	5	1	230	180	0.21	0.68	2.7	8.38	0.89	0.402	65	259	803	85	39

Alternative A: Air Emissions By Year 2008

Backhoe/loader	5	8	50	98	0.21	0.99	3.49	6.9	0.85	0.722	90	317	626	77	66
										Subtotal	1552	6168	18518	2029	955
Paving	55.567 CY														
Equipment	Number	Hr/day	# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
Grader	1	4	148	150	0.59	0.68	2.7	8.38	0.93	0.402	79	312	968	107	46
Roller	2	4	148	30	0.59	1.8	5	6.9	1	0.8	83	231	319	46	37
Paver	1	8	148	107	0.59	0.68	2.7	8.38	0.93	0.402	112	445	1381	153	66
Delivery truck	2	2	257	180	0.21	0.68	2.7	8.38	0.89	0.402	58	231	718	76	34
										Subtotal	332	1219	3386	383	184
Volume of hot mix asphalt			1500315.8 ft ³												
Average density of HMA			145 lb/ft ³												
CARB EF for HMA			0.04 lb/ton												
VOC emissions from HMA paving			4351 lb												
Pavement Marking	47.311 LF														
4" Solid Line=	215 ft/gal				1.3	lb/gal									
VOC															
lb															
286															
Fugitive Dust Emissions:															
PM ₁₀															
tons/acre/mo	0.42	acres	days of disturbance	PM ₁₀ Total	PM _{2.5} /PM ₁₀ Ratio	PM _{2.5} Total									
		60	250	210	0.1	21									
POV Emissions from Construction Workers															
Assume 10 miles per day on-base per day per vehicle (one vehicle per worker)															
On-base POV emissions															
# vehicles	# days	mi/day	VOC lb/mi	CO lb/mi	NOx lb/mi	SOx lb/mi	PM lb/mi	VOC lb	CO lb	NOx lb	SOx lb	PM lb			
440	250	10	0.001497	0.013925	0.001489	0.000009	0.000080	1646.70	15317.50	1637.90	9.9	87.63			
							Subtotal	1,647	15,318	1,638	10	88			
2008 Emission Totals:															
VOC	VOC	CO	NOx	SO2	PM ₁₀	PM _{2.5}									
T/yr	T/yr	T/yr	T/yr	T/yr	T/yr	T/yr									
38	128	245	27	287	42										

Appendix E
E-14

[illegible]

Appendix E
E-16

Alternative A: Air Emissions By Year 2010

Clearing		108	AC																				
Equipment		Number	Hr/day	# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb							
Chain saw		11	6	45	5	0.7	120.06	351.02	1.82	NA	7.7	2,751	8,044	42	N/A	176							
Backhoe/loader		3	8	45	98	0.21	0.99	3.49	6.9	0.85	0.722	49	171	338	42	35							
Skid/steer Loader		3	8	12	168	0.59	0.68	2.7	8.38	0.93	0.402	43	170	527	59	25							
Dozer		5	6	18	299	0.58	0.68	2.7	8.38	0.93	0.402	140	557	1,730	192	83							
Dump truck (12 CY)		8	8	45	275	0.21	0.68	2.7	8.38	0.89	0.402	249	990	3,073	326	147							
											Subtotal	3,232	9,933	5,710	619	468							
Demo Buildings		109,201	SF																				
Equipment		Number	Hr/day	# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb							
Dozer		8	8	54	90	0.59	0.99	3.49	6.9	0.93	0.722	401	1,412	2,792	376	292							
Skid steer loader		8	8	54	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	61	278	657	109	56							
Crane		4	8	3	120	0.43	0.3384	0.8667	5.6523	0.93	0.2799	4	9	62	10	3							
											Subtotal	465	1,699	3,511	496	351							
Equipment		Number	Hr/day	# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb							
Backhoe/loader		8	8	27	98	0.21	0.99	3.49	6.9	0.85	0.722	78	274	541	67	57							
Skid steer loader		8	8	27	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	31	139	329	55	28							
Dump truck		32	2	27	275	0.21	0.68	2.7	8.38	0.89	0.402	150	594	1,844	196	88							
											Subtotal	258	1,007	2,713	317	173							
Cut/Fill/Excavate/Borrow		339,504	CY																				
Equipment		Number	Hr/day	# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb							
Skid steer loader		3	8	47	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	20	91	215	36	18							
Dump truck (40 CY)		28	8	45	710	0.59	0.68	2.7	8.38	0.89	0.402	6,330	25,135	78,010	8,285	3,742							
Backhoe/loader		5	8	42	98	0.21	0.99	3.49	6.9	0.85	0.722	75	266	526	65	55							
Excavator		5	8	42	513	0.59	0.68	2.7	8.38	0.93	0.402	762	3,027	9,394	1,043	451							
Dozer		5	8	42	620	0.59	0.68	2.7	8.38	0.93	0.402	921	3,658	11,354	1,260	545							
MT Loader		5	8	42	158	0.59	0.68	2.7	8.38	0.93	0.402	235	932	2,893	321	139							
Small generator		10	8	44	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	25	137	175	31	15							
											Subtotal	8,369	33,246	102,566	11,040	4,964							
Trenching		31,135	CY																				
Equipment		Number	Hr/day	days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb							
Backhoe/loader		21	8	54	98	0.21	0.99	3.49	6.9	0.85	0.722	407	1,437	2,840	350	297							
Boring Equipment		7	4	54	60	0.23	0.5213	2.3655	5.5988	0.93	0.473	24	109	258	43	22							
Excavator		7	8	54	90	0.21	0.99	3.49	6.9	0.85	0.722	125	440	869	107	91							
Dump truck		28	1	54	275	0.21	0.68	2.7	8.38	0.89	0.402	131	520	1,613	171	77							
Delivery truck		7	2	54	180	0.21	0.68	2.7	8.38	0.89	0.402	43	170	528	56	25							
Small generator		14	8	54	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	44	236	300	53	26							
Trencher		7	8	54	100	0.21	0.99	3.49	6.9	0.85	0.722	139	489	966	119	101							
											Subtotal	912	3,399	7,374	899	639							
Building Construction		742,043	SF																				
Foundation (slab)																							
Equipment		Number	Hr/day	days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb							
Backhoe/loader		21	8	54	98	0.21	0.99	3.49	6.9	0.85	0.722	407	1,437	2,840	350	297							
Boring Equipment		7	4	54	60	0.23	0.5213	2.3655	5.5988	0.93	0.473	24	109	258	43	22							
Excavator		7	8	54	90	0.21	0.99	3.49	6.9	0.85	0.722	125	440	869	107	91							
Dump truck		28	1	54	275	0.21	0.68	2.7	8.38	0.89	0.402	131	520	1,613	171	77							
Delivery truck		7	2	54	180	0.21	0.68	2.7	8.38	0.89	0.402	43	170	528	56	25							
Small generator		14	8	54	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	44	236	300	53	26							
Trencher		7	8	54	100	0.21	0.99	3.49	6.9	0.85	0.722	139	489	966	119	101							
											Subtotal	912	3,399	7,374	899	639							
Building Construction		742,043	SF																				
Foundation (slab)																							
Equipment		Number	Hr/day	days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb							
Backhoe/loader		21	8	54	98	0.21	0.99	3.49	6.9	0.85	0.722	407	1,437	2,840	350	297							
Boring Equipment		7	4	54	60	0.23	0.5213	2.3655	5.5988	0.93	0.473	24	109	258	43	22							
Excavator		7	8	54	90	0.21	0.99	3.49	6.9	0.85	0.722	125	440	869	107	91							
Dump truck		28	1	54	275	0.21	0.68	2.7	8.38	0.89	0.402	131	520	1,613	171	77							
Delivery truck		7	2	54	180	0.21	0.68	2.7	8.38	0.89	0.402	43	170	528	56	25							
Small generator		14	8	54	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	44	236	300	53	26							
Trencher		7	8	54	100	0.21	0.99	3.49	6.9	0.85	0.722	139	489	966	119	101							
											Subtotal	912	3,399	7,374	899	639							
Building Construction		742,043	SF																				
Foundation (slab)																							
Equipment		Number	Hr/day	days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb							
Backhoe/loader		21	8	54	98	0.21	0.99	3.49	6.9	0.85	0.722	407	1,437	2,840	350	297							
Boring Equipment		7	4	54	60	0.23	0.5213	2.3655	5.5988	0.93	0.473	24	109	258	43	22							
Excavator		7	8	54	90	0.21	0.99	3.49	6.9	0.85	0.722	125	440	869	107	91							
Dump truck		28	1	54	275	0.21	0.68	2.7	8.38	0.89	0.402	131	520	1,613	171	77							
Delivery truck		7	2	54	180	0.21	0.68	2.7	8.38	0.89	0.402	43	170	528	56	25							
Small generator		14	8	54	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	44	236	300	53	26							
Trencher		7	8	54	100	0.21	0.99	3.49	6.9	0.85	0.722	139	489	966	119	101							
											Subtotal	912	3,399	7,374	899	639							
Building Construction		742,043	SF																				
Foundation (slab)																							
Equipment		Number	Hr/day	days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb							
Backhoe/loader		21	8	54	98	0.21	0.99	3.49	6.9	0.85	0.722	407	1,437	2,840	350	297							
Boring Equipment		7	4	54	60	0.23	0.5213	2.3655	5.5988	0.93	0.473	24	109	258	43	22							
Excavator		7	8	54	90	0.21	0.99	3.49	6.9	0.85	0.722	125	440	869	107	91							
Dump truck		28	1	54	275	0.21	0.68	2.7	8.38	0.89	0.402	131	520	1,613	171	77							
Delivery truck		7	2	54	180	0.21	0.68	2.7	8.38	0.89	0.402	43	170	528	56	25							
Small generator		14	8	54	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	44	236	300	53	26							
Trencher		7	8	54	100	0.21	0.99	3.49	6.9	0.85	0.722	139	489	966	119	101							
											Subtotal	912	3,399	7,374	899	639							
Building Construction		742,043	SF																				
Foundation (slab)																							

Equipment	Number	Hr/day	# days	Hp	LF	g/hp-hr	g/hp-hr	g/hp-hr	g/hp-hr	g/hp-hr	PM	CO	NOx	SO2	PM	VOC	CO	NOx	SO2	CO	NOx	SO2	PM	lb	lb	lb	lb	lb	lb
Skid steer loader	8	2	106	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	0.473	30	136	323	54	27	30	136	323	54	27	30	136	323	54	27	30	136	
Concrete truck	25	4	62	250	0.21	0.68	2.7	8.38	0.89	0.402	0.402	488	1,938	6,014	639	288	488	1,938	6,014	639	288	488	1,938	6,014	639	288	488		
Dump truck	17	6	66	275	0.21	0.68	2.7	8.38	0.89	0.402	0.402	583	2,314	7,183	763	345	583	2,314	7,183	763	345	583	2,314	7,183	763	345	583		
Delivery truck	3	1	121	180	0.21	0.68	2.7	8.38	0.89	0.402	0.402	21	82	254	27	12	21	82	254	27	12	21	82	254	27	12	21		
Backhoe/loader	3	8	26	98	0.21	0.99	3.49	6.9	0.85	0.722	0.722	28	99	195	24	20	28	99	195	24	20	28	99	195	24	20	28		
Small generator	10	4	138	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	0.4474	40	215	274	49	23	40	215	274	49	23	40	215	274	49	23	40		
										Subtotal		1189	4784	14241	1555	716													
Equipment	Number	Hr/day	# days	Hp	LF	VOC	CO	NOx	SO2	PM	VOC	CO	NOx	SO2	PM	VOC	CO	NOx	SO2	CO	NOx	SO2	PM	lb <td>lb<td>lb<td>lb<td>lb</td></td></td></td>	lb <td>lb<td>lb<td>lb</td></td></td>	lb <td>lb<td>lb</td></td>	lb <td>lb</td>	lb	
Small generator	8	4	79	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	0.4474	18	99	125	22	11	18	99	125	22	11	18	99	125	22	11	18		
Delivery truck	2	2	106	180	0.21	0.68	2.7	8.38	0.89	0.402	0.402	24	95	296	31	14	24	95	296	31	14	24	95	296	31	14	24		
Skid steer loader	5	8	172	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	0.473	122	553	1,309	217	111	122	553	1,309	217	111	122	553	1,309	217	111	122		
Concrete truck	8	4	66	250	0.21	0.68	2.7	8.38	0.89	0.402	0.402	166	660	2,048	218	98	166	660	2,048	218	98	166	660	2,048	218	98	166		
Crane	1	8	132	120	0.43	0.3384	0.8667	5.6523	0.93	0.2799	0.2799	41	104	679	112	34	41	104	679	112	34	41	104	679	112	34	41		
										Subtotal		371	1511	4458	600	267													
Small diesel engines	24	8	201	25	0.43	1.7	5	8.5	0.93	0.9	1.555	4,573	7,774	851	823														
Grading	108 AC																												
Site prep (grading, drainage, utilities)																													
Equipment	Number	Hr/day	# days	Hp	LF	VOC	CO	NOx	SO2	PM	VOC	CO	NOx	SO2	PM	VOC	CO	NOx	SO2	CO	NOx	SO2	PM	lb <td>lb<td>lb<td>lb<td>lb</td></td></td></td>	lb <td>lb<td>lb<td>lb</td></td></td>	lb <td>lb<td>lb</td></td>	lb <td>lb</td>	lb	
Dozer	2	6	40	90	0.59	0.99	3.49	6.9	0.93	0.722	0.722	56	196	388	52	41	56	196	388	52	41	56	196	388	52	41	56		
Skid steer loader	4	4	112	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	0.473	32	144	341	57	29	32	144	341	57	29	32	144	341	57	29	32		
Backhoe/loader	4	6	85	98	0.21	0.99	3.49	6.9	0.85	0.722	0.722	92	323	639	79	67	92	323	639	79	67	92	323	639	79	67	92		
Small generator	2	4	112	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	0.4474	6	35	44	8	4	6	35	44	8	4	6	35	44	8	4	6		
Dump truck	12	1	56	275	0.21	0.68	2.7	8.38	0.89	0.402	0.402	58	231	717	76	34	58	231	717	76	34	58	231	717	76	34	58		
										Subtotal		244	929	2,129	272	174													
Gravel Work	38,157 CY																												
Equipment	Number	Hr/day	# days	Hp	LF	VOC	CO	NOx	SO2	PM	VOC	CO	NOx	SO2	PM	VOC	CO	NOx	SO2	CO	NOx	SO2	PM	lb <td>lb<td>lb<td>lb<td>lb</td></td></td></td>	lb <td>lb<td>lb<td>lb</td></td></td>	lb <td>lb<td>lb</td></td>	lb <td>lb</td>	lb	
Grader	8	8	92	135	0.58	0.68	2.7	8.38	0.93	0.402	0.402	691	2,744	8,517	945	409	691	2,744	8,517	945	409	691	2,744	8,517	945	409	691		
Skid steer loader	17	8	88	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	0.473	212	962	2,276	378	192	212	962	2,276	378	192	212	962	2,276	378	192	212		
Small generator	8	8	82	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	0.4474	38	205	260	46	22	38	205	260	46	22	38	205	260	46	22	38		
Dump truck (12 CY)	36	1	88	275	0.21	0.68	2.7	8.38	0.89	0.402	0.402	274	1,089	3,380	359	162	274	1,089	3,380	359	162	274	1,089	3,380	359	162	274		
										Subtotal		1,215	5,000	14,434	1,729	785													
Small diesel engines	28	6	88	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	0.4474	107	576	733	130	63	107	576	733	130	63	107	576	733	130	63	107		
Concrete Work	42,050 CY																												
Equipment	Number	Hr/day	# days	Hp	LF	VOC	CO	NOx	SO2	PM	VOC	CO	NOx	SO2	PM	VOC	CO	NOx	SO2	CO	NOx	SO2	PM	lb <td>lb<td>lb<td>lb<td>lb</td></td></td></td>	lb <td>lb<td>lb<td>lb</td></td></td>	lb <td>lb<td>lb</td></td>	lb <td>lb</td>	lb	
Skid steer loader	14	2	82	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	0.473	41	185	437	73	37	41	185	437	73	37	41	185	437	73	37	41		
Concrete truck (9 CY)	46	1	103	250	0.21	0.68	2.7	8.38	0.89	0.402	0.402	373	1481	4596	488	220	373	1481	4596	488	220	373	1481	4596	488	220	373		
Dump truck (12 CY)	34	0.5	103	275	0.21	0.68	2.7	8.38	0.89	0.402	0.402	152	602	1868	198	90	152	602	1868	198	90	152	602	1868	198	90	152		
Delivery truck	7	1	91	180	0.21	0.68	2.7	8.38	0.89	0.402	0.402	36	143	445	47	21	36	143	445	47	21	36	143	445	47	21	36		
Backhoe/loader	7	8	20	98	0.21	0.99	3.49	6.9	0.85	0.722	0.722	50	177	351	43	37	50	177	351	43	37	50	177	351	43	37	50		
										Subtotal		652	2588	7696	849	405													

Alternative A: Air Emissions By Year 2010

Paving		18,695 CY														
Equipment		Number	Hr/day	# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
Grader		1	4	49	150	0.59	0.68	2.7	8.38	0.93	0.402	26	103	320	36	15
Roller		2	4	49	30	0.59	1.8	5	6.9	1	0.8	28	76	106	15	12
Paver		1	8	49	107	0.59	0.68	2.7	8.38	0.93	0.402	37	147	457	51	22
Delivery truck		2	2	85	180	0.21	0.68	2.7	8.38	0.89	0.402	19	77	237	25	11
											Subtotal	110	404	1121	127	61
Volume of hot mix asphalt				504765 ft³												
Average density of HMA				145 lb/ft³												
CARB EF for HMA				0.04 lb/ton												
VOC emissions from HMA paving				1464 lb												
Pavement Marking		924,972 LF														
4" Solid Line=		215 ft/gal		VOC content of paint =		1.3	lb/gal									
VOC																
lb																
5,593																
Fugitive Dust Emissions:																
	PM ₁₀			days of	PM ₁₀	PM _{2.5} /PM ₁₀	PM _{2.5}									
	tons/acre/mo	acres		disturbance	Total	Ratio	Total									
	0.42	9		250	32	0.1	3									
POV Emissions from Construction Workers																
Assume 10 miles per day on-base per day per vehicle (one vehicle per worker)																
On-base POV emissions																
	# vehicles	# days	mi/day	VOC	CO	NOx	SOx	PM	VOC	CO	NOx	SOx	PM			
	220	250	10	0.001497	0.013925	0.001489	0.000009	0.000080	823.35	7658.75	818.95	4.95	43.81			
								Subtotal	823	7,659	819	5	44			
2010 Emission Totals:																
	VOC	CO	NOx	SO2	PM ₁₀	PM _{2.5}										
	T/yr	T/yr	T/yr	T/yr	T/yr	T/yr										
	30	87	122	14	102	17										

Cleaning		336 AC				VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
Equipment	Number	Hr/day	# days	Hp	LF										
Chain saw	11	6	145	5	0.7	120.06	351.02	1.82	NA	7.7	8,866	25,921	134	N/A	569
Backhoe/loader	3	8	145	98	0.21	0.99	3.49	6.9	0.85	0.722	156	551	1,089	134	114
Skid/steer Loader	3	8	35	168	0.59	0.68	2.7	8.38	0.93	0.402	125	496	1,538	171	74
Dozer	5	6	56	299	0.58	0.68	2.7	8.38	0.93	0.402	437	1,734	5,383	597	258
Dump truck (12 CY)	8	8	145	275	0.21	0.68	2.7	8.38	0.89	0.402	803	3,190	9,901	1,052	475
										Subtotal	10,387	31,892	18,046	1,954	1,490
Demo Buildings	194,791 SF														
Equipment	Number	Hr/day	# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
Dozer	8	8	96	90	0.59	0.99	3.49	6.9	0.93	0.722	712	2,510	4,963	669	519
Skid steer loader	8	8	96	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	109	494	1,169	194	99
Crane	4	8	5	120	0.43	0.3384	0.8667	5.6523	0.93	0.2799	6	16	103	17	5
										Subtotal	827	3,020	6,234	880	623
Excavator	Number	Hr/day	# days	Hp		VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
Backhoe/loader	8	14	27	98	0.21	0.99	3.49	6.9	0.85	0.722	136	479	947	117	99
Skid steer loader	8	14	27	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	54	243	575	96	49
Dump truck	32	4	27	275	0.21	0.68	2.7	8.38	0.89	0.402	299	1,188	3,687	392	177
										Subtotal	489	1,910	5,209	604	325
Cut/Fill/Excavate/Borrow	395,323 CY														
Equipment	Number	Hr/day	# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
Skid steer loader	3	8	55	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	23	106	251	42	21
Dump truck (40 CY)	28	8	52	710	0.59	0.68	2.7	8.38	0.89	0.402	7,315	29,044	90,145	9,574	4,324
Backhoe/loader	5	8	49	98	0.21	0.99	3.49	6.9	0.85	0.722	88	310	614	76	64
Excavator	5	8	49	513	0.59	0.68	2.7	8.38	0.93	0.402	889	3,531	10,960	1,216	526
Dozer	5	8	49	620	0.59	0.68	2.7	8.38	0.93	0.402	1,075	4,268	13,246	1,470	635
MT Loader	5	8	49	158	0.59	0.68	2.7	8.38	0.93	0.402	274	1,088	3,376	375	162
Small generator	10	8	51	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	30	159	202	36	17
										Subtotal	9,694	38,506	118,793	12,788	5,750
Trenching	12,786 CY														
Equipment	Number	Hr/day	days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
Backhoe/loader	21	8	22	98	0.21	0.99	3.49	6.9	0.85	0.722	166	585	1,157	143	121

Alternative A: Air Emissions By Year 2011

Equipment	Number	Hr/day	# days	Hp	LF	g/hp-hr	g/hp-hr	g/hp-hr	g/hp-hr	lb	lb	lb	lb	lb	lb
Skid steer loader	8	2	93	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	26	120	283	47	24
Concrete truck	25	4	55	250	0.21	0.68	2.7	8.38	0.89	0.402	433	1,719	5,335	567	256
Dump truck	17	6	58	275	0.21	0.68	2.7	8.38	0.89	0.402	512	2,034	6,312	670	303
Delivery truck	3	1	107	180	0.21	0.68	2.7	8.38	0.89	0.402	18	72	224	24	11
Backhoe/loader	3	8	23	98	0.21	0.99	3.49	6.9	0.85	0.722	25	87	173	21	18
Small generator	10	4	121	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	35	189	240	43	21
										Subtotal	1049	4220	12566	1372	632
Equipment	Number	Hr/day	# days	Hp	LF	VOC	CO	NOx	SO2	PM	VOC	CO	NOx	SO2	PM
Small generator	8	4	70	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	16	87	111	20	10
Delivery truck	2	2	93	180	0.21	0.68	2.7	8.38	0.89	0.402	21	84	260	28	12
Skid steer loader	5	8	151	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	107	485	1,149	191	97
Concrete truck	8	4	58	250	0.21	0.68	2.7	8.38	0.89	0.402	146	580	1,800	191	86
Crane	1	8	116	120	0.43	0.3384	0.8667	5.6523	0.93	0.2799	36	91	597	98	30
										Subtotal	326	1328	3917	528	235
Small diesel engines	24	8	177	25	0.43	1.7	5	8.5	0.93	0.9	1,369	4,027	6,846	749	725
Grading	336 AC														
Site prep (grading, drainage, utilities)															
Equipment	Number	Hr/day	# days	Hp	LF	VOC	CO	NOx	SO2	PM	VOC	CO	NOx	SO2	PM
Dozer	4	6	57	90	0.59	0.99	3.49	6.9	0.93	0.722	159	559	1,105	149	116
Skid steer loader	9	4	162	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	103	469	1,109	184	94
Backhoe/loader	9	6	124	98	0.21	0.99	3.49	6.9	0.85	0.722	301	1,060	2,096	258	219
Small generator	4	4	162	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	19	101	129	23	11
Dump truck	26	1	82	275	0.21	0.68	2.7	8.38	0.89	0.402	185	733	2,275	242	109
										Subtotal	766	2,922	6,714	856	549
Gravel Work	39,929 CY														
Equipment	Number	Hr/day	# days	Hp	LF	VOC	CO	NOx	SO2	PM	VOC	CO	NOx	SO2	PM
Grader	8	8	92	135	0.58	0.68	2.7	8.38	0.93	0.402	691	2,744	8,517	945	409
Skid steer loader	17	8	88	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	212	962	2,276	378	192
Small generator	8	8	82	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	38	205	260	46	22
Dump truck (12 CY)	36	1	88	275	0.21	0.68	2.7	8.38	0.89	0.402	274	1,089	3,380	359	162
										Subtotal	1,215	5,000	14,434	1,729	785
Small diesel engines	28	6	88	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	107	576	733	130	63
Concrete Work	12,481 CY														
Equipment	Number	Hr/day	# days	Hp	LF	VOC	CO	NOx	SO2	PM	VOC	CO	NOx	SO2	PM
Skid steer loader	14	2	25	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	12	56	133	22	11
Concrete truck (9 CY)	46	1	31	250	0.21	0.68	2.7	8.38	0.89	0.402	112	446	1,383	147	66
Dump truck (12 CY)	34	0.5	31	275	0.21	0.68	2.7	8.38	0.89	0.402	46	181	562	60	27
Delivery truck	7	1	27	180	0.21	0.68	2.7	8.38	0.89	0.402	11	43	132	14	6
Backhoe/loader	7	8	6	98	0.21	0.99	3.49	6.9	0.85	0.722	15	53	105	13	11
										Subtotal	196	779	2,316	256	122

Appendix E
E-22

Alternative A: Air Emissions By Year 2012

Clearing	278	AC	# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
Equipment	Number	Hr/day													
Chain saw	11	6	73	5	0.7	120.06	351.02	1.82	NA	7.7	4,463	13,050	68	N/A	286
Backhoe/loader	3	8	73	98	0.21	0.99	3.49	6.9	0.85	0.722	79	277	548	68	57
Skid/steer loader	3	8	17	168	0.59	0.68	2.7	8.38	0.93	0.402	61	241	747	83	36
Dozer	5	6	28	299	0.58	0.68	2.7	8.38	0.93	0.402	218	867	2,691	299	129
Dump truck (12 CY)	8	8	73	275	0.21	0.68	2.7	8.38	0.89	0.402	404	1,606	4,985	529	239
										Subtotal	5,226	16,041	9,039	979	748
Cut/Fill/Excavate/Borrow	637,510	CY													
Equipment	Number	Hr/day	# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
Skid steer loader	3	8	58	67	0.23	0.5213	2,3655	5,5988	0.93	0.473	25	112	265	44	22
Dump truck (40 CY)	28	8	55	710	0.59	0.68	2.7	8.38	0.89	0.402	7,737	30,720	95,346	10,126	4,574
Backhoe/loader	5	8	52	98	0.21	0.99	3.49	6.9	0.85	0.722	93	329	651	80	68
Excavator	5	8	52	513	0.59	0.68	2.7	8.38	0.93	0.402	944	3,747	11,631	1,291	558
Dozer	5	8	52	620	0.59	0.68	2.7	8.38	0.93	0.402	1,141	4,529	14,057	1,560	674
MT Loader	5	8	52	158	0.59	0.68	2.7	8.38	0.93	0.402	291	1,154	3,582	398	172
Small generator	10	8	54	10	0.43	0.7628	4,1127	5,2298	0.93	0.4474	31	168	214	38	18
										Subtotal	10,261	40,760	125,746	13,537	6,087
Trenching	7,412	CY													
Equipment	Number	Hr/day	days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
Backhoe/loader	8	8	22	98	0.21	0.99	3.49	6.9	0.85	0.722	63	223	441	54	46
Boring Equipment	3	4	22	60	0.23	0.5213	2,3655	5,5988	0.93	0.473	4	19	45	7	4
Excavator	3	8	22	90	0.21	0.99	3.49	6.9	0.85	0.722	22	77	152	19	16
Dump truck	11	1	22	275	0.21	0.68	2.7	8.38	0.89	0.402	21	83	258	27	12
Delivery truck	3	2	22	180	0.21	0.68	2.7	8.38	0.89	0.402	7	30	92	10	4
Small generator	6	8	22	10	0.43	0.7628	4,1127	5,2298	0.93	0.4474	8	41	52	9	4
Trencher	3	8	22	100	0.21	0.99	3.49	6.9	0.85	0.722	24	85	169	21	18
										Subtotal	149	558	1,209	148	105
Building Construction	570,919	SF													
Foundation (slab)															
Equipment	Number	Hr/day	# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
Skid steer loader	7	2	93	67	0.23	0.5213	2,3655	5,5988	0.93	0.473	23	105	248	41	21
Concrete truck	22	4	55	250	0.21	0.68	2.7	8.38	0.89	0.402	381	1,513	4,694	499	225
Dump truck	15	6	58	275	0.21	0.68	2.7	8.38	0.89	0.402	452	1,794	5,569	591	267
Delivery truck	3	1	94	180	0.21	0.68	2.7	8.38	0.89	0.402	16	63	197	21	9
Backhoe/loader	3	8	20	98	0.21	0.99	3.49	6.9	0.85	0.722	22	76	150	19	16
Small generator	9	4	121	10	0.43	0.7628	4,1127	5,2298	0.93	0.4474	31	170	216	38	18
										Subtotal	925	3,721	11,075	1,209	557
Equipment	Number	Hr/day	# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
Small generator	7	4	70	10	0.43	0.7628	4,1127	5,2298	0.93	0.4474	14	76	97	17	8
Delivery truck	2	2	82	180	0.21	0.68	2.7	8.38	0.89	0.402	19	74	229	24	11
Skid steer loader	5	8	133	67	0.23	0.5213	2,3655	5,5988	0.93	0.473	94	428	1,012	168	85
Concrete truck	7	4	58	250	0.21	0.68	2.7	8.38	0.89	0.402	128	508	1,575	167	76

Alternative A: Air Emissions By Year 2012

Crane	1	8	102	120	0.43	0.3384	0.8667	5.6523	0.93	0.2799	31	80	525	86	26
										Subtotal	286	1166	3438	463	206
Small diesel engines	21	8	177	25	0.43	1.7	5	8.5	0.93	0.9	1,198	3,524	5,990	655	634
Grading	278 AC														
Site prep (grading, drainage, utilities)															
Equipment	Number	Hr/day	# days	Hp	LF	VOC	CO	NOx	SO2	PM	VOC	CO	NOx	SO2	PM
Dozer	2	6	57	90	0.59	0.99	3.49	6.9	0.93	0.722	79	279	553	74	58
Skid steer loader	4	4	165	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	47	212	502	83	42
Backhoe/loader	4	6	126	98	0.21	0.99	3.49	6.9	0.85	0.722	136	479	947	117	99
Small generator	2	4	165	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	10	51	65	12	6
Dump truck	12	1	84	275	0.21	0.68	2.7	8.38	0.89	0.402	87	347	1,075	114	52
										Subtotal	359	1,368	3,142	400	256
Gravel Work	50,088 CY														
Equipment	Number	Hr/day	# days	Hp	LF	VOC	CO	NOx	SO2	PM	VOC	CO	NOx	SO2	PM
Grader	8	8	102	135	0.58	0.68	2.7	8.38	0.93	0.402	766	3,043	9,443	1,048	453
Skid steer loader	17	8	98	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	236	1,071	2,535	421	214
Small generator	8	8	91	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	42	227	289	51	25
Dump truck (12 CY)	36	1	98	275	0.21	0.68	2.7	8.38	0.89	0.402	305	1,213	3,764	400	181
										Subtotal	1,350	5,554	16,031	1,920	872
Small diesel engines	28	6	98	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	119	642	816	145	70
Concrete Work	19,270 CY														
Equipment	Number	Hr/day	# days	Hp	LF	VOC	CO	NOx	SO2	PM	VOC	CO	NOx	SO2	PM
Skid steer loader	14	2	33	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	16	74	176	29	15
Concrete truck (9 CY)	46	1	40	250	0.21	0.68	2.7	8.38	0.89	0.402	145	575	1,785	190	86
Dump truck (12 CY)	34	0.5	40	275	0.21	0.68	2.7	8.38	0.89	0.402	59	234	726	77	35
Delivery truck	7	1	35	180	0.21	0.68	2.7	8.38	0.89	0.402	14	55	171	18	8
Backhoe/loader	7	8	8	98	0.21	0.99	3.49	6.9	0.85	0.722	20	71	140	17	15
										Subtotal	254	1009	2997	331	158
Paving	28,200 CY														
Equipment	Number	Hr/day	# days	Hp	LF	VOC	CO	NOx	SO2	PM	VOC	CO	NOx	SO2	PM
Grader	1	4	67	150	0.59	0.68	2.7	8.38	0.93	0.402	36	141	438	49	21
Roller	2	4	67	30	0.59	1.8	5	6.9	1	0.8	38	105	144	21	17
Paver	1	8	67	107	0.59	0.68	2.7	8.38	0.93	0.402	51	201	625	69	30
Delivery truck	2	2	116	180	0.21	0.68	2.7	8.38	0.89	0.402	26	104	324	34	16
										Subtotal	150	552	1532	173	83
Volume of hot mix asphalt			761,406.75 ft ³												
Average density of HMA			145 lb/ft ³												
CARB EF for HMA			0.04 lb/ton												
VOC emissions from HMA paving			2208 lb												
Pavement Marking	930,850 LF														

Alternative A: Air Emissions By Year 2012

[illegible]

Alternative A: Air Emissions By Year 2013

Clearing	8	AC	# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC		CO		NOx		SO2		PM	
											lb	lb	lb	lb	lb	lb	lb	lb	lb	lb
Chain saw	Number	Hr/day									361	1,056	5	5	5	5	N/A	23		
Backhoe/loader	5	6	13	5	0.7	120.06	351.02	1.82	NA	7.7	9	33	65	8	7					
Skid/steer loader	2	8	13	98	0.21	0.99	3.49	6.9	0.85	0.722	7	28	88	10	4					
Dozer	3	6	5	299	0.58	0.68	2.7	8.38	0.93	0.402	23	93	288	32	14					
Dump truck (12 CY)	4	8	13	275	0.21	0.68	2.7	8.38	0.89	0.402	36	143	444	47	21					
										Subtotal	437	1,353	891	97	69					
Demo Buildings	10,350	SF																		
Equipment	Number	Hr/day	# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC		CO		NOx		SO2		PM	
Dozer	2	8	23	90	0.59	0.99	3.49	6.9	0.93	0.722	43	150	297	40	31					
Skid steer loader	2	8	23	67	0.23	0.5213	2.3655	5.988	0.93	0.473	7	30	70	12	6					
Crane	1	8	1	120	0.43	0.3384	0.8667	5.6523	0.93	0.2799	0	1	5	1	0					
										Subtotal	49	181	372	53	37					
Cut/Fill/Excavate/Borrow	554,062	CY																		
Equipment	Number	Hr/day	# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC		CO		NOx		SO2		PM	
Backhoe/loader	2	14	11	98	0.21	0.99	3.49	6.9	0.85	0.722	14	49	96	12	10					
Skid steer loader	2	14	11	67	0.23	0.5213	2.3655	5.988	0.93	0.473	5	25	59	10	5					
Dump truck	8	4	11	275	0.21	0.68	2.7	8.38	0.89	0.402	30	121	376	40	18					
										Subtotal	50	195	531	61	33					
Cut/Fill/Excavate/Borrow	554,062	CY																		
Equipment	Number	Hr/day	# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC		CO		NOx		SO2		PM	
Skid steer loader	3	8	66	67	0.23	0.5213	2.3655	5.988	0.93	0.473	28	127	301	50	25					
Dump truck (40 CY)	28	8	62	710	0.59	0.68	2.7	8.38	0.89	0.402	8,722	34,630	107,481	11,415	5,156					
Backhoe/loader	5	8	59	98	0.21	0.99	3.49	6.9	0.85	0.722	106	374	739	91	77					
Excavator	5	8	59	513	0.59	0.68	2.7	8.38	0.93	0.402	1,071	4,252	13,197	1,465	633					
Dozer	5	8	59	620	0.59	0.68	2.7	8.38	0.93	0.402	1,294	5,139	15,949	1,770	765					
MT Loader	5	8	59	158	0.59	0.68	2.7	8.38	0.93	0.402	330	1,310	4,064	451	195					
Small generator	10	8	61	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	35	190	242	43	21					
										Subtotal	11,586	46,021	141,973	15,285	6,873					
Trenching	10,991	CY																		
Equipment	Number	Hr/day	days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC		CO		NOx		SO2		PM	
Backhoe/loader	17	8	22	98	0.21	0.99	3.49	6.9	0.85	0.722	134	474	937	115	98					
Boring Equipment	6	4	22	60	0.23	0.5213	2.3655	5.988	0.93	0.473	8	38	90	15	8					
Excavator	6	8	22	90	0.21	0.99	3.49	6.9	0.85	0.722	44	154	304	37	32					
Dump truck	22	1	22	275	0.21	0.68	2.7	8.38	0.89	0.402	42	166	516	55	25					
Delivery truck	6	2	22	180	0.21	0.68	2.7	8.38	0.89	0.402	15	59	184	20	9					
Small generator	11	8	22	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	14	75	96	17	8					
Trencher	6	8	22	100	0.21	0.99	3.49	6.9	0.85	0.722	48	171	337	42	35					
										Subtotal	306	1,137	2,464	301	215					
Building Construction	325,655	SF																		
Foundation (slab)																				

Alternative A: Air Emissions By Year 2013

Equipment	Number	Hr/day	# days	Hp	LF	g/hp-hr	g/hp-hr	g/hp-hr	g/hp-hr	lb	lb	lb	lb	lb	lb
Skid steer loader	8	2	47	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	13	60	143	24	12
Concrete truck	25	4	28	250	0.21	0.68	2.7	8.38	0.89	0.402	220	875	2,716	288	130
Dump truck	17	6	29	275	0.21	0.68	2.7	8.38	0.89	0.402	256	1,017	3,156	335	151
Delivery truck	3	1	54	180	0.21	0.68	2.7	8.38	0.89	0.402	9	36	113	12	5
Backhoe/loader	3	8	12	98	0.21	0.99	3.49	6.9	0.85	0.722	13	46	90	11	9
Small generator	10	4	61	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	18	95	121	22	10
										Subtotal	530	2129	6339	692	319
Equipment	Number	Hr/day	# days	Hp	LF	VOC	g/hp-hr	NOx	SO2	PM	VOC	CO	NOx	SO2	PM
Small generator	8	4	35	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	8	44	56	10	5
Delivery truck	2	2	47	180	0.21	0.68	2.7	8.38	0.89	0.402	11	42	131	14	6
Skid steer loader	5	8	76	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	54	244	578	96	49
Concrete truck	8	4	29	250	0.21	0.68	2.7	8.38	0.89	0.402	73	290	900	96	43
Crane	1	8	58	120	0.43	0.3384	0.8667	5.6523	0.93	0.2799	18	46	298	49	15
										Subtotal	163	666	1964	265	118
Small diesel engines	24	8	89	25	0.43	1.7	5	8.5	0.93	0.9	688	2,025	3,442	377	364
Grading															
Site prep (grading, drainage, utilities)	8	AC													
Equipment	Number	Hr/day	# days	Hp	LF	VOC	g/hp-hr	NOx	SO2	PM	VOC	CO	NOx	SO2	PM
Dozer	2	6	3	90	0.59	0.99	3.49	6.9	0.93	0.722	4	15	29	4	3
Skid steer loader	4	4	9	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	3	12	27	5	2
Backhoe/loader	4	6	7	98	0.21	0.99	3.49	6.9	0.85	0.722	8	27	53	6	6
Small generator	2	4	9	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	1	3	4	1	0
Dump truck	12	1	5	275	0.21	0.68	2.7	8.38	0.89	0.402	5	21	64	7	3
										Subtotal	20	76	177	22	14
Gravel Work															
	34,551	CY													
Equipment	Number	Hr/day	# days	Hp	LF	VOC	g/hp-hr	NOx	SO2	PM	VOC	CO	NOx	SO2	PM
Grader	7	8	92	135	0.58	0.68	2.7	8.38	0.93	0.402	605	2,401	7,453	827	358
Skid steer loader	14	8	88	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	175	792	1,875	311	158
Small generator	7	8	82	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	33	179	228	40	19
Dump truck (12 CY)	30	1	88	275	0.21	0.68	2.7	8.38	0.89	0.402	229	908	2,817	299	135
										Subtotal	1,041	4,280	12,372	1,478	670
Small diesel engines	23	6	88	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	88	473	602	107	52
Concrete Work															
	13,085	CY													
Equipment	Number	Hr/day	# days	Hp	LF	VOC	g/hp-hr	NOx	SO2	PM	VOC	CO	NOx	SO2	PM
Skid steer loader	14	2	25	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	12	56	133	22	11
Concrete truck (9 CY)	46	1	31	250	0.21	0.68	2.7	8.38	0.89	0.402	112	446	1,383	147	66
Dump truck (12 CY)	34	0.5	31	275	0.21	0.68	2.7	8.38	0.89	0.402	46	181	562	60	27
Delivery truck	7	1	27	180	0.21	0.68	2.7	8.38	0.89	0.402	11	43	132	14	6
Backhoe/loader	7	8	6	98	0.21	0.99	3.49	6.9	0.85	0.722	15	53	105	13	11
										Subtotal	196	779	2,316	256	122

Alternative A: Air Emissions By Year 2013

Paving	79,616 CY		Hr/day	# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM		VOC lb	CO lb	NOx lb	SO2 lb	PM lb
	Number										g/hp-hr	g/hp-hr					
Grader	1	4	23	150	0.59	0.68	2.7	8.38	0.93	0.402	12	48	150	17	7		
Roller	2	4	23	30	0.59	1.8	5	6.9	1	0.8	13	36	50	7	6		
Paver	1	8	23	107	0.59	0.68	2.7	8.38	0.93	0.402	17	69	215	24	10		
Delivery truck	2	2	39	180	0.21	0.68	2.7	8.38	0.89	0.402	9	35	109	12	5		
										Subtotal	51	189	524	59	28		
Volume of hot mix asphalt				2149632 ft ³													
Average density of HMA				145 lb/ft ³													
CARB EF for HMA				0.04 lb/ton													
VOC emissions from HMA paving				6234 lb													
Fugitive Dust Emissions:																	
	PM ₁₀			days of disturbance	PM ₁₀	PM _{2.5} /PM ₁₀	PM _{2.5}										
	tons/acre/mo	acres		250	Total	Ratio	Total										
	0.42	1			2	0.1	0.2										
POV Emissions from Construction Workers																	
Assume 10 miles per day on-base per day per vehicle (one vehicle per worker)																	
On-base POV emissions																	
# vehicles	# days	mi/day		VOC	CO	NOx	SOx	PM	VOC	CO	NOx	SOx	PM				
96	250	10	0.001497	0.013925	0.001489	0.000009	0.000080	359.28	3342.00	357.36	2.16	19.12					
							Subtotal	359	3,342	357	2	19					
2013 Emission Totals:																	
	VOC	CO	NOx	SO2	PM ₁₀	PM _{2.5}											
	T/yr	T/yr	T/yr	T/yr	T/yr	T/yr											
	13	37	102	11	34	6											

[illegible]

[illegible]

Alternative A: Roads

Equipment	Number	Hr/day	# days	Hp	LF	g/hp-hr	g/hp-hr	g/hp-hr	g/hp-hr	g/hp-hr	lb	lb	lb	lb	lb
Dozer	2	6	19	90	0.59	0.99	3.49	6.9	0.93	0.722	26	93	184	25	19
Skid steer loader	4	4	55	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	16	71	167	28	14
Backhoe/loader	4	6	42	98	0.21	0.99	3.49	6.9	0.85	0.722	45	160	316	39	33
Small generator	2	4	55	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	3	17	22	4	2
Dump truck	12	1	28	275	0.21	0.68	2.7	8.38	0.89	0.402	29	116	358	38	17
										Subtotal	120	456	1,047	133	85
Gravel		101,512 CY													
Equipment	Number	Hr/day	# days	Hp	LF	VOC	CO	NOx	SO2	PM	VOC	CO	NOx	SO2	PM
Grader	9	4	305	135	0.58	0.68	2.7	8.38	0.93	0.402	1,289	5,118	15,883	1,763	762
Skid steer loader	18	4	305	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	389	1,765	4,177	694	353
Small generator	9	4	305	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	79	428	544	97	47
Dump truck (12 CY)	29	0.5	305	275	0.21	0.68	2.7	8.38	0.89	0.402	383	1,520	4,718	501	226
										Subtotal	2,140	8,831	25,323	3,054	1,388
Small diesel engines	42	3	305	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	278	1498	1905	339	163
Paving		101,512 CY													
Equipment	Number	Hr/day	# days	Hp	LF	VOC	CO	NOx	SO2	PM	VOC	CO	NOx	SO2	PM
Grader	1	4	30	150	0.59	0.68	2.7	8.38	0.93	0.402	16	63	196	22	9
Roller	2	4	30	30	0.59	1.8	5	6.9	1	0.8	17	47	65	9	7
Paver	1	8	30	107	0.59	0.68	2.7	8.38	0.93	0.402	23	90	280	31	13
Delivery truck	2	2	50	180	0.21	0.68	2.7	8.38	0.89	0.402	11	45	140	15	7
										Subtotal	67	245	680	77	37
Volume of hot mix asphalt			2740811.5	ft³											
Average density of HMA			145	lb/ft³											
CARB EF for HMA			0.04	lb/ton											
VOC emissions from HMA paving			7948	lb											
Fugitive Dust Emissions:															
	PM ₁₀		days of	PM ₁₀	PM _{2.5} /PM ₁₀	PM _{2.5}									
tons/acre/mo		acres	disturbance	Total	Ratio	Total									
0.42		19	939	250	0.1	25									
POV Emissions from Construction Workers															
Assume 10 miles per day on-base per day per vehicle (one vehicle per worker)															
On-base POV emissions															
# vehicles	# days	mi/day	VOC	CO	NOx	SOx	PM	VOC	CO	NOx	SOx	PM			
45	939	10	0.001497	0.013925	0.001489	0.000009	0.000080	632.56	5884.01	629.18	3.80295	33.66			
							Subtotal	633	5,884	629	4	34			

Emission Totals:																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										

Alternative A: Maneuver Corridor Thinning

2009-2010 Only										
1,839 AC annually										
Equipment	Number	Hr/day	# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr
Chain saw	20	6	200	5	0.7	120.06	351.02	1.82	N/A	7.7
Backhoe/loader	5	8	200	98	0.21	0.99	3.49	6.9	0.85	0.722
Skid/steer Loader	5	8	200	168	0.59	0.68	2.7	8.38	0.93	0.402
Dozer	4	6	80	299	0.58	0.68	2.7	8.38	0.93	0.402
Dump truck (12 CY)	8	8	200	275	0.21	0.68	2.7	8.38	0.89	0.402
Subtotal										3,341
						VOC lb	CO lb	NOx lb	SO2 lb	PM lb
						22,234	65,005	337	N/A	1,426
						359	1,267	2,504	309	262
						1,189	4,720	14,650	1,626	703
						499	1,982	6,151	683	295
						1,108	4,400	13,657	1,450	655
						25,389	77,374	37,299	4,067	3,341

Appendix E
E-34

[illegible]

[illegible]

Alternative A: Road Repairs

[illegible]

[illegible]

[illegible]

Alternative B: Air Emissions By Year 2007

Delivery truck	4	1	115	180	0.21	0.68	2.7	8.38	0.89	0.402	26	104	321	34	15
Backhoe/loader	4	8	25	98	0.21	0.99	3.49	6.9	0.85	0.722	36	127	250	31	26
										Subtotal	686	2735	8182	905	426
Paving	7,393 CY														
Equipment	Number	Hr/day	# days	Hp	LF	VOC	CO	NOx	SO₂	PM	VOC	CO	NOx	SO₂	PM
Grader	1	4	19	150	0.59	0.68	2.7	8.38	0.93	0.402	10	40	124	14	6
Roller	2	4	19	30	0.59	1.8	5	6.9	1	0.8	11	30	41	6	5
Paver	1	8	19	107	0.59	0.68	2.7	8.38	0.93	0.402	14	57	177	20	9
Delivery truck	2	2	33	180	0.21	0.68	2.7	8.38	0.89	0.402	7	30	92	10	4
										Subtotal	43	157	435	49	24
Volume of hot mix asphalt			199611 ft ³												
Average density of HMA			145 lb/ft ³												
CARB EF for HMA			0.04 lb/ton												
VOC emissions from HMA paving			579 lb												
Pavement Marking	22,478 LF														
4" Solid Line=	215 ft/gal		VOC content of paint =		1.3	lb/gal									
VOC															
lb															
136															
Fugitive Dust Emissions:															
tons/acre/mo	PM₁₀	acres	days of disturbance	PM₁₀ Total	PM_{2.5}/PM₁₀ Ratio	PM_{2.5} Total									
0.42		108	250	378	0.1	37.8									
POV Emissions from Construction Workers															
Assume 10 miles per day on-base per day per vehicle (one vehicle per worker)															
On-base POV emissions															
# vehicles	# days	mi/day	VOC	CO	NOx	SOx	PM	VOC	CO	NOx	SOx	PM			
190	250	10	0.001497 lb/mi	0.013925 lb/mi	0.001489 lb/mi	0.000009 lb/mi	0.000080 lb/mi	711.08 lb	6614.38 lb	707.28 lb	4.275 lb	37.84 lb			
							Subtotal	711	6,614	707	4	38			
2007 Emission Totals:	VOC	CO	NOx	SO₂	PM₁₀	PM_{2.5}									
T/yr	T/yr	T/yr	T/yr	T/yr	T/yr	T/yr									
36	126	215	24	391	50										

Alternative B: Air Emissions By Year 2008

Clearing	714 AC		# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
	Number	Hr/day													
Equipment	24	6	150	5	0.7	120.06	351.02	1.82	NA	7.7	20,010	58,505	303	N/A	1,283
Chain saw	6	8	150	98	0.21	0.99	3.49	6.9	0.85	0.722	323	1,140	2,254	278	236
Backhoe/loader	6	8	38	168	0.59	0.68	2.7	8.38	0.93	0.402	271	1,076	3,340	371	160
Skid/steer Loader	12	6	60	299	0.58	0.68	2.7	8.38	0.93	0.402	1,123	4,459	13,841	1,536	664
Dozer	18	8	150	275	0.21	0.68	2.7	8.38	0.89	0.402	1,870	7,425	23,046	2,448	1,106
Dump truck (12 CY)										Subtotal	23,598	72,606	42,784	4,632	3,449
Demo Buildings	48,617	SF													
Equipment	2	8	108	90	0.59	0.99	3.49	6.9	0.93	0.722	200	706	1,396	188	146
Dozer	2	8	108	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	31	139	329	55	28
Skid steer loader	1	8	6	120	0.43	0.3384	0.8667	5.6523	0.93	0.2799	2	5	31	5	2
Crane										Subtotal	233	850	1,755	248	175
Equipment	2	8	54	98	0.21	0.99	3.49	6.9	0.85	0.722	39	137	270	33	28
Backhoe/loader	2	8	54	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	15	69	164	27	14
Skid steer loader	8	2	54	275	0.21	0.68	2.7	8.38	0.89	0.402	75	297	922	98	44
Dump truck										Subtotal	129	503	1,357	159	86
Cut/Fill/Excavate/Borrow	611,210	CY													
Equipment	3	8	115	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	49	222	525	87	44
Skid steer loader	28	8	111	710	0.59	0.68	2.7	8.38	0.89	0.402	15,614	61,999	192,425	20,437	9,231
Dump truck (40 CY)	5	8	104	98	0.21	0.99	3.49	6.9	0.85	0.722	187	659	1,302	160	136
Backhoe/loader	5	8	104	513	0.59	0.68	2.7	8.38	0.93	0.402	1,888	7,495	23,262	2,582	1,116
Excavator	5	8	104	620	0.59	0.68	2.7	8.38	0.93	0.402	2,281	9,058	28,114	3,120	1,349
Dozer	5	8	104	158	0.59	0.68	2.7	8.38	0.93	0.402	581	2,308	7,164	795	344
MT Loader	10	8	108	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	62	337	428	76	37
Small generator										Subtotal	20,663	82,077	253,221	27,257	12,256
Trenching	142,593	CY													
Equipment	21	8	250	98	0.21	0.99	3.49	6.9	0.85	0.722	1,887	6,651	13,149	1,620	1,376
Backhoe/loader	7	4	250	60	0.23	0.5213	2.3655	5.5988	0.93	0.473	111	504	1,192	198	101
Boring Equipment	7	8	250	90	0.21	0.99	3.49	6.9	0.85	0.722	578	2,036	4,025	496	421
Excavator	28	1	250	275	0.21	0.68	2.7	8.38	0.89	0.402	606	2,406	7,468	793	358
Dump truck	7	2	250	180	0.21	0.68	2.7	8.38	0.89	0.402	198	788	2,444	260	117
Delivery truck	14	8	250	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	202	1,092	1,388	247	119
Small generator	7	8	250	100	0.21	0.99	3.49	6.9	0.85	0.722	642	2,262	4,472	551	468
Trencher										Subtotal	4,224	15,738	34,139	4,164	2,960
Building Construction	1,487,996	SF													

Alternative B: Air Emissions By Year 2008

Foundation (slab)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										

Alternative B: Air Emissions By Year 2008

Backhoe/loader	5	8	50	98	0.21	0.99	3.49	6.9	0.85	0.722	90	317	626	77	66
										Subtotal	1552	6168	18518	2029	955
Paving	55,567	CY													
Equipment	Number	Hr/day	# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
Grader	1	4	148	150	0.59	0.68	2.7	8.38	0.93	0.402	79	312	968	107	46
Roller	2	4	148	30	0.59	1.8	5	6.9	1	0.8	83	231	319	46	37
Paver	1	8	148	107	0.59	0.68	2.7	8.38	0.93	0.402	112	445	1381	153	66
Delivery truck	2	2	257	180	0.21	0.68	2.7	8.38	0.89	0.402	58	231	718	76	34
										Subtotal	332	1219	3386	383	184
Volume of hot mix asphalt			1500315.8	ft ³											
Average density of HMA			145	lb/ft ³											
SARB EF for HMA			0.04	lb/ton											
VOC emissions from HMA paving			4351	lb											
Pavement Marking	47,311	LF													
4" Solid Line=	215	ft/gal		VOC content of paint =	1.3	lb/gal									
VOC															
lb															
286															
Fugitive Dust Emissions:															
tons/acre/mo	PM₁₀	acres	days of disturbance	PM₁₀	PM_{2.5}/PM₁₀	PM_{2.5}									
0.42		60	250	Total	Ratio	Total									
				210	0.1	21									
POV Emissions from Construction Workers															
Assume 10 miles per day on-base per day per vehicle (one vehicle per worker)															
On-base POV emissions															
# vehicles	# days	mi/day	VOC lb/mi	CO lb/mi	NOx lb/mi	SOx lb/mi	PM lb/mi	VOC lb	CO lb	NOx lb	SOx lb	PM lb			
440	250	10	0.001497	0.013925	0.001489	0.000009	0.000080	1646.70	15317.50	1637.90	9.9	87.63			
							Subtotal	1,647	15,318	1,638	10	88			
2008 Emission Totals:															
	VOC	CO	NOx	SO2	PM₁₀	PM_{2.5}									
	T/yr	T/yr	T/yr	T/yr	T/yr	T/yr									
	38	128	245	27	287	42									

Alternative B: Air Emissions By Year 2009

Clearing		2397	AC													
	Equipment	Number	Hr/day	# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
	Chain saw	44	6	235	5	0.7	120.06	351.02	1.82	NA	7.7	57,474	168,038	871	N/A	3,686
	Backhoe/loader	12	8	235	98	0.21	0.99	3.49	6.9	0.85	0.722	1,013	3,572	7,063	870	739
	Skid/steer Loader	12	8	60	168	0.59	0.68	2.7	8.38	0.93	0.402	856	3,398	10,548	1,171	506
	Dozer	20	6	95	299	0.58	0.68	2.7	8.38	0.93	0.402	2,964	11,768	36,525	4,053	1,752
	Dump truck (12 CY)	32	8	235	275	0.21	0.68	2.7	8.38	0.89	0.402	5,208	20,680	64,186	6,817	3,079
											Subtotal	67,516	207,458	119,192	12,911	9,762
Demo Buildings		440,709	SF													
	Equipment	Number	Hr/day	# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
	Dozer	8	8	216	90	0.59	0.99	3.49	6.9	0.93	0.722	1,602	5,648	11,166	1,505	1,168
	Skid steer loader	8	8	216	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	245	1,111	2,629	437	222
	Crane	4	8	12	120	0.43	0.3384	0.8667	5.6523	0.93	0.2799	15	38	247	41	12
											Subtotal	1,862	6,797	14,043	1,982	1,403
Cut/Fill/Excavate/Borrow		404,807	CY	19,596												
	Equipment	Number	Hr/day	# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
	Skid steer loader	3	8	66	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	28	127	301	50	25
	Dump truck (40 CY)	28	8	63	710	0.59	0.68	2.7	8.38	0.89	0.402	8,862	35,188	109,214	11,599	5,239
	Backhoe/loader	5	8	59	98	0.21	0.99	3.49	6.9	0.85	0.722	106	374	739	91	77
	Excavator	5	8	59	513	0.59	0.68	2.7	8.38	0.93	0.402	1,071	4,252	13,197	1,465	633
	Dozer	5	8	59	620	0.59	0.68	2.7	8.38	0.93	0.402	1,294	5,139	15,949	1,770	765
	MT Loader	5	8	59	158	0.59	0.68	2.7	8.38	0.93	0.402	330	1,310	4,064	451	195
	Small generator	10	8	62	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	36	193	246	44	21
											Subtotal	11,727	46,583	143,710	15,470	6,956
Trenching		88,619	CY	19,008												
	Equipment	Number	Hr/day	days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
	Backhoe/loader	21	8	153	98	0.21	0.99	3.49	6.9	0.85	0.722	1,155	4,070	8,047	991	842
	Boring Equipment	7	4	153	60	0.23	0.5213	2.3655	5.5988	0.93	0.473	68	308	730	121	62
	Excavator	7	8	153	90	0.21	0.99	3.49	6.9	0.85	0.722	353	1,246	2,463	303	258
	Dump truck	28	1	153	275	0.21	0.68	2.7	8.38	0.89	0.402	371	1,473	4,571	485	219
	Delivery truck	7	2	153	180	0.21	0.68	2.7	8.38	0.89	0.402	121	482	1,496	159	72
	Small generator	14	8	153	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	124	668	850	151	73
	Trencher	7	8	153	100	0.21	0.99	3.49	6.9	0.85	0.722	393	1,384	2,737	337	286
											Subtotal	2,585	9,632	20,893	2,549	1,812
Building Construction		1,194,014	SF	67,765												
Foundation (slab)																
	Equipment	Number	Hr/day	days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb

Alternative B: Air Emissions By Year 2009

Equipment	Number	Hr/day	# days	Hp	LF	g/hp-hr	g/hp-hr	g/hp-hr	g/hp-hr	g/hp-hr	PM	VOC	CO	NOx	SO ₂	lb	lb	lb	lb
Skid steer loader	8	2	192	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	0.473	54	247	584	97	584	97	584	97
Concrete truck	25	4	112	250	0.21	0.68	2.7	8.38	0.89	0.402	0.402	882	3,500	10,863	1,154	10,863	1,154	10,863	1,154
Dump truck	17	6	120	275	0.21	0.68	2.7	8.38	0.89	0.402	0.402	1,060	4,208	13,059	1,387	13,059	1,387	13,059	1,387
Delivery truck	3	1	220	180	0.21	0.68	2.7	8.38	0.89	0.402	0.402	37	149	461	49	461	49	461	49
Backhoe/loader	3	8	48	98	0.21	0.99	3.49	6.9	0.85	0.722	0.722	52	182	361	44	361	44	361	44
Small generator	10	4	250	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	0.4474	72	390	496	88	496	88	496	88
										Subtotal	Subtotal	2157	8675	25824	2819	25824	2819	25824	2819
Equipment	Number	Hr/day	# days	Hp	LF	VOC	CO	NOx	SO ₂	PM	VOC	CO	NOx	SO ₂	PM	lb	lb	lb	lb
Small generator	8	4	144	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	0.4474	33	180	228	41	228	41	228	41
Delivery truck	2	2	192	180	0.21	0.68	2.7	8.38	0.89	0.402	0.402	44	173	536	57	536	57	536	57
Skid steer loader	5	8	312	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	0.473	221	1,003	2,374	394	2,374	394	2,374	394
Concrete truck	8	4	120	250	0.21	0.68	2.7	8.38	0.89	0.402	0.402	302	1,200	3,725	396	3,725	396	3,725	396
Crane	1	8	240	120	0.43	0.3384	0.8667	5.6523	0.93	0.2799	0.2799	74	189	1,235	203	1,235	203	1,235	203
										Subtotal	Subtotal	674	2745	8098	1091	8098	1091	8098	1091
Small diesel engines	24	8	365	25	0.43	1.7	5	8.5	0.93	0.9	0.9	2,824	8,304	14,118	1,545	14,118	1,545	14,118	1,545
Grading	Site prep (grading, drainage, utilities)																		
	2,397 AC																		
Equipment	Number	Hr/day	# days	Hp	LF	VOC	CO	NOx	SO ₂	PM	VOC	CO	NOx	SO ₂	PM	lb	lb	lb	lb
Dozer	16	6	78	90	0.59	0.99	3.49	6.9	0.93	0.722	0.722	868	3,059	6,048	815	6,048	815	6,048	815
Skid steer loader	32	4	220	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	0.473	499	2,263	5,356	890	5,356	890	5,356	890
Backhoe/loader	32	6	168	98	0.21	0.99	3.49	6.9	0.85	0.722	0.722	1,449	5,108	10,098	1,244	10,098	1,244	10,098	1,244
Small generator	16	4	220	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	0.4474	102	549	698	124	698	124	698	124
Dump truck	48	2	110	275	0.21	0.68	2.7	8.38	0.89	0.402	0.402	914	3,630	11,267	1,197	11,267	1,197	11,267	1,197
										Subtotal	Subtotal	3,831	14,609	33,468	4,270	33,468	4,270	33,468	4,270
Gravel Work																			
	79,334 CY		12192																
Equipment	Number	Hr/day	# days	Hp	LF	VOC	CO	NOx	SO ₂	PM	VOC	CO	NOx	SO ₂	PM	lb	lb	lb	lb
Grader	8	8	196	135	0.58	0.68	2.7	8.38	0.93	0.402	0.402	1,472	5,847	18,146	2,014	18,146	2,014	18,146	2,014
Skid steer loader	17	8	187	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	0.473	450	2,044	4,837	804	4,837	804	4,837	804
Small generator	8	8	196	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	0.4474	91	489	622	111	622	111	622	111
Dump truck (12 CY)	36	1	187	275	0.21	0.68	2.7	8.38	0.89	0.402	0.402	583	2,314	7,183	763	7,183	763	7,183	763
										Subtotal	Subtotal	2,596	10,694	30,788	3,691	30,788	3,691	30,788	3,691
Small diesel engines	28	6	187	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	0.4474	227	1225	1558	277	1558	277	1558	277
Concrete Work																			
	102,225 CY		3403.75																
Equipment	Number	Hr/day	# days	Hp	LF	VOC	CO	NOx	SO ₂	PM	VOC	CO	NOx	SO ₂	PM	lb	lb	lb	lb
Skid steer loader	14	2	200	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	0.473	99	450	1065	177	1065	177	1065	177
Concrete truck (9 CY)	46	1	250	250	0.21	0.68	2.7	8.38	0.89	0.402	0.402	905	3594	11,154	1,185	11,154	1,185	11,154	1,185
Dump truck (12 CY)	34	0.5	252	275	0.21	0.68	2.7	8.38	0.89	0.402	0.402	371	1,473	4,571	485	4,571	485	4,571	485
Delivery truck	7	1	223	180	0.21	0.68	2.7	8.38	0.89	0.402	0.402	88	351	1,090	116	1,090	116	1,090	116
Backhoe/loader	7	8	49	98	0.21	0.99	3.49	6.9	0.85	0.722	0.722	123	435	859	106	859	106	859	106
										Subtotal	Subtotal	1587	6302	18739	2069	18739	2069	18739	2069

Alternative B: Air Emissions By Year 2009

Paving	27,785 CY		13593.75		LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
	Number	Hr/day	# days	Hp											
Grader	1	4	74	150	0.59	0.68	2.7	8.38	0.93	0.402	39	156	484	54	23
Roller	2	4	74	30	0.59	1.8	5	6.9	1	0.8	42	116	159	23	18
Paver	1	8	74	107	0.59	0.68	2.7	8.38	0.93	0.402	56	222	690	77	33
Delivery truck	2	2	128	180	0.21	0.68	2.7	8.38	0.89	0.402	29	115	358	38	17
										Subtotal	166	609	1691	191	92
Volume of hot mix asphalt			750188.25 ft ³												
Average density of HMA			145 lb/ft ³												
CARB EF for HMA			0.04 lb/ton												
VOC emissions from HMA paving			2176 lb												
Pavement Marking	41,835 LF		785												
4" Solid Line=	215 ft/gal		VOC content of paint =	1.3	lb/gal										
VOC															
lb															
253															
Fugitive Dust Emissions:															
PM₁₀															
tons/acre/mo			days of	PM₁₀	PM_{2.5}/PM₁₀	PM_{2.5}									
0.42	acres	disturbance	Total	Ratio	Total										
	200	250	700	0.1	70										
POV Emissions from Construction Workers															
Assume 10 miles per day on-base per day per vehicle (one vehicle per worker)															
On-base POV emissions															
# vehicles	# days	mi/day	VOC lb/mi	CO lb/mi	NOx lb/mi	SOx lb/mi	PM lb/mi	VOC lb	CO lb	NOx lb	SOx lb	PM lb			
353	250	10	0.001497	0.013925	0.001489	0.000009	0.000080	1321.10	12288.81	1314.04	7.9425	70.30			
							Subtotal	1,321	12,289	1,314	8	70			
2009 Emission Totals:															
	VOC	CO	NOx	SO2	PM₁₀	PM_{2.5}									
	T/yr	T/yr	T/yr	T/yr	T/yr	T/yr									
	81	260	276	31	782	95									

[illegible]

Appendix E
E-48

Paving		18,695 CY																			
Equipment	Number	Hr/day	# days	Hp		LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb					
	Grader	1	4	49	150	0.59	0.68	2.7	8.38	0.93	0.402	26	103	320	36	15					
	Roller	2	4	49	30	0.59	1.8	5	6.9	1	0.8	28	76	106	15	12					
	Paver	1	8	49	107	0.59	0.68	2.7	8.38	0.93	0.402	37	147	457	51	22					
	Delivery truck	2	2	85	180	0.21	0.68	2.7	8.38	0.89	0.402	19	77	237	25	11					
										Subtotal		110		127		61					
Volume of hot mix asphalt		504765 ft³																			
Average density of HMA		145 lb/ft³																			
CARB EF for HMA		0.04 lb/ton																			
VOC emissions from HMA paving		1464 lb																			
Pavement Marking		924,972 LF																			
4" Solid Line=		215 ft/gal		VOC content of paint =		1.3		lb/gal													
VOC																					
lb																					
5,593																					
Fugitive Dust Emissions:																					
PM10				days of		PM10		PM2.5/PM10		PM2.5											
tons/acre/mo		acres		disturbance		Total		Ratio		Total											
0.42		114		250		399		0.1		40											
POV Emissions from Construction Workers																					
Assume 10 miles per day on-base per day per vehicle (one vehicle per worker)																					
On-base POV emissions																					
# vehicles		mi/day		VOC		CO		NOx		SOx		VOC		CO		NOx		SOx		PM	
220		10		0.001497		0.013925		0.001489		0.000009		823.35		7658.75		818.95		4.95		43.81	
										Subtotal		823		7,659		819		5		44	
2010 Emission Totals:																					
VOC		CO		NOx		SO2		PM10		PM2.5											
T/yr		T/yr		T/yr		T/yr		T/yr		T/yr											
63		102		187		21		474		50											

Alternative B: Air Emissions By Year 2011

Clearing	1587	AC	# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
Equipment	Number	Hr/day	# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
Chain saw	52	6	145	5	0.7	120.06	351.02	1.82	NA	7.7	41.911	122.535	635	N/A	2,688
Backhoe/loader	14	8	145	98	0.21	0.99	3.49	6.9	0.85	0.722	729	2,572	5,084	626	532
Skid/steer Loader	14	8	35	168	0.59	0.68	2.7	8.38	0.93	0.402	582	2,313	7,178	797	344
Dozer	24	6	56	299	0.58	0.68	2.7	8.38	0.93	0.402	2,097	8,324	25,836	2,867	1,239
Dump truck (12 CY)	38	8	145	275	0.21	0.68	2.7	8.38	0.89	0.402	3,816	15,153	47,030	4,995	2,256
										Subtotal	49,135	150,896	85,764	9,285	7,060
Demo Buildings	194,791	SF													
Equipment	Number	Hr/day	# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
Dozer	8	8	96	90	0.59	0.99	3.49	6.9	0.93	0.722	712	2,510	4,963	669	519
Skid steer loader	8	8	96	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	109	494	1,169	194	99
Crane	4	8	5	120	0.43	0.3384	0.8667	5.6523	0.93	0.2799	6	16	103	17	5
										Subtotal	827	3,020	6,234	880	623
Excavate/Borrow	395,323	CY													
Equipment	Number	Hr/day	# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
Backhoe/loader	8	14	27	98	0.21	0.99	3.49	6.9	0.85	0.722	136	479	947	117	99
Skid steer loader	8	14	27	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	54	243	575	96	49
Dump truck	32	4	27	275	0.21	0.68	2.7	8.38	0.89	0.402	299	1,188	3,687	392	177
										Subtotal	489	1,910	5,209	604	325
Excavate/Borrow	12,786	CY													
Equipment	Number	Hr/day	# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
Skid steer loader	3	8	55	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	23	106	251	42	21
Dump truck (40 CY)	28	8	52	710	0.59	0.68	2.7	8.38	0.89	0.402	7,315	29,044	90,145	9,574	4,324
Backhoe/loader	5	8	49	98	0.21	0.99	3.49	6.9	0.85	0.722	88	310	614	76	64
Excavator	5	8	49	513	0.59	0.68	2.7	8.38	0.93	0.402	889	3,531	10,960	1,216	526
Dozer	5	8	49	620	0.59	0.68	2.7	8.38	0.93	0.402	1,075	4,268	13,246	1,470	635
MT Loader	5	8	49	158	0.59	0.68	2.7	8.38	0.93	0.402	274	1,088	3,376	375	162
Small generator	10	8	51	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	30	159	202	36	17
										Subtotal	9,694	38,506	118,793	12,788	5,750
Trenching	12,786	CY													
Equipment	Number	Hr/day	days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
Backhoe/loader	21	8	22	98	0.21	0.99	3.49	6.9	0.85	0.722	166	585	1,157	143	121
Boring Equipment	7	4	22	60	0.23	0.5213	2.3655	5.5988	0.93	0.473	10	44	105	17	9
Excavator	7	8	22	90	0.21	0.99	3.49	6.9	0.85	0.722	51	179	354	44	37
Dump truck	28	1	22	275	0.21	0.68	2.7	8.38	0.89	0.402	53	212	657	70	32
Delivery truck	7	2	22	180	0.21	0.68	2.7	8.38	0.89	0.402	17	69	215	23	10
Small generator	14	8	22	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	18	96	122	22	10
Trencher	7	8	22	100	0.21	0.99	3.49	6.9	0.85	0.722	56	199	394	48	41
										Subtotal	372	1,385	3,004	366	260
Building Construction	649,994	SF													
Foundation (slab)															

	Equipment	Number	Hr/day	# days	Hp	LF	g/hp-hr	g/hp-hr	g/hp-hr	g/hp-hr	g/hp-hr	lb	CO	VOC	NOx	SO2	PM	g/hp-hr	lb	CO	VOC	NOx	SO2	PM	lb
	Skid steer loader	8	2	93	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	26	120	283	47	24									
	Concrete truck	25	4	55	250	0.21	0.68	2.7	8.38	0.89	0.402	433	1,719	5,335	567	256									
	Dump truck	17	6	58	275	0.21	0.68	2.7	8.38	0.89	0.402	512	2,034	6,312	670	303									
	Delivery truck	3	1	107	180	0.21	0.68	2.7	8.38	0.89	0.402	18	72	224	24	11									
	Backhoe/loader	3	8	23	98	0.21	0.99	3.49	6.9	0.85	0.722	25	87	173	21	18									
	Small generator	10	4	121	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	35	189	240	43	21									
												1049	4220	12566	1372	632									
	Equipment	Number	Hr/day	# days	Hp	LF	VOC	g/hp-hr	CO	g/hp-hr	NOx	g/hp-hr	SO2	g/hp-hr	PM	g/hp-hr	lb	CO	VOC	NOx	SO2	PM	lb		
	Small generator	8	4	70	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	16	87	111	20	10									
	Delivery truck	2	2	93	180	0.21	0.68	2.7	8.38	0.89	0.402	21	84	260	28	12									
	Skid steer loader	5	8	151	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	107	485	1,149	191	97									
	Concrete truck	8	4	58	250	0.21	0.68	2.7	8.38	0.89	0.402	146	580	1,800	191	86									
	Crane	1	8	116	120	0.43	0.3384	0.8667	5.6523	0.93	0.2799	36	91	597	98	30									
												326	1328	3917	528	235									
	Small diesel engines	24	8	177	25	0.43	1.7	5	8.5	0.93	0.9	1,369	4,027	6,846	749	725									
	Grading	1587	AC																						
	Site prep (grading, drainage, utilities)																								
	Equipment	Number	Hr/day	# days	Hp	LF	VOC	g/hp-hr	CO	g/hp-hr	NOx	g/hp-hr	SO2	g/hp-hr	PM	g/hp-hr	lb	CO	VOC	NOx	SO2	PM	lb		
	Dozer	19	6	57	90	0.59	0.99	3.49	6.9	0.93	0.722	753	2,655	5,249	707	549									
	Skid steer loader	43	4	162	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	493	2,239	5,300	880	448									
	Backhoe/loader	43	6	124	98	0.21	0.99	3.49	6.9	0.85	0.722	1,437	5,066	10,015	1,234	1,048									
	Small generator	19	4	162	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	89	480	610	109	52									
	Dump truck	26	5	82	275	0.21	0.68	2.7	8.38	0.89	0.402	923	3,664	11,373	1,208	546									
												3,696	14,104	32,548	4,138	2,643									
	Gravel Work	39,929	CY																						
	Equipment	Number	Hr/day	# days	Hp	LF	VOC	g/hp-hr	CO	g/hp-hr	NOx	g/hp-hr	SO2	g/hp-hr	PM	g/hp-hr	lb	CO	VOC	NOx	SO2	PM	lb		
	Grader	8	8	92	135	0.58	0.68	2.7	8.38	0.93	0.402	691	2,744	8,517	945	409									
	Skid steer loader	17	8	88	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	212	962	2,276	378	192									
	Small generator	8	8	82	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	38	205	260	46	22									
	Dump truck (12 CY)	36	1	88	275	0.21	0.68	2.7	8.38	0.89	0.402	274	1,089	3,380	359	162									
												1,215	5,000	14,434	1,729	785									
	Small diesel engines	28	6	88	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	107	576	733	130	63									
	Concrete Work	12,481	CY																						
	Equipment	Number	Hr/day	# days	Hp	LF	VOC	g/hp-hr	CO	g/hp-hr	NOx	g/hp-hr	SO2	g/hp-hr	PM	g/hp-hr	lb	CO	VOC	NOx	SO2	PM	lb		
	Skid steer loader	14	2	25	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	12	56	133	22	11									
	Concrete truck (9 CY)	46	1	31	250	0.21	0.68	2.7	8.38	0.89	0.402	112	446	1383	147	66									
	Dump truck (12 CY)	34	0.5	31	275	0.21	0.68	2.7	8.38	0.89	0.402	46	181	562	60	27									
	Delivery truck	7	1	27	180	0.21	0.68	2.7	8.38	0.89	0.402	11	43	132	14	6									
	Backhoe/loader	7	8	6	98	0.21	0.99	3.49	6.9	0.85	0.722	15	53	105	13	11									
												196	779	2316	256	122									

Alternative B: Air Emissions By Year 2011

Paving		18,985 CY																						
	Equipment	Number	Hr/day	# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb								
	Grader	1	4	49	150	0.59	0.68	2.7	8.38	0.93	0.402	26	103	320	36	15								
	Roller	2	4	49	30	0.59	1.8	5	6.9	1	0.8	28	76	106	15	12								
	Paver	1	8	49	107	0.59	0.68	2.7	8.38	0.93	0.402	37	147	457	51	22								
	Delivery truck	2	2	85	180	0.21	0.68	2.7	8.38	0.89	0.402	19	77	237	25	11								
											Subtotal	110	404	1121	127	61								
	Volume of hot mix asphalt			24844941 ft³																				
	Average density of HMA			145 lb/ft³																				
	CARB EF for HMA			0.04 lb/ton																				
	VOC emissions from HMA paving			72050 lb																				
	Pavement Marking	920,183																						
	4" Solid Line=	215	ft/gal				1.3	lb/gal																
	VOC																							
	lb																							
	5,564																							
	Fugitive Dust Emissions:																							
		PM ₁₀																						
	tons/acre/mo			days of disturbance	PM ₁₀ Total	PM _{2.5} /PM ₁₀ Ratio	PM _{2.5} Total																	
		0.42	132	250	462	0.1	46																	
	POV Emissions from Construction Workers																							
	Assume 10 miles per day on-base per day per vehicle (one vehicle per worker)																							
	On-base POV emissions																							
	# vehicles		mi/day	VOC	CO	NOx	SOx	PM	VOC	CO	NOx	SOx	PM	VOC	CO	NOx								
	193	250	10	0.001497	0.013925	0.001489	0.000009	0.000080	722.30	6718.81	718.44	4.3425	38.44	722	6,719	718								
								Subtotal				4	38											
	2011 Emission Totals:																							
	VOC		CO	NOx	SO2	PM ₁₀	PM _{2.5}																	
	T/yr	T/yr	T/yr	T/yr	T/yr	T/yr	T/yr																	
	77	127	163	18	535	63																		

Alternative B: Air Emissions By Year 2012

Clearing	278	AC	Number	Hr/day	# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
Equipment			Number	Hr/day	# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
Chain saw	11	6	73	5	73	5	0.7	120.06	351.02	1.82	NA	7.7	4,463	13,050	68	N/A	286
Backhoe/loader	3	8	73	98	73	98	0.21	0.99	3.49	6.9	0.85	0.722	79	277	548	68	57
Skid/steer Loader	3	8	17	168	17	168	0.59	0.68	2.7	8.38	0.93	0.402	61	241	747	83	36
Dozer	5	6	28	299	28	299	0.58	0.68	2.7	8.38	0.93	0.402	218	867	2,691	299	129
Dump truck (12 CY)	8	8	73	275	73	275	0.21	0.68	2.7	8.38	0.89	0.402	404	1,606	4,985	529	239
												Subtotal	5,226	16,041	9,039	979	748
Cut/Fill/Excavate/Borrow	637,510	CY															
Equipment			Number	Hr/day	# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
Skid steer loader	3	8	58	67	58	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	25	112	265	44	22
Dump truck (40 CY)	28	8	55	710	55	710	0.59	0.68	2.7	8.38	0.89	0.402	7,737	30,720	95,346	10,126	4,574
Backhoe/loader	5	8	52	98	52	98	0.21	0.99	3.49	6.9	0.85	0.722	93	329	651	80	68
Excavator	5	8	52	513	52	513	0.59	0.68	2.7	8.38	0.93	0.402	944	3,747	11,631	1,291	558
Dozer	5	8	52	620	52	620	0.59	0.68	2.7	8.38	0.93	0.402	1,141	4,529	14,057	1,560	674
MT Loader	5	8	52	158	52	158	0.59	0.68	2.7	8.38	0.93	0.402	291	1,154	3,582	398	172
Small generator	10	8	54	10	54	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	31	168	214	38	18
												Subtotal	10,261	40,760	125,746	13,537	6,087
Trenching	7,412	CY															
Equipment			Number	Hr/day	days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
Backhoe/loader	8	8	22	98	22	98	0.21	0.99	3.49	6.9	0.85	0.722	63	223	441	54	46
Boring Equipment	3	4	22	60	22	60	0.23	0.5213	2.3655	5.5988	0.93	0.473	4	19	45	7	4
Excavator	3	8	22	90	22	90	0.21	0.99	3.49	6.9	0.85	0.722	22	77	152	19	16
Dump truck	11	1	22	275	22	275	0.21	0.68	2.7	8.38	0.89	0.402	21	83	258	27	12
Delivery truck	3	2	22	180	22	180	0.21	0.68	2.7	8.38	0.89	0.402	7	30	92	10	4
Small generator	6	8	22	10	22	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	8	41	52	9	4
Trencher	3	8	22	100	22	100	0.21	0.99	3.49	6.9	0.85	0.722	24	85	169	21	18
												Subtotal	149	558	1,209	148	105
Building Construction	570,919	SF															
Foundation (slab)																	
Equipment			Number	Hr/day	# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
Skid steer loader	7	2	93	67	93	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	23	105	248	41	21
Concrete truck	22	4	55	250	55	250	0.21	0.68	2.7	8.38	0.89	0.402	381	1,513	4,694	499	225
Dump truck	15	6	58	275	58	275	0.21	0.68	2.7	8.38	0.89	0.402	452	1,794	5,569	591	267
Delivery truck	3	1	94	180	94	180	0.21	0.68	2.7	8.38	0.89	0.402	16	63	197	21	9
Backhoe/loader	3	8	20	98	20	98	0.21	0.99	3.49	6.9	0.85	0.722	22	76	150	19	16
Small generator	9	4	121	10	121	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	31	170	216	38	18
												Subtotal	925	3721	11,075	1,209	557
Equipment			Number	Hr/day	# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
Small generator	7	4	70	10	70	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	14	76	97	17	8
Delivery truck	2	2	82	180	82	180	0.21	0.68	2.7	8.38	0.89	0.402	19	74	229	24	11
Skid steer loader	5	8	133	67	133	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	94	428	1,012	168	85
Concrete truck	7	4	58	250	58	250	0.21	0.68	2.7	8.38	0.89	0.402	128	508	1,575	167	76

Alternative B: Air Emissions By Year 2012

Crane	1	8	102	120	0.43	0.3384	0.8667	5.6523	0.93	0.2799	31	80	525	86	26
										Subtotal	286	1166	3438	463	206
Small diesel engines	21	8	177	25	0.43	1.7	5	8.5	0.93	0.9	1,198	3,524	5,990	655	634
Grading	278	AC													
Site prep (grading, drainage, utilities)															
Equipment	Number	Hr/day	# days	Hp	LF	VOC	CO	NOx	SO2	PM	VOC	CO	NOx	SO2	PM
Dozer	2	6	57	90	0.59	0.99	3.49	6.9	0.93	0.722	79	279	553	74	58
Skid steer loader	4	4	165	67	0.23	0.5213	2.3655	5.988	0.93	0.473	47	212	502	83	42
Backhoe/loader	4	6	126	98	0.21	0.99	3.49	6.9	0.85	0.722	136	479	947	117	99
Small generator	2	4	165	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	10	51	65	12	6
Dump truck	12	1	84	275	0.21	0.68	2.7	8.38	0.89	0.402	87	347	1,075	114	52
										Subtotal	359	1,368	3,142	400	256
Gravel Work	50,088	CY													
Equipment	Number	Hr/day	# days	Hp	LF	VOC	CO	NOx	SO2	PM	VOC	CO	NOx	SO2	PM
Grader	8	8	102	135	0.58	0.68	2.7	8.38	0.93	0.402	766	3,043	9,443	1,048	453
Skid steer loader	17	8	98	67	0.23	0.5213	2.3655	5.988	0.93	0.473	236	1,071	2,535	421	214
Small generator	8	8	91	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	42	227	289	51	25
Dump truck (12 CY)	36	1	98	275	0.21	0.68	2.7	8.38	0.89	0.402	305	1,213	3,764	400	181
										Subtotal	1,350	5,554	16,031	1,920	872
Small diesel engines	28	6	98	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	119	642	816	145	70
Concrete Work	19,270	CY													
Equipment	Number	Hr/day	# days	Hp	LF	VOC	CO	NOx	SO2	PM	VOC	CO	NOx	SO2	PM
Skid steer loader	14	2	33	67	0.23	0.5213	2.3655	5.988	0.93	0.473	16	74	176	29	15
Concrete truck (9 CY)	46	1	40	250	0.21	0.68	2.7	8.38	0.89	0.402	145	575	1,785	190	86
Dump truck (12 CY)	34	0.5	40	275	0.21	0.68	2.7	8.38	0.89	0.402	59	234	726	77	35
Delivery truck	7	1	35	180	0.21	0.68	2.7	8.38	0.89	0.402	14	55	171	18	8
Backhoe/loader	7	8	8	98	0.21	0.99	3.49	6.9	0.85	0.722	20	71	140	17	15
										Subtotal	254	1,009	2,997	331	158
Paving	28,200	CY													
Equipment	Number	Hr/day	# days	Hp	LF	VOC	CO	NOx	SO2	PM	VOC	CO	NOx	SO2	PM
Grader	1	4	67	150	0.59	0.68	2.7	8.38	0.93	0.402	36	141	438	49	21
Roller	2	4	67	30	0.59	1.8	5	6.9	1	0.8	38	105	144	21	17
Paver	1	8	67	107	0.59	0.68	2.7	8.38	0.93	0.402	51	201	625	69	30
Delivery truck	2	2	116	180	0.21	0.68	2.7	8.38	0.89	0.402	26	104	324	34	16
										Subtotal	150	552	1,532	173	83
Volume of hot mix asphalt			761,406.75	ft ³											
Average density of HMA			145	lb/ft ³											
CARB EF for HMA			0.04	lb/ton											
VOC emissions from HMA paving			2208	lb											
Pavement Marking	930,850	LF													

**U.S. Army Corps of Engineers, Mobile District
Environmental Impact Statement - Fort Benning
October 2007**

Alternative B: Air Emissions By Year 2013

Clearing	8	AC	# days	Hr/day	Hr	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
Equipment	Number	Hr/day	# days	Hr/day	Hr	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
Chain saw	5	6	13	5	5	0.7	120.06	351.02	1.82	NA	7.7	361	1,056	5	N/A	23
Backhoe/loader	2	8	13	98	98	0.21	0.99	3.49	6.9	0.85	0.722	9	33	65	8	7
Skid/steer Loader	2	8	3	168	168	0.59	0.68	2.7	8.38	0.93	0.402	7	28	88	10	4
Dozer	3	6	5	299	299	0.58	0.68	2.7	8.38	0.93	0.402	23	93	288	32	14
Dump truck (12 CY)	4	8	13	275	275	0.21	0.68	2.7	8.38	0.89	0.402	36	143	444	47	21
											Subtotal	437	1,353	891	97	69
Demo Buildings	10,350	SF														
Equipment	Number	Hr/day	# days	Hr/day	Hr	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
Dozer	2	8	23	90	90	0.59	0.99	3.49	6.9	0.93	0.722	43	150	297	40	31
Skid steer loader	2	8	23	67	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	7	30	70	12	6
Crane	1	8	1	120	120	0.43	0.3384	0.8667	5.6523	0.93	0.2799	0	1	5	1	0
											Subtotal	49	181	372	53	37
Equipment	Number	Hr/day	# days	Hr/day	Hr	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
Backhoe/loader	2	14	11	98	98	0.21	0.99	3.49	6.9	0.85	0.722	14	49	96	12	10
Skid steer loader	2	14	11	67	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	5	25	59	10	5
Dump truck	8	4	11	275	275	0.21	0.68	2.7	8.38	0.89	0.402	30	121	376	40	18
											Subtotal	50	195	531	61	33
Cut/Fill/Excavate/Borrow	554,062	CY														
Equipment	Number	Hr/day	# days	Hr/day	Hr	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
Skid steer loader	3	8	66	67	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	28	127	301	50	25
Dump truck (40 CY)	28	8	62	710	710	0.59	0.68	2.7	8.38	0.89	0.402	8,722	34,630	107,481	11,415	5,156
Backhoe/loader	5	8	59	98	98	0.21	0.99	3.49	6.9	0.85	0.722	106	374	739	91	77
Excavator	5	8	59	513	513	0.59	0.68	2.7	8.38	0.93	0.402	1,071	4,252	13,197	1,465	633
Dozer	5	8	59	620	620	0.59	0.68	2.7	8.38	0.93	0.402	1,294	5,139	15,949	1,770	765
MT Loader	5	8	59	158	158	0.59	0.68	2.7	8.38	0.93	0.402	330	1,310	4,064	451	195
Small generator	10	8	61	10	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	35	190	242	43	21
											Subtotal	11,586	46,021	141,973	15,285	6,873
Trenching	10,991	CY														
Equipment	Number	Hr/day	days	Hr/day	Hr	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
Backhoe/loader	17	8	22	98	98	0.21	0.99	3.49	6.9	0.85	0.722	134	474	937	115	98
Boring Equipment	6	4	22	60	60	0.23	0.5213	2.3655	5.5988	0.93	0.473	8	38	90	15	8
Excavator	6	8	22	90	90	0.21	0.99	3.49	6.9	0.85	0.722	44	154	304	37	32
Dump truck	22	1	22	275	275	0.21	0.68	2.7	8.38	0.89	0.402	42	166	516	55	25
Delivery truck	6	2	22	180	180	0.21	0.68	2.7	8.38	0.89	0.402	15	59	184	20	9
Small generator	11	8	22	10	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	14	75	96	17	8
Trencher	6	8	22	100	100	0.21	0.99	3.49	6.9	0.85	0.722	48	171	337	42	35
											Subtotal	306	1,137	2,464	301	215
Building Construction	325,655	SF														
Foundation (slab)																

Alternative B: Air Emissions By Year 2013

Equipment	Number	Hr/day	# days	Hp	LF	g/hp-hr	g/hp-hr	g/hp-hr	g/hp-hr	g/hp-hr	lb	lb	lb	lb	lb
Skid steer loader	8	2	47	67	0.23	0.5213	2.3655	5.988	0.93	0.473	13	60	143	24	12
	25	4	28	250	0.21	0.68	2.7	8.38	0.89	0.402	220	875	2,716	288	130
	17	6	29	275	0.21	0.68	2.7	8.38	0.89	0.402	256	1,017	3,156	335	151
	3	1	54	180	0.21	0.68	2.7	8.38	0.89	0.402	9	36	113	12	5
	3	8	12	98	0.21	0.99	3.49	6.9	0.85	0.722	13	46	90	11	9
	10	4	61	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	18	95	121	22	10
										Subtotal	530	2129	6339	692	319
Equipment	Number	Hr/day	# days	Hp	LF	VOC	CO	NOx	SO2	PM	VOC	CO	NOx	SO2	PM
Small generator	8	4	35	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	8	44	56	10	5
Delivery truck	2	2	47	180	0.21	0.68	2.7	8.38	0.89	0.402	11	42	131	14	6
Skid steer loader	5	8	76	67	0.23	0.5213	2.3655	5.988	0.93	0.473	54	244	578	96	49
Concrete truck	8	4	29	250	0.21	0.68	2.7	8.38	0.89	0.402	73	290	900	96	43
Crane	1	8	58	120	0.43	0.3384	0.8667	5.6523	0.93	0.2799	18	46	298	49	15
										Subtotal	163	666	1964	265	118
Small diesel engines	24	8	89	25	0.43	1.7	5	8.5	0.93	0.9	688	2,025	3,442	377	364
Grading	8	AC													
Site prep (grading, drainage, utilities)															
Equipment	Number	Hr/day	# days	Hp	LF	VOC	CO	NOx	SO2	PM	VOC	CO	NOx	SO2	PM
Dozer	2	6	3	90	0.59	0.99	3.49	6.9	0.93	0.722	4	15	29	4	3
Skid steer loader	4	4	9	67	0.23	0.5213	2.3655	5.988	0.93	0.473	3	12	27	5	2
Backhoe/loader	4	6	7	98	0.21	0.99	3.49	6.9	0.85	0.722	8	27	53	6	6
Small generator	2	4	9	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	1	3	4	1	0
Dump truck	12	1	5	275	0.21	0.68	2.7	8.38	0.89	0.402	5	21	64	7	3
										Subtotal	20	76	177	22	14
Gravel Work	34,551	CY													
Equipment	Number	Hr/day	# days	Hp	LF	VOC	CO	NOx	SO2	PM	VOC	CO	NOx	SO2	PM
Grader	7	8	92	135	0.58	0.68	2.7	8.38	0.93	0.402	605	2,401	7,453	827	358
Skid steer loader	14	8	88	67	0.23	0.5213	2.3655	5.988	0.93	0.473	175	792	1,875	311	158
Small generator	7	8	82	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	33	179	228	40	19
Dump truck (12 CY)	30	1	88	275	0.21	0.68	2.7	8.38	0.89	0.402	229	908	2,817	299	135
										Subtotal	1,041	4,280	12,372	1,478	670
Small diesel engines	23	6	88	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	88	473	602	107	52
Concrete Work	13,085	CY													
Equipment	Number	Hr/day	# days	Hp	LF	VOC	CO	NOx	SO2	PM	VOC	CO	NOx	SO2	PM
Skid steer loader	14	2	25	67	0.23	0.5213	2.3655	5.988	0.93	0.473	12	56	133	22	11
Concrete truck (9 CY)	46	1	31	250	0.21	0.68	2.7	8.38	0.89	0.402	112	446	1,383	147	66
Dump truck (12 CY)	34	0.5	31	275	0.21	0.68	2.7	8.38	0.89	0.402	46	181	562	60	27
Delivery truck	7	1	27	180	0.21	0.68	2.7	8.38	0.89	0.402	11	43	132	14	6
Backhoe/loader	7	8	6	98	0.21	0.99	3.49	6.9	0.85	0.722	15	53	105	13	11
										Subtotal	196	779	2316	256	122

Alternative B: Air Emissions By Year 2013

Paving	79,616 CY		Hr/day	# days	Hp	LF	VOC		CO	NOx		SO ₂	PM		VOC	CO	NOx	SO ₂	PM
	Number	Equipment					g/hp-hr	g/hp-hr		g/hp-hr	g/hp-hr		g/hp-hr	g/hp-hr					
Grader	1		4	23	150	0.59	0.68	2.7	2.7	8.38	0.93	0.402	0.402	0.402	12	48	150	17	7
Roller	2		4	23	30	0.59	1.8	5	5	6.9	1	0.8	0.8	0.8	13	36	50	7	6
Paver	1		8	23	107	0.59	0.68	2.7	2.7	8.38	0.93	0.402	0.402	0.402	17	69	215	24	10
Delivery truck	2		2	39	180	0.21	0.68	2.7	2.7	8.38	0.89	0.402	0.402	0.402	9	35	109	12	5
													Subtotal		51	189	524	59	28
Volume of hot mix asphalt				2149632 ft ³															
Average density of HMA				145 lb/ft ³															
CARB EF for HMA				0.04 lb/ton															
VOC emissions from HMA paving				6234 lb															
Fugitive Dust Emissions:																			
	PM ₁₀			days of disturbance	PM ₁₀ Total	PM _{2.5} /PM ₁₀ Ratio	PM _{2.5} Total												
	tons/acre/mi		acres	250	2	0.1	0.2												
	0.42		1																
POV Emissions from Construction Workers																			
Assume 10 miles per day on-base per day per vehicle (one vehicle per worker)																			
On-base POV emissions																			
# vehicles			mi/day	VOC lb/mi	CO lb/mi	NOx lb/mi	SOx lb/mi	PM lb/mi											
96	250		10	0.001497	0.013925	0.001489	0.000009	0.000080							359.28	3342.00	357.36	2.16	19.12
								Subtotal							359	3,342	357	2	19
2013 Emission Totals:																			
	VOC T/yr		CO T/yr	NOx T/yr	SO ₂ T/yr	PM ₁₀ T/yr	PM _{2.5} T/yr												
	13	37	34	11	6														

Alternative B: Roads

Roads not in 1391s - Air emissions																
Reinforce/Upgrade	Assume all will be dirt trails															
	SY															
Acreage	1,652,570															
Excavate/Fill	55,087 CY															
	←totally made up number using 6" and 20% of total acreage to get C'															
	Equipment	Number	Hr/day	# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
	Skid steer loader	1	8	22	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	3	14	33	6	3
	Dump truck (40 CY)	10	8	21	710	0.59	0.68	2.7	8.38	0.89	0.402	1,055	4,189	13,002	1,381	624
	Backhoe/loader	2	8	21	98	0.21	0.99	3.49	6.9	0.85	0.722	15	53	105	13	11
	Excavator	2	8	21	513	0.59	0.68	2.7	8.38	0.93	0.402	152	605	1,879	209	90
	Dozer	2	8	21	620	0.59	0.68	2.7	8.38	0.93	0.402	184	732	2,271	252	109
	MT Loader	2	8	21	158	0.59	0.68	2.7	8.38	0.93	0.402	47	186	579	64	28
	Small generator	3	8	20	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	3	19	24	4	2
										Subtotal	1,460	5,799	17,892	1,928	866	
Grading	1,652,570 SY															
Construct	Equipment	Number	Hr/day	# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
	Dozer	2	6	120	90	0.59	0.99	3.49	6.9	0.93	0.722	167	588	1,163	157	122
	Skid steer loader	12	4	114	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	97	440	1,041	173	88
	Backhoe/loader	4	6	267	98	0.21	0.99	3.49	6.9	0.85	0.722	288	1,015	2,006	247	210
	Small generator	6	4	114	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	20	107	136	24	12
	Dump truck	12	1	179	275	0.21	0.68	2.7	8.38	0.89	0.402	186	738	2,292	243	110
											Subtotal	757	2,888	6,637	844	541
Dirt Trails	SY															
	1,622,174															
	335 AC															
	Equipment	Number	Hr/day	# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
	Chain saw	11	6	131	5	0.7	120.06	351.02	1.82	NA	7.7	8,010	23,418	121	N/A	514
	Backhoe/loader	3	8	131	98	0.21	0.99	3.49	6.9	0.85	0.722	141	498	984	121	103
	Skid/steer Loader	3	8	33	168	0.59	0.68	2.7	8.38	0.93	0.402	118	467	1,450	161	70
	Dozer	5	6	52	299	0.58	0.68	2.7	8.38	0.93	0.402	406	1,610	4,998	555	240
	Dump truck (12 CY)	8	8	131	275	0.21	0.68	2.7	8.38	0.89	0.402	726	2,882	8,945	950	429
										Subtotal	9,400	28,876	16,499	1,787	1,355	
Excavate/Fill	Assume 20% of total requires excavate/fill/borrow, etc. activities															
	54,074 CY															
	Equipment	Number	Hr/day	# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
	Skid steer loader	1	8	22	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	3	14	33	6	3
	Dump truck (40 CY)	10	8	21	710	0.59	0.68	2.7	8.38	0.89	0.402	1,055	4,189	13,002	1,381	624
	Backhoe/loader	2	8	21	98	0.21	0.99	3.49	6.9	0.85	0.722	15	53	105	13	11
	Excavator	2	8	21	513	0.59	0.68	2.7	8.38	0.93	0.402	152	605	1,879	209	90
	Dozer	2	8	21	620	0.59	0.68	2.7	8.38	0.93	0.402	184	732	2,271	252	109

Alternative B: Roads

MT Loader	2	8	21	158	0.59	0.68	2.7	8.38	0.93	0.402	47	186	579	64	28
Small generator	3	8	20	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	3	19	24	4	2
										Subtotal	1,460	5,799	17,892	1,928	866
Grading			1,622,174 SY												
Equipment	Number	Hr/day	# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
Dozer	2	6	118	90	0.59	0.99	3.49	6.9	0.93	0.722	164	579	1,144	154	120
Skid steer loader	12	4	112	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	95	432	1,023	170	86
Backhoe/loader	4	6	262	98	0.21	0.99	3.49	6.9	0.85	0.722	282	996	1,969	243	206
Small generator	6	4	112	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	19	105	133	24	11
Dump truck	12	1	175	275	0.21	0.68	2.7	8.38	0.89	0.402	182	722	2,241	238	107
										Subtotal	743	2,833	6,509	828	531
Asphalt paved roads															
Acreage		SY													
	94.39	456,848													
Clear			94 AC												
Equipment	Number	Hr/day	# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
Chain saw	11	6	42	5	0.7	120.06	351.02	1.82	NA	7.7	2,568	7,508	39	N/A	165
Backhoe/loader	3	8	42	98	0.21	0.99	3.49	6.9	0.85	0.722	45	160	316	39	33
Skid/steer Loader	3	8	10	168	0.59	0.68	2.7	8.38	0.93	0.402	36	142	439	49	21
Dozer	5	6	16	299	0.58	0.68	2.7	8.38	0.93	0.402	125	495	1,538	171	74
Dump truck (12 CY)	8	8	42	275	0.21	0.68	2.7	8.38	0.89	0.402	233	924	2,868	305	138
										Subtotal	3,006	9,229	5,200	563	430
Excavate/Fill	Assume 20% of total requires excavate/fill/borrow, etc. activities														
			15,229 CY												
Equipment	Number	Hr/day	# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
Skid steer loader	1	8	35	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	5	23	53	9	4
Dump truck (40 CY)	16	8	23	710	0.59	0.68	2.7	8.38	0.89	0.402	1,849	7,341	22,784	2,420	1,093
Backhoe/loader	1	8	23	98	0.21	0.99	3.49	6.9	0.85	0.722	8	29	58	7	6
Excavator	1	8	23	513	0.59	0.68	2.7	8.38	0.93	0.402	83	332	1,029	114	49
Dozer	1	8	23	620	0.59	0.68	2.7	8.38	0.93	0.402	101	401	1,243	138	60
MT Loader	1	8	23	158	0.59	0.68	2.7	8.38	0.93	0.402	26	102	317	35	15
Small generator	2	8	58	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	7	36	46	8	4
										Subtotal	2,079	8,263	25,530	2,731	1,232
Grading			456,848 SY												
Equipment	Number	Hr/day	# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
Dozer	2	6	19	90	0.59	0.99	3.49	6.9	0.93	0.722	26	93	184	25	19
Skid steer loader	4	4	55	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	16	71	167	28	14
Backhoe/loader	4	6	42	98	0.21	0.99	3.49	6.9	0.85	0.722	45	160	316	39	33
Small generator	2	4	55	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	3	17	22	4	2
Dump truck	12	1	28	275	0.21	0.68	2.7	8.38	0.89	0.402	29	116	358	38	17
										Subtotal	120	456	1,047	133	85

[illegible]

Maneuver Corridors - Thinning																								
2009-2011																								
3,788 AC annually																								
Equipment	Number	Hr/day	# days	Hp	LF	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb									
Chain saw	33	6	250	5	0.7	120.06	351.02	1.82	NA	7.7	45,857	134,073	695	N/A	2,941									
Backhoe/loader	8	8	250	98	0.21	0.99	3.49	6.9	0.85	0.722	719	2,534	5,009	617	524									
Skid/steer Loader	8	8	250	168	0.59	0.68	2.7	8.38	0.93	0.402	2,378	9,440	29,300	3,252	1,406									
Dozer	7	6	100	299	0.58	0.68	2.7	8.38	0.93	0.402	1,092	4,336	13,456	1,493	646									
Dump truck (12 CY)	13	8	250	275	0.21	0.68	2.7	8.38	0.89	0.402	2,251	8,938	27,740	2,946	1,331									
										Subtotal	52,296	159,320	76,200	8,308	6,847									

***U.S. Army Corps of Engineers, Mobile District
Environmental Impact Statement - Fort Benning
October 2007***

Average density of HMA CARB EF for HMA VOC emissions from HMA paving	145 lb/ft³ 0.04 lb/ton 714 lb	14,993 CY	Number	Hr/day	# days	Hp	LF	VOC	g/hp-hr	CO	g/hp-hr	NOx	g/hp-hr	SO2	g/hp-hr	PM	g/hp-hr	VOC	lb	CO	lb	NOx	lb	SO2	lb	PM	lb
			Equipment																								
			3	4	130	135	0.58	0.68	2.7	8.38	2.3655	5.5988	0.93	0.402	183	727	2,257	250	108								
			6	4	123	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	52	237	562	93	47										
Road Resurfacing Gravel Work	145 lb/ft³ 0.04 lb/ton 714 lb	14,993 CY	Number	Hr/day	# days	Hp	LF	VOC	g/hp-hr	CO	g/hp-hr	NOx	g/hp-hr	SO2	g/hp-hr	PM	g/hp-hr	VOC	lb	CO	lb	NOx	lb	SO2	lb	PM	lb
			Equipment																								
			3	4	130	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	11	61	77	14	7										
			10	0.5	123	275	0.21	0.68	2.7	8.38	0.89	0.402	53	211	656	70	31										
									</																		

[illegible]

Appendix E
E-66

OPERATIONAL

	Annual Total				
	CO	NO _x	PM ₁₀	SO ₂	VOC
POV	248,727	26,596	1,423	161	26,739
Boilers	8,269	9,939	752	539	541
Fuel	--	--	--	--	8,095
Ordnance	3,783	378	119,411	21	155
Generators	415	1,810	66	34	54
Pounds/year	261,194	38,724	121,651	756	35,585
Tons/year	130.6	19.4	60.8	0.4	17.8

Private Vehicles

Operational Emissions - Transportation

Commuting Personnel from Surrounding Communities
 8,831 total non-student transfers in: 5,605 military 3,226 civilian
 Assume 81% military commute, 100% civilian. Total commuters = 7,766

POV Emissions from Comuting Working Military and Civilians
 Assume 10 miles per day per vehicle (one vehicle per worker)

2011

Commuting POV emissions												
# vehicles	# days	mi/day	VOC lb/mi	CO lb/mi	NOx lb/mi	SOx lb/mi	PM lb/mi	VOC lb	CO lb	NOx lb	SOx lb	PM lb
777	250	10	0.001497	0.013925	0.001489	0.000009	0.000080	2906.44	27035.56	2890.91	17.47361	154.66
Subtotal								2,906	27,036	2,891	17	155

2012

Commuting POV emissions												
# vehicles	# days	mi/day	VOC lb/mi	CO lb/mi	NOx lb/mi	SOx lb/mi	PM lb/mi	VOC lb	CO lb	NOx lb	SOx lb	PM lb
3,106	250	10	0.001497	0.013925	0.001489	0.000009	0.000080	11625.78	108142.25	11563.65	69.89445	618.65
Subtotal								11,626	108,142	11,564	70	619

2013

Commuting POV emissions												
# vehicles	# days	mi/day	VOC lb/mi	CO lb/mi	NOx lb/mi	SOx lb/mi	PM lb/mi	VOC lb	CO lb	NOx lb	SOx lb	PM lb
4,660	230	10	0.001497	0.013925	0.001489	0.000009	0.000080	16043.57	149236.30	15957.83	96.45434	853.74
Subtotal								16,044	149,236	15,958	96	854

Private Vehicles

2014

Commuting POV emissions

# vehicles	# days	mi/day	VOC lb/mi	CO lb/mi	NOx lb/mi	SOx lb/mi	PM lb/mi	VOC lb	CO lb	NOx lb	SOx lb	PM lb
6,213	230	10	0.001497	0.013925	0.001489	0.000009	0.000080	21,391.43	198,981.73	212,771.11	128,605.8	1138.32
Subtotal								21,391	198,982	21,277	129	1,138

2015 on

Commuting POV emissions

# vehicles	# days	mi/day	VOC lb/mi	CO lb/mi	NOx lb/mi	SOx lb/mi	PM lb/mi	VOC lb	CO lb	NOx lb	SOx lb	PM lb
7,766	230	10	0.001497	0.013925	0.001489	0.000009	0.000080	26,739.29	248,727.17	265,963.39	160,757.2	1,422.90
Subtotal								26,739	248,727	26,596	161	1,423

Boilers

Operational Emissions - Boilers

1-03-006-0 Commercial/Institutional Boiler, Natural Gas, < 10 MMBtu/hr

Example boiler from 2003 Emission Inventory that is < 10 MM Btu:

Unit ID No.	Building No.	Manufacturer	Model No.	Heat Input (MMBtu/hr) ^a	Fuel Type	Annual Fuel Usage	Year Built
H136	1751	N/K	N/K	9.24	N.G.	5.13E+06	1999

Quantity of natural gas consumed 5,130,000 ft³

Pollutant	Emission Factor (lb/106 ft ³) ^{a,b}
CO	84
NO _x	100
PM-10 ^b	7.6
SO ₂	0.6
VOC	5.5

^a Emission factors from U.S. Environmental Protection Agency. Compilation of Air Pollutant Emission Factors - Volume I (AP-42), Section 1.4, 5th Edition.^b Emission factors based on burning natural gas with a heating value of 1,020 Btu/ft³

Annual Emissions from Example Heater (lb/yr):

VOC	CO	NOx	SO2	PM10
28.22	430.92	513.00	3.08	38.99

Boilers

2009	4 boilers online	VOC	CO	NOx	SO2	PM10
		112.86	1,723.68	2,052.00	12.31	155.95
2010	4 boilers online	VOC	CO	NOx	SO2	PM10
		112.86	1,723.68	2,052.00	12.31	155.95
2011	6 boilers online	VOC	CO	NOx	SO2	PM10
		169.29	2,585.52	3,078.00	18.47	233.93
2012	9 boilers online	VOC	CO	NOx	SO2	PM10
		253.94	3,878.28	4,617.00	27.70	350.89
2013	10 boilers online	VOC	CO	NOx	SO2	PM10
		282.15	4,309.20	5,130.00	30.78	389.88
2014	11 boilers online	VOC	CO	NOx	SO2	PM10
		310.37	4,740.12	5,643.00	33.86	428.87
2015	11 boilers online	VOC	CO	NOx	SO2	PM10
		310.37	4,740.12	5,643.00	33.86	428.87
2016	15 boilers online	VOC	CO	NOx	SO2	PM10
		423.23	6,463.80	7,695.00	46.17	584.82
2017	17 boilers online	VOC	CO	NOx	SO2	PM10
		479.66	7,325.64	8,721.00	52.33	662.80

Boilers

Hospital Boilers:		
2	16.2 MM Btu/hr	3,610,000 lb/10 ⁶ ft ³ of natural gas consumed
1	36.1 MM Btu/hr	3,610,000 lb/10 ⁶ ft ³ of natural gas consumed 6,770 Gallons of fuel oil consumed

Annual Emissions (lb/yr):

VOC	CO	NOx	SO ₂	PM ₁₀
39.71	606.48	722.00	4.33	54.87

36.1 MM Btu/hr Boiler:

VOC	CO	NOx	SO ₂	PM ₁₀
21	337	496	483	34

Pollutant	Emission Factor (lb/10 ³ gal) ^{a, b} 10 to 100 MMBtu/hr
CO	5
Lead	1.3x10 ⁻³
NO _x	20
PM-10 ^c	1
SO ₂	142
S ^u	0.5
VOC ^e	0.2

^a Emission factors from U.S. Environmental Protection Agency. Compilation of Air Pollutant Emission Factors - Volume I (AP-42), Section 1.3, 5th Edition.

^b Emissions factors based upon a heating value of 140,000 Btu/gal

^c Emission factors for filterable particulate matter only.

^e The variable S in the emission factors equals the sulfur content of the fuel expressed as percent weight. Based on the limitations contained in the post's Title V permit [Reference 10, Condition 3.2.3], a maximum sulfur content of 0.5%w was assumed; therefore, the SO₂ factors were assumed to equal the values presented times 0.5.

^e NMTOC factors provided, assumed VOC equals NMTOC.

Fuel

Operational Emissions - Fueling Facilities

Assume Diesel/JP-8 for all

Assume USTs

Gallons

130,000	Unit Maintenance Activity Facility UST
20,000	Tactical Equipment Shop (36th ENG Group) UST
14,149	Vehicle Maintenance Shop (36th ENG Group) UST; refueling;
20,000	Multi-Role Bridge Company Maintenance Complex fuel storage
500	DS/GS Vehicle Mtnce Facility Diesel/JP-8
2,000	DS/GS Vehicle Mtnce Facility Diesel/JP-8
1,000	598th DS Maintenance Facility (36th ENG Group) fuel tank
10,000	Infrastructure Support - gas
10,000	Infrastructure Support - gas

207,649 Total gallons

From Ft Benning 2003 inventory:

1,126,598	gallons of fuel storage capacity for POV/GOV
11,742,019	gallons of fuel throughput
90,711	pounds of VOC emitted

From Ft. Knox 2005 Emission Inventory Survey:

40,000	gallons of fuel storage (JP-8) capacity
1,497,000	gallons of fuel throughput
8,095	pounds of VOC projected to be emitted annually (based on Ft Benning calcs and percent Armor School use estimate)

Ordnance

Total number of rounds of small arms ordnance used in 2003: small arms include ordnance ranging in size from 5.56 mm to 50 caliber (0.5 inch)	25,122,529
Total number of additional rounds of small arms ordnance projected to be used annually (2015 on):	9,070,350
Total number of rounds of large arms ordnance used in 2003: large arms include ammunition and weaponry greater than 50 caliber such as mortars, artillery shells, and grenades	2,637,594
Total number of additional rounds of large arms ordnance projected to be used annually (2015 on):	291,753
Total number of rounds of smoke generation ordnance used in 2003: smoke generating devices include sources such as markers, grenades, and smoke pots	432
Total number of additional rounds of smoke generating ordnance projected to be used annually (2015 on):	29,570

<i>Criteria Pollutants in lb/yr</i>	CO	Lead	NO _x	PM ₁₀	SO ₂	VOC
Small Arms Baseline	--	68	--	--	--	--
Small Arms Projected	--	25	--	--	--	--
Small Arms Total	--	93	--	--	--	--
Large Arms Baseline	34,200	251	3,420	211,337	193	1,403
Large Arms Projected	3,783	28	378	23,377	21	155
Large Arms Total	37,983	279	3,798	234,714	214	1,558
Smoke Generating Devices Baseline	--	--	--	1,403	--	--
Smoke Generating Devices Projected	--	--	--	96,034	--	--
Smoke Generating Devices Total	--	--	--	97,437	--	--
Projected Total	3,783	52	378	119,411	21	155
Grand Total	37,983	372	3,798	332,151	214	1,558
<i>Hazardous Air Pollutants in lb/yr</i>	Acetophenone	Antimony	Benzene	Bis(2-ethylhexyl) phthalate	1,3-Butadiene	Cadmium
Large Arms Baseline	0.01	175.00	114.00	1.67	5.79	456.00

Ordnance

Large Arms Projected	0.00	19.36	12.61	0.18	0.64	50.44
Large Arms Total	0.01	194.36	126.61	1.85	6.43	506.44

Hazardous Air Pollutants in lb/yr	o-Cresol	Dibenzofuran	Dibutyl phthalate	Dimethyl phthalate	Ethyl Benzene	Hexane
Large Arms Baseline	0.05	0.02	8.59	0.02	8.77	7.02
Large Arms Projected	0.01	0.00	0.95	0.00	0.97	0.78
Large Arms Total	0.06	0.02	9.54	0.02	9.74	7.80

Hazardous Air Pollutants in lb/yr	Naphthalene	Nickel	4-Nitrophenol	Phenol	Polycyclic Organic Matter	Styrene
Large Arms Baseline	2.63	210.00	0.02	1.58	517.00	377.00
Large Arms Projected	0.29	23.23	0.00	0.17	57.19	41.70
Large Arms Total	2.92	233.23	0.02	1.75	574.19	418.70

Hazardous Air Pollutants in lb/yr	Toluene	Xylenes
Large Arms Baseline	58.80	47.40
Large Arms Projected	6.50	5.24
Large Arms Total	65.30	52.64

Ordnance2

Operational Emissions - Ordnance				
Pyro/saml arms used #s/type	Pyro #s	# of Starts/Year	Total	
Small Arms				
A075 SAW			55,440	
A080 5.56 MM BLANK			955,506	
A111 7.62 MM BLANK			1,856,744	
A598 .50CAL BLANK			1,491,180	
AB09, Cartridge, 5.56mm, Practice	28,800	6	172,800	
AB10, Cartridge, 5.56mm, Practice	28,800	6	172,800	
AS08, Simulation 5.56 Blue	7,680	5	38,400	
AS09, Simulation 5.56 Red	4,800	5	24,000	
G811, Grenade, Hand, Practice (Body) M69	10	5	50	
TOTAL			9,070,350	
Large Arms Ordnance				
G878, Fuze Hand Grenade Practice M228			2,737	
G900 Grenade Incendiary M14			38	
L306, Sig Illum Red Star Cluster M158			38	
L312, Sig Illum Ground Parachute M127 White Star			1,400	
L314, Sig Illum Green Star Cluster M125			1,400	
L367 ATWESS			15,958	
L495 TRIP FLARES			2,662	
L594, Sim Projectile Ground Burst M115A2			34,037	
L598 M117 Flash Booby Trap Simulator	33	24	792	
L600 BOOBY TRAP			6,518	
L601, Simulator Hand Grenade M116 Series			17,850	
MN75 Demo Charge Booster	40	24	960	
K511, Smoke Pot Training			494	
LA06, Sim Main Tank Gun M30			62,980	
TOTAL			291,753	
Smoke Generating Ordnance				
G940, Grenade Hand M18 Green Smoke			2,670	
G945, Grenade Hand M18 Yellow Smoke			4,561	

Ordinance2

G950, Grenade Hand M18 Red Smoke, Emergency Use Only			1,162
G955, Grenade Hand M18 Violet Smoke			2,258
G963 CS GRENADE			566
G982, Grenade Hand Smoke HC			4,903
TOTAL			29,570

Generators

Operational Emissions - Emergency Generators

The IC engines are typically operated 1.5 hours per month= 18 hr/yr

Generator size kW	#	CO lb/yr	NOx lb/yr	PM10 lb/yr	SO2 lb/yr	VOC lb/yr
500	8	265	1158	28	20	31
500	3	100	434	28	7	12
750	1	50	217	10	7	12
	Total	415	1810	66	34	54
50%	Load Factor					

these should be exempt

Hosp

Barracks Complex

Consol Mtnc

Pollutant	Emission Factors Diesel Fuel ^{a, b} > 447 kW or > 600 hp	
	lb/hp-hr	
CO	0.0055	
NO _x	0.024	
PM-10	0.000575	
SO ₂ ^c	0.00809	
S	0.05	
VOC	0.000642	

^a Emission factors used to estimate emissions from the consumption of JP-8 fuel.

^b Emission factors from U.S. Environmental Protection Agency, Compilation of Air Pollutant Emission Factors - Volume I (AP-42), Section 3.4, 5th Edition; factors based upon power output

^c The variable S in the emissions factor equals the sulfur content of the fuel expressed as percent weight.

SO₂ factor was assumed to equal 0.05 for diesel fuel.

Appendix F:

BIOLOGICAL OPINION



United States Department of the Interior

Fish and Wildlife Service

105 West Park Drive, Suite D
Athens, Georgia 30606

West Georgia Sub Office
P.O. Box 52560
Ft. Benning, Georgia 31995-2560

AUG 20 2007

Coastal Sub Office
4270 Norwich Street
Brunswick, Georgia 31520

Colonel Keith R. Lovejoy
Garrison Commander
Department of the Army
Headquarters United States Army Infantry Center
Ft. Benning, Georgia 31905-5000

FWS Log No: 07-FA-0954

Dear Colonel Lovejoy:

This document is the U.S. Fish and Wildlife Service's (Service or USFWS) biological opinion (BO) based on our review of the April 13, 2007, biological assessment for the construction, operation and maintenance of proposed Transformation actions, which include Base Realignment and Closure, Global Defense Posture and Realignment, Army Modular Force and other stationing actions, located in Chattahoochee and Muscogee Counties, Georgia, and Russell County, Alabama, and the expected effects on the federally endangered red-cockaded woodpecker (RCW, *Picoides borealis*) and federally endangered relict trillium (*Trillium reliquum*) in accordance with section 7 of the Endangered Species Act (Act) of 1973, as amended (16 U.S.C. 1531 et seq.). Your request for formal consultation was received on April 13, 2007.

This biological opinion also utilizes information provided in the April 19, 2007, Draft Environmental Impact Statement (DEIS); meetings, telephone calls, field investigations, electronic mail, and other published and unpublished sources of information. A complete administrative record of this consultation is on file at our Ft. Benning office.

Consultation History

June 1, 2006 through August 31, 2006.

- The Service responded affirmatively to a letter submitted by Ft. Benning dated July 6, 2006, confirming the need to collect pre- and post-foraging habitat data in 125 RCW territories projected to be impacted by Transformation (Transformation, Transformation/BRAC or BRAC) initiatives.
- The Service published Protocols for Monitoring Project Related Traffic Disturbances to Red-cockaded Woodpeckers During Nesting Season (attached).
- Service personnel attended meetings on RCW survey requirements, modifications to master plans for road construction and Forward Operating Bases, modifications to

maneuver corridors, tank ranges, forest decline and impacts to future potential RCW habitat.

- The Service personnel provided technical assistance for Ft. Benning staff on assessments for analyzing pre- and post-project timber removals, foraging habitat assessments, future potential RCW foraging habitat and forest decline.

September 1, 2006 through November 30, 2006

- Service submitted (November 27, 2006) concerns in response to the Draft Transformation/ BRAC Biological Assessment dated November 13, 2006.
- The Service Regional Director (Region 4) discussed Transformation/ BRAC concerns with the Army's Deputy Assistant Secretary for the Environment.
- Service personnel attended meetings and advised Ft. Benning staff on issues regarding the maneuver corridors and range positioning.
- The Service provided technical assistance for assessing and developing RCW Managed Stability Standards specific to the Installation's RCW and forest data sets.

December 1, 2006 through Feb 28, 2007

- Service received (December 1, 2006) and commented (December 20, 2006) on the 2nd Draft Biological Assessment.
- The Service received a letter (December 4, 2006) from Ft. Benning's Garrison Commander requesting continuation of informal consultation.
- Service held a meeting (December 6, 2006) in Atlanta with Ft. Benning's Garrison Commander, BRAC Coordinator and Chief of Environmental Management Division to discuss coordination, progress, and timelines for Transformation/ BRAC environmental documentation.
- Service Regional Director attended a Transformation/ BRAC conference convened by the Installation's Commanding General.
- Service provided technical assistance to Ft. Benning's Conservation and Land Management Branch (FBCB and FBLMB respectively) staff on Ft. Benning's role in RCW translocation, recovery projections, forest decline, harassment, and RCW population demographic models.
- The Service discussed with Ft. Benning's CB and LMB detailed Service policy regarding formal consultation and the probability for ongoing Transformation/ BRAC consultations.
- The Service conducted three monthly conference calls with the Installation's Garrison Commander to discuss current issues.

March 1, 2007 through May 31, 2007

- The Service received the final Transformation/ BRAC Biological Assessment dated April 13, 2007, with request to initiate formal consultation.
- The Service provided comments on the final Biological Assessment (April 18, 2007) and stated that the formal consultation clock had started.
- Service personnel attended BRAC meetings to discuss minimization strategies, RCW foraging habitat improvement, and potential minimization strategies.
- The Service received copy of the Draft EIS for BRAC 2005 and Transformation Actions at Ft. Benning on April 30, 2007.
- Service personnel attended public scoping meeting on May 10, 2007.
- The Service conducted three monthly conference calls with the Installation's Garrison Commander to discuss current issues.

June 1, 2007 through August 20, 2007

- Service submitted comments (June 20, 2007) for Draft EIS on Transformation/BRAC Actions 2005, to Ft. Benning's Chief of Environmental Management Division.
- The Service submitted the draft biological opinion to the Installation on July 24, 2007, and received comments from the Installation on August 9, 2007.
- August 03, 2007, the Service received notice from the Installation that some of the data reported in the Biological Assessment, and consequently in the Draft Biological Opinion, had discrepancies. Specifically, some of the data reported in the Biological Assessments RCW data tables were not consistent with some of the data reported in the RCW analysis section. The Installations contractor reported a "systematic switching error" had occurred when transferring the electronic versions of the document. Upon discovery, the Biological Assessment and the Biological Opinion were re-proofed and corrected. Final corrections did not change any of the final analyses or determinations.

BIOLOGICAL OPINION

DESCRIPTION OF THE PROPOSED ACTION

Background

The Ft. Benning Military Installation (Installation or Ft. Benning), located in Chattahoochee and Muscogee Counties, Georgia and Russell County, Alabama, is proposing to undergo major changes in its organizational structure as a result of Base Realignment and Closure (BRAC), Army Transformation, Army Modular Force (AMF), Global Defense Posture Realignment (GDPR) and Army Regulation (AR) 5-10 stationing actions. The net result of these actions is an

extensive construction initiative that would support a significant increase in range and training land requirements across the entire spectrum of weapons systems and training strategies. The greatest impact of the Transformation actions will result from the movement of the United States (US) Army Armor Center and School (USAARMC/S) from Ft. Knox, Kentucky which supports its consolidation with the US Army Infantry Center and School (USAIS/ C) already based at Ft. Benning, forming the Maneuver Center of Excellence (MCOE). Base Realignment And Closure projects are primarily generated by the BRAC-directed actions and are programmed to occur by September 2011 as required by the BRAC legislation. These projects are included in the Army's Future Years Defense Program that must be executed in accordance with the September 2011 legislative requirement.

"Non-BRAC" construction projects with construction dates from 2011 through 2013 are not required to meet the immediate legislated BRAC realignment actions, but are identified as other Military Construction (MILCON) projects that are within the budget planning cycle through 2013 and have been identified as projects necessary to optimize full operation of the MCOE at Ft. Benning. These projects are not required to be completed by September 2011, but are needed to support the increased number of Army personnel on the Installation.

The construction start dates for those projects from 2011 to 2013 are best estimates of Installation needs and are subject to change based on the availability of funds and changing priorities. Therefore, the proposed action is based on an estimate of the maximum amount of construction that would occur if all Transformation projects were fully funded (BRAC, AMF, GDPR and Other BRAC Discretionary actions).

Additional project needs beyond 2013 that are generated by Transformation requirements have been initially identified, but have not been validated. At this time, funding has not been secured and planning has not progressed to a point at which it would be appropriate to analyze beyond the 2013 projects. Instead, identified project needs beyond 2013 are considered as part of the reasonably foreseeable ongoing development of Ft. Benning as the MCOE. These projects, if approved for funding, will be treated as any other Army projects and will not receive priority as "BRAC-critical." Detailed analyses of these projects will be conducted as funding sources and plans solidify.

Project Description

The proposed project's final designs have not been decided upon by Ft. Benning, and project details beyond 2010 are quite limited. Nevertheless, the Biological Assessment and EIS address the proposed actions based on the current understanding of their scope. Funding for projects to 2013 are tied to the duration of the Biological Assessment and the Biological Opinion; consequently, the duration of this opinion is through 2013. Ft. Benning and Service personnel recognize that consultation regarding these actions must be reinitiated as more details regarding the actions become available; otherwise, compliance with the Act may lapse.

Under the proposed action, the Army would provide the facilities, infrastructure, and equipment needed to support the following Transformation activities at Ft. Benning: 1) BRAC, 2) GDPR (overseas re-stationing), 3) AMF, and 4) other related stationing activities. The construction activities associated with the proposed action would occur within the bounds of Ft. Benning. The proposed construction of administrative, supply/ storage, maintenance, barracks, commercial services, community facilities, medical and dental, and recreation facilities is focused on the

cantonment areas. A combination of redevelopment (e.g., renovation), development, and expansion would occur at the four major cantonment areas: Main Post, Kelley Hill, Sand Hill, and Harmony Church. Training assets, in the form of ranges and maneuver areas, are found throughout the Installation. The proposed improvements/ upgrades to existing ranges and maneuver areas and proposed new ranges were sited to align with these existing assets.

US Army Armor Center and School (USAARMC/S) Missions and Training

The range and training operations requirements of the proposed action are primarily driven by the gain of the USAARMC/S, however, they are also interrelated and work together with other Transformation activities and existing missions at Ft. Benning. Range and training operation requirements are reflected in; (1) the equipment to be used, (2) the operations undertaken, and (3) the ranges and maneuver areas proposed. The equipment used by units/ organizations relocating to Ft. Benning includes Abrams tanks, Bradley Fighting Vehicles (BFVs), High Mobility Multipurpose Wheeled Vehicles (HMMWVs), trucks and trailers for operational needs as well as maintenance instruction. In total, the addition of the USAARMS vehicle inventory will be a 95.5% increase to the current Installation inventory.

Training units of the USAARMS relocating to Ft. Benning include the 1st Armor Training Bde, 16th Cavalry Regt and U.S. Army Noncommissioned Officer Academy (NCOA). Together, these units are responsible for training every Armor Crewman in the Army and Marines. More than 70 training courses currently conducted at Ft. Knox, ranging in length from one to 20 weeks, will be shifted to Ft. Benning as part of Transformation.

The 19D One Station Unit Training (OSUT) Cavalry Scout course trains initial entry Cavalry Scouts in small arms training, BFV and HMMWV mechanics, use of simulators, gunnery, dismounted training, driver training and field training exercises (FTXs). Cavalry Scouts are trained to operate BFVs and HMMWVs at the basic and advanced drivers training courses and live fire at the gunnery ranges. There is also an FTX encompassing approximately 3,750-acres. Approximately 40 tracked vehicles are used during this course, but students rotate between the ranges and driver training course. Up to 14 vehicles are typically present in any given area. Off-road, Cavalry Scouts generally follow each other or form small formations (M. Gillette, USAARMS, pers. comm., 2007).

The 19K OSUT Armor Crewman course trains Armor Crewmen in the same aspects as above with M1A1 Abrams tanks. This course (i.e., a separate course from the Cavalry Scout course) involves approximately 55 tracked vehicles and includes a FTX encompassing 2,470-acres. As with the 19D OSUT, the vehicles are dispersed between the ranges and Driver Training Course and generally stay in single-file lines and/ or small formations.

The Scout Leaders Course includes four days of mounted tactical training during which Cavalry Scouts plan and execute a variety of mounted and dismounted operations. The Scout Leaders Course at Ft. Knox involves five BFVs and 25 wheeled vehicles (primarily HMMWVs) encompassing an approximately 43,472-acre area. Approximately 35% of the field training is conducted at night.

The largest-scale FTXs at USAARMS are during the Basic Officer Leader Course (BOLC) III, which at Ft. Knox involves 61 vehicles (26 tracked) over an approximately 43,472-acre area, during 10-day FTXs occurring 11 times per year. Approximately 50% of the training will be

conducted at night including at least one full exercise using all vehicles and limited platoon size (four to 10 vehicles) exercises composed of night movements and offensive, defensive and security operations. During the FTX, co-use of the area by other units and/ or civilian personnel is possible, but limited (M. Gillette, USAARMS, pers. comm., 2007). The “BOLC” III also includes two, four-day situational training exercises (STXs) conducted 11 times per year.

The remaining nine courses range in extent from eight to 55 tracked vehicles, over the course of one to 18 days to include but not limited to Cavalry Scout Basic Combat Training, Abrams Armor Crewman Basic Combat Training tasks, Abrams Tank System Maintainer Test and Trouble Shoot Systems, BFV Systems Maintainer, Tank Vehicle Recovery Specialist Test and Trouble Shooting, BOLC III Leaders Course, F2 Scout Leaders Course and the BNCOC Armor Crewman Course.

Action Area

When major construction projects are proposed that impact RCWs, the Action Area (all areas affected by the Federal action and not merely the immediate area involved in the action) must include the RCW “neighborhood,” which is defined by a buffer extending beyond the directly impacted area(s) equal to the average dispersal distance of RCWs within that RCW population or subpopulation (USFWS 2005). Dispersal is defined as the movement of individuals from their natal cluster to their first breeding location, or between consecutive breeding locations (USFWS 2003a).

Therefore, for this BO, dispersal distance is defined as the average distance Ft. Benning RCWs have traveled from their natal cluster to find an available niche, or between consecutive breeding locations. This includes birds that were part of a breeding pair, helpers to an unrelated breeding pair and solitary birds defending a vacant territory (R. Costa, USFWS, pers. comm., 2007). Ft. Benning RCW dispersal data collected over 11 years was analyzed by FBCB and revealed an average dispersal distance of 2.57 miles (M. Barron, FBCB, pers. comm., 2007). This buffer was applied to all active RCW clusters impacted by the proposed action. In addition, if not already included in the RCW neighborhood, the area encompassed by the RCW survey area was also included. Therefore, the action area, which extends to include all of the direct and indirect effects of the proposed action and includes the RCWs neighborhood delineation, totals 215,819 acres. The portion of the action area outside of the Installation boundary, but within the RCW neighborhood, includes portions of Chattahoochee, Marion, Muscogee and Talbot Counties, Georgia.

Specific Project Components (see enclosed maps for further description)

Cantonment Area

The cantonment area on the Installation is divided into four areas; these are the areas where infrastructure facilities on the Installation are typically concentrated. However, many of the proposed projects fall outside of the areas traditionally defined as the cantonment area. For the purposes of analysis, all non-range projects located in the general cantonment area were divided into four broad analysis areas using the applicable cantonment area names: Harmony Church, Kelley Hill, Main Post and Sand Hill.

These broader analysis areas contain projects not typically considered ‘cantonment’ projects, such as ammunition supply areas. Likewise, infrastructure projects that are located within range

training areas are listed within the appropriate geographic area. Range lands are grouped into three general areas: South (southwest of Highway 27-280), North (all training compartments northeast of Highway 27-280) and the Oscar Small Arms Complex (Oscar Complex).

Each firing range has an associated SDZ that consists of the firing area, target area, impact area, and danger area. The shape and size of the SDZ varies with the type of weapon being fired. The probability of rounds hitting is greatest in the firing and target areas, then the impact areas, then the danger areas. While most of the environmental impacts will be within the range footprints, for some ranges a substantial amount of impact could occur outside of the footprint, but within the SDZ areas. The “beaten area” acreages are those areas within the ordnance-impacted areas that Ft. Benning expects to receive a substantial impact from ordnance outside of the range footprint.

Harmony Church

More than half of the area of potential impact within the cantonment areas will occur within the Harmony Church area. The Harmony Church area has historically supported, and currently supports, a diverse assortment of low density facilities including the Infantry Fighting Vehicle Maintenance and Gunnery Training Facility, semi-permanent barracks, motor pool facilities, administrative facilities, an ammunition supply point and various recreational fields. The proposed action would provide for continued infill development and expansion of the Harmony Church cantonment area primarily to support troop housing and maintenance facilities, but also other administrative, training, operational, community and medical facilities. Many areas with demolished buildings have been reclaimed and planted in longleaf pine in the last 10 years. The proposed action will roughly double the size of the Harmony Church cantonment area to approximately 1,420-acres. The proposed action would eliminate or degrade up to 957 acres of pine habitat, of which 808 acres are ≥ 30 years old. Approximately 320 acres of longleaf pine ≥ 30 years old and 141 acres of longleaf < 30 years old would be cut. These totals include areas disturbed for development and use of the Vehicle Recovery Area (500 acres). Minimal vegetation clearing would be required in the Vehicle Recovery Area, but tree mortality from repeated use is expected.

FY 2007 Projects - The Trainee Barracks Complex One - will be constructed southwest of Highway 27-280, south of Eighth Division Road, east of Jamestown Road and north of Axton and Kelley Roads to house 10 companies of USAARMS initial entry soldiers. Approximately 171 acres were assessed for this project site, which is currently forested in sparse to moderately dense longleaf pine north of Axton Road and dense 58-year old loblolly pine between Axton Road and Kelley Road.

An approximately 48-acre area between First Division Road, Cusseta Road and Eighth Division Road will be used as a borrow area for barracks construction. Three access roads will be created for entry and exit: two from Eighth Division Road and one from First Division Road. The majority of the site is planted in longleaf pine < 10 years old. An additional borrow area will be across First Division Road in Kelley Hill.

The Training Support Brigade Complex - includes buildings in Harmony Church. One, 38-acre site is north of Eighth Division Road, east of Highway 27-280 and west of Wood Road. This area will include barracks and associated facilities. The majority of the site is forested in hardwood-pine, with approximately 25% of the site planted in longleaf pine.

The complex also includes a Vehicle Maintenance Instructional Building south of Eighth Division Road, which will be part of a vehicle maintenance complex paralleling Highway 27-280. This site and a smaller area to the southeast, total 31 acres and are forested in dense, mature loblolly and longleaf pine, with some young longleaf plantation.

The IET Bde Headquarters Project - includes several buildings in Harmony Church and Kelley Hill to support elements of a new Armor IET brigade. Several buildings will be located in the same complex as the Training Support Brigade Complex, occupying approximately 52 acres within AO Brown. This area is primarily forested in hardwood-pine, with approximately 7 acres of open area and approximately 15 acres of mature loblolly pine. Separate buildings and parking lots will be on a 9 acre site west of Highway 27-280 on the corner of Eighth Division and Cusseta Roads that is currently forested in mature oak-hickory forest.

A Vehicle Maintenance Instructional Facility - is proposed to support the maintenance training mission of the Armor School. Much of the project site, located with other vehicle maintenance facilities east of Highway 27-280 and south of Eighth Division Road, will be cleared for 2007 and 2008 projects. Approximately 33 acres were analyzed, of which 20 acres are planted longleaf pine six to 13 years old and 8 acres are mature, moderately dense loblolly pine.

FY 2008 Projects - A Troop Medical Clinic - will be built along the west side of Highway 27-280, southwest of Old Cusseta Highway and north of Defranzo Street and will disturb up to 8 acres. This site currently consists of open disturbed area and sparse, mature loblolly pine.

Trainee Barracks Complex Three - is proposed for construction just north of Trainee Barracks Complex One, essentially forming one large barracks complex. Trainee Barracks Complex Three is necessary to house and train five companies of USAARMS initial entry Soldiers. Most of the project site will likely be cleared in FY 2007 during construction of Trainee Barracks One. The 54 acre project site is currently forested in sparse, mature loblolly pine, with areas of hardwood drainage and sparse mature longleaf pine.

A Unit Maintenance Activity Facility - is proposed to meet USAARMS needs and will be located northeast of the Vehicle Maintenance Instructional Building, south of Eighth Division Road and east of Highway 27-280. This project will disturb up to 15 acres. The majority of this site is cleared, except for approximately 4 acres of moderately dense mature loblolly pine.

A 16th Cavalry Regt HQ Building Complex - is proposed in the same complex as the IET Bde Headquarters and Training Support Brigade Complex north of First Division Road. Approximately 1.6 acres of 13 year old longleaf pine plantation will be cleared.

A General Instruction Building Complex - project will be constructed on an approximately 19 acre site in Harmony Church, north of Eighth Division Road and west of Wood Road. Approximately 11 acres of sparse mature loblolly pine and one acre of dense loblolly pine and hardwood will be cleared.

The Infrastructure Support - project includes infrastructure improvements across the Installation, many of which are in Harmony Church and will affect up to 365 acres.

- A new fire station on a 5 acre site between Highway 27-280, Cusseta Road and

Eighth Division Road. This site is mostly forested with loblolly pine.

- Construction of new water, sanitary sewer, natural gas and underground electrical and communications distribution lines will be throughout the area, primarily following existing roads.
- A pedestrian bridge across Highway 27-280 to connect the USAARMS trainee barracks with training and simulation facilities across the highway.
- The ammunition supply point east of Highway 27-280, north of First Division Road and east of Cusseta Road will receive construction and improvements.
- The DoD Elementary and Secondary Schools (DODESS) maintenance facility (bus barn) on First Division Road, the MP Working Dog Kennel at the ammunition supply point and the material recycling facility on Cusseta Road will be demolished and relocated. The Material Recycling Facility will be rebuilt on a 17 acre site between Cusseta and First Division Roads in Harmony Church and will require vegetation clearing of approximately 13 acres of 43-year old slash pine plantation.
- First Division Road will be improved to four-lanes from Dixie to Cusseta Roads; and Eighth Division Road will be widened to four-lanes from its intersection with First Division Road to Highway 27-280.
- A new access control point and interchange will be constructed for ingress/egress to Harmony Church from Highway 27-280. The Highway 27-280 access point would be between First and Eighth Division Roads, west of the highway. Approximately 168 acres were analyzed for project impacts. Approximately 19 acres of 51-year-old upland hardwood-pine, four acres of pine-upland hardwood mix, 5-acres of longleaf planted in 2006, 2 acres of mixed pine longleaf, and 18 acres of mature oak-hickory forest will be cleared. The remaining areas are previously disturbed or developed areas including a material recycling facility and a portion of a landfill.

A Maneuver Center Simulation Facility - will support USAARMS trainees in constructive and virtual simulations. This facility would be located east of Highway 27-280 and south of Eighth Division Road in the same area as the FY 2007 Vehicle Maintenance Facility and would disturb up to 8 acres of 13-year-old longleaf plantation.

FY 2009 Projects - A Vehicle Maintenance Shop - to support National Armor Museum operations will be built on an unforested, 3-acre site south of Eighth Division Road. The majority of the construction associated with this is on Main Post.

The Armor Officer Basic Course Headquarters Complex - is proposed to provide facilities to support the new Armor Officer Basic Course that will be taught with the establishment of the MCOE. These facilities will be built within the same complex as the 16th Cavalry Regt Headquarters Building Complex, north of Eighth Division Road and east of Highway 27-280, with added classroom space constructed in the Southern Range area without any additional timber clearing.

A Centralized Wash Facility with Soaking Capability - will be located with the vehicle maintenance facilities south of Eighth Division Road. This approximately 103 acre facility is currently forested with mature loblolly and longleaf pines and a hardwood-pine stand.

FY 2010 Projects - A new U.S. Army Reserve Center (USARC) - consisting of a training building, operational maintenance shop and storage unit will be built along Highway 27-280,

west of Old Cusseta Highway, north of Hershey Road and south of Elcaney Road. The new USARC is to accommodate the closing of the USARC in Columbus, Georgia and consolidation of it with other Ft. Benning Army Reserve units. In the same 71 acre building complex, an ECS warehouse and maintenance shop would be built to accommodate the 81st RRC ECS from Ft. Gillem. The site currently contains some structures and disturbed areas, approximately 24 acres of sparse to moderately dense, mature loblolly pine and 4 acres of sparse mature longleaf pine.

FY 2011 Projects - A Barracks Complex - for the 29th Infantry Regt (150-person occupancy) is proposed for this site. The project site for this complex will most likely be cleared prior to FY 2011 for the Training Support Brigade Complex and the 16th CAV Regt Headquarters. Approximately 3 acres of 13-year old longleaf pine plantation were analyzed for this project. The rest of the construction associated with this project will be on Main Post within the construction limits of the Special Operations Forces Headquarters buildings.

A Recreation Center - is planned for construction between Jamestown Road, Old Cusseta Highway and Eighth Division Road. The disturbance limits for this project are approximately 12 acres, of which 6 acres are forested in mature loblolly pine.

A Physical Fitness Center with a swimming pool and athletic fields east of Highway 27-280 and north of Eighth Division Road will be constructed. The 34 acre site is predominately forested in hardwoods, with 8 acres of sparse, mature loblolly pine.

Some components of a 3rd ID BCT (Heavy) Complex - are planned for south of Eighth Division Road and east of the Unit Maintenance Activity Facility and will disturb up to 36 acres of sparse to moderately dense mature longleaf and loblolly pine.

FY 2012 Projects - A chapel - is proposed west of Highway 27-280, south of Defranzo Street and east of the proposed Trainee Barracks Three. The disturbance limits are approximately 4 acres, the majority of which is already cleared.

An expansion of the Rail Loading Facility - will be built northeast of Harmony Church and south of the intersection of First Division Road and Ochillee Creek, known as Ochillee Junction. There is currently a Rail Loading Facility at this location, but it is used solely for physical loading of the rail cars with equipment, not for static storage.

The proposed expansion will be a storage/ loading area to support deployment of units stationed at Ft. Benning and will entail construction of 26,328 linear feet of rail car storage track ballast (six new rail spurs), a switching system between the Norfolk Southern Railroad Company railroad line and these storage tracks, a temporary construction access road and rail crossing, a blocking/operations building, widening of the existing concrete tank trail and a railroad crossing warning signal system with flashing lights and gate assemblies. The limit of disturbance for this project includes approximately 95 acres and is comprised mainly of hardwood stands, with 21 acres of mature, sparse loblolly pine.

A Direct Support/General Support (DS/ GS) Vehicle Maintenance Facility – is proposed for the intersection of Wood and Eighth Division Roads. Approximately one-half of the site will be cleared for the General Instruction Building Complex (Shop One Replacement Facility). The additional 15 acres analyzed is comprised of mature loblolly-hardwood and hardwood stands.

Kelley Hill

Kelley Hill, which is principally accessed by Marne and Ivy Roads, currently supports a concentrated area (approximately 400 acres) of development for troop housing, plus community and maintenance facilities. Various buildings within Kelley Hill are proposed for construction and conversion to accommodate the 3rd ID BCT in 2011. In addition, road and infrastructure improvement projects will occur along the Marne and Ivy Roads corridors within Kelley Hill. The Kelley Hill projects collectively will require removal of approximately 85 acres of pine habitat, of which 75-acres are ≥ 30 years old. Approximately 47-acres are forested in longleaf pine ≥ 30 years old and 11 acres are in longleaf pine < 30 years old.

FY 2007 Projects - A 56-acre borrow area for the Trainee Barracks Complex One - will be used west of First Division Road and south of an existing tank trail. Approximately half of the 56 acres is currently disturbed. The remaining acreage is forested in sparse to moderately dense mature longleaf and loblolly pines; approximately 21 acres is mature longleaf and loblolly pine and 5 acres is white oak-red-oak-hickory forest. The site will also be used for construction of Battle Command Training Center in FY 2012.

FY 2008 Projects - Infrastructure Support - projects in the Kelley Hill area include widening First Division and Ivy Roads and associated curb, gutter, sidewalks and utilities. The disturbance limits for all Kelley Hill infrastructure improvements total approximately 46 acres.

General Instruction Building Complex - projects to be built in the Kelley Hill area will encompass approximately 53 acres on the corner of Ivy and First Division Roads. Construction of this project will disturb up to 21 acres of moderately dense 40 to 60- year-old longleaf pine and 10 acres of young longleaf pine.

FY 2012 Projects - A Battle Command Training Center - located on a 79-acre site on the corner of First Division Road and Highway 27-280 will support USAARMS training in constructive and virtual simulations. However, all but 25 acres of this site may be cleared in 2007 for a borrow area for the Trainee Barracks Complex One. The additional areas to be cleared are currently forested in upland hardwood stands and sparse mature loblolly and longleaf pine stands.

Main Post

The existing 8,850-acre Main Post cantonment area includes a mix of low density to high density land uses (i.e., including troop and family housing, training ranges, industrial facilities, etc). These projects are not discussed in detail because of the absence of RCWs, and relict trillium or potential habitat in these areas. These projects will collectively require clearing of 2.35 acres of pine habitat, half of which are forested in longleaf pine.

Sand Hill

Existing land uses within the 2,510-acre Sand Hill cantonment area consist primarily of trainee barracks and supporting community facilities.

The proposed action will provide for additional barracks and community facilities. As with the Main Post projects, only those projects with potential environmental impacts (e.g., requiring clearing of vegetation) are presented below. Sand Hill projects will require the removal of

approximately 109 acres of pine habitat, of which approximately 102 are ≥ 30 years old. Approximately 15 acres are longleaf pine ≥ 30 years old, and there are no longleaf stands < 30 years old.

FY 2007 Projects - Trainee Barracks Complex Six - is proposed north of 2nd Division Road between Moye and Wildcat Roads on a 106-acre site within Compartment U4. Approximately 14-acres of the project site is moderately dense longleaf pines 40 to 75-years-old, 16 acres are moderately dense pine-hardwood and 14 acres are sparse mature loblolly pine. The remaining acreage is open disturbed areas commonly used for training.

FY 2008 Projects - A Reception Barracks Center and Processing Center - is planned for a site north of Thompson Avenue, east of Whitney Road and 3rd Infantry Division Roads. This project will be constructed in three phases, and will disturb up to approximately 85 acres, collectively. A total of 50 acres of mature yellow pine-upland hardwood will be cleared for this project; the remaining acreage is currently disturbed.

Components of the Infrastructure Support project - in the Sand Hill area include, but are not limited to, a new water, sanitary sewer, natural gas, and expansion of the Sand Hill Transportation Motor Pool (TMP). The disturbance limits total approximately 36 acres.

FY 2012 Projects - The Chapel - will be located on the northwest corner of Moye Road and Bourge Avenue. Up to 8 acres will be disturbed, including 3 acres of 20-year-old loblolly pine plantation and one 1 acre of upland hardwood-yellow pine forest.

Northern Ranges

The northern range area is used for a variety of training exercises by USAIS and tenant units and contains small arms and large-caliber ranges, duded and non-duded impact areas, heavy maneuver areas, an airstrip, and numerous other training facilities.

FY 2007 Projects - The Tank/ Fighting Vehicle Stationary Gunnery Range (SGR) One - will be built between Ruth and Ware Ranges, west of the K15 Impact Area. This complex will be used by the USAARMS OSUT to train and test soldiers on the skills necessary to employ weapons and identify, track, engage and defeat stationary and moving armored targets presented individually or as part of a tactical array.

The standard requirements for this range are a company-sized unit firing 120mm tank guns from 14 firing points at approximately 0.5 hour/ iterations. Ft. Benning's TRADOC requirement for a Stationary Gunnery Range is equivalent to 447 range days; however, since there are two SGRs as part of the proposed action, this number will be reduced to 223.5 range days (USACE 2006a). The Stationary Gunnery Range One has a footprint of approximately 741 acres, and a beaten area covering an additional 243 acres. The project site is forested with sparse to moderately dense longleaf and loblolly pine stands ≥ 30 years old and young longleaf pine plantation. This range is currently in design.

The range footprint was originally sized to include two primary shooting 'lanes' with seven firing points each; however, preliminary surveys show that topography limits the design to one lane. Less land may be cleared than is analyzed in this biological opinion (USACE and M. Barron, FBCB, pers. comm., 2007).

FY 2009 Projects - The Combined Arms Collective Training Facility, Phase II - is planned to be near the CACTF Phase One currently under construction, at three locations in Compartments T1, T2 and T7. This project is designed to integrate all major urban challenges into a single training complex, accommodating up to battalion-size TRADOC and FORSCOM units in a variety of urban and suburban settings. A small area of 30 to 60 year old longleaf pine will need to be cleared for the residential area and military compound, and the remaining areas are currently longleaf pine plantations. Ft. Benning has a training throughput requirement of 132 days for the CACTF, which will support approximately 11 battalions. Training exercises will last approximately eight hours per exercise.

Tank/ Fighting Vehicle Stationary Gunnery Range Two - is planned to be built at the existing Ware Range, south of SGR One, west of and firing into the K15 Impact Area. This range will be similar to SGR One and will be used for the USAARMS OSUT.

The standard requirements for this range are a company-sized unit firing M1A1s or M3A3s from 14 firing points at approximately 0.5 hour/ iteration. As described above, Ft. Benning's TRADOC requirement for each SGR is 223.5 range days (USACE 2006a). Stationary Gunnery Range Two has a footprint of approximately 675 acres, and a beaten area covering an additional 213 acres. The project site is forested with sparse to moderately dense mixed pine and mixed pine longleaf stands ≥ 60 years old and young longleaf pine plantation.

As with SGR One, the project site analyzed was delineated to include two primary firing lanes with seven firing points each. As this range is designed, Ft. Benning will determine whether two lanes are feasible with topography, soils, and other constraints. If not, the environmental impacts may be less than those evaluated in this biological opinion.

A Tank Drivers Training Course - will contain integrated Basic and Advanced Driver Training Courses for wheeled and tracked vehicles. Training requirements include a variety of multi-surfaced driving sections (e.g., paved, unpaved, gravel, sand) with terrain variations (i.e., various slopes and grades). The driving courses will include underpasses, road debris (e.g. wrecked automobiles, guard-rails, concrete blocks) that replicate urban terrain.

The Drivers Training Course would be constructed on an approximately 201 acre site in Compartment R2 northeast of existing driver training facilities at Suitor Hill. Uplands on the site are forested with moderately dense mixed pine-longleaf pine, and drainages are either forested with sweetbay-tupelo-red maple stands or are open, with early successional species.

FY 2011 Projects - A Multipurpose Machine Gun Range - is planned for construction in Compartments K3 and K4 at the site of the existing Ruth Range. This range will contain stationary infantry and armor targets in 10 firing lanes. Targets will be at 3,280 ft. (1,000 m) and 4,920 ft. (1,500 m) for M60 and 0.50 caliber weapons, respectively, and the 238-acre range footprint will be 100% cleared. The beaten area will be approximately 166 acres. The majority of the proposed range site is currently disturbed due to the existing Ruth Range. The remaining undisturbed areas are forested with small loblolly pine, slash pine and mixed pine-longleaf stands approximately 30 to 50-years-old.

Oscar Complex Ranges

FY 2008 Projects - Fire and Movement Range 1 (FMR1) - is planned to be in Compartment Oscar 5 (O5). The footprint will be approximately 23 acres, with a beaten area of approximately 82 acres. The uplands of the proposed range and beaten area are forested with sparse to moderately dense loblolly pine stands approximately 30 to 50 years old and a longleaf pine plantation < 30 years old. The remainder of the project site is drainage and is forested with drainage sweetbay-tupelo-red maple stands. Ft. Benning intends to berm this range to protect foraging habitat for both current and potential future RCW clusters in the area, which will greatly reduce the beaten area analyzed for this range.

Modified Record Fire Range 2 (MRFR2) - is planned to be adjacent to the FMR1 in the Oscar Complex. Modified Record Fire 2 will have a footprint of approximately 44 acres and a beaten area of approximately 90 acres. The uplands of the proposed range and beaten area are forested with sparse to moderately dense loblolly pine stands approximately 60+ years old. The remainder of the project site is drainage and is forested with sweetbay-tupelo-red maple stands.

FY 2008 Projects - Three Rifle/ Machine Gun Zero (Z) Ranges (Z1, Z2 and Z4) - These ranges are 0.79-acre each, and the associated beaten areas are 38, 49 and 48 acres, respectively. Ft. Benning intends to berm Z1 which will greatly reduce its beaten area.

Three MRF ranges (MRF3, MRF4 and MRF6) –will be similar to MRF1 with 24-acre footprints and 16 lanes each. Beaten areas will cover approximately 50, 52 and 91 acres, respectively. The proposed ranges and beaten areas are forested with sparse loblolly pine stands 30 to 60+ years old. A small drainage forested with sweetbay-tupelo and red maple traverses the project site.

FY 2009 Projects - Two Rifle/ Machine Gun Zero Ranges (Z3 and Z5) - are planned on either side of MRF5. These ranges will be similar to the Zero ranges. Footprints are 0.79-acre each and associated beaten areas are 54 and 50 acres, respectively. The proposed ranges and beaten areas are forested with sparse to moderately dense loblolly pine stands approximately 30 to 60 years old and a small longleaf pine plantation < 30 years old. A small drainage forested with sweetbay-tupelo and red maple traverses the project site.

Modified Record Fire 5 - is planned, east of MRF4r. This range will be the same design as the 2007 and 2008 MRFs. The footprint will be approximately 24 acres and the beaten area will be approximately 55 acres. Ft. Benning intends to berm this range, which will greatly reduce habitat impacts. The proposed range and beaten area is forested with sparse to moderately dense loblolly pine stands approximately 30 to 60 years old and a small longleaf pine plantation < 30 years old. A small drainage forested with sweetbay-tupelo and red maple traverses the project site.

FY 2010 Projects - Fire and Movement Range (FMR) 3 - will be the easternmost range in the Oscar Complex. This will be similar to FMR1. The disturbance limits for this range were drawn using the designs for FM1, however, terrain at FMR1 allowed for five lanes instead of the four that are standard Army design. Ft. Benning will determine whether FM3 will have four or five lanes. A 20-acre footprint and 75-acre beaten area were analyzed. The project site is forested with sparse to moderately dense loblolly pine stands approximately 30 to 60 years old. A small drainage forested with sweetbay/tupelo and red maple traverses the project site.

Southern Ranges

FY 2009 Projects The Armor Officer Basic Course Headquarters Complex - would be built on an 18-acre site in Compartment A12 between Jamestown and Sunshine Roads. The project site is forested with pine plantations < 30 years old. A utility corridor would also be constructed to connect the facility with areas in Harmony Church.

FY 2010 Projects - An Automated Combat Pistol/ MP Firearm Qualification Complex (CPQC) - is planned to go at the existing Coursen East Range. Shots will go into the A20 Impact Area. Coursen East is currently an inactive mortar range that will be converted to a 1-acre, 15-lane pistol range. No timber clearing will be necessary and the beaten area is expected to impact up to 14 acres of hardwood-pine stands 30 to 60 years old.

FY 2011 Projects - A Qualification Training Range (QTR) - is proposed for south of the A20 Impact Area in Compartment A17. This range combines the functionality of a 32.8/ 82-foot (10/ 25-meter) Z range, CPQC, MRF range and Multipurpose Machine Gun Range (MPMG) The MPMG component of the range requires the most area and will have targets at 3,280 ft. (1,000 m) for M60 weapons and 4,920 ft. (1,500 m) for 0.50 caliber weapons. The range footprint is 253 acres and will need to be 100% cleared for line-of-sight. The beaten area adds approximately 179 acres. The site is currently forested with moderately dense loblolly and longleaf pine > 60 years old.

Increased Weapons Use

Transformation activities would also include an increase in weapons use at existing and new ranges. Table 1 provides an overview of small caliber (i.e., those used in rifles, pistols, shotguns and grenade launchers) and large caliber (i.e., inert and high explosive rounds from howitzers, tanks and BFV mortars) ammunitions used.

TABLE 1: Projected Annual Weapon Ammunition Use Increase

Weapon	Day	Night
Small Caliber	7,629,799	745,596
Percent Day/Night	91	9
Large Caliber	416,231	67,759
Percent Day/Night	86	14

Roads

The limits of disturbance for new roads and trails will be analyzed at 60 ft. from the centerline (or 120 ft wide) to account for berms and erosion control measures. The potential area of disturbance for upgraded roads will be 40 ft. from the road centerline (or 80 ft. wide) and the estimated operational width will be approximately 30 ft. Once the trail is established it is expected that the average width of the road would be 30 ft. including berms, to support the variety of wheeled and tracked vehicles (M1A1 Tanks to HMMWVs) used for USAARMS training. An estimated 29 new water crossings will be established along proposed range roads. These water crossings will be approximately 30 ft. wide and use gravel and concrete cloth to ensure access road and stream bank stability.

Up to 120 miles of roads or tank trails would need to be constructed, repaired or upgraded. The bulk of this would be in the Good Hope Maneuver Area, as the trails in that area have not been used for heavy maneuvering in recent history and are not currently equipped for tank traffic.

Bridging options include building a new bridge across the highway approximately 0.25 mile south of the Harmony Church access point (Option One), constructing a new tank trail to Jamestown Road from Harmony Church (Option Two) and using an existing tank trail and underpass (about a mile south of the existing Harmony Church access point); however, the underpass would need widening since it cannot accommodate the larger tracked vehicles and tanks used by the USAARMC/S. Option Two would use an existing tank trail around and to the north of Harmony Church that would require upgrading and/ or reinforcement, but would require that vehicles travel a much farther distance than under Option One.

Maneuver Training Land (included in maps for northern and southern ranges)

On Ft. Benning, maneuver training occurs only in areas designated for that purpose. Maneuvering occurs both on and off roads depending on the vehicles' capability to move across the existing topography. Maneuver lands are designated for either light or heavy use.

Light maneuver areas are used to train dismounted soldiers from the individual soldier level through the unit level (up to 220 soldiers). Tracked vehicles can travel on existing and established roads in light maneuver areas, but off-road traffic is limited to wheeled vehicles only.

Heavy maneuver lands are used to train armored fighting vehicle crewmen in units ranging from individual crews in a single vehicle to multiple company-sized units of up to 60 vehicles, of which 24 are tracked and weigh up to 70 tons (including BFVs and tanks). According to the Range Development Plan (RDP) (USACE 2006a), excluding duded impact areas, non-duded impact areas, controlled access areas and other exclusion areas, Ft. Benning currently has approximately 63,000 acres of designated heavy maneuver training area (USACE 2006a). For clarification, this total area is referred to in this document as "heavy maneuver land."

Once existing ranges, surface danger zones (SDZs) and restricted access areas are subtracted as non-training acreage, approximately 58,805 acres remain for heavy maneuver training. Most training within heavy maneuver land that is not in the more concentrated areas described below will take place on roads and existing tank trails.

The total area designated as heavy maneuver land would increase by approximately 11,260 acres to include areas southwest of Hwy 27-280 that are currently designated as light maneuver. Ft. Benning has designated smaller areas within the heavy maneuver land for the most frequent, concentrated or intense off-road use as a result of the proposed action, collectively referred to as "Maneuver Areas."

Maneuver Corridor- South training activities would be conducted east of Hourglass Road (Compartments D4 -11, D15 -17, E4 - 6, F1 - F2, G3, I1 and I3 - I4). West of Hourglass Road, maneuver training would be restricted to Cavalry Scout training courses, specifically 16th Cavalry Regt's Scout Leaders Course, which train using BFVs and HMMWVs. Areas delineated as maneuver heavy use areas east of Hourglass Road total approximately 1,838 acres. This area would be used for a variety of USAARMS courses, particularly the Scout Leaders Course, and would also continue to be used by the 3rd Bde. The total corridor contains approximately 3,259 acres of forested habitat.

The Good Hope Maneuver Area would consist of approximately 11,259 acres in Training Compartments B1-6, Q4-7, CC1-2 and DD1-3, of which approximately 9,498 acres are

delineated as maneuver heavy use areas. Historically, with the exception of the DD Compartments, the Good Hope Maneuver Area was used for heavy maneuvering, but in the past 20 years it has primarily supported land navigation courses and light infantry training that includes use of wheeled vehicles, small arms, blank ordnance deployment and pyrotechnics. To accommodate the introduction of heavy maneuver training to the Good Hope Area, the light infantry and other training currently conducted in the area would move to the Maneuver Area-North.

The Good Hope Maneuver Area would primarily be used for the BOLC III, which is the largest-scale training course conducted by the USARMC/S. This area would also be used as available for the Scout Leaders Course to relieve scheduling conflicts with 3rd Bde for the Southern Maneuver Corridor.

Heavy maneuver requirements were calculated in terms of square kilometer days (km² days) using methodology from Training Circular 25-1 (TC 25-1), which takes into account the area needed to complete a task, the number of units involved, the number of days per task and the number of iterations conducted per year. An example is shown below:

$$\frac{\text{Area (km}^2\text{)}}{24} \times \frac{\text{Number Iterations}}{4} \times \frac{\text{Days/ Iteration}}{2} \times \frac{\text{Number Units}}{6} = \frac{\text{km}^2 \text{ days}}{1,152}$$

Using the current Program Of Instruction requirements for the USAIS, the study indicated that the 3rd Bde currently has a heavy maneuver requirement of 42,625 km² days. The majority of this training occurs within the proposed Southern Maneuver Corridor. Further, the study determined that the heavy maneuver requirements to support the USAARMS POIs totaled 105,425 km² days (USACE 2006a).

This represents an increase in maneuver training of > 247% upon implementation of the proposed action. As described above, this increase will be accommodated in all areas designated as heavy maneuver lands, but will be concentrated in the Maneuver Areas and specifically, the maneuver heavy use areas.

An Off-Road Drivers Training Area would be located in portions of Training Compartments L1, L2, L4 and L5 on an approximately 1,285-acre site. This area would be used for the 19K and 19D OSUT courses, which are off-road driver training courses. USAARMS/C personnel delineated approximately 472.7 acres as heavy maneuver use areas within this area. The maneuver heavy use areas would result in the loss of up to 263 acres of forested habitat.

Vehicle Recovery Area

A vehicle recovery area will be used for the Tank Vehicle Recovery Specialist training course. Students will be trained in towing and recovering vehicles in 26 different scenarios (including buried, stuck or flipped over). Ft. Knox currently rotates recovery exercises between 40 stations. Ft. Benning Range Division (FBRD) plans to line the bottom of large holes with concrete in order to maintain the integrity of the muddy conditions. The Vehicle Recovery Area would be separate from the Drivers Training Courses on an approximately 500-acre site in Compartment R1, northeast of and adjacent to Harmony Church.

The Ft. Benning National Environmental Policy Act (NEPA) Process

Every action with a potential environmental effect (e.g., training exercises, timber operations, construction) is required to be preceded by the submission of a completed Ft. Benning Form FB 144-R, to the Environmental Management Division (EMD)/ Directorate of Public Works (DPW). Submittal of the Form FB 144-R constitutes the first step in NEPA compliance at Ft. Benning. This NEPA process provides the necessary environmental analysis required to establish that proposed actions are eligible for categorical exclusions in accordance with the Army NEPA regulation. The NEPA process also helps to determine if proposed actions have been adequately covered by existing NEPA documents (Environmental Assessment (EA) or Environmental Impact Statement (EIS)) and would therefore be exempt from further NEPA consideration.

Each organization at Ft. Benning with projects or activities that may impact natural and/or cultural resources is required to submit a FB Form 144-R at the beginning of the planning process, along with information that includes a concept of development or description of the proposed action, the affected site location, the anticipated timeframe of accomplishment and other relevant information. The proponent of an action must clearly identify the purpose of and need for that action. This step should occur early enough to enable identification of problems and conflicts so that review and analysis of alternative sites or altered operational plans can be developed in a timely enough manner to support the proposed action.

The FB Form 144-R is valid for one year from the date of approval. All actions that are not underway within this time period must be resubmitted for an updated review and approval. If changes are made in an action's scope, location or degree of impact to natural or cultural resources, a new FB Form 144-R must be submitted for review and approval. Additionally, for complicated projects, or for projects that may involve soil disturbing activities, both a design phase FB Form 144-R and a construction phase FB Form 144-R may be warranted.

After review by the EMD, the FB Form 144-R will be returned to the proponent marked Concur, Concur with Conditions or Non-concur. A finding of Concur allows the project or activity to move forward as proposed. A finding of Concur with Conditions allows a project to move forward only after all comments are addressed and plans are in place to comply with the comments and concerns. It may also include information about restricted areas such as RCW clusters, gopher tortoise areas or archeological sites, regarding training that may or may not occur in these areas or other protocols.

When a finding of Non-concur is received, a project or activity cannot take place until it either has been modified as necessary and a new FB Form 144-R has been submitted or, if sufficient modification to achieve a categorical exclusion is not feasible, when an additional level of NEPA analysis (such as an EA or EIS) determines that the action can proceed.

Some activities are recurring. For some of these activities, a single FB Form 144-R can be submitted that covers the activity for a year. Proposed changes or modifications to previously approved projects or activities require submittal of a new FB Form 144-R. Changes or modifications cannot proceed until a new finding of Concur, Concur with Conditions or non-concur has been issued and all concerns addressed.

Non-compliance with this NEPA process will result in the proponent of an action being held responsible for adverse impacts to Ft. Benning's natural or cultural resources. The proponent may be held responsible for the cost of repair, replacement or mitigation required to correct the unapproved action. Violations are reported as appropriate to the FBRD, EMD, the Office of the Staff Judge Advocate, the Contracting Officer and/ or the proponent's Commanding Officer. Criminal violations of the ESA will also be reported.

Environmental Awareness Training And Programs

Since 1999, an Environmental Awareness Training Program has been in place to instruct Ft. Benning personnel about environmental issues, both to prevent environmental incidents and to protect personnel from resulting financial and legal consequences of such actions. Education is targeted towards personnel with specific responsibilities: one course is targeted toward senior leadership, such as the executive officer of a brigade or battalion-sized unit, while others may be targeted to the supervisory field personnel or to entire groups of visiting soldiers. Due to the high influx of personnel expected with the USAARMS arrival, it is possible that these courses will be taught at Ft. Knox prior to units' arrival at Ft. Benning. If not, then these courses will be offered much more often at Ft. Benning to ensure adequate and timely training. Training guidelines and restrictions within RCW clusters have also been included in Ft. Benning's Training Directive (USAIC Regulation 350-1) and Range and Terrain Regulation (USAIC Regulation 210-4).

Ongoing Research

Several studies are currently being conducted at Ft. Benning on longleaf and loblolly pine decline (see Environmental Baseline for details on decline). A study being conducted over the next 5 years is focused on effectively converting offsite loblolly pine stands to longleaf pine while preserving the maximum amount of foraging habitat for resident RCWs. This study will develop silvicultural protocols for site conversion and also will develop models to assess stand vulnerability to decline and to predict individual tree mortality, in order to prioritize stands to convert and in selecting leave-trees (J. Walker, USFS, unpubl. report, 2007).

A three-year study scheduled for completion in 2008 is being conducted on longleaf pine decline, which has also been observed on Ft. Benning. Objectives include gaining further understanding of the pathogenicity of the condition (potentially an exotic blue stain fungus species), developing a model to predict stand vulnerability to longleaf decline and determining the overall health and condition of longleaf stands on Ft. Benning (L. Eckhardt, Auburn University, unpubl. report, 2007).

Another study (complete in 2007) is integrating models of RCW population dynamics, forest growth, pine decline and forest management in order to provide Ft. Benning with a means to predict the effect of new developments and fragmentation on the RCW population (C. Rewerts, CERL, unpubl. report, 2007).

Ft. Benning is also investigating the acquisition of various types of remote sensing imagery which could be valuable in identifying declining stands. The forest decline issue will be addressed in greater detail in the revision of Ft. Benning's Integrated Natural Resources Management Plan (INRMP) and RCW Endangered Species Management Component.

Range Construction and Operation Impacts to RCWS and Habitat

As part of the minimization for the Digital Multi Purpose Range Complex (DMPRC) and as directed, in part, as a Reasonable and Prudent Measures (RPM) in the DMPRC BO (USFWS 2004a), home range follows of RCW groups potentially affected by the project are being conducted to determine RCW reaction to construction and operation of a large-caliber range. This range is currently under construction and is expected to be operational in 2008. By the time the proposed Transformation ranges are built, there should be applicable data on the reaction of RCWs to construction and training on the DMPRC. The types of training and artillery used on the DMPRC will differ from that of the proposed Transformation ranges; however, data from the DMPRC follows will be applicable, at least in part, to SGR1 and 2, MPMG1 and QTR1.

Habitat monitoring was also required in the DMPRC BO in order to document RCW foraging habitat degradation resulting from range operation (USFWS 2004a). A habitat monitoring plan is currently under development. If the impacts to RCWs identified in the DMPRC home range follows, dispersals, and/ or habitat data are inconsistent with those predicted for ranges in the Transformation/ BRAC document, Ft. Benning will seek input from the Service and reinitiate consultation as necessary.

Managed RCW Habitat Monitoring

In addition to habitat monitoring around the DMPRC, FBCB and FBLMB will continue to implement RCW foraging habitat monitoring recommendations in the 2003 Recovery Plan (USFWS 2003a). Tracking the habitat available within RCW partitions Installation-wide, including changes in vegetative structure and composition, will be particularly important in monitoring the effect of Transformation on affected RCW clusters and ensuring that enough future habitat remains protected for the RCW population at Ft. Benning to ultimately recover.

Timber Harvesting and Management

Many BRAC construction projects will be design-build. This means the final design will not be complete until after contract award. Once the contract is awarded and the contractor has finalized the design, FBLMB personnel will mark the areas that would be clear-cut in support of the construction for BRAC.

Ft. Benning Land Management Branch and/ or the US Army Corps of Engineers (USACE) Resident Forester will monitor timber operations for compliance with the Georgia Forestry Commissions Best Management Practices (BMP) for water quality, streamside management zones and timber vegetation removal. In clear-cut areas, all trees 5 in. diameter breast height (dbh) and 30 ft. tall or larger will be removed within the red painted boundary that defines the cutting limits (J. Parker, FBLMB, pers. comm., 2007).

Maneuver Corridors will be thinned to support Armor Crewman and Cavalry Scout training courses. Area to be thinned will be marked, favoring longleaf pine and healthy 10 in. dbh or larger pines as “leave trees.” Soil disturbance will be minimized in wetlands (except where permitted in construction areas) and historic property sites. Cut-to-length will be the only authorized process used for timber harvest from eligible historic property sites and other sensitive areas that may be identified later.

If the harvest is performed by a USACE contract, the USACE Resident Forester will monitor the timber harvest and prepare a biweekly written report to the FBLMB Chief. These reports will

document compliance with all applicable minimization and/ or mitigation requirements and any corrective action that was taken.

Ft. Benning Conservation Branch personnel will conduct a RCW survey and foraging habitat analysis prior to any timber harvesting in areas that may impact RCW clusters or habitat. Ft. Benning Conservation Branch will provide that information to the USFWS and coordinate with them as needed. Ft. Benning Conservation Branch will also conduct an appropriate resurvey within a year prior to timber and slash removal. Timber harvesting within RCW clusters will occur outside of the breeding season and will be coordinated with FBCB.

Total Land Management Strategy

The combination of the proposed increase in heavy maneuver training and the terrain and soil conditions at Ft. Benning has the potential to create major soil erosion problems, which could have adverse effects on the RCW and other federally-listed threatened and endangered species. Avoidance and minimization of impacts to RCWs must be accomplished by a combination of institutional and engineering controls, and the programming of adequate resources necessary to proactively manage the impacts of the Transformation/BRAC actions. Ft. Benning is developing a management system and plan along with the appropriate organizational structure that will proactively manage the impacts of Transformation/BRAC training activities.

One key issue that this strategy will need to address is the lack of resources for personnel to effectively respond to land maintenance issues. Another shortfall is the lack of enough heavy maneuver area to allow rotation of heavy maneuver training from one area to another in order to rehabilitate and maintain the maneuver areas. Problems such as soil erosion can escalate quickly and can cause substantial damage to the landscape if not repaired. For instance, washed out areas in trails tend to widen as drivers avoid the center of the puddle or new trails are formed through forested habitat to avoid the hazard. While this type of disturbance would typically be minor, the high volume of training exercises and throughputs, especially in the heavy maneuver areas, could cause minor disturbances to quickly escalate into a substantial environmental impact. Ft. Benning does not currently have the capability to respond in a timely manner to erosion issues and must use outside contractors, sometimes resulting in delays and worsening of the problems. The new strategy will give Installation the ability to remediate problems in-house, thereby shortening response time and reducing environmental impacts.

In order to prevent and/ or control the impact of the maneuver training requirements on the landscape, the Installation proposes the following measures to be taken:

Soil Conservation Program

The Soil Conservation Program addresses erosion and sedimentation in RCW habitat as required by the BO for the RCW ESMP (USFWS 2002). The BO requires Ft. Benning to repair existing, and prevent future, erosion that threatens individual RCW cavity trees and the integrity of the cluster. Erosion control BMPs employed to prevent erosion and rehabilitate eroded areas include the construction of rock channels, rock check dams, sediment basins, diversions and silt fencing. Vegetative measures include temporary and permanent grassing, mulching and the installation of erosion control blankets. Longleaf pines are planted to further stabilize the project sites and to provide habitat for the RCW.

These practices are part of erosion control plans implemented by the US Department of Agriculture (USDA) Natural Resources Conservation Service (NRCS) and the USACE. Ft. Benning has a Memorandum of Understanding (MOU) with the NRCS. A MOU with the USACE is not necessary since it is part of the Army. The services provided include solicitation of bids, developing contracts, performing surveys, preparing plans and the implementation of those plans. It takes approximately one year to get BMPs constructed from the time the money is sent to the receiving agency until project completion. Projects can be completed sooner depending on the backlog of projects that exists with NRCS. Approximately 10 to 15 sites are rehabilitated each year covering approximately 50 acres.

Sustainable Range Program (SRP)

The SRP is the Army's roadmap for the design, management, and use of its ranges in order to ensure the capability, availability, and accessibility of the ranges to meet its training mission. It is the Army's response to the increasing challenges brought about by incompatible land uses and meeting the ever increasing need for ranges and training land brought about by the Global War on Terrorism, the Army Campaign Plan, BRAC, and GDPR. Because many programs and functions affect the management of ranges and training lands, the SRP is the Army's overarching guidance for integrating operational, training, facility, safety, and environmental requirements to improve the management of its ranges and ensure their sustainability to support mission requirements now and into the future.

The Army's SRP consists of two core programs: the Range Training Land Program (RTLTP), which includes the day-to-day management of its ranges as well as new range construction; and the Integrated Training Area Management (ITAM) Program for the repair and maintenance of its maneuver lands. Army Regulation 350-19 defines and prescribes policies for implementing the SRP on Army-controlled training ranges and training lands.

National Pollution Discharge Elimination System Permit and Soil Erosion Control Plan

Construction projects or any land disturbing projects larger than one acre will require a National Pollution Discharge Elimination System (NPDES) permit. Variances may also be required for disturbance or vegetation removal in the stream buffers.

Measures will be taken wherever applicable to minimize impacts on affected natural resources. An Erosion, Sedimentation and Pollution Control Plan (ESPCP) is required to be submitted with the application for the NPDES permit. The ESPCP will utilize BMPs to reduce erosion and sedimentation. Examples of BMPs include rock check dams, rock channels, sediment basins, diversions and the placement of silt fences and erosion control measures (G. Hollon, FBCB, pers. comm., 2007).

Future Consultation Expected/ Reinitiation of Consultation

The Army will reinitiate formal or informal consultation with the Service if material changes to the projects or unanticipated federally threatened or endangered species impacts occur and as more project information is available, including design information on specific projects (e.g., roads, small cantonment areas or Forward Operating Bases (FOBs), etc). As described previously, project sites were added in late 2006, including the Good Hope and Harmony Church areas. These areas will be surveyed in the summer and fall of 2008, and the results provided to the Service. All Transformation projects will require a FB Form 144-R prior to timber clearing and other construction activities. If federally-listed species impacts have changed since this BO,

the Service will be notified. Additionally, if impacts are identified during research being conducted for the DMPRC that are inconsistent with range impacts predicted for the proposed action, Ft. Benning will seek input from the Service and reinitiate consultation as necessary.

Minimization Efforts

The minimization efforts described below are considered part of the proposed action and will be implemented to minimize impacts to RCWs and relict trillium:

Construction Projects: Cantonment Area, Ranges, and Roads

Limits of construction for cantonment area projects were delineated in order to minimize, to the extent practicable, impacts to RCW habitat, relict trillium, wetlands, and archaeological sites. (D. Miller, Ft. Benning Master Planning Division, pers. comm., 2007). Although many cavity trees are within the limits of construction analyzed for the ranges, there are some cases where the entire limits of construction will not require 100% clearing. As ranges are designed, efforts will continue to be made to avoid cavity trees and important foraging habitat.

New road construction and road upgrades/widenings are not currently in design phase. As project sites are surveyed and plans are solidified, RCW and relict trillium impacts could be appreciably lessened. Some impacts from a proposed asphalt road to the Randall Creek North relict trillium population appear to be unavoidable, however this impact will be minimized as much as possible during design.

Specific RCW Cluster Minimization Strategies

For active clusters where cavity trees will be removed, all cavities in trees that will be cut will be screened to prevent RCWs from being present at the time of cutting. In clusters where RCWs can be translocated, all cavities will be screened immediately after RCWs are captured and removed. Cavity trees that are cut will be either destroyed onsite or collected for educational purposes with appropriate permitting from the Service. Active cavity trees will not be cut during the nesting season (April-July).

Strategies for Clusters with Potential to Meet Standard for Managed Stability (SMS)

The SMS is the minimum threshold used to assess the loss of RCW foraging habitat. The significant parameters for the SMS, outlined in the RCW Recovery Plan, requires 3,000 ft² of pine BA for stems 10 in. dbh or greater, with average pine basal area of those stems, between 40 and 70 ft²/acre. There must be at least 75 acres of good quality foraging habitat, and this habitat can not be separated by more than 200 feet.

However, if site specific data suggest individual RCW populations are able to survive and persist on habitat thresholds lower than the Recovery Plan guidance, site specific foraging habitat can be proposed for use when coordinated and confirmed with the Service. Ft. Benning biologists completed an analysis with the Service and concluded that the Ft. Benning RCW population is persisting on thresholds of 30 ft²/acre of 10 in. pines or greater (see Effects of the Action for extensive description of SMS).

Clusters that contained sufficient suitable and potentially suitable habitat combined were not considered lost at the foraging partition level. Instead, minimization efforts will be conducted by FBLMB to improve the potentially suitable stands so that they are suitable; e.g., suppressing hardwood midstory and thinning overstory hardwoods and/ or pines <10 in. dbh.

There are a total of 2,259 acres of potentially suitable habitat in 10 clusters (A09-03R, A17-07, E02-01, HCC-03R, HCC-08R, HCC-10R, J05-01, O07-03R, O10-01 and Q02-02) that will only meet the foraging guidelines if “potentially suitable” habitat within their perspective foraging partitions is improved. These stands need work to improve hardwood midstory, hardwood overstory, and/or pines <10” dbh to make them suitable. Ft. Benning Land Management Branch expects that it will take approximately two years to improve all potentially suitable stands that were included in foraging habitat totals in order to prevent take. Each stand requiring management will be visited by FBLMB personnel to determine a management strategy.

Treatment methods will include timber harvest where applicable for merchantable timber removal (pine or hardwood) and chemical applications (broadcast and hack/squirt) for non-merchantable hardwood control. Stands with a sparse overstory (generally $\leq 40 \text{ ft}^2/\text{acres}$ in pines ≥ 10 in. dbh) may then be underplanted with longleaf pine. Where applicable, entire compartments will be reviewed for timber management prescriptions for efficiency purposes, but in other cases only identified stands will be treated. Although only stands ≥ 30 years old were counted towards foraging habitat in this document, stands ≥ 25 years were included in the list of stands for management, with the rationale that with management, these stands could be valuable foraging habitat during or soon after project construction. All “potentially suitable” stands requiring improvement in order to avoid loss of RCWs will have work completed by December 2009, and the management schedule will be altered as needed to complete work prior to transformation impact.

For stands with too many pines <10 in. dbh according to the SMS, a decision will be made by FBLMB as to whether or not to thin, with guidance from the Service. Retaining a BA of $< 20 \text{ ft}^2/\text{acre}$ in pines <10 in. dbh as required by the SMS (USFWS 2003a) should be sufficient to replace the natural loss of overstory pines in a healthy forest with a BA of $\geq 40 \text{ ft}^2/\text{acre}$ in pines ≥ 10 in. dbh. However, since overstory pine mortality in many stands on Ft. Benning is higher than that in similar habitats elsewhere due to forest decline and other factors (TNC 2006), and since stands were counted toward RCW foraging totals in this assessment that have a lower BA in pines ≥ 10 in. dbh than that is required by the SMS, more small pines may need to be retained in order ultimately to achieve the proper forest structure in some stands. This will particularly be an issue in declining off-site stands with longleaf regeneration.

Continued Management of Eliminated Clusters

Of the 27 clusters eliminated (excludes group and neighborhood) under the proposed action, eight can still meet the Recovery Standard (RS) in the future (150+ acres of habitat) and six may be able to meet the RS in the future (120 to 150 acres of habitat). None of these clusters (14) should be deleted from management. Continued habitat management of these clusters/ partitions may result in the perpetuation or reformation of groups and allow these sites to be counted towards the Installation population goal. Many of these clusters can play a role in maintaining demographic connectivity and continue to contribute fledglings for overall population stability and growth.

Additional Personnel

Ft. Benning will hire at least one environmental compliance officer to oversee all BRAC construction activities in order to ensure that proponents, contracting officers, and contractors adhere to applicable laws and binding agreements with regulatory agencies, similar to personnel hired to oversee DMPRC construction. A FBCB biologist will also be hired to oversee all

Transformation/ BRAC-related RCW monitoring, as well as one to two technicians as the need arises.

Demographic Monitoring at Affected RCW Clusters

Ft. Benning proposes to monitor all clusters directly impacted by road projects (i.e., those clusters 200 ft. or less from the road project) and all clusters within 0.5 mile of a proposed Transformation project (i.e., excluding the road projects), including all eliminated clusters. This monitoring will include banding all adults and nestlings in the cluster and will be conducted for five years after project completion. Clusters to be cut will have all birds banded prior to translocation. This equates to 34 clusters not currently monitored (M. Barron, FBCB, pers. comm., 2007).

Red-cockaded woodpecker demographic monitoring will allow Ft. Benning to detect and react to unexpected RCW impacts from project construction and operation. If analysis identifies unexpected impacts, Ft. Benning will consult with the Service to determine the appropriate course of action. A detailed monitoring plan will be developed in consultation with the Service.

Habitat Monitoring at Affected RCW Clusters

Ft. Benning expects to establish vegetation monitoring plots within 0.5 mile of the Maneuver Corridor-South, the QTR, the Oscar small arms range complex and other ranges as necessary using methodology established with DMPRC vegetation monitoring plots. This habitat monitoring will be conducted for both pre- and post-project effects, and continue for five years after training operations have been initiated. These data will document the effect of heavy maneuver training, heavy artillery impact and small arms range impacts on vegetation. Vegetation data would also provide a comparison of impacts between heavy maneuver training east of Hourglass Road and light maneuver (cavalry) training west of Hourglass Road. Data collected from habitat monitoring will not only validate assumptions made in this document, but will also aid in future range and maneuver area impact assessments.

All removals of habitat (see section - Effects of the Action) managed for RCWs are, and will continue to be, tracked via the Ft. Benning NEPA process to ensure that training exercises planned within the Heavy Maneuver Area do not bring clusters below the accepted threshold. No action that may adversely affect federally-listed species can be approved without evaluation through the Ft. Benning NEPA process. A detailed monitoring plan will be developed in consultation with the Service.

Translocation

At this time, seven RCW groups would need to be translocated because of cavity trees being cut (A17-01, A17-03, A17-14, HCC-03R, K02-01, O09-04R and O09-05R). (It is possible that clusters D11-01 and D11-02 will also require translocations. The determining factor will be whether or not the Maneuver Corridor-South is cleared or selectively-thinned). For these groups, Ft. Benning will consult with the Service to determine where those birds should be relocated. If intrapopulation translocation is preferred, FBLMB and FBCB will ensure that the recipient clusters are in the best condition possible via thinning, hardwood midstory control and/ or cavity installation and maintenance. Groups could also need to be translocated from clusters within maneuver heavy use areas and range beaten areas. Ft. Benning Conservation Branch will consult with the Service if monitoring in these areas indicates that translocation is necessary.

Studies have shown that the chances of RCWs returning to their “home” cluster greatly increase as the distance from their home decreases (Carrie et al. 1996, Franzreb 1999, USFWS 2003a). For instance, Franzreb (1999) had a 25% success rate of translocations of adult and hatch-year RCWs moved <4.34 miles, compared to 71.4% success for birds moved 11.8-14.3 miles. If impacted groups are translocated to other clusters on Ft. Benning, they will need to be moved as far as possible and at least a minimum distance to be specified by the Service. Additionally, success rates have been significantly higher when multiple potential pairs are moved simultaneously (USFWS 2003a).

According to the RCW Recovery Plan, translocations can be performed from September 15th to January 1st (USFWS 2003a). Additionally, attention must be paid to the time of year of these projects: FBCB will need to be made aware of all projects that require cutting of active cavity trees for each FY in order to schedule all necessary translocations. Although exceptions can be made on a case-by-case basis by the Service RCW Recovery Coordinator (see below for exception to current policy), it is ideal for the translocations to occur within the recommended time frame, both for the success of the translocation and, should the birds be taken to RCW populations off-Post, to coincide with the schedules of other organizations (USFWS 2003a).

Construction and timber clearing schedules will dictate when RCW groups will be translocated. Using the assumption that RCW groups will be moved during the fall of the year prior to the project FY (e.g., birds moved during fall 2008 for FY 2009 projects), Ft. Benning will need to translocate two RCW groups (Clusters O09-04R and O09-05R) in 2007, two groups (HCC-03R and K02-01) in 2008, 0 in 2009 and three groups (A17-01, A17-03 and A17-14) in 2010. Due to the close timing of the Record Of Decision (ROD) to the construction of the 2007 projects, RCWs will be translocated during the fall 2007 for FY 2007 projects. Ft. Benning will work with the Service to determine if recruitment sites on the installation are suitable for translocation (habitat quality and distance from impacted clusters). If RCWs need to be translocated off-Post, they may be used to supplement a smaller (private) population nearby so that as young pine stands on Ft. Benning become suitable habitat, that recipient population can in turn become a donor population for the Installation (R. Costa, USFWS, pers. comm., 2007).

Ft. Benning will continue to be a donor population for the USFWS Southern Range Translocation Cooperative. A combination of factors will continue to be used to determine which clusters will donate hatching-year RCWs. This may include giving priority to those clusters with the least remaining habitat or that are most likely to become inactive. Also, through the BO for the Land Exchange (USFWS 1998), the Installation is allowed to translocate (although not available as they are not banded) juvenile RCWs from lost Cluster N02-01 on the Muscogee Technology Park (ICF Kaiser Engineers, Inc. et al. 1999). At a minimum, all recipient populations must meet the conditions defined in the RCW Recovery Plan (USFWS 2003).

Training Area Access

With the increase in training activities and the number of new ranges proposed, access to training areas will become even more challenging. Agreements will be made with FBRD to allow access by FBCB and FBLMB personnel for activities such as RCW monitoring, cavity maintenance, timber management (extended periods required) and prescribed burning in restricted areas such as SDZs. Comparable agreements made for the DMPRC allow FBCB/ LMB four hours of daylight per day within the DMPRC SDZs and four days per year for RCW clusters in the A-20 Impact Area (P. Swiderek, FBCB, pers. comm., 2007). The access does not present conflict with

current or future operations because it is being conducted during scheduled maintenance and repair. The access agreement for Transformation projects will be provided to the Service for comment before finalization.

A Range Division Movement Control Center is planned to oversee the operations of the new ranges. This center should have the capabilities to track all activities in all training areas on the Installation. This level of organization has the potential to assist FBCB and FBLMB schedule the maximum amount of time in available “windows.”

Co-Use and Subdivision of Current Training Compartments

Groups such as military units and FBLMB wishing to reserve areas for training, timber harvesting, prescribed burning, or other activities typically must reserve entire training compartments to ensure that there is no conflict between groups. Often, however, only a small portion of the compartment is actually used. For approximately 10 years, Ft. Benning has scheduled co-use of some training areas between military training exercises and small-scale logging operations. Over the past year, due to increased training demands on all training areas, Ft. Benning has worked to increase co-use of training compartments between compatible users by allowing military training exercises to be conducted within the same compartment as co-use will continue to be a goal in non-live fire areas.

Ft. Benning Range Division is also investigating permanently sub-dividing some training compartments into smaller units. Dividing large compartments up will allow users to reserve areas that are closer in size to the area they will actually use, leaving the remaining areas available to other groups. It is possible that FBRD can use some of the boundaries that FBLMB has created to subdivide larger compartments into burn units. Ft. Benning will complete this mapping no later than 2011, when the majority of the Ft. Knox units will have arrived at Ft. Benning. Increasing co-use and redrawing of compartment boundaries will help to minimize scheduling conflicts, ensuring that protected species and their habitat continue to be sufficiently managed and monitored post-Transformation.

Berming of Small Arms Ranges

Ft. Benning conducted extensive line of sight analyses for all of the Oscar Ranges, and found that berming would considerably reduce habitat impacts at three ranges in the Oscar Complex (MRF5, FM1 and Z1). This will help to conserve both current and potential future habitat, that will be essential to reach recovery objectives. The remaining ranges in the Oscar Complex either have a natural backstop or do not impact enough, if any, potential RCW habitat for berming to be worthwhile (M. Barron, FBCB, pers. comm., 2007).

Minimization/ Mitigation Plan and Funding

Ft. Benning is in the process of writing a plan for review that addresses annual funding requirements, including staffing, in order to implement the above initiatives/ activities. This plan will be used by HQDA to put funding for minimization needs into the Program Objective Memorandum (POM)/ funding cycle (P. Swiderek, FBCB, pers. comm., 2007). The Transformation EIS will also contain a mitigation plan to detail funding and implementation of required mitigation, including RCW minimization efforts..

STATUS OF THE SPECIES

Federally Protected Species Considered

The Biological Assessment evaluated the potential impacts of the Ft. Benning Transformation on species listed as threatened or endangered, or proposed for such listing, by the Service pursuant to section 7 of the ESA, as amended that occur on Ft. Benning or have been recorded in the surrounding region. These species are relict trillium, Michaux's sumac, purple bankclimber mussel, shiny-rayed pocketbook mussel, gulf moccasinshell mussel, oval pigtoe mussel, American alligator, wood stork, bald eagle and the RCW. There is no designated critical habitat for these species on Ft. Benning. Federal species of concern and State-listed species, including the gopher tortoise (*Gopherus polyphemus*), were be addressed in the Environmental Impact Statement for this project. The two species impacted by the proposed action are the RCW and relict trillium.

Red-cockaded Woodpecker

The U. S. Department of the Interior (USDI) identified the RCW as a rare and endangered species in 1968 (USDI, 1968). In 1970, the RCW was officially listed as endangered (Federal Register 35:16047). With passage of the Act in 1973, the RCW received the protection afforded listed (endangered) species under the Act.

The current distribution of this non-migratory, territorial, species (endemic to open, mature and old growth pine ecosystems) is restricted to the remaining fragmented parcels of suitable pine forest in 11 southeastern states; it has been extirpated in New Jersey, Maryland, Missouri, Tennessee and Kentucky (USFWS, R. Costa, 2003). As of January 2006, there were an estimated 15,263 RCWs living in 6,105 active clusters across 11 states (USFWS, unpublished data, 2003). This is less than three percent of estimated abundance at the time of European settlement.

Despite the protection of the Act, all monitored populations (with one exception, see Hooper et al. 1991) declined in size throughout the 1970's and into the 1980's. Although populations have become more fragmented and isolated, the RCW is still rather widely distributed. Red-cockaded woodpeckers survive as very small (one to five groups) to large (groups of 200 or more) populations.

Small populations in the interior are found in southeastern Oklahoma, southern Arkansas, and southeastern Virginia. The majority of the largest populations remaining are located in the longleaf pine forests of the Sandhills of North and South Carolina and the Coastal Plain longleaf pine forests of North and South Carolina, Georgia, Florida, and Louisiana; and loblolly/ shortleaf pine forests of eastern Texas. No critical habitat has been designated for the RCW.

Life History

The RCW is a territorial, non-migratory, cooperative breeding species (Lennartz et al. 1987; Walters et al. 1988). It is unique in that it is the only North American woodpecker that exclusively excavates its roost and nest cavities in living pines. Usually, the trees chosen for cavity excavation are infected with a heartwood decaying fungus (*Phellinus pini*) (Jackson 1977; Connor and Locke 1982). The heartwood associated with this fungus and typically required for cavity excavation, is not generally present in longleaf pine and loblolly pine until 90 to 100 and 75 to 90 years of age, respectively (Clark 1992a; Clark 1992b). Each group member has its own cavity, although there may be multiple cavities in a cavity tree. The aggregate of cavity trees,

surrounded by a 200 foot forested buffer, is called a cluster (Walters, 1990). Cavities within a cluster may be complete or under construction (starts) and either active, inactive or abandoned.

Red-cockaded woodpeckers live in social units called groups; this family unit usually consists of a breeding pair, the current years offspring and zero to four helpers (adults, normally male offspring of the breeding pair from previous years) (Walters 1990). Some populations have documented instances of female helpers (Walters 1990; Delotelle and Epting 1992; Bowman et al. 1998). A group may contain from one to seven birds, but never more than one breeding pair. Groups maintain year-round territories near their roost and nest trees. Subadult females from the current years breeding season normally disperse, prior to the next breeding season, or are driven from the group's territory by the group (see Walters et al. 1988, for additional sociobiological/ cooperative breeding information).

Red-cockaded woodpeckers forage almost exclusively on pine trees. Although in some habitat types they will use smaller pine trees as foraging substrate (Delotelle et al. 1987) they prefer pines greater than 10-inch dbh (USFWS 1985; Hooper and Harlow 1986; Engstrom and Sanders 1997). Determining the number of pines required to provide the arthropod biomass needed to meet their year-round dietary requirements continues to be a challenging research problem. Many complex and interrelated factors undoubtedly contribute to the answer, including condition of the understory plant community, annual weather fluctuations, forest type, soils, physiographic province, season-of-year, and fire frequency and intensity.

Recent studies have examined how prescribed burning in longleaf pine-wiregrass ecosystems influences the structure and composition of groundcover, e.g., herbaceous vs. shrubby, and in turn how the groundcover may be related to RCW fitness, e.g., group size and fledglings produced (James et al. 1997, 2001). Research on how ecosystem processes, such as fire, affect the abundance and diversity of RCW prey in different pine habitats, still needs to be conducted. The number of acres required to supply adequate foraging habitat depends on the quantity and quality of tree stems available.

Population Dynamics

Reduction in population size may jeopardize the continued existence of any endangered species because the longer a species remains at low population levels, the greater the probability of extinction from chance events, inbreeding depression, or additional environmental disturbance (Gilpin and Soule 1986, Goodman 1987a, 1987b, Pimm 1991, Shaffer 1987, Underwood 1989). Although population size has a clear relationship to a species extinction probability, it can be less important than population variability. Large populations may not protect a species from extinction in the face of extreme environmental disturbance (Pimm 1991, Underwood 1989, Shaffer 1987).

Long-term viability of a RCW population, in genetic terms, depends upon the presence of an adequate number of breeding individuals for the natural processes that increase genetic variability (e.g., mutation and recombination) to offset the natural processes that decrease genetic variability (e.g., genetic drift and inbreeding). Any prediction of a population's viability should not only be based upon these genetic factors, but also must consider the populations ability to survive population fluctuations due to demographic and environmental fluctuations (Koenig 1988) or environmental catastrophes. Although population models to calculate the population size needed to withstand such irregular events are not well developed, it is generally agreed that

demographic and environmental fluctuations necessitate an increased number of breeding individuals to ensure the long-term persistence of a population in an area (Koenig 1988). Because of the cooperative breeding nature of the RCW, their populations may require fewer breeding individuals to meet demographic fluctuations. However, the spatial distribution of clusters within a population is important to withstand both demographic and genetic stochastic changes by facilitating dispersal and, therefore, gene flow (Letcher et al. 1998).

Population Variability

Fluctuations in species population over time can affect significantly the probability of its extinction (Pimm 1991). As a population fluctuates, one or more factors can lead to chance extinction, e.g., irreversibly lowering population size to a point where it can no longer recover. Consequently, actions increasing species' population variability may affect the continued existence of the species more significantly than a reduction in population size. Population variability is affected by several characteristics of a species' life history, including: widely variable mortality rates resulting from unstable food resources or predation; population density; sex ratios; recolonization rates; and genetic variability (Pimm 1991; Underwood 1989).

Reproductive rates, population density, and recolonization rates may influence RCW population variability more than mortality rates, sex ratios and genetic variability. Red-cockaded woodpeckers exhibit relatively low adult mortality rates; annual survivorship of breeding male and female RCWs is high, ranging from 72 to 84% and 51 to 81%, respectively (Lennartz and Heckel 1987; Walters et al. 1988, Delotelle and Epting 1992).

Red-cockaded woodpecker genetic research to date does not suggest that genetic variability is a serious concern at this time; however, genetic variability will decrease in small, isolated populations. Red-cockaded woodpeckers exhibit inbreeding depression and inbreeding avoidance behaviors (Daniels 1997; Daniels and Walters 2000).

Inbreeding is expected to affect population viability in populations of less than 40 potential breeding groups, and may be a significant factor affecting viability in isolated populations of 40 to 100 potential breeding groups as well. Immigration rates of two or more migrants per year can effectively reduce inbreeding in populations of any size, including very small ones. Stangel et al. (1992) reported no significant relationship between heterozygosity and population size (when two very small populations, of the 26 sampled, were removed from the analysis). Additionally, although allelic diversity was correlated with population size and had eroded in some small populations, most populations were still characterized by normal levels of genetic variability. Haig and Rhymer (1994) examining the genetic variation among 14 RCW populations concluded that RCWs do not appear to have major genetic differences among regional populations.

Reproductive rates for RCWs are variable. Although RCW groups produce broods fairly reliably, these broods are relatively small. This is because clutch size is modest and, more importantly, because partial brood loss is greater than in other species of primary cavity nesters in the United States (LaBranche and Walters 1994). Most clutches contain two to four eggs, although the range is one to five eggs. There is variation among populations in clutch size, with population averages ranging from 2.9 to 3.5 eggs. The average number of young fledged from successful nests is about two in northern populations. Broods of one to four are common, and rarely five young are fledged from a single nest. Because some groups do not nest and others fail in their attempts, the average number of young produced per group is about 0.5 fledgling less, ranging from

1.4 to 1.7 among populations and from 1.0 to 1.9 among years within populations. Productivity in Florida populations typically is somewhat less (averaging 0.9 to 1.6) due largely to greater partial brood loss. Walters et al. (1988) suggest that annual variation in reproductive effort may be associated with food availability, weather and cavity competition.

Although the relationship between RCW population variability and population density is not well understood, some aspects of population density as it relates to group size and population trend have been examined. Connor and Rudolph (1991) found that in sparse populations, as fragmentation increased, RCW group size and the number of active clusters decreased. Hooper and Lennartz (1995) suggested that populations with less than 4.7 active clusters within 1.25 miles, on average, had critically low densities that inhibited population expansion. Beyer et al. (1996) also speculated that low RCW densities (4.8 active clusters within 1.25 miles) on the Wakulla Ranger District, Apalachicola National Forest may have been implicated in that subpopulation's declining trend.

Red-cockaded woodpecker populations can be increased dramatically because of their ability to recolonize unoccupied habitat made suitable by providing the limiting resource of cavity trees, via artificial cavities (Copeyon 1990, Allen 1991). Several recent examples of significant population expansions have been documented (Gaines et al. 1995, Franzreb 1999, Carlile et al. 2003, Doresky et al. 2003, Hagan and Costa 2003, Hedman et al. 2003, Marston and Morrow 2003, Stober and Jack 2003); artificial cavity provisioning was the common denominator. Walters et al. (1992a) conclusively demonstrated that unoccupied sites remain so because they lack suitable cavities. Walters et al. (1992b) cooperative breeding ecological model for RCWs strongly suggests that individual RCWs are better off from a fitness perspective (first year survival, rate of successful dispersal, reproductive success at early ages) competing for a high quality territory (i.e., one with cavity trees) than accepting a territory without this critical resource.

Prior to routine use of artificial cavities for stabilizing and expanding populations, most populations were declining and many had been extirpated (Baker 1983, Costa and Escano 1989). While acknowledging that most RCW populations have not increased on their own (in the absence of artificial cavities), it is equally important to point out that the two largest populations in the 1980's, the Francis Marion National Forest (FMNF) and the Apalachicola NF increased by approximately 10% between 1980/81 and 1987/88 (FMNF) and 1990/91 (Apalachicola Ranger District) (Hooper et al. 1991, R. Costa, USFWS, unpubl. data, 2007). The common denominators in these landscapes were large population size (480-500 active clusters), dense populations, availability of well-distributed relic longleaf pines, and open park-like forests a result of frequent prescribed fire since the 1940's/50's.

Population Stability

Population stability, the ability of a species' populations to resist change or dramatic fluctuations over time, directly affects a species' sensitivity to the adverse effects of a proposed action. While many RCW populations have been extirpated, many others, some very small and seemingly demographically isolated, have persisted for a remarkable period of time, i.e., 10+ years, although their long term survival is certainly not secure. This short term (10+ yrs) survival (stability is not an accurate description, as most of these populations have been slowly declining) of small populations is probably related to: long life span (10 yr old birds are not uncommon); predation/exposure protection afforded by a permanent, secure roost chamber;

relatively consistent number of fledglings per successful nest; dispersal ability (DeLotelle et al. 2003); and cooperative behavior at territory defense and raising young.

A slight majority (nine of 17) of larger RCW populations (50+ active clusters) are increasing, while three are stable and five are decreasing. The instability of declining populations is frequently related to poor habitat conditions (midstory development, young forests with few potentially suitable cavity trees, habitat loss and landscape fragmentation), and the demographic isolation of individual groups and/ or the intra-population distribution of groups, i.e., density, brought about over time by the gradual loss and degradation of suitable habitat. Intensive management designed to improve habitat conditions at the critical resource, the cluster/ cavity tree core area, has contributed to the stability of both large and small populations. Primary management has been the installation of artificial cavities and hardwood midstory control. Additionally, the benefits afforded large, dense populations regarding potential breeding opportunities, account in part, for their stability.

Summary of Threats

Primary threats to species viability for RCWs all have the same basic cause: lack of suitable habitat. On public and private lands, both the quantity and quality of RCW habitat are impacted by past and current fire suppression and detrimental silvicultural practices (Ligon et al. 1986, 1991, Baker 1995, Cely and Ferral 1995, Masters et al. 1995, Conner et al. 2001). Serious threats stemming from this lack of suitable habitat include: (1) insufficient numbers of cavities and continuing net loss of cavity trees (Costa and Escano 1989, James 1995, Hardesty et al. 1995), (2) habitat fragmentation and its effects on genetic variation, dispersal and demography (Conner and Rudolph 1991), (3) lack of good quality foraging habitat (Walters et al. 2000, James et al. 2001), and (4) fundamental risks of extinction inherent to critically small populations from random demographic, environmental, genetic, and catastrophic events (Shaffer 1981, 1987). Indeed, six groups comprising the entire RCW population on the Daniel Boone National Forest in Kentucky were moved to other existing populations in 2001 as a result of a catastrophic southern pine beetle outbreak that decimated the habitat (Mills et al. 2003).

Status and Distribution

The precipitous decline of RCWs was caused by an almost complete loss of habitat. Prior to European settlement, the number of RCW groups inhabiting longleaf pine forests and all southern pine forests has been estimated at 920,000 (USFWS, R. Costa, 2001) and 1.5 million (USFS, D. Conner et al., 2001), respectively. Fire-maintained old growth pine savannahs and woodlands that once dominated the southeast (92 million acres pre-European settlement; Frost 1993), on which the RCWs depend, no longer exist except in a few small patches (<3.0 million acres today; Frost 1993). Longleaf pine ecosystems, of primary importance to RCWs, are now among the most endangered systems on earth (Simberloff 1993, Ware et al. 1993).

Loss of the original pine ecosystems was primarily due to intense logging for lumber and agriculture. Logging was especially intense at the turn of the century (Frost 1993).

Two additional factors resulting in the loss of the original pine systems in the 1800's and earlier were exploitation for pine resins and grazing of free-ranging hogs (Wahlenburg 1946, Frost 1993). Later in the 1900's, fire suppression and detrimental silvicultural practices had major impacts on primary ecosystem remnants, second growth forests, and consequently on the status of RCWs (Frost 1993, Ware et al. 1993, Ligon et al. 1986, 1991, Landers et al. 1995).

Additionally, longleaf pine suffered a widespread failure to reproduce following initial cutting, at first because of hogs and later because of fire suppression (Wahlenburg 1946, Ware et al. 1993).

Range-wide Trend

The decline of the RCW from the time of European settlement through the 1980s has been well documented and is directly related to loss and degradation of its old growth pine habitat. However, this range-wide decline has been halted and reversed, and in many populations, particularly Army installations, trends are now increasing or at least stable. In the 1990's and through today, in response to intensive management based on a new understanding of population dynamics and new management tools, e.g., artificial cavities (Copeyon 1990, Allen 1991) and translocation (Costa and DeLotelle 2006), most public land populations, and those private land populations in partnerships with the Service, were stabilized and many showed increases. However, some populations remain in decline and most have small population size, i.e., <50 active clusters.

Species-wide, the population trend of the RCW is increasing. In 1993/1994, the range-wide population was estimated at 4,694 active clusters; in 2006 it was 6,105 (see Table 2 for details). However, not all populations required for downlisting and delisting are increasing. For example, of the 57 Federal populations (Federal populations comprise the majority of populations involved in recovery criteria), and based on a five-year trend period from 2000 to 2005, 12 (21%) were decreasing, 10 (18%) were stable, 31 (54%) were increasing, and four (7%) were extirpated. These populations include 13 on national wildlife refuges, 15 on military installations, 26 on national forests, and one each on lands administered by the Department of Energy, Bureau of Land Management, and National Park Service.

Table 2. Range-wide RCW population status and trend.

Year	# Active Clusters	Source
1993	4,694	Costa and Walker (1995)
2003	5,625	U.S. Fish and Wildlife Service (2003)
2004	5,800	Costa and DeLotelle (2006)
2005	5,903	U.S. Fish and Wildlife Service (unpubl. data 2005)
2006	6,105	U.S. Fish and Wildlife Service (unpubl. data 2006)

A 2005 analysis of the 128 properties (all public [53 Federal, 36 state] and 39 private properties harboring RCWs) submitting reports via the Annual Report illustrates the status of the species at the property scale (Table 3). When examined from the property perspective it is clear, that although several large populations exist, the vast majority (73%) of properties harbor fewer than 40 active clusters. Indeed, 90% of properties harbor fewer than 100 active clusters.

Table 3. Number of active RCW clusters by ownership for all public and 39 private properties.

# Active Clusters	Federal	State	Private	Total
1-10	9	19	21	49 (38%)
11-40	21	11	13	45 (35%)
41-100	12	5	5	22 (17%)
101-250	5	1	0	6 (5%)
250-350	3	0	0	3 (2.5%)
351+	3	0	0	3 (2.5%)
Total	53	36	39	128 (100%)

Although some recovery populations are composed of one of more properties (e.g., because the properties are adjacent to one another), most recovery populations (64%) are located on one property/ownership. The RCW Recovery Plan identifies 63 properties involved in recovery: 26 primary core (PC), 14 secondary core (SC) and 23 essential support (ES). As of January 2005, four properties (3 PC, 1 SC) were declining, 29 (12 PC, 3 SC, 14 ES) were stable and 30 (11 PC, 10 SC, 9 ES) were increasing (USFWS, unpublished data, 2005).

Of the 63 recovery properties, only six (9%) exceed 250 active clusters; 15 (24%) harbor fewer than 10 active clusters, while 14 (22%), 23 (37%) and five (8%) harbor 10-30, 31-100 and 101-250 active clusters, respectively (Table 4) (U.S. Fish and Wildlife Service 2005 unpubl. data, 2007). Fifteen (22%) of the 63 recovery properties have achieved their recovery population goals. Five (13%) of the 39 recovery populations required for delisting have achieved their recovery population goals.

Table 4. Number and percent of RCW recovery properties by population size (# active clusters).

<u># Active Clusters</u>	<u># Properties</u>	<u>% of Properties</u>
<10	15	24%
10-30	14	22%
31-100	23	37%
101-250	5	8%
251+	6	9%
Total	63	100%

In spite of the relatively small size of most populations, the status of RCWs has been consistently improving since the early 1990s (Table 2). This steady increase can be attributed to various factors, including aggressive prescribed burning programs, artificial cavity provisioning and regional translocation cooperatives and strategies (Costa and DeLotelle, 2006). Implementation of these habitat and population management tools and techniques has successfully reversed the regional declines of the previous decades. Indeed, these activities have been primarily responsible for the population increases on Army installations during the past decade (see Table 3).

Relict Trillium

Biology

A perennial herbaceous member of the lily family, relict trillium is distinguished from other sessile-flowered trilliums by its decumbent or S-curved stems, distinctively-shaped anthers and shape of its leaves. Greenish to brownish purple and yellow flowers appear in early spring and the fruit is an oval-shaped, berry-like capsule which matures in early summer. After the fruit matures, the plant dies back to a tuberous rhizome (Patrick et al. 1995, USFWS, 1990). Relict trillium is found in South Carolina, Georgia and Alabama in mature, moist, undisturbed hardwood forests that are usually fire-suppressed and in alluvial sands to rocky clays with a high organic content in their upper layer.

Genetics

The recovery plan was developed without benefit of information on the population genetics of relict trillium. However in a recent study on the distribution of genetic diversity among disjunct populations of relict trillium, Gonzales and Hamrick (2005) concluded that there is currently no appreciable gene flow among relict trillium populations and that historically there was little genetic interchange between populations. They contend that the rarity and isolated populations characteristic of the species are of ancient origin rather than due to recent habitat fragmentation following European colonization. Specifically, Gonzales and Hamrick (2005) results also suggest that the Alabama and Georgia populations, separated by the Chattahoochee River acting as an effective barrier to genetic interchange, may represent different historical lineages, perhaps originating from separate glacial refugia on opposite sides of the Chattahoochee River. They recommend that the number and distribution of protected populations necessary for downlisting or delisting should be reevaluated to determine the number and distribution required to preserve the genetic variability of the species.

Summary of Threats

State laws and regulations in Alabama, Georgia, and South Carolina do not provide protection for relict trillium habitat on private land (GADNR 2006; Al Schotts, ALNHP, pers. comm. 2006; Brett Moule, SCDNR, pers. comm. 2006). Since the Endangered Species Act provides very limited protection for listed plants and their habitat on non-Federal land, most populations are at risk from development and other land use changes. The majority of populations in Alabama and Georgia have not been visited by biologists in several years and their current condition is unknown (Al Schotts, ALNHP, pers. comm. 2006; Tom Patrick, GADNR, pers. comm. 2006).

The primary factors negatively affecting relict trillium that justified listing and described in the recovery plan have not abated. Human population growth within the range of relict trillium has been increasing since 1990 (U. S. Census Bureau 2006a) and is expected to continue through at least the year 2020 (U. S. Census Bureau 2006b). With this trend, human encroachment continues to fragment, degrade and destroy habitat.

Since most populations are not monitored on an annual basis it is not known how many populations range-wide are at imminent risk from development or timber harvest. Two populations are known to have been damaged or reduced in size by development, road construction and timber operations since 2004 (Gyer, 2005; Brant Slay, TNC, pers. comm., 2006). However, part of a population in South Carolina is slated for development and translocation of some of the plants to a safer site has been considered (Brett Moule, SCDNR, pers. comm., 2006). In another example, negotiations were completed (2006) between TNC and two timber companies to minimize damage to one Georgia population and one Alabama population that are scheduled to be clear cut (Prior, TNC, pers. comm., 2006). The Nature Conservancy is also actively pursuing conservation easements for private lands that have relict trillium populations (Brant Slay, TNC, pers. comm. 2006).

No diseases, insects, or herbivores were mentioned as a concern in the recovery plan. Species subsequently reported as detrimental to relict trillium include high populations of white-tailed deer in Georgia (Patrick, GADNR, pers. comm., 2004) and South Carolina (Stowe, SCDNR, pers. comm., 2004) and an as yet unidentified cutworm (Lepidopteran moth larvae) affecting populations in South Carolina (Moule, SCDNR, pers. comm., 2006). Methods of dealing with white-tailed deer damage include exclusion fencing and increasing deer hunting to reduce the

deer population. The lack of reported deer damage at locations that have an effective deer hunting program, such as Ft. Benning, may indicate that relict trillium is not a preferred food but is acceptable when high density deer populations reduce the availability of preferred plants. Moule (2006) reported that there has been a decline in the Savannah Bluffs population he believes is due to the unidentified cutworm. No management strategy to deal with cutworms has yet been developed and the long-term implications of cutworm damage are unknown (Moule 2006). Feral swine are also a concern because of their intensive rooting activity. While it is not known to what degree swine target relict trillium rhizomes for food, their extensive rooting may damage or uproot trillium. It is also not known how long it may take for populations to recover from hog rooting.

One disease affecting relict trillium has been reported recently. Gyer (2005) observed diseased specimens at one of the Ft. Benning, Georgia populations. Plants had lesions on the leaves apparently caused by the fungus *Ciborinia trillii* as tentatively identified by Dr. Lori Carris of Washington State University. Efforts will be made to collect diseased leaves to be forwarded to Dr. Carris for confirmation. Moule (email, 2006) reported an apparent disease in South Carolina specimens but Martin (email, 2006) found no evidence of disease and concluded that early senescence, probably caused by dry weather, was the likely cause.

Exotic invasive plants pose threats to trillium populations through competition for space and nutrients. The recovery plan mentioned honeysuckle (*Lonicera japonica*) and kudzu (*Pueraria lobata*). Honeysuckle can be controlled with applications of the herbicide glyphosate (Heckel and Leege 2004; Thornton 2005) and is especially useful after senescence of relict trillium stems and leaves. Another plant that is a range-wide concern is privet (*Ligustrum spp.*) Common chickweed (*Stellaria media*) is a concern at one site in Georgia (Catherine Prior, TNC, pers. comm. 2006). Chickweed grows and sets seed during the early spring when relict trillium is actively growing above ground and most susceptible to herbicide, which could make control by herbicide more difficult. These invasive species may be found in relict trillium habitat singly or in various combination and densities, complicating suppression efforts.

Fire, whether wildfire or prescribed burning, was recognized in the recovery plan as a threat to relict trillium, based on habitat requirements of hardwood overstory and a thick duff layer. A burn during the spring when relict trillium is actively growing and flowering could be especially harmful, eliminating reproduction and reducing transfer of nutrients to the rhizomes. Fire during other times of the year would reduce or eliminate the duff layer and could destroy trillium seeds. One population on Ft. Benning was burned in a wildfire during the spring of 2003, destroying the vegetative parts above ground. Annual monitoring has shown an almost complete recovery by the spring of 2006 (Mark Thornton, Ft. Benning, pers. comm. 2006) indicating that relict trillium populations may recover from infrequent fires when given enough time between fires to rebuild energy stores and for habitat to recover.

Minor inadvertent damage caused by a horse trail to a population in the Oconee National Forest, Georgia has been reported (Patrick 2005) and minor damage (trampling) to a South Carolina population was caused by individuals playing Frisbee golf in a municipal park. The problem was subsequently corrected by moving one of the Frisbee golf “holes” and building a fence (Zimmerman, USFWS, email, 2005).

Recovery Goals

Some priority recovery goals described in the species' Recovery Plan (USFWS 1990) include: (1) determining habitat protection priorities and developing landowner agreements, (2) planning and implementing necessary management techniques, (3) defining the criteria for what constitutes a self-sustaining population and determining the size of area each population needs to be self-sustaining, (4) reestablishing populations within suitable habitat and, (5) maintaining a cultivated source of plants and providing for long-term seed storage.

Status and Distribution

Relict trillium has proven to be more abundant than was realized when the recovery plan was written. There were 21 known populations in 1990 consisting of locations in three, two, and six counties in Alabama, South Carolina and Georgia, respectively (USFW, 1990). The number of counties with known populations has not changed in Alabama and South Carolina but has more than doubled, to 16 in Georgia (Patrick, GADNR, pers. comm., 2004).

As of 2006, there were at least 60 populations with other reported occurrences yet to be confirmed (Tom Patrick, GADNR, pers. comm. 2006; Al Schotts, ANHP, pers. comm. 2005; Moule, pers. comm. 2006). Although, there is no organized effort to monitor trends in all known populations, there is little evidence that these populations are expanding in range or number; however, existing populations are being found for the first time. This is likely attributed to an increased interest in the plant and botanical surveys on Federal and State lands.

Annual sampling has been conducted at Ft. Benning, Muscogee County, Georgia and the Savannah River Bluffs Heritage Preserve in Aiken County, South Carolina. Population trends on Ft. Benning are monitored annually by counting the plants in five permanent plots in each of five populations. Data from 2005 indicated two populations were increasing and three were stable (Thornton 2005). No attempt has been made to determine the size of any of the Ft. Benning populations.

The Savannah River Bluffs data for 2004 showed a total of 2,805 plants counted and increases in the number of plants flowering of 1.7% over 2003 and 3.6% over 2002. Above normal rainfall in 2003, preceded by several years of drought, was the likely reason for an increase in flowering (Gordon, 2004). Moule (email, 2006) reported a decline in the Savannah River Bluffs population, where as the status of other South Carolina populations was unknown.

There has not been a range-wide attempt to systematically survey potential habitat for relict trillium. Some Federal (Mark Thornton, Ft. Benning, pers. comm. 2006) and State lands have been systematically surveyed and TNC has searched selected private holdings in Alabama and Georgia, finding three additional populations in recent years (Catherine Prior, TNC, pers. comm. 2006).

ENVIRONMENTAL BASELINE

In September 1994, the Service issued a BO to Ft. Benning (USFWS 1994). The BO concluded that ongoing military training and related activities at Ft. Benning jeopardized (commonly referred to as a Jeopardy Biological Opinion or JBO) the continued existence of the Installation's RCW population. Since that time, intense efforts have been initiated to increase the number of

RCW personnel and to greatly improve management activities needed to remove the status of jeopardy.

In September 2002, the Service issued another BO based on the review of the Installation's RCW Endangered Species Management Plan (ESMP) (Ft. Benning 2002, USFWS 2002). The 2002 BO required ongoing management activities that were non-discretionary, including burning 90,000 acres of current and potential RCW habitat on a return interval of three years, repairing and preventing soil erosion in clusters, coordinating a training area inspection process incorporating natural resources personnel, and reducing fuel around cavity trees. Additionally, the 2002 BO on the ESMP considered training activities and its approval was the catalyst that allowed the Installation to adopt the Army's 1996 Management Guidelines for the RCW (USDOA 1996). Prior to the 2002 BO, the Installation was under the 1994 Army Guidelines, which were generally more restrictive for some military training activities (USDOA 1994).

In July 2004, the Service issued another BO to the Installation for the construction, operation and maintenance of a Digital Multi-Purpose Range Complex. The project removed approximately 1,500 acres of upland pine habitat and wetlands. The BO concluded the project would not jeopardize the RCW, however, the BO required non-discretionary management activities to include management and monitoring of seven RCW groups that would be lost as a result of the action, monitoring RCW habitat that may degrade as training activities are implemented and the continued effort of protection RCW cavity trees in all seven clusters during all stages of the project.

Red-cockaded Woodpecker

Status of Species within the Action Area

Ft. Benning's RCW population is dispersed over most of the Installation, with the exception that there are no active clusters located in the Alabama portion. Since 1994, RCW population demographics have been intensively studied, resulting in an extensive RCW population database. Ft. Benning managed 308 clusters during the nesting season of 2006, which included all clusters on the Installation with the exception of inaccessible clusters in duded impact areas (manageable clusters within impact areas are included in the 308 total). In November 2006, RCW surveys were conducted for the proposed project. One new RCW group was found, therefore, for this BO the total number of managed RCW groups is 309.

Enough demographic data is collected at each managed cluster to determine the presence or absence of a Potential Breeding Group (PBG); all managed clusters inhabited by a PBG can be counted toward the Installation's RCW population goal (DA 1996, DA 2006b). All managed clusters are inspected every spring (March- April) and recruitment clusters are inspected again in the fall (September-October). During cluster inspections, RCW biologists and technicians record comprehensive data about the cavity trees, habitat within the cluster area and overall management concerns.

Data collected includes the activity status and suitability of all cavities, damage to cavity trees or surrounding habitat (including military training impacts), any cavity maintenance or provisioning needed, erosion issues and any habitat management needs within the cluster area (i.e. midstory control, invasive exotic species or timber prescription recommendations). Any new cavity or

start trees found during nesting season are marked and entered into the database as appropriate (Ft. Benning 2002, DA 1996).

Cavities are maintained or installed as needed in order to provide each managed cluster with at least four suitable cavities, per the 1996 Guidelines. Cluster areas are managed as needed to keep the cluster area free of midstory (hardwood or pine) mechanically and/ or chemically (Ft. Benning 2002). Habitat problems outside of the cluster area, training impacts and/or erosion problems are communicated to the appropriate directorate for resolution.

Demographic Monitoring

Ft. Benning also monitors and color-bands (bands) RCWs at 25% (65 clusters) of all active clusters on the Installation; as the population increases, more clusters are added to maintain a 25% sample (Ft. Benning 2002, DA 1996). The 1996 Guidelines also require monitoring recruitment clusters for five years after becoming active; however, Ft. Benning currently monitors RCWs at all 86 recruitment clusters on the Installation, regardless of how long they have been active. Red-cockaded woodpeckers at an additional 30 clusters have been monitored since 2003 as a minimization effort for the DMPRC (Ft. Benning 2004b), resulting in a total of 59% (181) of all 308 managed clusters being monitored for potential banding. Activities at clusters where banding occurs include banding all nestlings and adults, identifying previously banded adults, determining fledgling success and determining the sex of fledglings (Ft. Benning 2002, DA 1996).

Recruitment Clusters

According to the 1996 Army Guidelines, installations are to add recruitment sites, within the limitations of available habitat, to achieve at least the optimum rate of population growth in order to meet individual population goals. Recruitment clusters created for this purpose are managed as Primary Recruitment Clusters (PRCs) and are subject to the same training restrictions and protection as natural/ preexisting RCW clusters (DA 1996). In 2006, Ft. Benning had 81 clusters designated as PRCs, of which 60 were active in 2006. This total includes all protected clusters created for the purposes of attracting RCWs, although technically only those installed since the approval of the 1996 Guidelines on Ft. Benning in 2002 (eight clusters) are defined as “PRCs”. Under the 2006 Guidelines, all clusters subject to training restrictions, including PRCs, will be referred to as “protected” clusters (DA 2006b).

Additionally, Supplemental Recruitment Clusters (SRC) are to be created, as available habitat allows, above and beyond the required number of PRCs. SRCs are not subject to any training restrictions and are “invisible to training” (trees are not painted). Adverse impacts to SRC were addressed in the 2002 biological opinion for Ft. Benning’s ESMP. This 2002 opinion applies only to training impacts; no construction activities can be undertaken in these areas without additional consultation with the Service. In 2006, Ft. Benning had five clusters designated as SRCs. Under the 2006 Guidelines, all clusters without training restrictions, including SRCs, will be referred to as “unprotected” clusters (DA 2006b). When RCWs voluntarily move into a stand not previously designated as a recruitment site, the new cluster is designated as either a PRC or SRC depending on the military use of the area (DA 1996).

The Recovery Plan and 2006 Guidelines recommend a five percent average annual population growth in all RCW populations, to be achieved by providing a number of unoccupied recruitment clusters equal to 10% of the total number of active clusters (USFWS 2003a, DA

2006b). Ft. Benning currently has 26 unoccupied recruitment clusters with four suitable cavities each, which is 9.8% of the number of active clusters on the Installation (FBCB unpub. data, 2007).

Clusters Within Dudded Impact Areas

The BO on the 2002 RCW ESMP addresses an incidental take for 41 groups (29 known clusters and an estimated 12 unknown). RCW groups in three impact area clusters could be managed by Ft. Benning and were not included in the Incidental Take Statement (USFWS 2002). As part of the DMPRC Biological Assessment and BO, an additional eight clusters were arranged to be managed within the A20 impact area (USFWS 2004a, USFWS 2006c). Ft. Benning Conservation Branch is able to access these clusters four days per year per an agreement with FBRD, including at least one visit during the nesting season to document breeding status. This addition resulted in 11 managed impact area clusters that can contribute to the Installation RCW population goal. The remaining unmanaged clusters in dudded impact areas are accessed whenever possible to accomplish as much data collection and/or management as time allows.

Population Growth

The first comprehensive cluster inspections were from 1990-1992, although cavity trees have been marked with white paint since 1980 and have had metal numeric tags since 1982. The extent of information gathered was extremely limited by today's standards, but the 1990-1992 data revealed 171 active and 57 inactive clusters. When monitoring began in 1994, the RCW population at Ft. Benning had 174 active clusters (Doresky et al. 2004). In August 2006, the number of managed clusters had increased to 308, consisting of 254 PBGs, seven solitary RCWs, five captured clusters and 42 inactive clusters (FBCB unpub. data, 2007).

For RCW recovery populations, the 2003 Recovery Plan recommends an annual increase of five percent in the total number of active clusters (USFWS 2003a). Additionally, according to the 1996 Guidelines, any installation discovering a five percent decline in the total number of active clusters must notify the Service and reinitiate consultation (DA 1996).

The 2006 Guidelines increase this threshold to a 10% decline in total active clusters either from the previous year or over a five year period (DA 2006b). In August 2006, the Ft. Benning RCW population showed a 4.7% increase in active clusters and a 5.8% increase in the number of PBGs since 2005. Since 1996, the Ft. Benning population has shown a steady increase and averages 4.6% increase in active clusters and 6.0% increase in the number of PBGs per year (FBCB unpub. data, 2007).

Surveys for new RCW cavity trees on Ft. Benning are scheduled so that 100% of potential RCW nesting habitat on the installation is surveyed every 10 years, or 10% of the installation is surveyed each year (M. Barron, FBCB, pers. comm., 2007). In preparation for the Transformation, surveys in 2006 were targeted to the areas potentially impacted by proposed projects. Additionally, prior to any timber harvest or significant land-disturbing activity, the project site and a 0.5 mile radius around it is surveyed for new cavity trees. As new RCW trees are marked, cluster buffers are adjusted according to their level of protection (natural cluster, PRC or SRC) (DA 1996).

Translocation

Ft. Benning is a valued participant in the Services' RCW Southern Range Translocation Cooperative (SRTC). Since 1998, it has donated 12 to 20 juvenile RCWs per year to supplement other RCW populations (M. Barron, FBCB and R. Costa, USFWS, pers. comm., 2007).

In 2006, Ft. Benning donated three pairs of hatch-year RCWs to Shoal Creek Ranger District, Talladega National Forest, Alabama and three pairs and three hatch-year females to DeSoto Ranger District, DeSoto National Forest, Mississippi. Prior to the establishment of the SRTC, Ft. Benning also donated one bird to Daniel Boone National Forest, Kentucky.

Survey Results (2007)

During the RCW cavity tree survey, U.S. Forest Service (USFS) personnel documented 99 cavity trees. Ft. Benning Conservation Branch personnel then evaluated each cavity and determined if they were of RCW origin. Of the 99 trees found, FBCB personnel tagged, painted and documented nine new RCW cavity trees. Thirty-six of the cavity trees contained RCW substarts and were already known by FBCB personnel. Twenty five of the cavity trees had new substarts. According to FBCB procedure, all cavity trees with substarts were flagged and the activity of these trees will be monitored by FBCB personnel. Six cavity trees were known RCW cavity trees that had been deleted from management because the cavities were no longer suitable.

Five cavities were determined to be non-RCW and 12 trees were not found again by FBCB. Four trees contained artificial cavities and are part of an existing SRC (tagged, but not painted) and two trees had starts drilled as part of training by FBCB personnel and are not RCW or managed starts. One of the nine cavity trees found during the USFS survey in Compartment A17 was found to represent a new cluster, Cluster A17-01.

Ft. Benning Conservation Branch verified this tree in August 2006 and also found three cavity start trees nearby. Ft. Benning Conservation Branch personnel then determined that the RCW inhabiting the cavity trees was a solitary bird with its own territory (not part of a neighboring group), and supplemented the site with artificial cavities in November 2006 to provide a total of four suitable cavities (per the 1996 Guidelines). This brought the total number of manageable clusters on Ft. Benning to 309.

Additional Factors Affecting RCWs

Historical records show that up to 75% of Ft. Benning was cleared of timber prior to 1920. The Installation continued to be subjected to extensive timber harvesting throughout the 20th century (Doresky et al. 2004). Past agricultural use, logging operations, the planting of off-site pine species and fire suppression have left Ft. Benning with a relatively young (Installation-wide average approximately 50 years old (FBLMB, unpub. data, 2007)) forest that is highly fragmented by military development and, in some areas, large even-aged plantations. Information on the pre-colonial, "natural" ecosystem on Ft. Benning is limited, however, it is generally accepted that longleaf pine was at least a significant component, if not the dominant species, in the area.

Today, approximately 86,000 acres on Ft. Benning are managed to provide mature pine forest for RCWs. Management goals for these areas include eventual conversion of off-site pine and hardwood stands to longleaf, prescription burning pine stands on a three year rotation and limiting hardwood midstory encroachment (Ft. Benning 2001). Ft. Benning's goal is to transition all pine stands into uneven aged management. Per the ESMP, all acreage on the installation that

is managed for RCWs is burned on an average three year fire return interval (Ft. Benning 2002). Burns are primarily conducted during the growing season (March- May), but winter burns are also used to reduce fuel loads, introduce variation in the burning regime, to keep stands on the three-year schedule that could not be burned because of military or weather restraints and to maintain stands with little to no midstory (Ft. Benning 2002). All managed stands on the Installation are inventoried once every 10 years (10% of the Installation is inventoried every year) (Ft. Benning 2002). Data collected includes standard timber cruise data such as forest type, the quantity, size classes and species of trees in the stand, data required by the 2003 RCW Recovery Plan such as hardwood midstory and herbaceous groundcover (USFWS 2003a), crown health, evidence of insect/ disease damage, number of snags per acre and other property-specific data. This provides managers with a current comprehensive dataset for use when preparing timber prescriptions as well as for keeping track of RCW habitat availability and suitability.

In 2003, stands dominated by loblolly pine were estimated to comprise approximately 70% of the pine stands ≥ 30 years old at Ft. Benning (Doresky et al. 2004). Today, approximately 63% of the pine stands ≥ 30 years old (38,570 of 61,482 acres) are dominated by loblolly pine or mixed pine and 34% (20,813 of 61,482 acres) are longleaf pine, with the remaining three percent in slash or shortleaf pine stands. Conversely, as a result of Ft. Benning's efforts to restore longleaf pine, 76% of the pine acreage < 30 years old is planted longleaf pine (13,788 of 18,131 acres) (FBLMB, unpub. data, 2007).

In 1993, TNC reported that there were 1,807 RCW cavity trees on Ft. Benning: 1,303 loblolly pines, 424 longleaf pines and 80 shortleaf pines (TNC, unpub. data, 2007) 2006 data collected by FBCB personnel documented 2,925 RCW cavity trees: 1,574 loblolly pines, 1,287 longleaf pines, and 64 shortleaf pines (17 trees did not have trees species documented). These data show a large increase in the number of longleaf pines with RCW cavities from 1993 to 2006. This is mainly due to the installation of artificial and drilled cavities. In 2006, there were 957 trees with artificial cavities. Of these, 846 were in longleaf pines. Additionally, 52.8% of all active cavities were artificial, indicating the positive role that artificial cavities have had upon the population (FBCB, unpub. data, 2007).

On Ft. Benning and at various locations in Georgia, Alabama, South Carolina (SC) and Louisiana, land managers have observed an increasing number of pines dying prematurely from a condition that has been termed "loblolly decline". Symptoms are similar to, and have been mistaken for, both senescence and littleleaf disease. These symptoms include sparse crowns, reduced crown vigor, reduced radial growth, root deterioration and premature death. Symptoms are most often seen in off-site pine stands between 30 and 50 years of age, but have been observed in younger stands (Eckhardt et al. 2004a).

A forest health survey conducted on Ft. Benning in 2004 revealed that five percent of the standing trees tallied were dead, and of the remaining live trees, seven percent had low crown vigor. Specifically, 16% of all loblolly pines inventoried were either dead or had low crown vigor, and collectively nearly 12% of all pines inventoried were either dead or low-vigor (TNC 2006). In similar longleaf systems off-Post, zero to one dead trees per acre has been the typical mortality rate (TNC 2006). Overall, the post-project estimates suggest that of the 74,737 acres of contiguous pine habitat remaining; 21,481 of those acres are in loblolly or shortleaf pine stands that are considered high risk for susceptibility to forest decline syndrome.

Loblolly decline is thought to be caused by a combination of factors which alone would typically not cause mortality. These factors include pathogens, insects, site factors and stress. The primary pathogen associated with decline symptoms is one or more species of vascular stain fungi (*Leptographium* spp.). A likely insect vector of this fungus is a bark beetle (*Hylastes* sp.). These components are often present in healthy stands without ever causing decline symptoms. When trees are weakened by a disturbance, this can create an environment that is conducive to the insect vector and that is vulnerable to the pathogen, thereby triggering a decline in tree health from which trees do not recover (Eckhardt 2005). Disturbance, as pertaining to forest decline, can be categorized as anthropogenic (silvicultural (e.g. logging, prescribed fire)), recreational or training activities (e.g. heavy maneuver) or natural (weather, drought) and affects tree health by damaging the roots, bole or crown and/ or compacting the soil (impacting hydrology and nutrient absorption).

Prescribed burning in loblolly and/ or shortleaf pine stands presents a management challenge. Fire is considered to be a disturbance that can contribute to decline, particularly when compounded with other impacts such as training. Fire is also an integral component of the desired longleaf pine ecosystem and is essential to control hardwood and off-site pine species regeneration, promote the growth of native herbaceous species and maintain the open forest structure ideal for RCWs (USFWS, 2003).

In 2004, researchers from Louisiana State University Agricultural Center completed a model that weighed factors that have been associated with decline, including slope and aspect. One product of this work was a “Loblolly Decline Risk Map” containing a Geographic Information Systems (GIS) layer that shows the areas on Ft. Benning which, if forested with loblolly or shortleaf pine, are at high, moderate, low or minimal risk of decline. Disturbance, as defined above, greatly increases the chances of decline, specifically in the moderate and low risk zones. Loblolly or shortleaf stands can be productive in these zones if disturbance is minimized. A similar decline condition has been observed in longleaf pines in recent years. Symptoms are similar to those of loblolly decline, but involve a specific vascular stain fungi (*Leptographium serpens*).

Installation-Wide Habitat Restoration

It has been reported that Ft. Benning contains the largest RCW population strongly reliant on off-site loblolly pines. This is a concern to Installation land managers because of the overall poor health of the off-site stands due to forest decline and other factors. A potential population bottleneck could occur if the loss of mature loblolly pines exceeds the replacement rate of longleaf regeneration (Doresky et al. 2004).

In order to address the ongoing loss of current and potential RCW habitat due to declining or otherwise unhealthy stands of off-site pine species, Ft. Benning plans to continue and intensify its efforts to convert loblolly, shortleaf and slash pine stands to longleaf pine. Details of large-scale habitat restoration/reforestation on Ft. Benning are currently being discussed with the Service through informal consultation and will be a significant portion of the next INRMP and subsequent BO.

From 1989 through 1994, approximately 962 acres of longleaf pine were planted (FBLMB, unpub. data, 2007). Following the 1994 JBO, Ft. Benning began aggressively planting longleaf pine on all appropriate sites. From 1995 through 2007, a total of 14,200 acres have been planted (FBLMB, unpub. data., 2007). Longleaf regeneration has been accomplished by clear-cutting,

and converting unhealthy/unproductive off-site pine stands and by thinning mature off-site stands and underplanting with longleaf pine. Approximately 2,114 acres of the 12,864 acres have been underplanted with longleaf pine. Additionally, FBLMB is in the process of identifying upland hardwood stands for pine conversion purposes. As of March 2007, approximately 740-acres in 25 stands of upland hardwoods had been designated for conversion to longleaf pine. This action could potentially add substantial acreage of RCW habitat to Ft. Benning (P. Swiderek, FBCB, pers. comm., 2007).

Ft. Benning intends to complete stand conversions to longleaf pine as quickly as feasible to ensure future RCW habitat, however, there are risks associated with altering too much habitat within a short time frame. Care must be taken to minimize “shock” to the ecosystem as well as to maintain, at a minimum, sufficient mature pine habitat to support the current RCW population. Additionally, due to the risk of unforeseen circumstances (e.g., natural disasters or potential mortality from *Leptographium serpens*), it is advisable to preserve as much additional mature habitat as is practicable.

Another potential conflict exists between training and young pine stands: typically, training restrictions are necessary within plantations for the first 10 to 20 years after planting in order to protect seedlings and saplings from damage from mechanized and dismounted training. Consideration must be given when scheduling reforestation to ensure that enough acreage remains available for training, in the appropriate areas, so as not to impede Installation training missions.

Stand treatments vary with the location and condition of the stands. The choice of whether to underplant or clear-cut depends on a variety of factors including the health and likelihood of survival of the “leave” trees, whether or not the stand is within a RCW foraging habitat partition and, if within a partition, how much other habitat is available to the resident RCW group.

For instance, unhealthy stands that are not within a RCW foraging partition may be clear-cut and replanted with longleaf pine, while similar stands that provide vital RCW foraging habitat may be thinned from below, chemically treated, prescription-burned and underplanted with longleaf pine.

The Installation is in the process of shifting its timber schedules in order to prioritize those areas that will have restricted or limited access once proposed ranges and cantonment projects are constructed (e.g., within SDZs) and as training uses of areas change. Ft. Benning is also incorporating timber clearing needs for proposed projects into the schedule, as well as any management needed within active RCW partitions affected by Transformation and/ or inactive recruitment clusters necessary for continued population growth. For efficiency, most treatments will be conducted on the compartment level, accomplishing as much management as is needed with a single entry. Research currently being conducted on underplanting and forest decline on Ft. Benning will provide valuable information in determining which treatment methods are best for each stand. Preliminary estimates show that if 1,500 acres continue to be planted in longleaf pine/year, all acres managed for RCWs will be longleaf-dominated in or around 2032.

Role of Ft. Benning in RCW Recovery

Ft. Benning’s RCWs population is designated as one of 13 Primary Core Recovery Populations by the Service (2003). Primary Core Populations by definition will contain at least 350 PBGs at recovery (USFWS 2003a). However, as part of the minimization for the Land Exchange, Ft.

Benning committed itself to supporting one additional PBG at recovery. The Ft. Benning RCW population is part of the Sandhills Recovery Unit, which is a narrow band stretching from Ft. Benning northeast to just north of the Ft. Bragg Military Reservation in North Carolina. Recovery Units are distinguished by, and named for, the ecoregions they fall within. Ecoregions are classified by physiographic characteristics such as land formation, climate, air and sea currents and distribution of species. Since these factors are thought to have influenced genetic adaptations over time, it is thought that by preserving species such as the RCW in each of its natural ecoregions we will preserve as many genetic variations as possible. Maintaining populations in all ecoregions is crucial for the long-term viability of the species (USFWS 2003a).

While some core populations are comprised of RCW groups on multiple ownerships and locations within a geographic area, the nearest off-post RCW recovery population to Ft. Benning is approximately 90 miles east northeast of Columbus at the Piedmont National Wildlife Refuge/ Oconee National Forest (USFWS 2003a). In the 12 years of monitoring at Ft. Benning, only two dispersals have been documented from off-Post. One was from the Piedmont National Wildlife Refuge/ Oconee National Forest population and one was from Ft. Gordon (approximately 170 miles) (M. Barron, FBCB, pers. comm., 2007).

In order to be considered a genetically-connected population, 1 to 10 immigrants per generation (four years for RCWs), (Reed et. al. 1988), each way, are believed to be sufficient to prevent loss of genetic polymorphism and heterozygosity within subpopulations (Mills and Allendorf 1996, Walters et al. 2004). Birds that have moved must survive to breed. Because of the lack of significant exchange of genetic material between Ft. Benning RCWs and clusters off the Installation, Ft. Benning is the sole landowner contributing to the aptly named Ft. Benning Primary Core Population. This is with the exception of Muscogee Technology Park (MTP), a 2,124-acre parcel adjacent to Ft. Benning that was acquired by the Columbus Development Authority in a Land Exchange with Ft. Benning that was finalized March 9, 2001. This cluster was occupied by a breeding pair of RCWs in 2006, but because consultation on MTP allowed for the loss of this cluster, it is no longer Federally protected and is not considered a reliable contributor to the Ft. Benning population (Jay Carter Associates, unpub. data, 2007). There are also three known active RCW clusters on a property 20 to 30 miles west of Ft. Benning (outside the project's action area) and anecdotal accounts of other clusters in the region.

Relict Trillium

Status Within the Action Area

There are five populations of relict trillium being monitored on Ft. Benning. There are other small groups or subpopulations known to exist on Ft. Benning, but no active monitoring is in place for these groups at this time.

The five monitored populations are designated as Baker Creek, Randall Creek North, Randall Creek South (all three in Training Compartment K6), Randall Creek North (Training Compartment O6) and Randall Creek South (Training Compartment O7). Monitoring for these populations is conducted during the peak of flowering, which generally occurs in March and April. Each population contains five, 10.76-square foot plots (one-square meter).

Data collected at each plot include the age class, species and reproductive status of every *Trillium* sp. in the plot; an assessment of canopy cover; and any pertinent habitat condition

information such as feral swine (*Sus scrofa*) damage, browsing by animals, signs of flooding, soil erosion or invasive plant species present. These plots are marked by two pieces of 0.5-inch reinforced bar extending approximately 2.5 ft. above the ground (Ft. Benning 2004b).

Potential threats to relict trillium on the Installation include damage from feral swine, soil erosion, training impacts, damage during timber operations, encroachment of invasive plant species such as Japanese honeysuckle and kudzu, and damage from fire. Feral swine are a threat to relict trillium populations on Ft. Benning and have been observed in Compartment K6, where three of the five trillium populations occur. To protect the trillium from swine damage, the Baker Creek, Randall Creek South and the Randall Creek North populations have been completely fenced. Feral swine damage is not currently considered to be a threat at the remaining locations, however data collected during annual monitoring will indicate if additional fencing is necessary.

In order to protect plants from human disturbance, the five populations have been designated as Sensitive Areas and are marked by signs posted along population boundaries. The following additional management measures are in place to protect relict trillium from various types of disturbance (Ft. Benning 2001):

- Fencing populations from feral swine where necessary,
- Prohibiting timber harvesting within 200 ft. of the population boundary,
- Prohibiting digging and vehicles within the sensitive area signs posted around each population,
- Prohibiting prescribed burning within the boundaries of each population, and
- Controlling the feral swine population by trapping or shooting. There is currently no bag limit on feral swine on the Installation (M. Fuller, FBCB, pers. comm., 2007).

Occurrences of relict trillium have been found by The Nature Conservancy on each of two private parcels adjacent to Ft. Benning. Negotiations with the landowners for conservation easements as part of Ft. Benning's Army Compatible Use Buffer (ACUB) Program are ongoing.

Survey Results (2006)

Five known populations and two known isolated individual plants were confirmed during the USFS surveys (USFS 2006). Two potentially new populations were also found by USFS in Training Compartments CC3 and P1 (USFS 2006), however these locations were inspected by FBCB personnel in March 2007 and were not found to be relict trillium (R. Thornton, FBCB, pers. comm., 2007). Approximately 2,012 additional acres are scheduled to be surveyed for relict trillium in 2008. The results of these surveys will be provided to the Service, and if additional impacts are expected consultation will be reinitiated as necessary.

EFFECTS OF THE ACTION

Factors to be Considered

Cantonment Areas

Cantonment projects are “*design-build*” projects, meaning that the USACE design team does not supply designs to prospective construction contractors. Instead, on the Request for Proposals (RFPs), contractors are provided the general specifications of the project and a map

with the construction limits, consequently, *there are no final designs available for this Biological Opinion*. Ft. Benning will work with design firms to minimize federally-listed species impacts as much as practicable (D. Miller, Ft. Benning Master Planning Division, pers. comm., 2007). The construction limits delineated the project site for each cantonment project. For RCW foraging habitat and cavity tree impacts, it is assumed 100% loss of the project site, although it is likely that the actual impact on these sites will still be less.

Ranges

Range projects are “*design- bid- build*,” meaning that Ft. Benning will have significant input during the design process. Only two FY 2007 ranges in the Oscar Complex (Fire and Movement range (FM) and Modified Record Fire range (MRF) are past 65% design and have fairly definite footprints and clearing limits. For these two projects, construction limits provided by USACE were used to determine cavity tree and foraging habitat loss. The remainder of the range projects were analyzed using footprint polygons either supplied by or created with input from Ft. Benning Range Division (FBRD) Integrated Training Area Management (ITAM) personnel. These polygons should represent the maximum extent of disturbance during vegetation clearing and construction of the proposed range.

The footprints of all new ranges were assumed to be 100% cleared although some forested habitat, particularly in the Stationary Gunnery Ranges, may remain post-project. As ranges are designed, any habitat remaining after the ranges are operational that could be counted as potential RCW foraging habitat will be added back into the total pine acreage, with Service concurrence.

Projected uses of ranges and times of use are taken from the 2006 Range Development Plan (RDP), which is based on the premise that, with the MCOE, Ft. Benning will support Armor School, and Infantry School and active duty units (USACE 2006a). Typically, active duty units and Army schools train primarily on weekdays, and training is normally not scheduled on weekends or over holidays. For the RDP and this Biological Opinion, a total of 242 available training days was used, the result of 365 days/ year minus 15 days for winter holidays, four days for Thanksgiving, five three-day holidays, one day for Independence Day and 88 days for the remaining weekends. (USACE 2006a). Ranges assessed were proposed, in part, because a deficiency/ shortfall was identified in the RDP. These shortfalls could be that a required range type does not exist, exists but is not to standard, or exists but there is insufficient capacity to meet the throughput requirements.

The areas outside of the proposed range footprints within the associated SDZ that are likely to receive substantial impacts from live fire, to the extent that tree mortality can be expected, were identified by FBRD as “beaten areas” and were analyzed in the Biological Assessment. Beaten areas within the ordnance impact area of each range were delineated using topography, aerial photography of similar ranges on Ft. Benning and personal experience. Staging areas that are likely to be impacted during construction were also included in the beaten areas. Analysis assumes the beaten areas will experience 100% loss of threatened or endangered species habitat over time from live fire impacts, although these areas will not be deliberately cleared of vegetation.

Impacts could be overestimated or underestimated in these areas depending on factors such as the extent of tree mortality, tree species and placement of targets. The beaten areas for the Oscar

Complex, including staging areas and ordnance impacted areas, assumes no berms will be built. However, Ft. Benning intends to berm three of the small arms ranges to minimize habitat damage.

Range footprints, staging areas and beaten areas are expected to have 100% loss of habitat, however, the time frame and type of disturbance differ. The range footprints and staging areas will be impacted during timber harvesting and range construction, while the beaten areas will not have any impacts until the ranges are operational.

Roads

Most road limits of disturbance were provided by FBRD as a distance from the centerline. Road centerlines were provided by Ft. Benning ITAM, they were then buffered with the distances provided and overlaid onto the RCW foraging habitat delineations to calculate the acreage impacted. A disturbance limit of 60 ft. from the centerline was used for new training area roads and trails and 40 ft. from the centerline was used for upgrades and repairs of existing training area roads and trails, to account for berms and erosion control measures (F. Weekley, FBRD, pers. comm., 2007).

The exception to the reasonable worse case analysis relates to the tank trails within the Good Hope Maneuver Area. For this biological opinion, all main trails within the Good Hope Maneuver Area were identified only for upgrades and improvements. Given the size and extent of training exercises planned for this area during the BOLC III, this is a realistic assumption. All roads provided by Ft. Benning ITAM and Master Planning Division were analyzed in this assessment, regardless of the funding sources.

All habitat within the disturbance limits was assumed to be 100% cleared, although it is unlikely that all areas will require clearing. As roads are designed, soil and topographic surveys are completed, road layouts are likely to change. Some projected RCW impacts could be avoided as roads are designed. Ft. Benning will work with planners to minimize impacts wherever possible. Ft. Benning will notify the Service if impacts are materially different from that assessed in this biological opinion.

Maneuver Areas

Based on topography, vegetation and hydrology, Ft. Knox USAARMC/ S personnel delineated areas within the Maneuver Areas that were likely to receive the most heavy maneuver impact (maneuver heavy use areas). Although pine stands within the maneuver heavy use areas will initially be thinned to an average basal area (BA) of 20 ft²/acre in pines ≥ 10 in. dbh to allow sufficient space for tanks to maneuver, these areas were analyzed as 100% loss of RCW foraging habitat and cavity trees over time. While no specific RCW cavity trees have been identified for removal at this time, it is possible that some will need to be cut for training exercises. Regardless, tracked and wheeled vehicles will need to maneuver within 50 ft. of cavity trees. This greatly increases the risk of tree mortality due to root damage and subsequent decline, especially with loblolly pines (L. Eckhardt, Auburn University, pers. comm., 2007).

Outside of the heavy maneuver use areas, but within the maneuver areas, maneuver training will stay ≥ 50 ft. from cavity trees and otherwise adhere to the applicable Army RCW Guidelines (DA 1996, DA 2006b), therefore no direct cavity tree impacts were assessed. Keeping vehicles 50 ft. from tree boles (or groups of boles), or optimally from the edges of

crowns, minimizes root damage and greatly increases the chances of tree survival, in light of forest decline (L. Eckhardt, Auburn University, pers. comm., 2007).

As described previously, some stands in these areas, may need to be thinned to an average BA of 40 ft² in pines ≥ 10 in. dbh in order to facilitate formation maneuvering by tracked and wheeled vehicles between maneuver heavy use areas. These stands, however, have not been identified at this time. As additional design charrettes are held and trainers further solidify plans in the Maneuver Areas, potential impacts not presented in this document will be assessed either through the Ft. Benning NEPA process/ FB Form 144-R or through consultation with the Service, as appropriate.

Vehicle Recovery Area

For the proposed action, separate areas were identified for the Drivers Training Course and the Vehicle Recovery Area. There is still an assumption of 100% loss within the Drivers Training Course polygon for construction of the courses. Within the Vehicle Recovery Area, Ft. Benning intends to position training stations in existing clearings and all training will adhere to Army RCW Guidelines (DA 1996, DA 2006bb), therefore no RCW tree impacts are expected. However, because the exact locations of the trails and stations is unknown, the assessment used the extent of the polygon, minus the cavity trees, and determined 100% loss. This is likely an overestimation; once the Vehicle Recovery Area is in use and habitat impacts from training are understood, Ft. Benning will reassess how much habitat is remaining and reinitiate consultation, if appropriate.

General Acreage Calculations

For the general RCW habitat descriptions and totals throughout this document that apply to the entire Installation, 2006-2007 inventory data were used where available. However, in order to have some data, albeit not current, on the stands that have not been inventoried since implementation of new inventory protocol (January 2006), pertinent data were extracted where needed from the 2003 dataset. Stands that had a forest type but no age or assessment were calculated as the correct forest type and zero years old. Stands with no forest type were separated and were not included with any species (“null” categories). For cavity tree information, trees with no species were not included in the total or the percentages. Unless otherwise indicated, loblolly pine and mixed pine stands were combined.

RED-COCKADED WOODPECKER (see enclosed map of post-project cluster status)

Cluster Level Analysis - Methodology

For RCW cluster level effects analysis, five variables were used to determine the project effects. Each of the five variables are listed below and include a brief description of the factors and/ or methods used in the analysis:

(1) Data Collection and Foraging Habitat Calculations

Stands are inventoried once every 10 years, or 10% of the Installation is inventoried every year (DA 2001). The 2003 Recovery Plan, however, requires new data parameters that have not been collected in the past, some of which are used to determine the extent of RCW and/or RCW habitat impacts. For this reason, current foraging habitat data was collected for all pine-dominated stands within or partially within each 0.5-mile radius RCW foraging partition that was affected by the proposed action (foraging habitat partitioning methodology).

Ft. Benning Conservation Branch and their consultant first determined which RCW clusters would be affected by Transformation projects, either by the removal of cavity trees or by the removal of pine-dominated habitat within their 0.5 mile radius foraging partitions. Ft. Benning Land Management Branch then determined which stands were within those partitions affected and collected Foraging Habitat Analysis (FHA) data for those entire stands (not just the stand sections within the partitions).

Stands were delineated on aerial photography according to contiguity of characteristics such as species composition, age and/ or distribution of age classes. Each stand (10 acre minimum, with exceptions) was identified by a number beginning with a training compartment letter(s) and a two-digit compartment number proceeded by a two-digit stand number. Sample points in each stand were determined using a GIS systematic random procedure and were modified to allow for an adequate distribution of points to reflect stand diversity. The sample points were systematically placed on a square grid pattern (in each cardinal direction), and the distance between sample grid points were determined by stand acreage. A line transect was established along the longitudinal axis of each stand; transects that paralleled drains, ridges, trails and other linear features were avoided if possible.

Homogeneous stands were defined as pine plantations less than 30 years old. All other stands were considered heterogeneous. Ten points were collected for homogeneous stands and 20 points were collected for heterogeneous stands. If a stand was smaller than 10 acres, one point per acre was collected for both homogeneous stands and heterogeneous stands. Fiscal year 2003 forest inventory stand ages, adjusted to 2006, were used unless there was evidence indicating that these ages were incorrect. In this instance, age was determined at every other plot by aging one dominant or co-dominant pine tree using an increment borer, except in pine plantations, where pine plantation planting records were used when available, and if not, one tree per stand was cored. Pine and overstory hardwood data were obtained using a 10-factor BA prism and the variable radius prism-plot method. The following characteristics were recorded for each sample plot: tree species, dbh of each pine and hardwood tree greater than five in. dbh, health of tree (crown vigor) and applicable disease/insects.

Midstory data was collected at all sample points using a 0.1-acre circular plot (~37 ft. radius). Midstory species were categorized as scrub oak, sweetgum, upland hardwood (red oak, white oak, hickory) or other hardwood. Determining midstory density was subjective, but followed these basic criteria: a stand with a sparse hardwood midstory had few or no hardwoods present, a stand with a dense hardwood midstory had limited visibility and movement through the stand was difficult, and a stand with a moderately dense hardwood midstory was intermediate. Each habitat type was further subdivided according to hardwood midstory height. Midstory hardwoods less than seven feet in height were considered low, hardwoods from seven to 15 ft. tall were considered moderate and hardwoods greater than 15 ft. in height were considered tall.

Groundcover data was collected at all sample points using a 0.01 acre circular plot (~11 ft. radius). Four percentages (totaling 100%) were recorded: % herbaceous ground cover, % bare ground, % pine straw and % woody vegetation. Stand fire history was recorded as the date of the last prescribed burn.

The Matrix (software program used to tabulate RCW foraging habitat conditions) was used to determine the suitability (“score”) of each stand using the Standard for Managed Stability and the Recovery Standard (USFWS 2003a). However, there were several parameters, either specific to Ft. Benning or otherwise, that were necessary for evaluation of the stands and that were not generated by the Matrix. For this reason, the summary tables generated by the Matrix were not used, but instead used the scores generated by it along with attributes from the shapefile to create summary tables for each cluster.

efforts were made early in the field data collection process to ensure consistency. A recheck of a random sample of plots was conducted by FBLMB to ensure that plot data were being collected consistently. Additional plots were also placed within inventoried stands to validate that the plot data collected were representative of the stands (verifying that the locations of plots and the number of plots per stand were sufficient to represent what was actually in the stand).

Ft. Benning Land Management Branch and their consultant checked the averages calculated by the custom summary program with the raw plot data to ensure that averages were being calculated correctly. Ft. Benning consultants also checked Matrix calculations against those calculated by hand using data from Ft. Benning and unrelated properties to ensure that acreage calculations and suitability assessments were consistent.

(2) Foraging Habitat Partitioning

One half-mile radius foraging habitat partitions were created for every RCW cluster on Ft. Benning, including active, inactive and unmanaged clusters. Inactive clusters were disregarded for the purposes of the FHAs and their respective habitat reallocated to adjacent active clusters. The 0.5 mile radius foraging partitions were then modified, leaving out the inactive clusters affected by Transformation. The partitions created during this step were used to calculate the pre-project foraging habitat totals.

After FHAs were completed and the expected loss of foraging habitat was determined (cluster-level only), all clusters destroyed by cavity tree removal or by foraging habitat removal were excluded from the creation of new 0.5 mile partitions. In some areas two or more adjacent clusters were destroyed by loss of foraging habitat and/ or cavity trees.

Where there was sufficient combined habitat remaining post-project amongst partitions to support at least one cluster, new partitions were created using either the cluster in the best condition (foraging habitat or cavity trees) or shifting one of the cluster centers in order to optimize the use of the available habitat. Groups in these clusters were still considered to be eliminated, however, through repartitioning or artificial cavity installation these losses may be offset. Experience has shown that remaining RCW groups will adjust to the new configuration of habitat.

(3) Foraging Habitat Guidelines

Foraging habitat was assessed using both the Standard for Managed Stability and the Recovery Standard described in the Recovery Plan (USFWS 2003a). Standard for Managed Stability is typically the threshold used for assessing the loss of habitat, therefore all projects impacting RCWs must be measured against the SMS criteria (USFWS 2006b). Since Ft. Benning is a RCW recovery population, foraging partitions must also be analyzed according to the RS to show that each cluster has the potential to meet the RS in the future.

The SMS requires a minimum of 3,000 square ft. (ft²) of pine BA in stems >10 in. dbh on at least 75 acres of good quality foraging habitat contiguous to the cluster as defined below (USFWS 2003a):

- a. Pine stands must be at least 30 years of age or older,
- b. Average BA of pines ≥ 10 in. dbh must be between 40 and 70 ft²/acre,
- c. Average BA of pines < 10 in. dbh must be less than 20 ft²/acre,
- d. If a hardwood midstory is present, it must be sparse and less than 7 ft. in height, and
- e. Total stand BA, including overstory hardwoods, must be less than 80 ft²/acre.

Additionally, no more than 200 ft. can separate suitable foraging habitat and it is recommended that all land counted as foraging habitat should be within 0.25 mile of the cluster. Service guidance since the Recovery Plan has established the following clarification of the total stand BA requirement:

- Overstory hardwood BA must be ≤ 10 ft²/ acre, and
- Total stand BA can exceed 80 ft²/acre if the maximum limits for overstory hardwood BA and pines <10 in. dbh are not exceeded, and the BA in pines 10 to 14 in. dbh is 40 to 70 ft²/acre. (in other words, the excess in BA is comprised of pines ≥ 14 in. dbh.) (R. Costa, USFWS, pers. comm., 2007)

In addition to low and sparse hardwood midstories being suitable (criteria d. above), sparse-medium and sparse-tall midstories were also considered to be suitable in this assessment. This is acceptable as long as there is data to support stability and breeding success of the resident RCW groups (R. Costa, USFWS, pers. comm., 2007).

The only minimum criteria for stand suitability (listed above) in the SMS is the BA in pines ≥ 10 in. dbh; all other criteria are maximum values that could be improved with management. Therefore, in most cases, if a stand meets the BA in pines ≥ 10 in. dbh criteria, it will be classified as either “suitable” or “potentially suitable” habitat. Of 254 active foraging partitions analyzed, 62 (24.4%) had ≥ 75 acres of stands with a minimum of 40 ft²/acre in pines ≥ 10 in. dbh and therefore could potentially meet the SMS. Of these, 18 clusters (7.0%) had ≥ 120 acres and 44 (17.3%) had 75 to 119 acres. Twenty-three clusters (9.1%) contained zero acres of stands with ≥ 40 ft² BA/acre. The majority (168 clusters) (66%) of the active partitions contained <75-acres with ≥ 40 ft² /acre in pines ≥ 10 in. dbh.

Conversely, 163 (64%) clusters had ≥ 75 acres of stands with a minimum of 30 ft²/acre, of which 84 clusters (33.0%) had ≥ 120 acres and 79 clusters (31.1%) had 75 to 119 acres. Eighty-eight clusters (34.6%) had <75 acres of habitat, and 3 clusters (1.2%) contained no stands with a minimum BA of 30 ft²/ acre.

Less than 25% of the active RCW clusters on Ft. Benning have the potential to meet SMS as defined in the Recovery Plan, yet the Ft. Benning RCW population continues to grow at the recommended rate annually (unpub. data, Ft. Benning, 2007). Because coarse analyses suggest that RCWs on Ft. Benning are able to survive and be successful in lower quality habitat than that described as the SMS, Ft. Benning and the Service agreed to examine the specific foraging habitat use of the Ft. Benning RCW population.

In order to determine how the fitness of RCW groups in the project area compared to the available habitat, FBCB personnel analyzed the breeding history of clusters that would be

affected by Transformation relative to the total acreage and BA of all pine stands in each partition, acres and BA of suitable habitat using the SMS, and acres and BA meeting all SMS criteria except the minimum BA in pines ≥ 10 in. dbh. Group fitness did not show any obvious trends when compared against the SMS, primarily because only approximately 20% of the clusters analyzed met the SMS criteria. The data for the acres and BA meeting all SMS requirements except allowing a minimum BA of 30 or 35 ft²/acre in pines ≥ 10 in. dbh. also did not show a strong trend, other than that groups with <50 acres of habitat were less productive than those with more habitat.

The data for fitness showing the total acres of pine-dominated habitat, regardless of suitability, were the most revealing and showed a trend in decreased breeding success and group size as partitions had <50 acres total pine habitat or ≥ 200 acres of pine habitat. The latter is most likely related to group density more than forage, as some clusters on the Installation are somewhat isolated and are less likely to contain PBGs.

The Service recognizes that individual RCW populations can become adapted to local environmental conditions that differ significantly from those defined as the SMS. The Recovery Plan provides an allowance for individual populations to develop population-specific guidelines that better reflect how birds are surviving in specific areas (USFWS 2003a). Additionally, further “Service guidance (2005) recognizes that some sites may not currently, or ever, meet the SMS because of catastrophic events, past land use history or ecological reasons.” In cases where birds have adapted to conditions that do not meet the SMS, making a determination of negative effects “based solely on the SMS may not always reflect the use of best scientific information available.” Proponents who wish to develop population-specific guidelines must demonstrate, through sound science, that multiple generations of RCWs have been successful under the current site conditions. Demographic data must also show that RCW group fitness is not diminished as a result of insufficient habitat, and preferably establish a threshold where habitat quantity and/ or quality does begin to affect group fitness (R. Costa, USFWS, pers. comm., 2007).

During informal consultation with Service a revised SMS was authorized based on ten years of demographic data provided by Ft. Benning as described above. It is important to note that the revised SMS is a temporary allowance as Ft. Benning continues its transition to a longleaf-dominated system. Using this revised standard, all SMS criteria as listed in the Recovery Plan (USFWS 2003a) and above must be met, except that the acceptable BA range for pines ≥ 10 in. dbh is expanded to include stands with an average BA of ≥ 30 ft²/ acre.

Table 5. Total pine acreage within active red-cockaded woodpecker (RCW) foraging habitat partitions as compared to group fitness.

	<50 acres (3 clusters)	<75 acres (8 clusters)	76-100 acres (14 clusters)	101-120 acres (14 clusters)	121-150 acres (33 clusters)	121-200 acres (52 clusters)	151-175 acres (11 clusters)	176-200 acres (8 clusters)	200+ acres (28 clusters)
# Nestlings	2.43	2.57	2.50	2.41	2.56	2.54	2.52	2.47	2.38
# Fledglings	1.92	1.97	2.17	2.01	2.07	2.04	2.00	1.96	1.84
# Adults	2.11	2.27	2.29	2.50	2.35	2.32	2.26	2.32	2.30

The minimum acreage required is directly correlated to the average BAs of stands within the partition; partitions containing stands with BA of 40 ft²/acre would still require a minimum of

75-acres, however partitions with stands averaging 30 BA would require 100-acres to meet the minimum of 3,000 ft² total BA.

Because Ft. Benning is a recovery population, foraging habitat impacts were also assessed using the RS, both for current suitability and the ability of each cluster to reach RS in the future. The RS is commonly referred to as a “desired future condition” of habitat for all increasing RCW populations (USFWS 2005). The RS requires a minimum of either 120-acres (in longleaf) or 200 to 300 acres of good quality foraging habitat (as defined below) depending on the site indices of soils within the foraging partition. For systems of high productivity (site index of 60 or more for the dominant pine species), the RCW Recovery Plan (USFWS 2003a) requires a minimum of 120 acres of good quality foraging habitat be provided for each group of RCWs. For sites with low productivity (site index below 60 for the dominant pine species), 200 to 300-acres of good quality foraging habitat are required for each RCW group. The majority of soils on Ft. Benning have a site index ≥ 60 (DA 2001), therefore 120-acres was used for our RS analyses.

Good quality foraging habitat according to the RS is defined as follows (USFWS 2003a):

1. There must be a minimum of 18 pine stems ≥ 14 in. dbh per acre that are ≥ 60 years old. The minimum BA for these pines is 20 ft²/ acre,
2. The BA for pines from 10 to 14 in. dbh must be from 0-40 ft²/acre,
3. The BA of pines < 10 in. dbh must be < 10 ft²/ acre and < 20 stems/acre,
4. The minimum combined BA for categories 1 and 2 above is 40 ft²/acre,
5. Native herbaceous species must cover at least 40% or more of the ground,
6. No hardwood midstory exists, or if present, is sparse and less than seven feet in height,
7. Canopy hardwoods are absent or less than 10% of the number of canopy trees in longleaf forests and less than 30% of the number of canopy trees in loblolly, shortleaf and other pine forests,
8. All habitat must be within 0.5 mile of the center of the cluster, and
9. Foraging habitat must not be separated by more than 200 ft. of non-foraging habitat.

(4) Classification Of Habitat

Pine stands that met the revised SMS or RS overstory guidelines and had a sparse hardwood midstory, a moderately dense hardwood midstory that was low in height or a dense hardwood midstory that was low in height were considered “suitable” foraging habitat.

“Potentially suitable habitat” was described as stands that met the minimum requirements but exceeded maximum limits of pines in certain dbh classes, hardwood midstory density and overstory hardwood density height. These stands have the necessary pine BA and would meet the revised SMS or RS with midstory removal, prescribed burning and/or thinning. Stands with suitable overstory characteristics containing a moderately dense or dense midstory that was moderate or tall in height were in this potentially suitable category.

All pine-dominated stands that did not fall into the suitable or potentially suitable pine categories were classified as “future potential habitat.” These stands will require time to meet the revised SMS or RS pine density, size (dbh) and/or age requirements.

Areas that will not be suitable habitat for many years, if ever, and stands that are not managed by FBLMB were classified as “unsuitable” habitat. This designation included hardwood drainages that would not typically support a pine-dominated overstory regardless of management, cleared

areas that have not been replanted in pines, upland hardwood stands that are not planned to be converted to pine, paved areas, open water and impact areas or other inaccessible stands. Some foraging stands were inaccessible because of duded impact areas, therefore no stand data were collected. These stands are listed as “inaccessible” and were not counted toward foraging habitat totals.

(5) Cavity Tree Impacts

For each cluster, the cavity stage, shape and activity were recorded for all cavity trees being removed. Cavity trees within the construction limits of cantonment projects, roads and ranges were considered to be removed. Although trees within the maneuver heavy use areas and range beaten areas will not necessarily be cut, these were also analyzed as being removed because of the likelihood of tree mortality resulting from training impacts.

Group Level Analysis – Methodology

Retaining sufficient foraging habitat alone does not ensure the persistence of an RCW cluster. The continued occupation of a cluster not only depends on the amount of foraging habitat, but also depends on the aggregation of active clusters around it (Hooper and Lennartz 1995). Research has shown that the more aggregated RCW clusters are, the higher the probability of persistence, even with substantial foraging habitat loss (Crowder et al 1998, Letcher et al. 1998).

Red-cockaded woodpecker groups in moderately dense to dense populations have been shown to be less sensitive (i.e. group size and productivity) to drastic loss in habitat than in sparser populations with seemingly more available foraging habitat (Hooper and Lennartz 1995). Therefore, when active RCW clusters are to be abolished for a project, it is then necessary to assess the impact of that loss on the demographic stability of neighboring RCW groups. This is done by examining the aggregation of active RCW clusters on the landscape.

For the group density analyses in this document, clusters having ≥ 4.7 active clusters within 1.25 miles were considered healthy and were given a “dense” designation. Clusters with 2.6 to 4.6 active clusters within 1.25 miles were considered to have “moderate” density. Clusters with ≤ 2.5 active clusters within 1.25 miles were considered “sparse,” and therefore more vulnerable to abandonment because of lack of emigration/immigration (Conner and Rudolph 1991a).

A 1.25-mile radius buffer was drawn around the cluster center for every active cluster within 0.5 mile of a project’s clearing limits, adjacent to a cluster removed directly or indirectly, or affected by Transformation (some foraging habitat or cavity trees removed). For each cluster analyzed, the number of active clusters within 1.25 miles of its cluster center was calculated. All clusters with a cluster area (minimum convex polygon of all cavity trees and a 200 ft. buffer around them) within 1.25 miles of the target cluster’s center were included in the cluster density totals. These totals did not include the subject cluster if it was eliminated by a Transformation project. However, removed clusters were still included in the pre-project density totals of their neighboring clusters. Post-project densities were calculated as above, but excluding eliminated clusters from the density totals.

Clusters with ≥ 4.7 active groups within 1.25 miles post-project were considered to be unaffected by the associated project or suite of projects. Clusters whose densities were reduced

from dense or moderate to sparse were considered to be affected and therefore vulnerable to abandonment as a result of the proposed project(s). Clusters that were sparse pre-Transformation were generally considered to be eliminated, particularly if project-related habitat removals caused the subject cluster to become more isolated and thus more vulnerable to abandonment.

Eight RCW clusters adjacent to the DMPRC in 2004 were expected to become abandoned (Ft. Benning 2005, USFWS 2006a). Although no clusters have been abandoned yet as a result of the timber clearing and construction of the ranges, these clusters were not included in group density and neighborhood-level analyses for the current proposal (S. Tucker, USFWS, pers. comm., 2007). The A-20 and K-15 Impact Area clusters were also not included in group density calculations because all of these groups were addressed in the 2002 consultation on Ft. Benning and could therefore be eliminated at any time (USFWS 2002).

Neighborhood Level Analysis - Methodology

Service guidance (USFWS and NMFS 1998) states that “when determining an action area, it must include the project site and all the areas surrounding the activity up to where the effects will no longer be felt by the listed species.” The intent of the neighborhood analysis is to account for the potential negative impacts of a project on RCW demography through habitat loss or fragmentation at the neighborhood level.

A 2.57-mile buffer was drawn around every active RCW cluster impacted by the Transformation. This distance is the average successful dispersal distance based on 11 years of demographic monitoring by the FBCB (Michael Barron, FBCB, pers. comm., 2007). The neighborhood analysis first looked at the density of RCW groups within a 1.25 mile radius of clusters that were not directly affected by projects, but were adjacent to clusters that were impacted. If the post-project analysis showed less than 2.5 groups within a 1.25-mile radius of the subject cluster, it was considered eliminated. After subtracting all partitions taken at the Cluster, Group and Neighborhood Levels, the remaining clusters were analyzed for fragmentation and reduction of productivity and dispersal. The fragmentation and reduction of productivity and dispersal analyses were more subjective because there are no set criteria.

Population Level Analysis - Methodology

Service guidance (USFWS 2006b) requires all projects to be analyzed at the population level to determine whether Ft. Benning can achieve its population goal as a primary core recovery population. The population level analysis considers the ability of Ft. Benning to meet its RCW population goal (351 potential breeding pairs (PBGs), 428 total managed clusters), post-Transformation, based on the foraging partition, group, and/or neighborhood analysis.

Effects Analysis - Results

The following analysis for effects of the action reports on: each cluster lost by the proposed action; the proposed action; the projected effects of the proposed action; and the analysis that supports the determination of the projected effects. This analysis shows 26 clusters lost by habitat removal, one group solely lost by cavity tree removal (HCC-03R) (six other clusters are lost by cavity tree removal and habitat loss and have therefore been tallied in the habitat removals category to avoid doubling of effects), four are group-level losses (totaling 31 losses for these three levels of analysis) and one is a neighborhood-level loss.

1. (Cluster A07-01)

Proposed Action: 2008 Road Improvements; 2009 Tank Trail Construction

Projected Effects Of The Proposed Action: Cluster level loss due to loss of foraging habitat

Analysis

This cluster had a PBG from 2002 to 2006, and contained seven cavity trees in various stages of completion and suitability. No cavity trees will be impacted.

Pre-project FHA

The pre-project SMS foraging habitat totals were 1,313.76 ft² of pine BA on 35.57 acres of suitable habitat and 4,112.80 ft² of pine BA on 150.78 acres of future potential habitat. There was no potentially suitable habitat. The pre-project RS foraging habitat totals were 92.46 ft² of pine BA on 2.01 acres of potentially suitable habitat and 5,334.10 ft² of pine BA on 184.34 acres of future potential habitat. There was no suitable habitat. The 2008 Road Improvements will remove 1.16 ft² of pine BA on 0.04 acres. The 2009 Tank Trail Construction will remove 152.34 ft² of pine BA on 5.05 acres.

Post-project FHA

The post- project SMS foraging habitat totals were 1,263.78 ft² of pine BA on 34.10 acres of suitable habitat and 4,009.28 ft² of pine BA on 147.16 acres of future potential habitat. There was no potentially suitable habitat. This cluster will be eliminated at the cluster level due to loss of foraging habitat. Loblolly pine that is at high risk of decline accounts for 35.01 % of the SMS post-project suitable and potentially suitable acreage. The post-project RS foraging habitat totals were 92.46 ft² of pine BA on 2.01 acres of potentially suitable habitat and 5,180.60 ft² of pine BA on 179.25 acres of future potential habitat. There was no suitable or potentially suitable habitat. This cluster can meet the RS in the future.

2. (Cluster A17-01)

Proposed Action: 2011 Qualification Training Range and Beaten Area

Projected Effects Of The Action: Cluster level loss due to cavity tree and foraging habitat loss

Analysis

This cluster was found during the 2006 surveys after nesting season (USFS 2006) and two RCWs were seen. The cluster contained four cavity trees in various stages of completion and suitability in November 2006. The 2011 Qualification Training Range and Beaten Area will remove four cavity trees which will result in elimination of the cluster by loss of cavity trees.

Pre-project FHA

The pre- project SMS foraging habitat totals were 4,475.19 ft² of pine BA on 84.65 acres of suitable habitat and 1,832.54 ft² of pine BA on 37.64 acres of potentially suitable habitat. There was no future potential habitat. The pre- project RS foraging habitat totals were 4,475.19 ft² of pine BA on 84.65 acres of potentially suitable habitat and 1,832.54 ft² of pine BA on 37.64 acres of future potential habitat. There was no suitable habitat. The 2011 Qualification Training Range and Beaten Area will remove 4,559.73 ft² of pine BA on 87.59 acres.

Post-project FHA

The post- project SMS foraging habitat totals were 1,538.25 ft² of pine BA on 29.46 acres of suitable habitat and 113.21 ft² of pine BA on 2.91 acres of potentially suitable habitat.

There was no future potential habitat. This cluster will be eliminated at the cluster level due to loss of foraging habitat. Loblolly pine that is at high risk of decline accounts for 2.29 % of the SMS post-project suitable and potentially suitable acreage. The post- project RS foraging habitat totals were 1,538.25 ft² of pine BA on 29.46 acres of potentially suitable habitat and 113.21 ft² of pine BA on 2.91 acres of future potential habitat. This partition cannot meet the RS in the future. This cluster will be eliminated at the cluster level due to cavity tree loss and loss of foraging habitat.

3. (Cluster A17-02)

Proposed Action: 2011 Qualification Training Range and Beaten Area

Projected Effects Of The Action: Cluster level loss due to loss of foraging habitat

Analysis

This cluster had a PBG from 2002 to 2005, and contained seven cavity trees in various stages of completion and suitability. No cavity trees will be removed or impacted.

Pre-project FHA

The pre-project SMS foraging habitat totals were 3,370.19 ft² of pine BA on 63.78 acres of suitable habitat and 460.97 ft² of pine BA on 64.50 acres of future potential habitat. There was no potentially suitable habitat. The pre-project RS foraging habitat totals were 3,370.19 ft² of pine BA on 63.78 acres of potentially suitable habitat and 460.97 ft² of pine BA on 64.50 acres of future potential habitat. There was no suitable habitat. The 2011 Qualification Training Range and Beaten Area will remove 10.56 ft² of pine BA on 0.16 acre.

Post-project FHA

The post-project SMS foraging habitat totals were 3,359.63 ft² of pine BA on 63.62 acres of suitable habitat and 460.97 ft² of pine BA on 64.50-acres of future potential habitat. There was no potentially suitable habitat. This cluster will be lost at the cluster level due to loss of foraging habitat; however, reallocation and management of foraging habitat from neighboring lost partitions will enable A16-02 to meet SMS. There is no loblolly pine at high risk of decline within this partition. The post-project RS foraging habitat totals were 3,359.63 ft² of pine BA on 63.62 acres of potentially suitable habitat and 460.97 ft² of pine BA on 64.50 acres of future potential habitat. There was no suitable habitat. This partition cannot meet the RS in the future.

4. (Cluster A17-03)

Proposed Action: 2011 Qualification Training Range and Beaten Area

Projected Effects Of The Action: Cluster level loss due to cavity tree and foraging habitat loss

Analysis

This cluster had a PBG from 2002 to 2005, and a PBG and a helper in 2006. The cluster contained 11 cavity trees in various stages of completion and suitability. The 2011 Qualification Training Range and Beaten Area will remove 11 of 11 cavity trees, which will result in loss of the cluster by loss of cavity trees.

Pre-project FHA

The pre-project SMS foraging habitat totals were 5,175.53 ft² of pine BA on 97.13 acres of suitable habitat and 1,014.50 ft² of pine BA on 20.29 acres of potentially suitable habitat. There was no future potential habitat. The pre-project RS foraging habitat totals were 2,671.24 ft² of pine BA on 51.37 acres of potentially suitable habitat and 3,518.79 ft² of pine BA on 66.05 acres of future potential habitat. There was no suitable habitat. The 2011 Qualification Training Range and Beaten Area will remove 5,769.38 ft² of pine BA on 109.12-acres.

Post-project FHA

The post- project SMS foraging habitat totals were 0.53 ft² of pine BA on 0.01 acre of suitable habitat and 274.00 ft² of pine BA on 5.48 acres of potentially suitable habitat. There was no future potential habitat. This cluster will be lost at the cluster level due to loss of foraging habitat. Loblolly pine that is at high risk of decline accounts for 56.28 % of the SMS post-project suitable and potentially suitable acreage. The post- project RS foraging habitat totals were 274.53 ft² of pine BA on 5.49 acres of future potential habitat. There was no suitable or potentially suitable habitat. This partition cannot meet the RS in the future. This cluster will be lost at the cluster level due to cavity tree loss and loss of foraging habitat.

5. (Cluster A17-14)

Proposed Action: 2011 Qualification Training Range and Beaten Area
Projected Effects Of The Action: Cluster level loss due to cavity tree and foraging habitat loss

Analysis

This cluster was captured by Cluster A13-03 in 2002, and had a PBG from 2003 to 2006. This cluster contained seven cavity trees in various stages of completion and suitability. The 2011 Qualification Training Range and Beaten Area will remove seven of seven cavity trees which will result in loss of the cluster by loss of cavity trees.

Pre project FHA

The pre-project SMS foraging habitat totals were 7,987.49 ft² of pine BA on 155.95 acres of suitable habitat, 4,033.36 ft² of pine BA on 71.56 acres of potentially suitable habitat and 1.76 ft² of pine BA on 3.69 acres of future potential habitat. The pre-project RS foraging habitat totals were 2,277.08 ft² of pine BA on 43.79 acres of potentially suitable habitat and 9,745.53 ft² of pine BA on 187.41 acres of future potential habitat. There was no suitable habitat. The 2011 Qualification Training Range and Beaten Area will remove 869.17 ft² of pine BA on 16.32 acres.

Post-project FAH

The post-project SMS foraging habitat totals were 7,118.32 ft² of pine BA on 139.63 acres of suitable habitat, 4,033.36 ft² of pine BA on 71.56 acres of potentially suitable habitat and 1.76 ft² of pine BA on 3.69 acres of future potential habitat. This cluster will not be lost at the cluster level due to loss of foraging habitat. Loblolly pine that is at high risk of decline accounts for 100 % of the SMS post-project suitable and potentially suitable acreage. The post-project RS foraging habitat totals were 2,102.49 ft² of pine BA on 40.70 acres of potentially suitable habitat and 9,050.95 ft² of pine BA on 174.18 acres of future potential habitat. There was no suitable

habitat. This cluster can meet the RS in the future. This cluster will be lost at the cluster level due to cavity tree loss and loss of foraging habitat.

6. (Cluster BB03-01R)

Proposed Action: 2007 Trainee Barracks Complex 1 Barrow Pit Area; 2009 Tank Trail Construction; and 2012 Battle Command Training Center

Projected Effects Of The Action: Cluster level loss due to loss of foraging habitat

Analysis

This cluster had a PBG from 2002 to 2005, and a solitary male in 2006. The cluster contained 10 cavity trees in various stages of completion and suitability. No cavity trees will be lost or impacted.

Pre-project FHA

The pre-project SMS foraging habitat totals were 1,020.86 ft² of pine BA on 27.62 acres of suitable habitat, 2,169.33 ft² of pine BA on 50.29-acres of potentially suitable habitat and 2,169.33 ft² of pine BA on 143.97 acres of future potential habitat. The pre- project RS foraging habitat totals were 428.29 ft² of pine BA on 8.87 acres of potentially suitable habitat and 5,387.04 ft² of pine BA on 213.01 acres of future potential habitat. There was no suitable habitat. The 2007 Trainee Barracks Complex 1 Borrow Pit Area will remove 414.24 ft² of pine BA on 16.55 acres. The 2009 Tank Trail Construction will remove 42.05 ft² of pine BA on 2.20 acres. The 2012 Battle Command Training Center will remove 35.40 ft² of pine BA on 1.20 acres.

Post-project FHA

The post-project SMS foraging habitat totals were 1,020.86 ft² of pine BA on 27.62 acres of suitable habitat, 804.57 ft² of pine BA on 16.70-acres of potentially suitable habitat and 1,881.50 ft² of pine BA on 104.69 acres of future potential habitat. This cluster will be lost at the cluster level due to loss of foraging habitat. Loblolly pine that is at high risk of decline accounts for 67.66 % of the SMS post-project suitable and potentially suitable acreage. The post-project RS foraging habitat totals were 428.29 ft² of pine BA on 8.87-acres of potentially suitable habitat and 3,278.64 ft² of pine BA on 140.14 acres of future potential habitat. There was no suitable habitat. This partition can meet the RS in the future.

7. (Cluster D08-01R)

Proposed Action: 2010 Repair/ Upgrade Existing Training Area Roads

Projected Effects Of The Action: Loss is expected at the group level

Analysis

This cluster contained a solitary male in 2002, a PBG in 2003 and 2004, and a solitary male in 2005 and 2006. The cluster contained eight cavity trees in various stages of completion and suitability. No cavity trees will be lost or impacted.

Pre-project FHA

The pre-project SMS foraging habitat totals were 4,104.18 ft² of pine BA on 113.10 acres of suitable habitat and 1,321.06 ft² of pine BA on 139.48 acres of future potential habitat. There

was no potentially suitable habitat. The pre-project RS foraging habitat totals were 68.89 ft² of pine BA on 1.59 acres of potentially suitable habitat and 5,351.85 ft² of pine BA on 250.98 acres of future potential habitat. There was no suitable habitat. The 2010 Repair/ Upgrade Existing Training Area Roads project will remove 109.46 ft² of pine BA on 3.32 acres.

Post-project FHA

The post-project SMS foraging habitat totals were 4,011.58 ft² of pine BA on 110.49 acres of suitable habitat and 1,304.20 ft² of pine BA on 138.77-acres of future potential habitat. There was no potentially suitable habitat. Cluster D08-01R has not consistently had a PBG for the last five years. Clusters that meet the lower foraging habitat guidelines (established during informal consultation for this action), but are not demographically stable, still require an assessment for loss. Because of the distance of the proposed road upgrade from the cluster center (approximately 0.35 miles), the relatively small amount of foraging habitat removed and the sufficient foraging habitat remaining post-project, this cluster is not expected to be eliminated at the cluster level due to loss of foraging habitat. Loblolly pine that is at high risk of decline accounts for 57.25 % of the SMS post-project suitable and potentially suitable acreage. The post-project RS foraging habitat totals were 52.42 ft² of pine BA on 1.21 acres of potentially suitable habitat and 5,258.86 ft² of pine BA on 248.04 acres of future potential habitat. There was no suitable habitat. This cluster can meet the RS in the future. This cluster is expected to be lost at the group level.

8. (Cluster D10-01)

Proposed Action: 2009 Heavy Maneuver Corridor – South (Maneuver Heavy Use Areas)

Projected Effects Of The Action: Cluster level loss due to loss of foraging habitat

Analysis

This cluster had a PBG from 2002 to 2006, and contained 10 cavity trees in various stages of completion and suitability. The 2009 Heavy Maneuver Corridor-South will have impacts within 51 to 200 feet of nine of 10 cavity trees .

Pre-project FHA

The pre- project SMS foraging habitat totals were 1,472.00 ft² of pine BA on 44.24 acres of suitable habitat and 672.54 ft² of pine BA on 76.66 acres of future potential habitat. There was no potentially suitable habitat. The pre-project RS foraging habitat totals were 2,144.54 ft² of pine BA on 120.90 acres of future potential habitat. There was no suitable or potentially suitable habitat. The 2009 Heavy Maneuver Corridor–South (Maneuver Heavy Use Areas) will remove zero ft² of pine BA on 1.35 acres.

Post-project FHA

The post-project SMS foraging habitat totals were 1,472.00 ft² of pine BA on 44.24 acres of suitable habitat and 672.54 ft² of pine BA on 75.31-acres of future potential habitat. There was no potentially suitable habitat. This cluster will be lost at the cluster level due to loss of foraging habitat. Loblolly pine that is at high risk of decline accounts for 62.25 % of the SMS post-project suitable and potentially suitable acreage. The post-project RS foraging habitat totals were 2,144.54 ft² of pine BA on 119.55 acres of future potential habitat. There was no suitable or potentially suitable habitat.

9. (Cluster D11-01)

Proposed Action: 2009 Heavy Maneuver Corridor – South (Maneuver Heavy Use Areas)

Projected Effects Of The Action: Cluster level loss due to cavity tree loss, foraging habitat loss and harassment impacts

Analysis

This cluster had a PBG from 2002 to 2006, and contained nine cavity trees in various stages of completion and suitability. Seven of seven cavity trees will be subject to military training impacts as a result of the 2009 Heavy Maneuver Corridor–South, which could result in elimination of the cluster by loss of cavity trees or harassment.

Pre-project FHA

The pre-project SMS foraging habitat totals were 3,472.58 ft² of pine BA on 93.02 acres of suitable habitat and 96.31 ft² of pine BA on 49.47 acres of future potential habitat. There was no potentially suitable habitat. The pre-project RS foraging habitat totals were 20.71 ft² of pine BA on 0.41 acre of potentially suitable habitat and 3,548.18 ft² of pine BA on 142.08 acres of future potential habitat. There was no suitable habitat. The 2009 Heavy Maneuver Corridor–South (Maneuver Heavy Use Areas) will remove 1,867.90 ft² of pine BA on 81.60 acres.

Post-project FHA

The post-project SMS foraging habitat totals were 1,635.94 ft² of pine BA on 43.79 acres of suitable habitat and 65.05 ft² of pine BA on 17.10 acres of future potential habitat. There was no potentially suitable habitat. This cluster will be lost at the cluster level due to loss of foraging habitat. Loblolly pine that is at high risk of decline accounts for 18.16 % of the SMS post-project suitable and potentially suitable acreage. The post-project RS foraging habitat totals were 20.71 ft² of pine BA on 0.41 acre of potentially suitable habitat and 1,680.28 ft² of pine BA on 60.48 acres of future potential habitat. There was no suitable habitat. This partition cannot meet the RS in the future. This cluster will be lost at the cluster level due to cavity tree loss, loss of foraging habitat and harassment impacts. Cluster D11-01 is currently monitored as a minimization effort. for the DMPRC (FBCB, unpub. data, 2007).

10. (Cluster D11-02)

Proposed Action: 2009 Heavy Maneuver Corridor – South (Maneuver Heavy Use Areas)

Projected Effects Of The Action: Cluster level loss due to cavity tree loss, foraging habitat loss and harassment impacts

Analysis

This cluster had a PBG from 2002 to 2006, and contained seven cavity trees in various stages of completion and suitability. The 2009 Heavy Maneuver Corridor–South will have impacts within 51 to 200 feet of seven of seven cavity trees.

Pre-project FHA

The pre-project SMS foraging habitat totals were 3,994.86 ft² of pine BA on 108.40 acres of suitable habitat and 1,305.57 ft² of pine BA on 55.81 acres of future potential habitat. There was

no potentially suitable habitat. The pre-project RS foraging habitat totals were 24.75 ft² of pine BA on 0.49 acre of potentially suitable habitat and 5,275.68 ft² of pine BA on 163.72 acres of future potential habitat. There was no suitable habitat. The 2009 Heavy Maneuver Corridor–South (Maneuver Heavy Use Areas) will remove 2,879.66 ft² of pine BA on 84.56 acres.

Post-project FHA

The post-project SMS foraging habitat totals were 716.21 ft² of pine BA on 18.45 acres of suitable habitat and 486.44 ft² of pine BA on 18.82 acres of future potential habitat. There was no potentially suitable habitat. This cluster will be lost at the cluster level due to loss of foraging habitat. Loblolly pine that is at high risk of decline accounts for 100.00 % of the SMS post-project suitable and potentially suitable acreage. The post-project RS foraging habitat totals were 24.75 ft² of pine BA on 0.49 acre of potentially suitable habitat and 1,177.90 ft² of pine BA on 36.78 acres of future potential habitat. There was no suitable habitat. This partition cannot meet the RS in the future. This cluster will be eliminated at the cluster level due to cavity tree loss, loss of foraging habitat and harassment impacts. Cluster D11-02 is currently monitored as a minimization effort for the DMPRC (FBCB, unpub. data, 2007).

11. (Cluster D16-02)

Proposed Action: 2009 Heavy Maneuver Corridor – South (Maneuver Heavy Use Areas)

Projected Effects Of The Action: Cluster level loss due to loss of foraging habitat

Analysis

This cluster had a PBG from 2002 to 2006, and contained seven cavity trees in various stages of completion and suitability. The 2009 Heavy Maneuver Corridor-South will result in impacts within 50 feet of two of seven cavity trees. These two cavity trees will also be subject to military training impacts.

Pre-project FHA

The pre-project SMS foraging habitat totals were 534.92 ft² of pine BA on 15.33 acres of suitable habitat and 3,299.43 ft² of pine BA on 200.53 acres of future potential habitat. There was no potentially suitable habitat. The pre-project RS foraging habitat totals were 3,834.35 ft² of pine BA on 215.86 acres of future potential habitat. There was no suitable or potentially suitable habitat. The 2009 Heavy Maneuver Corridor–South (Maneuver Heavy Use Areas) will remove 752.09 ft² of pine BA on 57.94 acres.

Post-project FHA

The post- project SMS and RS foraging habitat totals were 1,715.54 ft² of pine BA on 90.56 acres of future potential habitat. This cluster will be lost at the cluster level due to loss of foraging habitat. There is no loblolly pine at high risk of decline within this partition. This partition cannot meet the RS in the future. There is no loblolly pine at high risk of decline within this partition. The post-project RS foraging habitat totals were 1,483.69 ft² of pine BA on 34.52 acres of potentially suitable habitat and 3,591.22 ft² of pine BA on 135.77 acres of future potential habitat. There was no suitable habitat. This cluster can meet the RS in the future.

12. (Cluster F02-01R)

Proposed Action: 2009 Heavy Maneuver Corridor – South (Maneuver Heavy Use Areas); 2010 Repair/ Upgrade Existing Training Area Roads

Projected Effects Of The Action: Cluster level loss due to loss of foraging habitat

Analysis

This cluster was inactive between 2002 and 2004, had a solitary male in 2005 and a PBG in 2006. The cluster contained four cavity trees in various stages of completion and suitability. No cavity trees will be lost or impacted.

Pre-project FHA

The pre-project SMS foraging habitat totals were 3,739.60 ft² of pine BA on 85.24 acres of suitable habitat and 2,585.72 ft² of pine BA on 124.79 acres of future potential habitat. There was no potentially suitable habitat. The pre-project RS foraging habitat totals were 3,172.46 ft² of pine BA on 70.53 acres of potentially suitable habitat and 3,152.86 ft² of pine BA on 139.50 acres of future potential habitat. There was no suitable habitat. The 2009 Heavy Maneuver Corridor–South (Maneuver Heavy Use Areas) will remove 1,753.36 ft² of pine BA on 65.55-acres. The 2010 Repair/ Upgrade Existing Training Area Roads project will remove 22.01 ft² of pine BA on 0.70 acre.

Post-project FHA

The post-project SMS foraging habitat totals were 2,900.98 ft² of pine BA on 65.10 acres of suitable habitat and 1,582.75 ft² of pine BA on 73.46 acres of future potential habitat. There was no potentially suitable habitat. This cluster will be lost at the cluster level due to loss of foraging habitat. Loblolly pine that is at high risk of decline accounts for 31.09 % of the SMS post-project suitable and potentially suitable acreage. The post-project RS foraging habitat totals were 2,713.46 ft² of pine BA on 60.10 acres of potentially suitable habitat and 1,770.27 ft² of pine BA on 78.46 acres of future potential habitat. There was no suitable habitat.

13. (Cluster HCC-03R)

Proposed Action: 2007 Training Support Brigade Complex; 2008 Unit Maintenance Activity Facility; 2008 Road Improvements; 2009 Drivers Training Course; 2009 Museum Operations Support Building; 2009 Centralized Wash Facility; 2009 Vehicle Maintenance Instruction Facility; and the 2011 3rd ID Brigade Combat Team Complex

Projected Effects Of The Action: Cluster level elimination due to cavity tree loss

Analysis

This cluster had a PBG from 2002 to 2006, and contained nine cavity trees in various stages of completion and suitability. Construction of the 2009 Centralized Wash Facility will remove two of nine cavity trees and have impacts within 51 to 200 feet of two others. In addition, the 2011 3 ID Brigade Combat Team project will remove five of nine cavity trees which could result in elimination of the cluster by loss of cavity trees.

Pre-project FHA

The pre-project SMS foraging habitat totals were 6,714.85 ft² of pine BA on 165.86 acres of suitable habitat, 1,141.04 ft² of pine BA on 30.15 acres of potentially suitable habitat and 478.61 ft² of pine BA on 30.14 acres of future potential habitat. The pre-project RS foraging habitat totals were 1,799.74 ft² of pine BA on 36.29 acres of potentially suitable habitat and 6,534.76 ft² of pine BA on 189.15 acres of future potential habitat. There was no suitable habitat. The 2007 Training Support Brigade Complex will remove 550.79 ft² of pine BA on 14.66 acres. The 2008 Unit Maintenance Activity Facility will remove 122.10 ft² of pine BA on 3.70 acres. The 2008 Road Improvements will remove 29.88 ft² of pine BA on 1.09 acres. The 2009 Drivers Training Course will remove 69.12 ft² of pine BA of suitable foraging habitat on 2.16 acres. The 2009 Museum Operations Support Building will remove 10.56 ft² of pine BA on 0.32 acre. The 2009 Centralized Wash Facility will remove 2,725.24 ft² of pine BA on 70.00 acres. The 2009 Vehicle Maintenance Instruction Facility will remove 34.26 ft² of pine BA on 0.85 acre. The 2011 3 ID Brigade Combat Team Complex will remove 985.76 ft² of pine BA on 33.08 acres.

Post-project FHA

The post-project SMS foraging habitat totals were 2,633.22 ft² of pine BA on 65.10 acres of suitable habitat, 1,057.20 ft² of pine BA on 26.81 acres of potentially suitable habitat and 101.97 ft² of pine BA on 7.22 acres of future potential habitat. This cluster will not be lost at the cluster level under the proposed action due to loss of foraging habitat. Loblolly pine that is at high risk of decline accounts for 66.02 % of the SMS post-project suitable and potentially suitable acreage.

The post-project RS foraging habitat totals were 197.23 ft² of pine BA on 3.83 acres of potentially suitable habitat and 3,595.16 ft² of pine BA on 95.30 acres of future potential habitat. There was no suitable habitat. This partition cannot meet the RS in the future. This cluster will be eliminated at the cluster level due to cavity tree loss.

14. (Cluster HCC-11R)

Proposed Action: 2007 Trainee Barracks Complex 1 Borrow Pit Area; 2007 IET Brigade Headquarters Building; 2008 Road Improvements; and 2009 Tank Trail Construction

Projected Effects Of The Action: Cluster level loss due to loss of foraging habitat

Analysis

This cluster was captured by Cluster A06-01 from 2002 to 2004, and had a PBG in 2005 and 2006. The cluster contained seven cavity trees in various stages of completion and suitability. The 2009 Tank Trail Construction will have impacts within 51 to 200 feet of one of seven cavity trees.

Pre-project FHA

The pre-project SMS foraging habitat totals were 385.98 ft² of pine BA on 11.83 acres of suitable habitat and 5,469.75 ft² of pine BA on 241.24 acres of future potential habitat. There was no potentially suitable habitat. The pre-project RS foraging habitat totals were 5,855.73 ft² of pine BA on 253.07 acres of future potential habitat. There was no suitable or potentially suitable habitat. The 2007 Trainee Barracks Complex 1 Borrow Pit Area will remove 206.07 ft² of pine BA on 21.73 acres. The 2007 IET Brigade Headquarters Building will remove 99.69 ft²

of pine BA on 6.18 acres. The 2008 Road Improvements will remove 430.37 ft² of pine BA on 17.06 acres. The 2009 Tank Trail Construction will remove 143.68 ft² of pine BA on 6.23 acres.

Post-project FHA

The post-project SMS foraging habitat totals were 356.70 ft² of pine BA on 11.08 acres of suitable habitat and 4,571.66 ft² of pine BA on 188.47 acres of future potential habitat. There was no potentially suitable habitat. This cluster will be lost at the cluster level due to loss of foraging habitat. Loblolly pine that is at high risk of decline accounts for 9.56 % of the SMS post-project suitable and potentially suitable acreage. The post-project RS foraging habitat totals were 4,928.36 ft² of pine BA on 199.55 acres of future potential habitat. There was no suitable or potentially suitable habitat. This cluster can meet the RS in the future.

15. (Cluster K02-01)

Proposed Action: 2009 Tank/ Fighting Vehicle Stationary Gunnery Range (SGR2) and Beaten Area

Projected Effects Of The Action: Cluster level elimination due to cavity tree and foraging habitat loss

Analysis

This cluster had a PBG from 2002 to 2006, and contained five cavity trees in various stages of completion and suitability. The 2009 Tank/ Fighting Vehicle Stationary Gunnery Range (SGR2) and beaten area will remove five of five cavity trees which will result in elimination of the cluster by loss of cavity trees.

Pre-project FHA

The pre-project SMS foraging habitat totals were 315.11 ft² of pine BA on 10.03 acres of potentially suitable habitat and 5,936.56 ft² of pine BA on 253.93 acres of future potential habitat. There was no suitable habitat. The pre-project RS foraging habitat totals were 6,251.67 ft² of pine BA on 263.96 acres of future potential habitat. There was no suitable or potentially suitable habitat. The 2009 Tank/ Fighting Vehicle Stationary Gunnery Range (SGR2) will remove 4,317.56 ft² of pine BA on 191.70 acres.

Post-project FHA

The post-project SMS foraging habitat totals were 228.93 ft² of pine BA on 7.25 acres of potentially suitable habitat and 1,553.28 ft² of pine BA on 56.33 acres of future potential habitat. There was no suitable habitat. This cluster will be lost at the cluster level due to loss of foraging habitat. Loblolly pine that is at high risk of decline accounts for 52.70 % of the SMS post-project suitable and potentially suitable acreage. The post-project RS foraging habitat totals were 1,782.21 ft² of pine BA on 63.58 acres of future potential habitat. There was no suitable or potentially suitable habitat. This partition cannot meet the RS in the future. This cluster will be eliminated at the cluster level due to cavity tree loss and loss of foraging habitat.

16. (Cluster K10-01R)

Proposed Action: 2010 Construction of Installation-wide Roads

Projected Effects Of The Action: Loss expected at the group level

Analysis

This cluster had a PBG from 2002 to 2006, and contained five cavity trees in various stages of completion and suitability. No cavity trees will be taken or impacted. The 2010 Construction of Installation-wide Roads project will only impact noncontiguous habitat and a foraging habitat analysis was not conducted. This cluster is expected to be lost at the group level.

17. (Cluster K11-02)

Proposed Action: 2010 Construction of Installation-wide Roads

Projected Effects Of The Action: Loss is expected at the group level

Analysis

This cluster had a PBG from 2002 to 2006, and contained 13 cavity trees in various stages of completion and suitability. No cavity trees will be taken or impacted under the proposed projects.

Pre-project FHA

The pre-project SMS foraging habitat totals were 9,093.19 ft² of pine BA on 239.88 acres of suitable habitat, 174.08 ft² of pine BA on 5.12 acres of potentially suitable habitat and 717.70 ft² of pine BA on 77.22 acres of future potential habitat. The pre-project RS foraging habitat totals were 3,532.46 ft² of pine BA on 84.19 acres of potentially suitable habitat and 6,452.51 ft² of pine BA on 238.03 acres of future potential habitat. There was no suitable habitat. The 2010 Construction of Installation-wide Roads project will remove 78.01 ft² of pine BA on 2.58 acres.

Post-project FHA

The post-project SMS foraging habitat totals were 9,073.66 ft² of pine BA on 239.33 acres of suitable habitat, 115.60 ft² of pine BA on 3.40 acres of potentially suitable habitat and 717.70 ft² of pine BA on 76.91 acres of future potential habitat. There was no potentially suitable habitat. This cluster will not be lost at the cluster level to loss of foraging habitat. Loblolly pine that is at high risk of decline accounts for 19.64 % of the SMS post-project suitable and potentially suitable acreage. The post-project RS foraging habitat totals were 3,532.46 ft² of pine BA on 84.19 acres of potentially suitable habitat and 6,374.50 ft² of pine BA on 235.45 acres of future potential habitat. There was no suitable habitat. This cluster can meet the RS in the future. This cluster is expected to be lost at the group level.

18. (Cluster K11-03)

Proposed Action: 2010 Construction of Installation-wide Roads

Projected Effects Of The Action: Cluster level loss due to loss of foraging habitat

Analysis

This cluster had a PBG in 2002, a solitary male in 2003 and PBGs from 2004 to 2006. The cluster contained nine cavity trees in various stages of completion and suitability. No cavity trees will be taken or impacted.

Pre-project FHA

The pre-project SMS foraging habitat totals were 1,426.04 ft² of pine BA on 40.17 acres of suitable habitat, 73.44 ft² of pine BA on 2.16 acres of potentially habitat and 2,517.23 ft² of pine

BA on 111.63 acres of future potential habitat. The pre-project RS foraging habitat totals were 4,016.71 ft² of pine BA on 153.96 acres of future potential habitat. There was no suitable or potentially suitable habitat. The 2010 Construction of Installation-wide Roads project will remove 175.54 ft² of pine BA on 8.39 acres.

Post-project FHA

The post-project SMS foraging habitat totals were 1,335.51 ft² of pine BA on 37.62 acres of suitable habitat, 71.06 ft² of pine BA on 2.09 acres of potentially suitable habitat and 2,434.60 ft² of pine BA on 105.86 acres of future potential habitat. This cluster will be lost at the cluster level due to loss of foraging habitat. Loblolly pine that is at high risk of decline accounts for 0.05 % of the SMS post-project suitable and potentially suitable acreage. The post-project RS foraging habitat totals were 3,841.17 ft² of pine BA on 145.57 acres of future potential habitat. There was no suitable or potentially suitable habitat. This partition may not meet the RS in the future.

19. (Cluster K12-01)

Proposed Action: Transformation/ BRAC
Projected Effects Of The Action: Cluster lost at the neighborhood level due to demographic isolation

Analysis / not applicable

20. (Cluster K14-01R)

Proposed Action: 2010 Repair/ Upgrade Existing Training Area Roads
Projected Effects Of The Action: Cluster loss at the cluster level due to loss of foraging habitat

Analysis

This cluster had a PBG from 2002 to 2006, and contained 10 cavity trees in various stages of completion and suitability. The 2010 Repair/ Upgrade Existing Training Area Roads project will have impacts within 51 to 200 feet of two of 10 cavity trees.

Pre-project FHA

The pre-project SMS foraging habitat totals were 3,104.66 ft² of pine BA on 66.02 acres of suitable habitat and 2,013.31 ft² of pine BA on 135.86 acres of future potential habitat. There was no potentially suitable habitat. The pre-project RS foraging habitat totals were 5,118.97 ft² of pine BA on 211.89 acres of future potential habitat. There was no suitable or potentially suitable habitat. The 2010 Repair/ Upgrade Existing Training Area Roads project will remove 196.71 ft² of pine BA on 4.95 acres.

Post-project FHA

The post-project SMS foraging habitat totals were 2,946.08 ft² of pine BA on 62.93 acres of suitable habitat and 1,976.18 ft² of pine BA on 134.00 acres of future potential habitat. There was no potentially suitable habitat. This cluster will be lost at the cluster level due to loss of foraging habitat. There is no loblolly pine at high risk of decline within this partition. The post-project RS foraging habitat totals were 4,922.26 ft² of pine BA on 206.94-acres of future potential habitat. There was no suitable or potentially suitable habitat. This cluster can meet the RS in the future.

21. (Cluster K18-03R)

Proposed Action: 2010 Repair/ Upgrade Existing Training Area Roads
Projected Effects Of The Action: Cluster level loss due to loss of foraging habitat

Analysis

This cluster was provisioned in 2006 and had a PBG in 2006. The cluster contained four cavity trees in various stages of completion and suitability. No cavity trees will be taken or impacted.

Pre-project FHA

The pre-project SMS and RS foraging habitat totals were 771.53 ft² of pine BA on 19.05 acres of potentially suitable habitat and 3,755.91 ft² of pine BA on 167.03 acres of future potential habitat. There was no suitable habitat. The 2010 Repair/ Upgrade Existing Training Area Roads project will remove 110.79 ft² of pine BA on 3.62 acres.

Post-project FHA

The post- project SMS and RS foraging habitat totals were 701.87 ft² of pine BA on 17.33 acres of potentially suitable habitat and 3,714.78 ft² of pine BA on 165.13 acres of future potential habitat. There was no suitable habitat. This cluster will be lost at the cluster level under the proposed action Transformation projects due to loss of foraging habitat. Loblolly pine that is at high risk of decline accounts for 60.59 % of the SMS post-project suitable and potentially suitable acreage. This cluster can meet the RS in the future.

22. (Cluster L02-02R)

Proposed Action: 2009 Off-Road Drivers Training Area
Projected Effects Of The Action: Cluster level loss due to loss of foraging habitat

Analysis

This cluster was inactive between 2002 and 2005, and had a PBG in 2006. There are four cavity trees in various stages of completion and suitability. The 2009 Off-Road Drivers Training Area will remove two of four cavity trees and two others will have impacts within 51 to 200 feet. The latter cavity trees were considered to be “removed” because of the likelihood of tree mortality. However, this cluster was not considered to be lost by cavity tree removal, because it is likely that the cluster could be shifted by installing artificial cavities. Both trees are active and would be subject to impacts, however, with the shift of the cluster this effect alone would not result in the loss of the cluster.

Pre-project FHA

The pre-project SMS foraging habitat totals were 4,677.98 ft² of pine BA on 119.30 acres of suitable habitat, 276.90 ft² of pine BA on 9.23 acres of potentially suitable habitat and 1,369.06 ft² of pine BA on 69.59 acres of future potential habitat. The pre-project RS foraging habitat totals were 303.75 ft² of pine BA on 4.86 acres of potentially suitable habitat and 6,020.19 ft² of pine BA on 193.26 acres of future potential habitat. There was no suitable habitat. The 2009 Off Road Drivers Training project will remove 3,849.61 ft² of pine BA on 113.81 acres.

Post-project FHA

The post-project SMS foraging habitat totals were 1,236.38 ft² of pine BA on 28.32 acres of suitable habitat, 197.70 ft² of pine BA on 6.59 acres of potentially suitable habitat and 789.83 ft² of pine BA on 38.83 acres of future potential habitat. This cluster will be taken at the cluster level due to loss of foraging habitat. Loblolly pine that is at high risk of decline accounts for 46.32 % of the SMS post-project suitable and potentially suitable acreage. The post-project RS foraging habitat totals were 303.75 ft² of pine BA on 4.86 acres of potentially suitable habitat and 1,920.16 ft² of pine BA on 68.88 acres of future potential habitat. There was no suitable habitat. This partition cannot meet the RS in the future.

23. (Cluster O08-03R)

Proposed Action: 2007 Tank/ Fighting Vehicle Stationary Gunnery Range (SGR1) and Beaten Area

Projected Effects Of The Action: Cluster level loss due to loss of foraging habitat

Analysis

This cluster had a PBG from 2002 to 2006, and contained eight cavity trees in various stages of completion and suitability. No cavity trees will be taken or impacted.

Pre-project FHA

The pre-project SMS foraging habitat totals 279.13 ft² of pine BA on 9.14 acres of potentially suitable habitat and 2,921.27 ft² of pine BA on 137.69 acres of future potential habitat. There was not suitable habitat. The pre-project RS foraging habitat totals were 3,200.40 ft² of pine BA on 146.83 acres of future potential habitat. There was no suitable or potentially suitable habitat. The 2007 Tank/ Fighting Vehicle Stationary Gunnery Range (SGR1) will remove 455.19 ft² of pine BA on 19.02 acres.

Post-project FHA

The post-project SMS foraging habitat totals were 239.83 ft² of pine BA on 7.83 acres of potentially suitable habitat and 2,505.38 ft² of pine BA on 119.98 acres of future potential habitat. There was no suitable habitat. This cluster will be lost at the cluster level. Loblolly pine that is at high risk of decline accounts for 100% of the SMS post-project suitable and potentially suitable acreage. The post-project RS foraging habitat totals were 2,745.21 ft² of pine BA on 127.81 acres of future potential habitat. There was no suitable or potentially suitable habitat.

24. (Cluster O09-04R)

Proposed Action: 2007 Tank/ Fighting Vehicle Stationary Gunnery Range (SGR1) and Beaten Area

Projected Effects Of The Action: Cluster level elimination due to cavity tree and foraging habitat loss

Analysis

This cluster had a solitary male in 2002, was inactive from 2003 to 2005, and had a PBG in 2006. The cluster contained seven cavity trees in various stages of completion and suitability. The 2007 Tank/ Fighting Vehicle Stationary Gunnery Range (SGR1) and beaten area will

remove seven of seven cavity trees which will result in elimination of the cluster by loss of cavity trees.

Pre-project FHA

The pre-project SMS foraging habitat totals were 4,750.67 ft² of pine BA on 118.37 acres of suitable habitat, 1,674.92 ft² of pine BA on 53.69 acres of potentially suitable habitat and 1.28 ft² of pine BA on 52.52 acres of future potential habitat. The pre-project RS foraging habitat totals were 3,267.44 ft² of pine BA on 81.42 acres of potentially suitable habitat and 3,159.43 ft² of pine BA on 143.16 acres of future potential habitat. There was no suitable habitat. The 2007 Tank/ Fighting Vehicle Stationary Gunnery Range (SGR1) will remove 4,378.74 ft² of pine BA on 146.00 acres.

Post-project FHA

The post-project SMS foraging habitat totals were 1,637.54 ft² of pine BA on 39.77 acres of suitable habitat, 350.52 ft² of pine BA on 10.16 acres of potentially suitable habitat and 1.28 ft² of pine BA on 10.67 acres of future potential habitat. This cluster will be lost at the cluster level due to loss of foraging habitat. Loblolly pine that is at high risk of decline accounts for 42.46 % of the SMS post-project suitable and potentially suitable acreage. The post-project RS foraging habitat totals were 372.40 ft² of pine BA on 9.31 acres of potentially suitable habitat and 1,616.94 ft² of pine BA on 51.29 acres of future potential habitat. There was no suitable habitat. This partition cannot meet the RS in the future. This cluster will be eliminated at the cluster level due to cavity tree loss and loss of foraging habitat.

25. (Cluster O09-05R)

Proposed Action: 2007 Tank/ Fighting Vehicle Stationary Gunnery Range (SGR1) and Beaten Area

Projected Effects Of The Action: Cluster level elimination due to cavity tree and foraging habitat loss

Analysis

This cluster had a PBG from 2002 to 2006, and contained six cavity trees in various stages of completion and suitability. The 2007 Tank/ Fighting Vehicle Stationary Gunnery Range (SGR1) and beaten area will remove six of six cavity trees which will result in take of the cluster by loss of cavity trees.

Pre-project FHA

The pre-project SMS foraging habitat totals were 8,833.70 ft² of pine BA on 183.45 acres of suitable habitat, 1,988.24 ft² of pine BA on 57.63 acres of potentially suitable habitat and 766.33 ft² of pine BA on 44.10 acres of future potential habitat. The pre-project RS foraging habitat totals were 2,385.30 ft² of pine BA on 49.94 acres of potentially suitable habitat and 9,202.97 ft² of pine BA on 235.24 acres of future potential habitat. There was no suitable habitat. The 2007 Tank/ Fighting Vehicle Stationary Gunnery Range (SGR1) will remove 9,125.81 ft² of pine BA on 241.05 acres.

Post-project FHA

The post-project SMS foraging habitat totals were 2,288.36 ft² of pine BA on 37.93 acres of suitable habitat, 16.21 ft² of pine BA on 0.47 acre of potentially suitable habitat and 154.67 ft² of pine BA on 5.60 acres of future potential habitat. This cluster will be eliminated at the cluster

level due to loss of foraging habitat, however, if the cluster is shifted to the north with installation of artificial cavity trees, and the foraging habitat from neighboring eliminated partitions is reallocated and managed, O09-05 can meet SMS. Loblolly pine that is at high risk of decline accounts for 10.57 % of the SMS post-project suitable and potentially suitable acreage. The post-project RS foraging habitat totals were 2,459.24 ft² of pine BA on 44.00 acres of future potential habitat. There was no suitable or potentially suitable habitat. This partition can meet the RS in the future with reallocation of habitat from neighboring eliminated partitions. This cluster will be eliminated at the cluster level due to cavity tree loss and loss of foraging habitat.

26. (Cluster R01-01)

Proposed Action: 2008 Infrastructure Support; 2009 Vehicle Recovery Area; and 2009 Tank Trail Construction

Projected Effects Of The Action: Cluster level loss due to loss of foraging habitat

Analysis

This cluster had a PBG from 2002 to 2006, and contained 12 cavity trees in various stages of completion and suitability. The 2009 Vehicle Recovery Area will have impacts within 51 to 200 feet of 12 of 12 cavity trees.

Pre-project FHA

The pre-project SMS foraging habitat totals were 2,182.36 ft² of pine BA on 48.48 acres of suitable habitat, 1,321.06 ft² of pine BA on 34.79 acres of potentially suitable habitat and 1,853.97 ft² of pine BA on 86.18 acres of future potential habitat. The pre-project RS foraging habitat totals were 1,336.55 ft² of pine BA on 23.72 acres of potentially suitable habitat and 4,020.84 ft² of pine BA on 145.73 acres of future potential habitat. There was no suitable habitat. The 2008 Infrastructure Support will remove 268.80 ft² of pine BA on 4.48 acres. The 2009 Vehicle Recovery Area will remove 4,983.69 ft² of pine BA on 151.66 acres. The 2009 Tank Trail Construction will remove 20.06 ft² of pine BA on 1.52 acres.

Post-project FHA

The post-project SMS foraging habitat totals were 43.50 ft² of pine BA on 1.44 acres of suitable habitat and 41.34 ft² of pine BA on 10.35 acres of future potential habitat. This cluster will be lost at the cluster level due to loss of foraging habitat. There is no loblolly pine at high risk of decline within this partition. The post-project RS foraging habitat totals were 0.60 ft² of pine BA on 0.01 acre of potentially suitable habitat and 84.24 ft² of pine BA on 11.78 acres of future potential habitat. There was no suitable or potentially suitable habitat. This partition cannot meet the RS in the future.

27. (Cluster R01-03R)

Proposed Action: 2009 Tank Trail Construction; 2009 Vehicle Recovery Area

Projected Effects Of The Action: Cluster level loss due to loss of foraging habitat

Analysis

This cluster had a PBG from 2002 to 2006, and contained 13 cavity trees in various stages of

completion and suitability. The 2009 Vehicle Recovery Area will have impacts within 51 to 200 feet of 13 of 13 cavity trees.

Pre-project FHA

The pre-project SMS foraging habitat totals were 871.78 ft² of pine BA on 27.68 acres of potentially suitable habitat and 557.29 ft² of pine BA on 40.59 acres of future potential habitat. There was no suitable habitat. The pre-project RS foraging habitat totals were 1,429.07 ft² of pine BA on 68.27 acres of future potential habitat. There was no suitable or potentially suitable habitat. The 2009 Vehicle Recovery Area will remove 848.83 ft² of pine BA on 40.60 acres. The 2009 Tank Trail Construction will remove 2.79 ft² of pine BA on 0.25 acre.

Post-project FHA

The post-project SMS foraging habitat totals were 91.76 ft² of pine BA on 2.96 acres of potentially suitable habitat and 485.69 ft² of pine BA on 24.46 acres of future potential habitat. There was no suitable habitat. This cluster will be lost at the cluster level due to loss of foraging habitat. Loblolly pine that is at high risk of decline accounts for 100% of the SMS post-project suitable and potentially suitable acreage. The post-project RS foraging habitat totals were 577.45 ft² of pine BA on 27.42 acres of future potential habitat. There was no suitable or potentially suitable habitat. This partition cannot meet the RS in the future.

28. (Cluster R02-01R)

Proposed Action:	2008 General Instruction Building Complex; 2008 Road Improvements; 2009 Vehicle Recovery Area; 2011 3 rd ID Brigade Combat Team Complex; 2011 Physical Fitness Center; and the 2012 DS/ GS Vehicle Maintenance Facility
Projected Effects Of The Action:	Cluster level loss due to loss of foraging habitat

Analysis

This cluster had a PBG from 2002 to 2006, and contained six cavity trees in various stages of completion and suitability. No cavity trees will be lost or impacted.

Pre-project FHA

The pre-project SMS foraging habitat totals were 3,286.40 ft² of pine BA on 80.87 acres of suitable habitat, 846.09 ft² of pine BA on 11.33 acres of potentially suitable habitat and 2,093.80 ft² of pine BA on 96.48 acres of future potential habitat. The pre-project RS foraging habitat totals were 1,911.17 ft² of pine BA on 32.29 acres of potentially suitable habitat and 4,315.12 ft² of pine BA on 156.39 acres of future potential habitat. There was no suitable habitat. The 2008 General Instruction Building Complex will remove 210.25 ft² of pine BA on 12.20 acres. The 2008 Road Improvements will remove 29.96 ft² of pine BA on 1.37 acres. The 2009 Vehicle Recovery Area will remove 771.13 ft² of pine BA on 20.58 acres. The 2011 3 ID Brigade Combat Team Complex will remove 17.09 ft² of pine BA on 0.67 acre. The 2011 Physical Fitness Center with Pool will remove 174.11 ft² of pine BA on 6.57 acres. The 2012 DS/ GS Vehicle Maintenance Facility will remove 259.82 ft² of pine BA on 6.34 acres.

Post-project FHA

The post-project SMS foraging habitat totals were 2,360.43 ft² of pine BA on 56.29-acres of suitable habitat, 720.09 ft² of pine BA on 9.53 acres of potentially suitable habitat and

1,683.40 ft² of pine BA on 75.13 acres of future potential habitat. This cluster will be lost at the cluster level due to loss of foraging habitat. There is no loblolly pine at high risk of decline within this partition. The post-project RS foraging habitat totals were 1,644.97 ft² of pine BA on 25.86 acres of potentially suitable habitat and 3,118.95 ft² of pine BA on 115.09 acres of future potential habitat. There was no suitable habitat.

29. (Cluster SHC-02)

Proposed Action: 2008 Health Clinic Expansion – Winder; 2008 Reception Station Barracks and Processing Center; and 2008 Infrastructure Support

Projected Effects Of The Action: Cluster loss is expected at the group level

Analysis

This cluster had a PBG from 2002 to 2006, and contained 14 cavity trees in various stages of completion and suitability. No cavity trees will be lost or impacted.

Pre-project FHA

The pre-project SMS foraging habitat totals were 1,129.81 ft² of pine BA on 27.00 acres of suitable habitat, 6,275.47 ft² of pine BA on 155.73 acres of potentially suitable habitat and 1,524.38 ft² of pine BA on 62.06 acres of future potential habitat. The pre-project RS foraging habitat totals were 1,569.93 ft² of pine BA on 36.51 acres of potentially suitable habitat and 7,359.73 ft² of pine BA on 208.27 acres of future potential habitat. There was no suitable habitat. The 2008 Health Clinic Expansion – Winder will remove 9.24 ft² of pine BA on 0.39 acre. The 2008 Reception Station Barracks and Processing Center will remove 968.72 ft² of pine BA on 24.86 acres. The 2008 Infrastructure Support will remove 48.32 ft² of pine BA on 1.38 acres.

Post-project FHA

The post-project SMS foraging habitat totals were 1,121.07 ft² of pine BA on 26.77 acres of suitable habitat, 5,286.05 ft² of pine BA on 130.41 acres of potentially suitable habitat and 1,496.26 ft² of pine BA on 60.98 acres of future potential habitat. This cluster will not be lost at the cluster level due to loss of foraging habitat. Loblolly pine that is at high risk of decline accounts for 50.40 % of the SMS post-project suitable and potentially suitable acreage. The post-project RS foraging habitat totals were 1,565.63 ft² of pine BA on 36.41 acres of potentially suitable habitat and 6,337.75 ft² of pine BA on 181.74 acres of future potential habitat. There was no suitable habitat. This cluster can meet the RS in the future. This cluster had zero active clusters within 1.25 miles pre-project. Habitat between cluster SHC-02 and the nearest active cluster, U04-01R, will become more fragmented as a result of cantonment area projects, therefore it will be at more risk of cluster abandonment due to the proposed action. This cluster is expected to be eliminated at the group level.

30. (Cluster T02-01)

Proposed Action: 2009 Combined Arms Collective Training facility, Phase II

Projected Effects Of The Action: Cluster level loss due to loss of foraging habitat

Analysis

This cluster was captured in 2002, was inactive from 2003 to 2005 and contained a solitary male in 2006. The cluster contained 4 cavity trees in various stages of completion and suitability. No cavity trees will be taken or impacted under the proposed action.

Pre-project FHA

The pre- project SMS foraging habitat totals were 1,027.84 ft² of pine BA on 28.16 acres of suitable habitat and 3,019.41 ft² of pine BA on 155.05 acres of future potential habitat. There was no potentially suitable habitat. The pre- project RS foraging habitat totals were 4,047.25 ft² of pine BA on 183.21 acres of future potential habitat. There was no suitable or potentially suitable habitat.

Post-project FHA

The post- project SMS foraging habitat totals were 1,027.84 ft² of pine BA on 28.16 acres of suitable habitat and 2,979.46 ft² of pine BA on 143.05 acres of future potential habitat. This cluster will be taken at the cluster level due to loss of foraging habitat. Loblolly pine that is at high risk of decline accounts for 96.81 % of the SMS post- project suitable and potentially suitable acreage. The post- project RS foraging habitat totals were 4,007.30 ft² of pine BA on 171.21 acres of future potential habitat. There was no suitable or potentially habitat.

31. (Cluster T05-02)

Proposed Action: 2010 Repair/ Upgrade Existing Training Area Roads

Projected Effects Of The Action: Cluster level loss due to loss of foraging habitat

Analysis

This cluster had a PBG from 2002 to 2006, and contained 11 cavity trees in various stages of completion and suitability. No cavity trees will be taken or impacted under the proposed action.

Pre-project FHA

The pre-project SMS foraging habitat totals were 2,120.44 ft² of pine BA on 62.61 acres of suitable habitat, 394.27 ft² of pine BA on 8.86 acres of potentially suitable habitat and 659.27 ft² of pine BA on 110.82 acres of future potential habitat.

The pre-project RS foraging habitat totals were 3,173.98 ft² of pine BA on 182.29 acres of future potential habitat. There was no suitable or potentially suitable habitat. The 2010 Construction of Installation-wide Roads project will remove 50.76 ft² of pine BA on 1.22 acres.

Post-project FHA

The post-project SMS foraging habitat totals were 2,069.68 ft² of pine BA on 61.39 acres of suitable habitat, 394.27 ft² of pine BA on 8.86 acres of potentially suitable habitat and 659.27 ft² of pine BA on 110.82 acres of future potential habitat. This cluster will be lost at the cluster level due to loss of foraging habitat. Loblolly pine that is at high risk of decline accounts for 0.26 % of the SMS post-project suitable and potentially suitable acreage. The post-project RS foraging habitat totals were 3,123.22 ft² of pine BA on 181.07 acres of future potential habitat. There was no suitable or potentially suitable habitat. This cluster can meet the RS in the future. Cluster T05-02 is currently monitored as a minimization effort for the DMPC (FBCB, unpub. data, 2007).

32. (Cluster U04-01R)

Proposed Action: 2007 Trainee Barracks Complex 2
Projected Effects Of The Action: Cluster level loss due to loss of foraging habitat

Analysis

This cluster had a PBG from 2002 to 2006, and contained eight cavity trees in various stages of completion and suitability. No cavity trees will be taken or impacted.

Pre-project FHA

The pre-project SMS foraging habitat totals were 3,401.68 ft² of pine BA on 71.18 acres of suitable habitat, 560.15 ft² of pine BA on 14.89 acres of potentially suitable habitat and 622.81 ft² of pine BA on 46.09 acres of future potential habitat. The pre-project RS foraging habitat totals were 2,536.78 ft² of pine BA on 50.29 acres of potentially suitable habitat and 2,047.86 ft² of pine BA on 81.87 acres of future potential habitat. There was no suitable habitat. The 2007 Trainee Barracks Complex Two will remove 1,454.16 ft² of pine BA on 40.02 acres.

Post-project FHA

The post-project SMS foraging habitat totals were 2,286.63 ft² of pine BA on 45.59 acres of suitable habitat, 560.14 ft² of pine BA on 14.89 acres of potentially suitable habitat and 283.70 ft² of pine BA on 31.66 acres of future potential habitat. This cluster will be lost at the cluster level due to loss of foraging habitat. Loblolly pine that is at high risk of decline accounts for 29.48 % of the SMS post-project suitable and potentially suitable acreage. The post-project RS foraging habitat totals were 1,936.23 ft² of pine BA on 38.38 acres of potentially suitable habitat and 1,194.25 ft² of pine BA on 53.76 acres of future potential habitat. There was no suitable habitat. This partition cannot meet the RS in the future.

Group Level Analysis - Results

The Group Level Analysis evaluates density effects to clusters directly impacted by the proposed action, but not eliminated at the cluster level. Four clusters (D18-01R, K10-01R, K11-02R and SHC-02) were considered lost due to project related group density reduction around the subject clusters (i.e., 4.7 active groups within 1.25 miles). Detailed analysis for these groups are included in the previous section.

D08-01R. This cluster had zero active clusters within 1.25 miles pre-project. Habitat between D18-01R and the nearest active clusters, D16-01 and D16-02, is fragmented by young pine plantations and will become more so with the proposed Maneuver Corridor – South; therefore, this cluster will be at a greater risk of cluster abandonment due to the proposed action.

K10-01R. This cluster's group density will be reduced from two active clusters within 1.25 miles to one cluster within 1.25 miles.

K11-02. This cluster's group density will be reduced from two active clusters within 1.25 miles to one cluster within 1.25 miles.

SHC-02. This cluster had zero active clusters within 1.25 miles pre-project. Habitat between SHC-02 and the nearest active cluster, U04-01R, will become more fragmented as a result of

cantonment area projects; therefore it will be at more risk of cluster abandonment due to the proposed action.

Neighborhood Level Analysis - Results

The Neighborhood Level Analysis evaluates indirect group density impacts to clusters not directly impacted by the proposed action within a 2.57 mile radius “Neighborhood.” One cluster (K12-01) was considered lost due to project related neighborhood level impacts.

Population Level Analysis - Results

Cluster Impacts: Post-project, 32 of the 80 analyzed (i.e., those impacted by the proposed action) active RCW clusters will be eliminated as a result of forage loss, cavity tree removal, group level impacts and/ or neighborhood level impacts. In addition, four clusters will have less than 120 acres of manageable habitat and will be unable to meet the RS in the future. Eight other clusters will have between 120 and 150 acres of habitat, and may or may not be able to meet the RS depending on local site conditions and management regime. Two inactive clusters will also have all of their cavity trees removed, reducing the number of recruitment clusters available on the Installation for population growth.

Post-project, there are approximately 74,737 acres of contiguous pine habitat, 21,481 of those acres are in loblolly or shortleaf pine stands at high risk of decline. According to an analysis by FBCB (M. Barron, pers. comm., 2007) adequate contiguous acreage will be available post-project to ultimately achieve the population goal of 428 managed clusters, which will yield 351 potential breeding groups at ≥ 120 acres/cluster. Existing clusters remaining post-project were left in their current location wherever possible, however, some were shifted in order to optimize habitat usage. When habitat use is optimized, there could be as many as 457 RCW clusters on the future landscape (this assumes no additional permanent loss of habitat). As stated previously, FBLMB is in the process of identifying upland hardwood stands for pine conversion purposes. As of March 2007, approximately 740 acres in 25 stands of upland hardwoods had been designated for conversion to longleaf pine. This action could potentially add substantial acreage of RCW habitat to Ft. Benning. (P. Swiderek, FBCB, pers. comm., 2007).

Fragmentation: The proposed action will create several large openings, the largest being the Good Hope Maneuver Area ($\pm 9,500$ acres, averaging 4.2 miles by 2.8 miles), SGR1 (± 984 acres, averaging 0.8 mile by 2.0 miles), SGR2 (± 890 acres, averaging 0.8 mile by 2.0 miles), MPMG3 (± 404 acres, averaging 0.7 mile by 1.1 miles) and the QTR (± 432 acres, 0.7 mile by 1.1 miles).

Additionally, the combined development in the Harmony Church area could create an opening $\pm 1,157$ acres (averaging 1.8 miles by 1.0 mile). While these openings will be substantial and RCWs are unlikely to cross them directly, sufficient dispersal corridors will remain so that no habitat necessary for recovery will be permanently isolated as a result of the proposed action. Clusters SHC-01 (inactive) and SHC-02 (active), as well as the remaining habitat in the Sand Hill area, are currently somewhat isolated and will become more so with the proposed action; however, as young pine plantations age (i.e., ≥ 30 years), this area could become contiguous habitat to count toward recovery in the future. Clusters in the southeast corner of the Installation (e.g., Compartments H1, G5 and/ or F4) are also somewhat isolated from clusters to the west by large, young pine plantations. Maneuver training in the proposed Maneuver Corridor-South is not expected to worsen this situation. In time, the young plantations will serve as a sufficient

dispersal corridor to link these clusters with clusters to the west. Stands in the proposed Good Hope Maneuver Area are currently too young to provide a dispersal corridor between clusters south of the A20 Dudded Impact Area with clusters east of the Impact Area and US Hwy. 27-280. The Impact Area currently provides the most valuable link between RCWs to the south and west with the remainder of the Ft. Benning population. Retention of active clusters south and west of the A20 Impact Area will be crucial in order to eventually establish a viable subpopulation in the Alabama portion of the Installation.

Spatial Arrangement of Remaining Clusters: As described in previous sections, research has shown that the more aggregated RCW clusters are, the higher the probability of persistence, even with substantial foraging habitat loss. Therefore, the area with the greatest aggregation of clusters are considered to be the most stable.

Pre-project, these areas on Ft. Benning are in and around the A20 Dudded Impact Area in the southwest, northeast of Ochillee Creek around Hourglass Road in the center of the Installation, and in the Oscar compartments in the northwestern corner of the Installation. There will be some substantial reductions in cluster density in areas, particularly in the Harmony Church area and the Maneuver Corridor-South, but there will still be three areas with densely aggregated clusters post-Transformation. One of these areas, however, includes clusters in the A20 Dudded Impact Area. Maintaining the high density of these “core” areas should ensure that the post project population will survive and grow on the Installation until habitat conditions are suitable for recovery.

Population Status: Looking solely at acreage (74,737 acres), post-Transformation, Ft. Benning has sufficient acreage to support its recovery goal of 428 clusters (150 acres times 428 equals 64,200 acres). However, the approximately 30,000 acres needing conversion to longleaf pine and the ongoing loblolly pine decline impede Ft. Benning’s ability to meet the population goal in the near term, even without the proposed action. The 2003 Recovery Plan estimated that Ft. Benning, assuming a 5% per year growth rate, could achieve its recovery goal by 2018. This projection did not account for forest restoration requirements, forest decline, and other habitat management issues, and also assumed a 200-acre/cluster standard. If longleaf pine is planted at its current planting rate of 1500 acres/year, in approximately 20 years (2027) the 30,000 acres would be converted to longleaf pine. Estimating the timeline for meeting the population goal (i.e., with Transformation in place including the project-specific standard of 150 acres per cluster) must take into account the growth of the existing 266 active managed clusters, the growth of the newly converted acreage and the sustainability of the current overstory pine forest. Modeling by the Army indicates that Transformation could delay the availability of sufficient nesting habitat for 428 clusters, using any species of pine, from approximately 2047 (without the action) to approximately 2082 (with the action).

Recovery Unit Analysis

Analyses at the Cluster, Group, Neighborhood and Population Levels indicates that Ft. Benning will retain the ability to support a primary core population, thereby continuing to perform the role described for it in the species’ recovery plan (USFWS 2003a). The proposed action is likely to delay, but will not prevent, recovery of the Ft. Benning RCW population.

While Ft. Benning is geographically within the Sandhills Recovery Unit, the closest RCW recovery populations to Ft. Benning are the Piedmont/ Oconee Secondary Core Population

(Piedmont Recovery Unit), Talladega/Shoal Creek Essential Support Population (Cumberlands/Ridge and Valley Recovery Unit) and the J.W. Jones Ecological Research Center Significant Support population. A demographic link between Ft. Benning and the next closest population in the Sandhills Recovery Unit (Ft. Gordon) would require forming a link with the Piedmont/ Oconee population. For this reason, while Ft. Benning's role in the Sandhills Recovery Unit should be the primary focus of the Recovery Unit analysis, attention must also be paid to Ft. Benning's role in relation to other populations in other Recovery Units as well. Delaying recovery of the Ft. Benning population could also delay the recovery of the Sandhills Recovery Unit. Since the Ft. Benning primary core population will still be able to ultimately meet recovery, the proposed action should not preclude the recovery of the Unit.

RELICT TRILLIUM

Potential impacts to relict trillium include damage to the plants by timber harvesting, ground disturbance and/or project construction; most likely due to construction of a new road through the Randall Creek area. However, the expected scope of the disturbance (i.e., acres or stems) will be minimized during construction and operation through careful location of the road and implementation of BMPs for erosion control. There could also be indirect loss of trillium due to a loss of canopy cover (shade) as a result of ordnance impacts associated with two small arms ranges in the Randall Creek area. Though the expected impacts to trillium are not specifically identified, their expected specific projects that will affect trillium are relatively small such that no existing population of trillium will be extirpated. Additionally, relocation of stems to a protected area on the installation or a protected off-Post site may offset some or all of the expected stem loss.

CUMULATIVE EFFECTS

Cumulative effects are to include the effects of future State, tribal, local or private actions that are reasonably certain to occur in the action area considered in this biological opinion. Future Federal actions that are unrelated to the proposed action are not considered in this section because they require separate consultation pursuant to section 7 of the Act. The Service did not identify any State, Tribal, or local activities that are reasonably certain to occur within the action area that would constitute cumulative effects.

CONCLUSION

The Ft. Benning BRAC/Transformation includes multiple projects happening over multiple years. Most of the details of these projects have yet to be designed in final, many are only concepts. As a result, the projected impacts to RCWs and relict trillium are reasonable estimates based on what is known at this time. There is every expectation on the part of the Army and the Service that consultation regarding components of the Transformation will occur with regularity. As more information is known about planned action and/or more information is known regarding expected impacts to RCWs and relict trillium, consultation will occur.

At this time, 32 active RCW clusters will be lost as a result of the proposed 2007-2013 Transformation projects. The losses will occur as a result of forage loss, cavity tree removal, group level impacts and/or neighborhood level impacts. Post-proposed action, 74,737 acres of contiguous pine habitat remain, of which 21,481 acres are in loblolly or shortleaf pine stands that are at high risk of decline.

Even with Transformation in place, Ft. Benning retains enough acreage to support its recovery goal of 428 clusters. However, attainment of this goal will be setback by the removal of 32 clusters. Additionally, the need to convert 30,000 acres to longleaf pine (with or without Transformation) impedes achievement of recovery status. Recovery will be delayed by approximately 35 years; however, the proposed action is not expected to prevent Ft. Benning from ultimately reaching its population goal.

Potential direct impacts to relict trillium include damage to, and destruction of, plants by clearing and construction of a proposed new road and clearing, construction and operation of two small-arms ranges that will impact the Randall Creek North trillium population. Affected plants may be relocated to a protected area on the installation or a protected off-Post site may offset some or all of the expected stem loss.

After reviewing the current status of the RCW, the environmental baseline for the action area, the effects of the proposed action, the effects of the minimization measures offered in the Biological Assessment, and the cumulative effects, it is the Service's biological opinion that the proposed action for Transformation projects, as proposed, is not likely to jeopardize the continued existence of the RCW or the relict trillium. No critical habitat has been designated for the RCW or relict trillium, therefore none will be affected.

INCIDENTAL TAKE STATEMENT

Section 9 of the Act and Federal regulations pursuant to section 4(d) of the Act prohibit the take of endangered and threatened species, respectively, without special exemption. Take is defined as to harass, harm, pursue, hunt, shoot, wound, kill, trap, capture or collect, or attempt to engage in any such conduct. Harm is further defined by the Service to include significant habitat modification or degradation that results in death or injury to listed species by significantly impairing essential behavioral patterns, including breeding, feeding, or sheltering.

Harass is defined by the Service as intentional or negligent actions that create the likelihood of injury to listed species to such an extent as to significantly disrupt normal behavior patterns which include, but are not limited to, breeding, feeding or sheltering. Incidental take is defined as take that is incidental to, and not the purpose of, carrying out an otherwise lawful activity. Under the terms of section 7(b)(4) and section 7(o)(2), taking that is incidental to, and not intended as part of, the agency action is not considered to be a prohibited taking under the Act, provided that such taking is in compliance with the terms and conditions of this incidental take statement.

The measures described below are non-discretionary, and must be undertaken by Ft. Benning so that they become binding conditions of any grant or permit issued to Ft. Benning, as appropriate for the exemption in section 7(o)(2) to apply. Ft. Benning has a continuing duty to regulate the activity covered by this incidental take statement.

If Ft. Benning (1) fails to assume and implement the terms and conditions or (2) fails to adhere to the terms and conditions of the incidental take statement through enforceable terms that are added to the permits or grant documents, the protective coverage of section 7(o)(2) may lapse.

In order to monitor the impact of incidental take, Ft. Benning must report the progress of the action and its impact on the species to the Service as specified in the incidental take statement. [50 CFR §402.14(1)(3)]

AMOUNT OR EXTENT OF TAKE ANTICIPATED

The Service anticipates the incidental take in the form of forage loss, cavity tree removal, harassment, group level impacts and/ or neighborhood level impacts of 32 active RCW clusters. This take will result from one or more of the following:

Cavity Tree Loss (9):

A17-01	D11-01	K02-01
A17-03	D11-02	O09-04R
A17-14	HCC-03R	O09-05R

Habitat/ Foraging Loss (26):

A07-01	D10-01	HCC-11R	L02-02R	R01-03R
A17-01*	D11-01*	K02-01*	O08-03R	R02-01R
A17-02	D11-02*	K11-03	O09-04R*	T02-01
A17-03*	D16-02	K14-01R	O09-05R*	T05-02
A17-14*	F02-01	K18-03R	R01-01	U04-01R
BB03-01R				

* signifies clusters (8) also eliminated under the category: Cavity Tree Loss

Group Level Loss (4):

D08-01	SHC-02
K10-01R	K11-02

Neighborhood Level Loss (1):

K12-01

EFFECT OF THE TAKE

In the accompanying biological opinion, the Service determined that the above-estimated level of anticipated take is not likely to result in jeopardy to the species or destruction or adverse modification of habitat.

REASONABLE AND PRUDENT MEASURES

The Service believes the following reasonable and prudent measures are necessary and appropriate to minimize the impacts of incidental take of RCWs. Many of these measures are included as part of the proposed action; however, details regarding how and when these components would be accomplished were not provided as part of the action which prompted the Service to include such details as a means to ensure incidental take was minimized. As such, the Service expects to be included in the development of the plans listed below and provided a copy of the reports. The Installation should submit a schedule for completion of the plans to the Service within 30 days of signing of the biological opinion. All such documents are to be submitted to the US Fish and Wildlife Service's Ft. Benning office at Post Office Box 52560, Ft. Benning, Georgia, 31995.

I. RPMs to minimize the extent of take:

- (1) At a minimum, construct berms for the proposed Transformation/BRAC Oscar Complex Ranges MRF5 (2009 project), FM1 (2007 project), and Z1 (2008 project). Habitat monitoring protocols will be applied to assess the effectiveness of the berms protecting RCWs and their habitat.
- (2) Complete the training compartment “sub-division” system and protocols used to facilitate co-location with training operations in order to complete required RCW timber and RCW management activities impacted by Transformation/ BRAC.
- (3) Develop the Installations Land Management Plan that focuses on the Soil Conservation and Sustainable Ranges.
- (4) Develop a Transformation/ BRAC Access Plan and protocols for RCW, timber and fire management.

II. RPMs regarding monitoring and reporting:

- (5) Provide timber operation reports prepared by either the U.S. Army Corps of Engineers Resident Forester, or by a FBLMB Forester; and habitat monitoring reports that track the amount of RCW habitat lost as a result of Transformation actions.
- (6) Complete the RCW Demographic Plan for monitoring Transformation impacts.
- (7) Complete a RCW Translocation Monitoring and Implementation Plan for RCW clusters impacted by Transformation/ BRAC.
- (8) Monitor all managed clusters within 0.5 miles of all newly created construction/ clearing and military training exercises resulting from Transformation projects to detect early warning signs of potential cluster abandonment and/ or habitat degradation, and to respond accordingly.
- (9) Provide quarterly reports throughout the duration of the biological opinion and an annual summary report that provides an overview on the effects Transformation/ BRAC has had on the RCW and its habitat.

TERMS AND CONDITIONS

In order to be exempt from prohibitions of section 9 of the Act, the Army must comply with the following terms and conditions, which implement the reasonable and prudent measures described above and outline required reporting/monitoring requirements. These terms and conditions are non-discretionary.

(1) [associated with RPM 1] – The “Habitat Impact Assessment Plan (Bermed vs. Non-Bermed)” will be developed to monitor, at a minimum, the new Oscar Area Ranges (Z1, FM1 and MRF5) by way of implementing the habitat monitoring protocols previously designed for the Digital Multipurpose Range Complex, July 22, 2004, Biological Opinion. This berm plan should be completed well in advance of any training actions..

(2) [associated with RPM 2] - The “Training Compartment Sub-Division System” should clearly explain the processes/ protocols by which the FBLMB will be able to co-locate with other land users. Ft. Benning Land Management Branch will require co-locations for timber thinning operations and prescribed fire in order to meet RCW habitat requirements. The system should be completed prior to any training activity.

(3) [associated with RPM 3] - The “Land Management Plan” should include:

- A. Organizational structure that can support this initiative,
- B. Strategies to abate significant training impacts in highly erodible soils,
- C. A management system with protocols that specify areas to rotate to when erosion impacts breach thresholds in the proposed maneuver areas,
- D. Specific roles and protocols for ITAM and how the RTLTP will be implemented.
- E. Complete the Plan before any training actions occur.

(4) [associated with RPM 4] – The “Transformation/ BRAC Access Plan” and protocols for RCW, timber and fire management should include, but not be limited to, strategies that assess:

- A. Functional limitations of area accessibility due to the extensive coverage of SDZs and how that will be overcome,
- B. Workloads to meet RCW foraging habitat requirements with regard to timber operations and prescribed fire regimes,
- C. RCW demographic requirements,
- D. The plan should be inclusive of all RCW territories impacted by Transformation actions and preferably signed by the Installation Commander to insure complete inclusion,
- E. Contingencies for wildfire suppression must also be included in the Access Plan (particularly in the proposed Oscar Area) as all manageable clusters require full protection of RCW cavity trees (reference the RCW Recovery Plan for managed clusters), and
- F. The plan must address procedures and protocols for providing access to burn, harvest and monitor RCW habitat because project designs, construction and range training operations can change through time.
- G. Complete the Plan prior to any Transformation Action.

(5) [associated with RPM 5] – Provide biweekly “Timber Operations Reports” that will document:

- A. Compliance/ noncompliance with Georgia Environmental Protection Division BMPs,
- B. Timber availability restrictions within each compartment and/ or RCW territory,
- C. Mapped polygons (GIS based) of each training area harvested, including stand removals for each stand treated (spread sheet format), and all RCW cavity trees and each RCW territory impacted,
- D. Any adverse effect resulting from timber harvesting that alters RCW foraging habitat requirements beyond the limits outlined in this biological opinion and the remediation implemented to abate current or future negative effects.

(6) [associated with RPM 5] - Provide a quarterly report for tracking total “RCW habitat removals” to include:

- A. Outlined (using GIS) polygons of each Transformation action initiated including the RCW cavity trees and each territory partition impacted,
- B. A separate spreadsheet showing total acres of upland pine/ pine hardwood acres removed for each project, and the totals for the remaining RCW habitat available (all habitat values should be recorded in MATRIX format), and

C. Should foraging habitat fall below what was projected in the analysis, determine if cavity shifts or partition shifts are necessary to provide adequate nesting and foraging habitat.

(7) [associated with RPM 6] – The “RCW Demographic Plan” that monitors Transformation actions should include the following:

- A. Monitoring of RCW reproduction, including group size, clutch size, brood size, nestling weight and age, and fledg rate,
- B. Band all adults and subadults and identify all group members to track natal breeding dispersals,
- C. Document weight of all adults captured as a result of banding all adults.

(8) [associated with RPM 7] – “The Translocation Monitoring and Implementation Plan” for RCWs should include the following:

- A. The plan should always examine the potential for reallocating foraging partitions as a means to shift the cluster rather than move birds,
- B. Translocations for established groups should take place just prior to the breeding season (last week of March through first week of April). However, the groups receiving incidental take as a result of significant loss of habitat or loss of cavity trees, will not need to abide by the preferred translocation time frame and may utilize the timeframe set fourth in the RCW Recovery Plan (September 15th through January 1st) so as to not impede Translocation actions. All reasonable efforts should be made to minimize unnecessary harassment and/or other incidental take.
- C. All within population translocations should be a minimum of 10-miles (Franzreb, 1999) from their current territory and meet the special arrangements and cluster densities most suited to retain their probability of persistence (i.e., neighborhood criteria),
- D. All adults (including helpers) should be moved simultaneously and all sub-adults should be considered for off-post population moves within the Southern Range Translocation Cooperative, (continuing to contribute to the SRTC should also be examined as the Installations population may be declining as a result of the action),
- E. All repartitioned territories should have cavities installed at least three months prior to the shift to give the birds ample opportunity to locate and potentially occupy the new cluster center. Old cavities should be plugged three weeks prior to habitat removals in an effort to force the birds to occupy the new cavities.
- F. The plan should be completed by September 2007.

(9) [associated with RPM 8] – Monitor all managed clusters within 0.5 miles of all newly created Transformation/ BRAC projects (e.g., ranges, timber clearings, maneuver corridors, support buildings, live fire, etc.). Monitor all projects impacted by roads and any other clusters that are within 200 ft. of any project that impacts RCW habitat. In order to detect early warning signs of potential cluster abandonment or degradation:

- A. Follow those protocols outlined in the Digital Multipurpose Range Complex, July 22, 2004, Biological Opinion for both RCW demographic (excluding home range follow procedures) and habitat monitoring.

(10)[associated with RPM 9] – Quarterly reports should be provided throughout the Transformation/ BRAC process with a final summary report to include information specific

to any cause and effect observations, negative trends or significant changes in the current proposal.

Upon locating a dead, injured, or sick individual RCW, initial notification must be made to the Service's Field Office at Ft. Benning and the RCW Recovery Coordinator. Care should be taken in handling sick or injured individuals and in the preservation of specimens in the best possible state for later analysis of cause of death or injury.

The reasonable and prudent measures, with their implementing terms and conditions, are designed to minimize the impact of incidental take that might otherwise result from the proposed action. The Service believes that no more than 32 RCW clusters will be incidentally taken. If, during the course of the action, this level of incidental take is exceeded, such incidental take represents new information requiring initiation of consultation and review of the reasonable and prudent measures provided. The Army must immediately provide an explanation of the causes of the taking and review with the Service the need for possible modification of the reasonable and prudent measures.

CONSERVATION RECOMMENDATIONS

Section 7(a)(1) of the Act directs Federal agencies to use their authorities to further the purposes of the Act by carrying out conservation programs for the benefit of endangered and threatened species. Conservation recommendations are discretionary agency activities to minimize or avoid adverse effects of a proposed action on listed species or critical habitat, to help carry out recovery plans, or to develop information. In order for the Service to be kept informed of actions minimizing or avoiding adverse effects, or benefiting listed species or their habitats, the Service requests notification of the implementation of the conservation recommendations carried out.

1. Prepare a Longleaf Pine Restoration Planting Plan that attempts to achieve planting levels no less than 3000 acres per year. Techniques should adhere to the protocols outlined in the RCW Recovery Plan to include:

- a. Clearcuts, when residual timber is not suitable as a seed source, or when converting to longleaf is the desired future condition,
- b. Modified clearcuts where six to ten dominant or codominant trees per acre are retained,
- c. Underplanting longleaf seedlings - in loblolly dominated stands - are planted under residual stems with a basal area of 40 square feet per acre,
- d. Small patch clearcuts (5-acres or less) in longleaf stands where natural regeneration is less than desirable. Administering this technique is most efficient when conducted concurrently with scheduled thinnings, and
- e. Complete the Plan prior to 2009.

2. Prepare an Upland Hardwood Conversion Plan that includes assessing the protocols and criteria by which stands are evaluated for conversion (e.g., fire suppression history, etc). The plan should be completed prior to 2009. Initial assessments should begin with the 740 acres proposed in the Biological Assessment.

3. Attach GPS tracking equipment to vehicles (both wheeled and tracked) for the first year of maneuver training exercises. Tracking vehicle movement would allow for better planning in

future Transformation proposals (2014 and beyond) and develop protocols that would avoid potential future negative impacts. To preserve potential security issue, tracking records could be provided to the Service rather than the Service having access to the digital information. It's likely, that after-action-reviews would instill proactive solutions rather than negative, reactive consequences.

4. Retrofit the current in-house Environmental Management Division troop training program, designed for environmental compliance, in response to the significant increase in training activities. Mandatory computer aided training courses may be the most efficient means for reaching all soldiers. To assure course completion, certificates/notices of completion could be forwarded to the soldiers direct supervisor.

5. Use Seibert-stakes or other methods that are appropriate to protect all planted longleaf pine < 30 years old. As the Installation restores the upland terrain to longleaf pine, stands that are less than 30 years old are not considered RCW habitat, and consequently, are not protected by the ESA. With the effects of new and more training impacts, coupled with forest decline syndrome, the need to protect all longleaf pine restoration efforts are vital. Protecting underplanted longleaf pine stands from heavy use training activities should also be examined to avoid negative impacts.

6. Continue to pursue conservation opportunities that support the Army's Compatible Use Buffer Program.

REINITIATION NOTICE

This concludes formal consultation on the action outlined in the April 18, 2007, request. As provided in 50 CFR §402.16, reinitiation of formal consultation is required where discretionary Army involvement or control over the action has been retained (or is authorized by law) and if: (1) the amount of incidental take is exceeded; (2) new information reveals effects of the agency action that may affect listed species in a manner or to an extent not considered in this opinion; (3) the agency action is subsequently modified in a manner that causes an effect to the listed species not considered in this opinion; or, (4) a new species is listed or critical habitat designated that may be affected by the action. In instances where the amount or extent of incidental take is exceeded, any operation causing such take must cease pending reinitiation of consultation. Because the likelihood of establishment of new groups or cavity trees increases over time, the Service strongly recommends that the Army conduct a RCW survey within the year of start of construction for Transformation/ BRAC projects. New groups or cavity trees that may be impacted by the proposed project represent new effects of the action not considered in this opinion, and would require reinitiation of consultation.

For this biological opinion the incidental take would be exceeded when the take exceeds the 32 RCW groups listed in this opinion. These RCW groups are exempted from the prohibition of section 9 by this opinion. The duration of this biological opinion is six years from the date of signature. The Service greatly appreciates the cooperation of Ft. Benning during this consultation. We would like to continue working with you and your staff regarding this project.

If you have any questions about this opinion or consultation or for further coordination, please contact John Doresky, Fish and Wildlife Biologist, West Georgia Sub Office, at (706) 544-6030.

Sincerely,



Sandra S. Tucker
Field Supervisor

Enclosures – 4 maps, 1 table,
cc: FWS, Ft. Benning, GA ES
FWS, Atlanta, GA (ES/TE)
Ralph Costa, FWS, Clemson, SC
GA DNR-WRD, Social Circle

LITERATURE CITED

- Allen, D.H. 1991. Constructing artificial red-cockaded woodpecker cavities. USDA Forest Service General Technical Report SE-73.
- Baker, W.W. 1983. Decline and extirpation of a population of red-cockaded woodpeckers in northwest Florida. Pages 44-45 in D.A. Wood, ed. Red-cockaded woodpecker symposium II proceedings. Fla. Game and Fresh Water Fish Commission, Tallahassee, Florida, USA
- Baker, W.W. 1995. The distribution and status of the red-cockaded woodpecker (*Picoides borealis*) in Georgia, 1992. Pages 465-469 in D.L. Kulhavy, R.G. Hooper, and R. Costa, editors. Red-cockaded woodpecker: recovery, ecology and management. Center for applied Studies in Forestry, College of Forestry, Stephen F. Austin State University, Nacogdoches, Texas, USA.
- Beyer, D. E., R. Costa, R.G. Hooper, and C.A. Hess. 1996. Habitat quality and reproduction of red-cockaded woodpecker groups in Florida. *Journal of Wildlife Management* 60:826-835.
- Bowman, R., D.L. Leonard Jr., L.K. Backus, P.M. Barber, A.R. Mains, L.M. Richman, and D. Swan. 1998. Demography and habitat characteristics of the red-cockaded woodpecker (*Picoides borealis*) at the Avon Park Air Force Range. Final Report 1994-1998. Archbold Biological Station, Lake Placid, Florida, USA.
- Carlile, L.D., T.A. Beaty, E.W. Spadgenske, L.R. Mitchell, S. E. Puder, and C. Ten Brink. 2003. An intensively managed and increasing red-cockaded woodpecker population at Ft. Stewart, Georgia. In R. Costa and S.J. Daniels, editors. Red-cockaded woodpecker: road to recovery. Hancock House Publishers, Blain, Washington, USA. In Press.

- Carrie, N.R., K.R. Moore, S.A. Stephens and E.L. Keith. 1996. Long-distance homing of a translocated red-cockaded woodpecker. *Wildlife Society Bulletin* 24: 607-609.
- Cely, J.E., and D.P. Ferral. 1995. Status and distribution of the red-cockaded woodpecker in South Carolina. Pages 470-476 *in* D.L. Kulhavy, R.G. Hooper, and R. Costa, editors. Red-cockaded woodpecker: recovery, ecology and management. Center for applied Studies in Forestry, College of Forestry, Stephen F. Austin State University, Nacogdoches, Texas, USA.
- Clark, A., III. 1992a. Heartwood formation and loblolly and longleaf pines for red-cockaded woodpecker nesting cavities. *Proceedings of the Annual Conference of Southeastern Association of Fish and Wildlife Agencies*. 46: 79-87.
- Clark, A., III. 1992b. Influence of the tree factors and site formation heartwood in loblolly and longleaf pine for the red-cockaded woodpecker colonization in the southeast. Final Report U.S. Forest Service, Southeastern Forest Experiment Station, Athens, Georgia, USA.
- Columbus Ledger-Enquirer. 2006. 350 new hotel rooms, Ft. Benning, corporate, conventions, leisure travelers spurring boom. By Tony Adams. Staff Writer. 21 August.
- Conner, R.N. and B.A. Locke. 1982. Fungi and red-cockaded woodpecker cavity trees. *Wilson Bulletin* 94:64-70.
- Conner, R.N. and D.C. Rudolph. 1991. Forest habitat loss, fragmentation, and red-cockaded woodpeckers. *Wilson Bulletin* 103:446-457.
- Conner, R.N. and D.C. Rudolph. 1991a. Forest habitat loss, fragmentation, and red-cockaded woodpecker populations. *Wilson Bulletin*. 103(3), pp. 446-457.
- Conner, R.N., D.C. Rudolph, and J.R. Walters. 2001. The red-cockaded woodpecker: surviving in a fire-maintained ecosystem. University of Texas Press, Austin, Texas, USA.
- Copeyon, C.K. 1990. A technique for constructing cavities for the red-cockaded woodpecker. *Wildlife Society Bulletin* 18:303-311.
- Costa, R. and R.S. Delotelle. 2006. Reintroduction of fauna to longleaf pine ecosystems: opportunities and challenges. Pages 335-376 *in* S. Jose. E.J. Jokela and D.L. Miller, editors. The longleaf pine ecosystem: ecology, silviculture, and restoration. Springer Science + Business Media, Inc., New York, USA>
- Costa, R. and R. Escano. 1989. Red-cockaded woodpecker: status and management in the southern region in 1986. US Forest Service Technical Publication R8-TP12.
- Costa, R. and J. Walker. 1995. Red-cockaded woodpecker. Pp. 86-89 *in* E. T. LaRoe, G. S. Farris, C. E. Puckett, and others, eds. Our living resources: a report to the nation on The distribution, abundance, and health of U.S. plants, animals and ecosystems. U.S. National Biological Survey, Washington, D. C.

- Crowder et al. 1998. Demographic isolation of red-cockaded woodpecker groups: a model analysis, Project Final. Duke, Nicholas School of the Environment, Beaufort., NC.
- DA. 1996. Management guidelines for the red-cockaded woodpecker on Army installations. Department of Defense, U.S. Department of the Army.
- DA. 2001. Army Regulation 5-10. Management Stationing Headquarters Department of the Army, Washington, DC.
- DA. 2006a. U.S. Army Infantry Homepage. <https://www.infantry.army.mil/infantry/index.asp>. Accessed 2 November 2006.
- DA. 2006b. Final Draft, Management guidelines for the guidelines for the red-cockaded woodpecker on Army installations. Department of Defense, U.S. Department of the Army.
- Daniels, S.J. 1997. Female dispersal and inbreeding in the red-cockaded woodpecker. M.Sc. thesis, Virginia Polytechnic Institutes and State University, Blacksburg, VA.
- Daniels, S.J., J.A. Priddy, and J.R. Walters. 2000. Inbreeding in small populations of red-cockaded woodpeckers: insights from a spatially-explicit individual-based model. Pp. 129-147 in Young, A.G. and G.M. Clarke, eds. Genetics, demography and viability of fragmented populations. Cambridge University Press, London, UK.
- DeLotelle, R.S. and R.J. Epting, D.L. Leonard, and R. Costa. 2003. Management strategies for recovery of red-cockaded woodpecker populations: a metapopulation proposal. In R. Costa and S.J. Daniels, editors. Red-cockaded woodpecker: road to recovery. Hancock House Publishers, Blain, Washington, USA. In Press.
- DeLotelle, R.S. and R.J. Epting. 1992. Reproduction of the red-cockaded woodpecker in central Florida. Wilson Bulletin 104:285-294.
- DeLotelle, R.S., R.J. Epting, and J.R. Newman. 1987. Habitat use and territory characteristics of red-cockaded woodpeckers in central Florida. Wilson Bulletin 99:202-217.
- Doresky, J.K., M. G. Barron and P.K. Swiderek. 2003. Landscape scale restoration and red-cockaded woodpecker recovery? In R. Costa and S.J. Daniels, editors. Red-cockaded woodpecker: road to recovery. Hancock House Publishers, Blain, Washington, USA. In Press.
- Doresky, J.K., M. G. Barron and P.K. Swiderek. 2004. Landscape scale restoration and red-cockaded woodpecker recovery? Pages 127-133 in Red-cockaded Woodpecker: Road to Recovery, Red-cockaded Woodpecker Symposium IV, 27-31 January 2003, Savannah, Georgia.

- Dr. J.H. Carter III and Associates, Inc. and ICF Kaiser Engineers, Inc. 1998. Environmental surveys, assessments and documentation for land exchange between the U.S. Army (Ft. Benning, Georgia) and Consolidated Government of Columbus/ Muscogee County, Georgia: Biological assessment, assessment of impacts, North and South tracts (volume III-C). 157 pp. plus appendices.
- Eckhardt, L.G. 2004b. Loblolly Decline Risk Map. GIS model created for Ft. Benning Environmental Division.
- Eckhardt, L.G. 2005. Longleaf Biological Evaluation and *Leptographium* species survey for Milliken Forestry Company, Inc. Auburn University, Auburn, Alabama.
- Engstrom, R. T., and F.J. Sanders. 1997. Red-cockaded woodpecker foraging ecology in an old growth longleaf pine forest. *Wilson Bulletin* 109: 203-217.
- Ft. Benning. 2001. Integrated Natural Resources Management Plan. U.S. Department of the Army. 344 pp. Includes wood stork, relict trillium, bald eagle and American alligator Endangered Species Management Plans.
- Ft. Benning. 2002. Endangered Species Management Plan for the Red-cockaded Woodpecker on Ft. Benning. Department of Public Works, Environmental Management Division, Conservation Branch, Ft. Benning, GA.
- Ft. Benning. 2004b. Biological Assessment for a Digital Multipurpose Range Complex, Ft. Benning, Georgia. U.S. Department of the Army. Ft. Benning, Georgia, Department of Public Works, Environmental Management Division.
- Franzreb, K.E. 1999. Factors that influence translocation success in the red-cockaded woodpecker. *Wilson Bulletin* 111: 38-45.
- Frost, C.C. 1993. Four centuries of changing landscape patterns in the longleaf pine ecosystem. Pp. 17-44 in S.M. Hermann, ed. *The longleaf pine ecosystem: ecology, restoration, and management*. Tall Timbers Fire ecology Conference Proceedings No. 18. Tall Timbers Research Station, Tallahassee, FL.
- GADNR. 2006. Review of nominated changes to state protected species list. <http://georgiawildlife.dnr.state.ga.us/content/displaycontent.asp?txtDocument=488>. Georgia Department of Natural Resources. Accessed June 15, 2006.
- Gaines, G.D., K.E. Franzreb, D.H. Allen, K.S. Laves and W.L. Jarvis. 1995. Red-cockaded woodpecker management on the Savannah River Site: a management/research success story. Pp. 81-88 in D.L. Kulhavy, R.G. Hooper, and R. Costa, eds. *Red-cockaded woodpecker: recovery, ecology and management*. Center for Applied Studies in Forestry, Stephen F. Austin State University, Nacogdoches, TX.
- Georgia Department of Transportation. 2006. Public information open house package for proposed widening of St. Mary's Road from Robin Road to Northstar Drive. Project STP-215-1-(2)

- Gilpin, M.E., and M.E. Soule. 1986. Minimum viable populations: process of species extinction. Pages 18-34 in M.E. Soule, editor. Conservation biology: the science of scarcity and diversity. Sinauer Associates, Inc., Sunderland, Massachusetts.
- Goodman, D. 1987a. the demography of chance extinction. Pages 11-19 in M.E. Soule, editor. Conservation biology: the science of scarcity and diversity. Sinauer Associates, Inc., Sunderland, Massachusetts.
- Goodman, D. 1987b. How do species persist? Lessons for conservation biology. Conservation Biology 1: 59-62.
- Gonzales, E. and J. L. Hamrick. 2005. Distribution of genetic diversity among disjunct populations of the rare forest herb *Trillium reliquum*. Heredity, 95: 306 – 314.
- Gordon, J. E. Survey 2004: *Trillium reliquum* (relict trillium) Savannah River Bluffs Heritage Preserve, Aiken County, South Carolina. Unpublished report, Biology Department, Augusta State University, Augusta, Georgia. 5 pp.
- Gowaty, P.A., and M.R. Lennartz. 1985. Sex ratios of nestling and fledging red-cockaded woodpeckers (*Picoides borealis*) favor males. American Naturalist 126-: 347-353.
- Gyer, J. 2005. Documentation of logged *Trillium reliquum* site. Letter to Steve Parris, USFWS. Private citizen and trillium propagation expert, Clarksboro, New Jersey. July 9, 2005.
- Haig, S.M., and J.M. Rhymer. 1994. Translocation recommendations for red-cockaded woodpeckers resulting from random amplified polymorphic DNA analysis of populations. South Carolina Coop. Fish and Wildl. Res. Unit Publ. 94-1. 14pp.
- Hagan, G., R. Costa, and M.K. Phillips. 2003. The first reintroduction of red-cockaded woodpeckers into unoccupied habitat: a private land and conservation success story. In R. Costa and S.J. Daniels, editors. Red-cockaded woodpecker: road to recovery. Hancock House Publishers, Blain, Washington, USA. In Press
- Hardestry, J.L. R.J. Smith, C.J. Petrick, B.W. Hagedorn, and F.P. Percival. 1995. Status and distribution of the red-cockaded woodpecker in South Carolina. Pages 494-502 in D.L. Kulhavy, R.G. Hooper, and R. Costa, editors. Red-cockaded woodpecker: recovery, ecology and management. Center for applied Studies in Forestry, College of Forestry, Stephen F. Austin State University, Nacogdoches, Texas, USA.
- Hardestry, J.L., K.E. Gault, and F.P. Percival. 1997. Ecological correlates of red-cockaded woodpecker (*Picoides borealis*) foraging preference, habitat use, and home range size in northwest Florida (Elgin Air Force Base). Final Report Research Work Order 99, Florida Cooperative Fish and Wildlife Research Unit, University of Florida, Gainesville, FL.

- Heckel, C.D. and L. M. Legee. 2004. Impacts of exotic invasive vines on a population of the endangered *Trillium reliquum*. Abstract of paper presented at Georgia Academy of Sciences. http://www.findarticles.com/p/articles/mi_qa4015/is_200401/ai_n9377013. Accessed May 2, 2006.
- Hedman, C.W., J.R. Poirier, P.E. Durfeild, and M.A. Register. 2003. International Paper's habitat conservation plan for the red-cockaded woodpecker: implementation and early success. In R. Costa and S.J. Daniels, editors. Red-cockaded woodpecker: road to recovery. Hancock House Publishers, Blain, Washington, USA. In Press.
- Hooper, R.G. and M.R. Lennartz. 1995. Short-term response of high density red-cockaded woodpecker population to loss of foraging habitat. Pp. 283-289 in D.L. Kulhavy, R.G. Hooper, and R. Costa, eds. Red-cockaded woodpecker: recovery, ecology and management. Center for Applied Studies in Forestry, Stephen F. Austin State University, Nacogdoches, TX.
- Hooper, R.G., and R.F. Harlow. 1986. Forest stands selected by foraging red-cockaded woodpeckers. U.S. Forest Service Research Paper SE-259.
- Hooper, R.G., M.R. Lennartz, and H.D. Muse. 1991. Heart rot and cavity tree selection by red-cockaded woodpeckers. Journal of Wildlife Management 55:323-327.
- ICF Kaiser Engineers, Inc., Dr. J.H. Carter III and Associates, Inc. and Brockington and Associates, Inc. 1999. Environmental surveys, assessments and documentation for land exchange between the U.S. Army (Ft. Benning, Georgia) and Consolidated Government of Columbus/ Muscogee County, Georgia: Environmental Impact Statement ("FEIS"). 503 pp.
- Jackson, J.A. 1977. Red-cockaded woodpeckers and pine red heart disease. Auk 94:106-163.
- James, F.C. 1995. The status of the Red-cockaded woodpecker in 1990 and the prospect for recovery. Pp. 439-451 in D.L. Kulhavy, R.G. Hooper, and R. Costa, eds. Red-cockaded woodpecker: recovery, ecology and management. Center for Applied Studies in Forestry, Stephen F. Austin State University, Nacogdoches, TX.
- James, F.C., C.A. Hess, and B.C. Kicklighter. 2001. Ecosystem management and the niche gestalt of the red-cockaded woodpecker in longleaf pine forests. Ecological Applications 7:854-870.
- James, F.C., C.A. Hess, and D. Kufrin. 1997. Species-centered environmental analysis: indirect effects of fire history on red-cockaded woodpeckers. Ecological Applications 7:118-129.
- Keonig, W.D. 1988. On determination of viable population size in birds and mammals. Wildlife Society Bulletin. 16:230-234.
- Labranche, M.S. 1992. Asynchronous hatching, brood reduction and sex ration biases in red-cockaded woodpeckers. Dissertation, North Carolina State University, Raleigh, North Carolina, USA.

- Labranche, M.S., and J.R. Walters. 1994. Patterns of mortality in nests of red-cockaded woodpeckers in the sandhills of south-central North Carolina. *Wilson Bulletin* 106: 258-271.
- Landers, J.L., D.H. Van Lear, and W.D. Boyer. 1995. The longleaf pine forests of the southeast: requiem or renaissance? *Journal of Forestry* 93: 39-44.
- Lennartz, M.R. and D.G. Heckel. 1987. Population dynamics of red-cockaded woodpecker population in Georgia Piedmont loblolly pine habitat. Pp. 48-55 in R.R. Odom, K.A. Riddleberger, and J.C. Ozier, eds. *Proceedings of the third southeast nongame and endangered wildlife symposium*. Georgia Department of Natural Resources, Game and Fish Division, Atlanta, GA.
- Lennartz, M.R., R.G. Hooper, and R.F. Harlow. 1987. Sociality and cooperative breeding of red-cockaded woodpeckers (*Picoides borealis*). *Behavioral Ecology and Sociobiology*. 20:77-88.
- Letcher, B.H., J.A. Priddy, J.R. Walters, and L.B. Crowder. 1998. An individual-based, spatially explicit simulation model of the population dynamics of the endangered red-cockaded woodpecker. *Biological Conservation*. 86:1-14.
- Ligon, J.D., P.B., Stacey, R.N. Conner, C.E. Bock, and C.S. Adkisson. 1986. Report of the American Ornithologists' Union Committee for the conservation of the red-cockaded woodpecker. *Auk* 103:848-855.
- Ligon, J.D., W.W. Baker, R.N. Conner, J.A. Jackson, F.C. James, D.C. Rudolph, P.B., Stacey, and J.R. Walters. 1991. The conservation crisis- the red-cockaded woodpecker: on the road to oblivion? *Auk* 108:200-213.
- Marston, T.G., and D.M. Morrow. 2003. Red-cockaded woodpecker conservation on Ft. Jackson military installation: A small population's response to intensive management in the Sandhills of South Carolina. In R. Costa and S.J. Daniels, editors. *Red-cockaded woodpecker: road to recovery*. Hancock House Publishers, Blain, Washington, USA. In Press.
- Masters, R.E., J.E. Skeen, and J. Whitehead. 1995. Preliminary fire history of McCurtain County Wilderness Area and implications for red-cockaded woodpecker management. Pages 290-302 in D.L. Kulhavy, R.G. Hooper, and R. Costa, eds. *Red-cockaded woodpecker: recovery, ecology and management*. Center for Applied Studies in Forestry, Stephen F. Austin State University, Nacogdoches, TX.
- Mills, L.M., K.J. Feltner, and T.O. Reed. 2003. The rise and fall of the red-cockaded woodpecker population in Kentucky: a chronology of events preceding extirpation. In R. Costa and S.J. Daniels, editors. *Red-cockaded woodpecker: road to recovery*. Hancock House Publishers, Blain, Washington, USA. In Press.

- Mills, L.S. and F.W. Allendorf. 1996. One migrant-per-generation rule in conservation and management. *Conservation Biology*. 10:1509-1518.
- Patrick, Thomas S., James R. Allison, and Gregory A. Krakow. 1995. Protected Plants of Georgia. Georgia Department of Natural Resources, Wildlife Resources Division, Georgia Natural Heritage Program, Social Circle, Georgia. Pp. 207-208.
- Pimm, S.L. 1991. The balance of nature: ecological issues in the conservation of species and communities. University of Chicago Press, Chicago, Illinois, USA.\
- Reed, J. M., P.D. Doerr and J.R. Walters. 1998. Minimum viable population size of the red-cockaded woodpecker. *Journal of Wildlife Management* 52:385-391.
- Shaffer, M.L. 1981. Minimum population sizes for species conservation. *Bioscience* 31:131-134.
- Shaffer, M.L. 1987. Minimum viable populations: coping with uncertainty. Pages 69-86 in M.E. Soule, editor. *Viable populations for conservation*. Cambridge University Press, Cambridge, United Kingdom.
- Simberloff, D. 1993. Species-area and fragmentation effects on old growth forests: prospects for longleaf pine communities. Pages 1-14 in S.M. Herman, editor. *The longleaf pine ecosystem: ecology, restoration, and management*. Tall Timbers Fire ecology Conference Proceedings, No. 18. Tall Timbers Research Station, Tallahassee, Florida, USA.
- Stober, J.M. and S.B. Jack. Cleaving adam's rib: red-cockaded woodpecker restoration on Ichauway. In R. Costa and S.J. Daniels, editors. *Red-cockaded woodpecker: road to recovery*. Hancock House Publishers, Blain, Washington, USA. In Press.
- Strangel, P.W., M.R. Lennartz, and M.H. Smith. 1992. Genetic variation population structure of red-cockaded woodpeckers. *Conservation Biology* 6:283-292.
- The Nature Conservancy. 2006. Implementation of the Ft. Benning Army Installation's Ecological Monitoring Plan, Progress Report, Spring-Summer 2006.
- Thornton, M. 2005. Annual report: Trillium status on Ft. Benning. Department of the Army, Environmental Management Division, Ft. Benning, GA. 1 p.
- Underwood, A.J. 1989. The analysis of stress in natural populations. *Biological Journal Linnean Society* 37:51-78.
- U.S. Army Corps of Engineers (USACE). 2006a. Range and Training Land Program Development Plan. Ft. Benning, Georgia. Final Submittal. Contract No. DACA87-00-D-0017, Delivery Order 0078. U.S. Army Engineering and Support Center, Huntsville, AL.
- U. S. Census Bureau. 2006a. State and county quickfacts. <http://quickfacts.census.gov/qfd/index.htm>. Accessed May 25, 2006.
- U. S. Census Bureau. 2006b. State population projections. <http://www.census.gov/population/www/pop-profile/stproj.html>. Accessed May 25, 2006

- U.S. Department of the Army. 1994. Management guidelines for the red-cockaded woodpecker on army installations. U.S. Department of the Army, Washington, DC.
- U.S. Department of the Army. 1996. Revised management guidelines for the red-cockaded woodpecker on army installations. U.S. Department of the Army, Washington, DC.
- U.S. Department of the Army. Army Regulations 200-1 through 200-4, and 210-4. FM 17-12-1-2; FM 23-1.
- U.S. Forest Service. 2006. Ft. Benning terrestrial resources inventory report for Threatened and Endangered Species, October 2006. U.S. Department of Agriculture. Gainesville, Florida. 26 pp.
- USDI. 1968. Rare and endangered fish and wildlife of the United States. U.S. Sport Fisheries and Wildlife Resource Publication 34. Washington, D.C.
- U.S. Fish and Wildlife Service and National Marine Fisheries Service. 1998. Endangered Species Consultation Handbook, *Procedures for Conducting Consultation and Conference Activities Under Section 7 of the Endangered Species Act*.
- U.S. Fish and Wildlife Service. 1985. Red-cockaded woodpecker recovery plan. U.S. Fish and Wildlife Service. Southeast Region, Atlanta, GA.
- U.S. Fish and Wildlife Service. 1990. Relict trillium recovery plan. Atlanta, Georgia. 29 pp.
- U.S. Fish and Wildlife Service. 1994 through 1998. USFWS's ecological inventory of Ft. Benning, unpublished.
- U.S. Fish and Wildlife Service. 1994. Biological opinion for the affects of military training and associated activities at Ft. Benning on federally listed endangered and threatened species. U.S. Fish and Wildlife Service, Atlanta, GA.
- U.S. Fish and Wildlife Service. 1998. Biological opinion for the land exchange between Ft. Benning Army Installation and the City of Columbus, Georgia. U.S. Fish and Wildlife Service, Atlanta, GA.
- U.S. Fish and Wildlife Service. 2002. Biological opinion on the effects of proposed endangered species management plan for the red-cockaded woodpecker on Ft. Benning. U.S. Fish and Wildlife Service, Athens, GA.
- U.S. Fish and Wildlife Service. 2003a. Recovery plan for the red-cockaded woodpecker (*Picoides borealis*): second revision. U.S. Fish and Wildlife Service. Southeast Region, Atlanta, GA.

- U.S. Fish and Wildlife Service. 2003b. Biological opinion on all section 10(a)(1)(A) management, monitoring and research permits issued to all private, state and federal agencies and individuals involved with management, conservation and recovery of the red-cockaded woodpecker throughout the range of the species. U.S. Fish and Wildlife Service, Atlanta, GA.
- USFWS. 2004a. Biological Opinion for the proposed Digital Multi-purpose Range Complex, Ft. Benning, Georgia. 47 pp.
- USFWS. 2005. Memo from Walsh. 4 May 2005. Implementation procedures for use of foraging habitat guidelines and analysis of project impacts under the red-cockaded woodpecker (*Picoides borealis*) Recovery Plan: Second Revision.
- USFWS. 2006a. Letter to C. Taylor from S. Tucker (USFWS) 6 July 2006.
- USFWS. 2006b. Guidance on Use of Foraging Habitat Guidelines and Analysis of Project Impacts-clarification. August 2006.
- Wahlenburg, W.G. 1946. Longleaf pine: its use, ecology, regeneration, protection, growth, and management. Charles Lothrop Pack Forestry Foundation and U.S. Forest Service, Washington, D.C., USA.
- Walters, J.R. 1990. Red-cockaded woodpeckers: a 'primitive' cooperation breeder. Pp. 69-101 in P.B. Stacey and W.D. Koenig, eds. Cooperative breeding in birds. Cambridge University Press, London, UK.
- Walters, J.R., C.K. Copeyon, and J.H. Carter III. 1992a. Test of the ecological basis of cooperative breeding in red-cockaded woodpeckers. *Auk* 109:90-97.
- Walters, J.R., P.D. Doerr, and J.H. Carter III. 1992b. Delayed dispersal and reproduction as a life history tactic in cooperative breeders: fitness calculations from red-cockaded woodpeckers. *American Naturalist* 139:623-643.
- Walters, J.R., K. Sadler, S.J. Daniels, J.H. Carter III, K. Scheigg, G. Pasinelli and P.D. Doerr. 2004. Significant dispersal movements of red-cockaded woodpeckers on Ft. Bragg and other areas within the North Carolina Sand hills. Prepared for Ft. Bragg Endangered Species Branch. 20 pp.
- Walters, J.R., P.D. Doerr, and J.H. Carter III. 1988. The cooperative breeding system of the red-cockaded woodpecker. *Ethology* 78:275-305.
- Walters, J.R., S.J. Daniels, J.H. Carter, III, P.D. Doerr, K. Brust, and J.M. Mitchell. 2000. Foraging habitat resources, preferences and fitness of red-cockaded woodpeckers in the North Carolina Sandhills. Ft. Bragg Project Final Report. Virginia Polytechnic Institute and State University, Blacksburg, Virginia, USA, and North Carolina State University, Raleigh, North Carolina, USA.

Ware, S., C. Frost, and P.D. Doerr. 1993. Southern mixed hardwood forest: the former longleaf pine forest. Pages 447-493 in W.H. Martin, S.G. Boyce, and A.C. Echternacht, editors. Biodiversity of the southeastern United States: lowland terrestrial communities. John Wiley and Sons, New York, New York, USA.

Fiscal Years 2007-2013 Transformation projects on Fort Benning

Fiscal Year (Start Date)	Location	Project Title	Area- Range "Beaten Areas" (Acres)	Area- Footprint (Acres)
2007	Harmony Church	Trainee Barracks Complex One and Borrow Areas	----	281
2007-2008	Harmony Church	Training Support Brigade Complex (Phase One and Two)	----	74
2007	Harmony Church and Kelley Hill	IET Brigade Headquarters Building	----	77
2007	Main Post	Child Development Center 6-10 Years	----	6
2007	Northern Range	Tank/ Fighting Vehicle Stationary Gunnery Range One	243.34	741
2007	Northern Range - Oscar Complex	Fire and Movement Range One	82.08	23
2007	Northern Range - Oscar Complex	Modified Record Fire Range Two	90.08	44
2007	Sand Hill	Trainee Barracks Complex Two	----	117
2008	Harmony Church	Troop Medical Clinic	----	8
2008	Harmony Church	Trainee Barracks Complex Three	----	54
2008	Harmony Church	Unit Maintenance Activity Facility	----	15
2008	Harmony Church	16th CAV Regt HQ Building Complex (BDE, BN, COs)	----	5
2008	Harmony Church	Maneuver Center Simulation Facility	----	8
2008-2010	Main Post	Maneuver Center Renovations, Building 4	----	3
2008	Main Post (2800/ 2900 Block)	SOF Special Troops Battalion HQ Bldg	----	107
2008	Main Post (2800/ 2900 Block)	SOF Ranger HQ Addition	----	107
2008	Main Post (2800/ 2900 Block)	SOF Vehicle Maintenance Shop	----	107
2008	Northern Range - Oscar Complex	Rifle/ Machine Gun Zero Range One	38.07	1
2008	Northern Range - Oscar Complex	Rifle/ Machine Gun Zero Range Two	48.65	1
2008	Northern Range - Oscar Complex	Rifle/ Machine Gun Zero Range Four	47.98	1
2008	Northern Range - Oscar Complex	Modified Record Fire Range Three	50.10	24
2008	Northern Range - Oscar Complex	Modified Record Fire Range Four	51.97	24
2008	Northern Range - Oscar Complex	Modified Record Fire Range Six	91.30	24
2008	Sand Hill	Health Clinic Expansion - Winder	----	3
2008	Sand Hill	Solomon Dental Clinic Expansion	----	4
2008-2010	Sand Hill	Reception Station Barracks and Processing Center (Phases I, II and III)	----	85
2008	Sand Hill	Training Aids Center Building Conversions	----	----
2008-2010	Installation Wide	General Instruction Building Complex	----	72
		Student Dining Facility, Main Post Cuartels	----	
		Conversion of Non-UPH Billeting Space to Transient UPH AST	----	
		Infantry Officer Basic Course Headquarters Complex Building Conversions	----	


Fiscal Years 2007-2013 Transformation projects on Fort Benning

Fiscal Year (Start Date)	Location	Project Title	Area- Range "Beaten Areas" (Acres)	Area- Footprint (Acres)
2008	Harmony Church	Infrastructure Support (includes Fire Station, Ammunition Supply Point, AT/ FP Access Control Point, Marne Rd./ Lindsay Crk. Pkwy. Intersection Improvements and Relocation of Material Recycling Facility)	----	365
	Kelley Hill		----	46
	Main Post		----	147
	Sand Hill		----	36
	Infrastructure Total		----	595
2009	Harmony Church	Centralized Wash Facility with Soaking Capability	----	103
2009	Southern Range- Good Hope *	Armor Officer Basic Course HQ Complex (includes Utility Corridor)	----	20
2009	Harmony Church	Vehicle Maintenance Instruction Facility	----	33
2008	Harmony Church	AT/FP Access Control Point	----	----
2008	Kelley Hill	Marne Rd/Lindsay Crk Pkwy Intersection Improvements	----	----
2009	Harmony Church and Main Post	Museum Operations Support Buildings	----	104
2009	Main Post	Consolidated Troop Medical Clinic	----	----
2009-2010	Main Post	Hospital Replacement	----	165
2009	Main Post	CIDC Group/ BDE Headquarters Building	----	4
2009	Northern Range	Combined Arms Collective Training Facility, Phase II	----	28
2009	Harmony Church *	Drivers Training Course	----	201
2009	Harmony Church *	Vehicle Recovery Area	----	501
2009	N/A *	Maneuver Area- North	----	N/A
2009	Northern Range - Oscar Complex	Rifle/ Machine Gun Zero Range Three	53.88	1
2009	Northern Range - Oscar Complex	Rifle/ Machine Gun Zero Range Five	49.89	1
2009	Northern Range - Oscar Complex	Modified Record Fire Range Five	61.72	24
2009	Northern Range - Ware Range	Tank/ Fighting Vehicle Stationary Gunnery Range Two	213.15	676
2009	Southern Range	Maneuver Corridor- South	----	1838
2009	Southern Range- Good Hope *	Good Hope Maneuver Area	----	9498
2010	Harmony Church	Army Reserve Center/ OMS/ Unheated Storage	----	71
2010	Harmony Church	Equipment Concentration Site (ECS)	----	
2010	Main Post	Maneuver Center Headquarters Building Expansion and CDI Facility	----	16
2010	Northern Range - Oscar Complex	Fire and Movement Range Three	74.86	20
2010	Southern Range (Coursen East Range)	Automated Combat Pistol/ Military Police Firearm Qualification Complex	13.90	1
2010	Installation Wide	Construct Installation-wide Roads, Paved	----	271
2010	Installation Wide	Repair Existing Training Area Roads, Paved	----	282


Fiscal Years 2007-2013 Transformation projects on Fort Benning


Fiscal Year (Start Date)	Location	Project Title	Area- Range "Beaten Areas" (Acres)	Area- Footprint (Acres)

2011	Harmony Church	Recreation Center	----	8
2011	Harmony Church	Physical Fitness Center with Pool	----	34
2011	Harmony Church and Main Post	Barracks Complex	----	3
2011	Harmony Church	3rd ID BCT (Heavy) Complex	----	36
2011	Main Post (2800/2900 Block)	SOF Ranger Support Company HQ	----	0.00 (shared footprint)
2011	Southern Range	Qualification Training Range (QTR)	179.10	253
2011	Northern Range	Multi-purpose Machine Gun Range Three	166.43	238
2012	Harmony Church	Rail Car Storage Trackage for Deployment	----	95
2012	Harmony Church and Kelley Hill	DS/ GS Vehicle Maintenance Facility	----	22
2012	Harmony Church	Battle Command Training Center	----	25
2012	Harmony Church	Chapel	----	4
2012	Main Post	Headquarters Complex, 14th Combat Support Hospital	----	34
2012	Sand Hill	Chapel	----	8
2013	Main Post (Custer Road)	Child Development Center (under Six years)	----	8





Fiscal year 2009-2011 Transformation projects located in the Southern Ranges, Fort Benning, Georgia.








Fiscal years 2007-2013 construction activities for the Transformation projects located in the Cantonment area, Fort Benning, Georgia.






Fiscal years 2007-2011 Transformation projects located in the Northern Ranges, Fort Benning, Georgia.





(A.) Post- project status of red-cockaded woodpecker (RCW) clusters after cluster, group (1.25 mile radius) and neighborhood (2.57 mile radius) analyses and (B.) post- project density of RCW clusters, Fort Benning, Georgia.



Appendix G:

MITIGATION AND MONITORING PLAN

Appendix G

This mitigation and monitoring plan is based on the analysis of the environmental consequences of the proposed actions presented in the Draft and Final EIS. Mitigation measures that are identified during consultation with federal and state regulatory agencies (e.g., U.S. Fish and Wildlife Service [USFWS]) public comment, and government-to-government consultation with federally recognized American Indian Tribes. Mitigation and monitoring measures may evolve and/or change as the NEPA process progresses, consultation with USFWS is completed, and as on-going coordination with other federal and state agencies identifies further mitigation measures through consultation. Public comments received on this EIS may also require changes in mitigation measures identified at this time.

1. Introduction

a. Definitions of Mitigation

The President's Council on Environmental Quality (CEQ) (40 CFR 1508.20) defines mitigation as:

Avoidance: Avoid the impact by changing the action. Do not take certain actions that would cause the environmental effect.

Minimization: Minimize impacts by changing the intensity, timing, magnitude, or duration of the action and its implementation.

Rectifying: Rehabilitate, repair, or restore damage that may be caused by implementing the proposed action.

Reducing/Eliminating: Reduce or eliminate the impact over time.

Replacement: Compensation for the impact by replacing the damage by improving the environment elsewhere or by providing other substitute resources such as funds to pay for the environmental impact.

b. Mitigation Identification Process

Mitigation measures have the specific purpose of reducing the significant and/or adverse environmental impacts of implementing the preferred Alternative B or Alternative A. The Army decisionmaker will select the mitigation measures for the selected alternative and will identify them in the Record of Decision, which upon signature become mandatory. These measures must be funded, and efforts to ensure their successful completion or implementation are treated as compliance requirements.

Timing of mitigation measures is important and is necessary to ensure proper execution of the Plan. Some avoidance and minimization of impacts may occur prior to the initiation of any phase of construction. This will include measures to protect several types of resources before work on the construction phase commences. For example, the USFWS has assigned reasonable and prudent measures, terms, and conditions as part of their Biological Opinion. Also, the U.S. Army Corps of Engineers (USACE) may require conditions to any Section 404 Clean Water Act wetlands permit.

While this Plan outlines costs for mitigation and monitoring, funding is dependent upon Army decision-making that will be presented in the ROD. For mitigation measures identified in this EIS, Fort Benning is requesting funds from the applicable Army offices such as the Army Installation Management Command, Southeastern Regional Office (IMCOM SERO) and the Army training programs. This Mitigation and Monitoring Plan will be incorporated in the ROD, which when available will be accessible to the public on the following website: http://www.hqda.army.mil/acsim/brac/nepa_EIS_docs.htm. Additionally, the Mitigation and Monitoring Plan will serve as a working document for compliance monitoring and will be modified to reflect adaptations during the implementation process and available for public review on the Fort Benning EMD website: <https://www.infantry.army.mil/EMD/index.htm>.

The EIS concludes that no mitigation is required beyond legally mandated actions for aesthetics and visual resources, socioeconomics/environmental justice, utilities, air quality, hazardous and toxic materials and waste, and geology; therefore, these topics are not addressed in this Mitigation and Monitoring Plan. For water resources and soils, minimization and mitigation measures are discussed and are implemented through existing federal and state regulations and management plans.

2. Mitigation

Planning Phase. During planning, considerable effort was made to avoid siting proposed cantonment area and range facilities and areas of heavy/repeated maneuver impact in locations with particular environmental resources, such as wetlands, RCW clusters, and cultural resource sites. Therefore, placement of each planned facility and range component (including roads and utility access and support facilities) is a critical aspect under either of the Transformation action alternatives. In addition to facility placement, numerous control measures are being identified to address concerns about soil erosion and potential effects on wetlands, water quality, protected species habitat, and UEAs. Materials that would minimize the risk of contamination and/or require hazardous waste disposal will be incorporated to the greatest extent possible into all facility designs.

Construction Phase. While the Armor School relocation will be completed by 2011 per BRAC Law, construction of all Transformation assets is not anticipated to be completed until 2013. For the range areas, the initial construction phase includes timber harvest and slash removal. For the cantonment areas, the initial construction phase may include demolition of existing structures, readying facilities for conversions/upgrades, and/or clearing/grading of construction sites. Fort Benning will continue using its normal process to harvest the marketable timber where required within construction footprints through the USACE existing contracting processes. Then the construction contractors will remove the remaining vegetation and slash. More details on the mitigation for timber harvests and other vegetation removal are provided below.

Construction contracts will include detailed specifications that indicate materials, procedures, and requirements that the contractors must follow during the construction phase of all Transformation assets. Many requirements that minimize and mitigate potential environmental impacts are incorporated into these design/build construction contract specifications.

Examples of these requirements include:

- selecting an Environmental Engineer with at least 3 years stormwater experience to provide construction contractor quality control;
- complying with all applicable federal, state, and local environmental protection laws and regulations;
- complying with all Department of Defense (DoD), Army, and Fort Benning regulations that are specified, which include numerous environmental requirements; and
- submitting pre-construction Environmental Protection Plans (EPP) for all construction to the Army Contracting Officers and Fort Benning Environmental Management Division (EMD) for review and approval. The EPPs must include:
 - soil and sediment control plans including monitoring and reporting requirements;
 - recycling and waste minimization/disposal plans;
 - air pollution control plans;
 - contaminant prevention plans;
 - waste water management plans;
 - cultural and natural resources management plans;
 - pesticide treatment plans;
 - employee environmental training;
 - spill prevention control and countermeasure plans; and
 - spill contingency plans.

The design packages identify proposed locations for primary and secondary contractor staging areas. To the greatest extent possible, these areas will be located in previously disturbed sites and ideally cleared of most vegetation. All construction contractors are required to submit to EMD more detailed plans for staging area(s) prior to authorization for use. Following submittal, EMD identifies any location restrictions or other mitigation of potential environmental effects, and establishes any additional monitoring of that mitigation. These requirements apply to both general construction contractors as well as those laying the utility lines (e.g., electricity, water, and communication).

Any additional requirements identified through continuing coordination with USACE and consultation with USFWS will be incorporated into the planning phase through compliance with regulations and construction specifications. The Clean Water Act will require mitigation for stream and wetland impacts. NPDES permitting will require preparation of an Erosion, Sedimentation, and Pollution Control Plan (ESPCP), which will include incorporation of BMPs into the construction processes. The ESPCP details BMPs to be implemented and the timing of implementation. The Endangered Species Act requires

preparation of a Biological Opinion by the USFWS which includes mitigation requirements for impacts or potential impacts to endangered species. This Plan uses the Biological Assessment submitted to USFWS in April 2007 to identify the mitigation and monitoring measures for federally listed species, revisions to this Plan will be made to reflect consultation with the USFWS and provisions identified in the Biological Opinion.

Fort Benning will designate up to two Environmental Monitors to act as liaison between the timber harvest personnel, construction contractors, contracting officers, Fort Benning Range Division, and EMD personnel to ensure compliance with this Mitigation and Monitoring Plan. These positions will be filled during the entirety of construction. The people filling these positions must have thorough knowledge of Fort Benning environmental policies and familiarity with appropriate contacts for specific resource areas. The duties of the Environmental Monitors are further addressed with each resource issue. If the Environmental Monitor positions cannot be filled or remain vacant, the Chief of EMD or designees will take over the duties of the Environmental Monitors that are specified in this Mitigation and Monitoring Plan.

Operation and Maintenance Phase. The operation and maintenance phase would begin after construction is complete. EMD and Range Division personnel will continue to work closely to ensure that all mitigation requirements are implemented and maintained as planned. Additional mitigation measures and monitoring requirements for the operation and maintenance phase are addressed in the following sections for each resource area. One Environmental Monitor would be retained to assist EMD and Range Division in monitoring mitigations during the operational and maintenance phase.

3. Mitigation Monitoring Strategy

An important key to success in mitigating impacts is the continuous monitoring of mitigation implementation and effectiveness, and informing the public and decision-makers of monitoring results. An adaptable policy incorporates flexibility into the environmental management for Transformation action. This Mitigation and Monitoring Plan includes a description of how Fort Benning proposes to monitor mitigation. Once the proposed facilities and activities are operational and maintenance activities take place, this plan may need to be adjusted to ensure actual environmental impacts are not substantially different than expected in this EIS. Fort Benning will respond to individual inquiries about monitoring programs, and it will place updates on the Fort Benning website. EMD and Range Division will conduct annual status reviews of mitigation to determine if future monitoring updates are needed.

The Army and Fort Benning plan to monitor implementation and effectiveness of any mitigation selected to implement the Transformation. Each resource has its own plan for monitoring; however, because several mitigation and monitoring actions overlap, the appropriate sections of this plan will be referenced. Another purpose of this Plan is to establish responsibilities and procedures for those who will actually perform the mitigation, such as Fort Benning, contractors, etc. When needed, the Office of the Staff Judge Advocate, Environmental Law Specialist (ELS) will be informed regarding any potential violations of this Plan.

The Installation would use a combination of staff (e.g., two Environmental Monitors, an RCW Biologist and two technicians, and cultural resource specialists), and existing systems, such as the Environmental Performance Assessment System (EPAS), to track mitigation compliance. Although compensatory mitigation implementation and some monitoring will be contracted, the Environmental Monitors will again act as liaison for Fort Benning environmental and range personnel, notifying them of any significant deviation from plans and coordinating any noncompliance with EMD, or others as requested by EMD, as well as updating the publicly accessible website indicating the mitigation and monitoring status. The Army has directed each Installation to develop and implement an Environmental Management System (EMS), a formal framework for integrating the management of environmental issues into the overall management structure. EMS is intended to promote a cycle of continuous improvement to meet environmental goals through policy, planning, implementation, checking and corrective actions, and management review. This Mitigation and Monitoring Plan serves as an EMS tool, primarily by providing the framework and process for checking on environmental compliance and taking corrective actions as necessary as they pertain to the Transformation activities.

4. Mitigation and Monitoring Measures

This section identifies proposed mitigation measures applicable for the construction, operation, and maintenance phases of the proposed action and would be applicable under either alternative. The following discussion provides mitigation measures to minimize impacts to resources. Table G-1 provides a summary of impacts and mitigations prescribed for both action alternatives.

Table G-1: Summary of Effects of the No Action Alternative and Transformation Alternatives A and B

Resource	Transformation Alternative A	Transformation Alternative B (Preferred Alternative)	Mitigation Measures
Land Use (Section 4.2)			
<i>Off-Post Land Use and Management</i>	Land use outside Installation boundaries would not change; therefore, no significant impacts would occur.	Same as Alternative A with the exception of the potential for increased incompatibility with residential community adjacent to Good Hope Maneuver Area.	Heavy maneuver training is required to occur during the hours of 0400-2400 for half of the training days and 0600-2400 for the remainder of the training days. Mitigation measures include informing adjacent community of training schedule.
Transportation (Section 4.5)			
<i>Main Post Cantonment Area</i>	Significant impacts at several intersections where level of service fails in the morning and evening peak hours.	Same as Alternative A.	Implementation of mitigation measures to widen roads and improve intersections and encouraged use of travel demand management (TDM) tools could minimize significant impacts.
<i>Kelley Hill Cantonment Area</i>	Significant impacts at one intersection where level of service fails.	Same as Alternative A.	Implementation of mitigation measures to widen roads and improve intersections and encouraged use of travel demand management (TDM) tools could minimize significant impacts.
<i>Sand Hill Cantonment Area</i>	Significant impacts at two intersections fails.	Same as Alternative A.	Implementation of mitigation measures to widen roads and improve intersections and encouraged use of travel demand management (TDM) tools could minimize significant impacts.
<i>Harmony Church Cantonment Area</i>	Moderate impacts to level of service during morning and evening peak hours at access control point due to construction of new interchange in Harmony Church under the proposed action.	Same as Alternative A for cantonment area access. For heavy maneuver training access, a dedicated heavy vehicle overpass would be built and would preclude conflicts with local traffic.	Implementation of mitigation measures to widen roads and improve intersections and encouraged use of travel demand management (TDM) tools could minimize significant impacts.

Table G-1: Summary of Effects of the No Action Alternative and Transformation Alternatives A and B

Resource	Transformation Alternative A	Transformation Alternative B (Preferred Alternative)	Mitigation Measures
Noise (Section 4.7)			
	Impacts from construction activities would not be significant. Operationally, impacts from Zone III noise levels would increase outside of the Installation by 11 acres creating continued incompatibility to only one residence. Zone III levels would increase on Post by about 10,700 acres, but would decrease within the cantonment areas. Exposure to Zone III levels of sensitive receptor (corner of barracks in Sand Hill); however, new building materials and real estate disclosure would minimize impacts to insignificance.	Same as Alternative A except that increased vehicular noise and training weapons use would occur in the Good Hope Maneuver Area and the associated noise could increase annoyance in the adjacent community near Cusseta.	Existing reporting and claim procedures for alleged noise problems due to Army operations will continue to address off-Post exposure to Zone III contours. Through the Installation Operational Noise Management Plan, the Army identifies incompatible land uses within noise contours that can be used for planning purposes by the community. Continued practice of noise disclosures in real estate documents for on-Post residents in Zone II and III also minimizes significant impacts.
Water Resources (Section 4.10)			
<i>Surface Water, Hydrogeology/Groundwater, Floodplains, Wetlands</i>	No significant impacts are anticipated.	Same as Alternative A.	Application of existing management actions, facility design, and construction practices would minimize impacts. Once operational, monitoring to identify erosion or sedimentation issues on the ranges, training areas, and tank trails would occur to ensure no significant impacts.

Table G-1: Summary of Effects of the No Action Alternative and Transformation Alternatives A and B

Resource	Transformation Alternative A	Transformation Alternative B (Preferred Alternative)	Mitigation Measures
Geology and Soils (Section 4.11)			
<i>Geologic and Topographic Conditions and Soils</i>	Severe impacts to the highly erodible soils as a result of training operations. All required permits would be obtained and implemented and all appropriate site-specific management practices and existing mitigation measures would be implemented to off-set these impacts. As a result, significant impacts to soils from on-going and future use of the Installation's training ranges would not occur.	Same as Alternative A.	Application of existing management actions, facility design, and construction practices would minimize impacts.
Biological Resources (Section 4.12)			
<i>Vegetation</i>	Alternative A could result in potential significant effects to vegetation. A substantial amount of native habitat would be lost, and disruption of ecosystem function in the disturbed areas could occur.	Same as Alternative A, but with an increase in total number of acres of native habitat removed.	Continued adherence to Integrated Natural Resource Management Plan procedures and prescribed practices would minimize impacts.
<i>Aquatic Habitats</i>	Alternative A could result in significant effects to aquatic and wetland habitats, including streambanks from construction, demolition, road upgrades, and range projects.	Same as Alternative A.	Unavoidable impacts to wetlands would be compensated by purchase and use of wetlands credits. Stream buffer variances will be employed and monitored to minimize.
<i>Fish, Wildlife, and other Animal Species</i>	These species and their associated habitat would experience significant impacts.	Same as Alternative A.	Continued adherence to Integrated Natural Resource Management Plan procedures and prescribed practices would minimize significant impacts.

Table G-1: Summary of Effects of the No Action Alternative and Transformation Alternatives A and B

Resource	Transformation Alternative A	Transformation Alternative B (Preferred Alternative)	Mitigation Measures
<i>Special Status Species</i>	Federally listed species, significant impacts. Portions of the Randall Creek North relict trillium population would be removed. Fifty-four Red-cockaded Woodpecker (RCW) clusters would be taken as a result of Alternative A. Likely significant impacts to recovery goals. Gopher tortoise would be adversely affected if not mitigated.	Same as Alternative A for relict trillium population and state listed species. A total of 32 RCW clusters would be taken as a result of Alternative B to likely create significant impacts. The RCW recovery goal; however, is not anticipated to be significantly impacted.	All avoidance, compensation, and minimization identified in the Biological Assessment and subsequent Biological Opinion will be implemented to reduce effects on federally listed species. For state listed species, continued adherence to Integrated Natural Resource Management Plan procedures and prescribed practices, relocation, as well as monitoring would minimize significant impacts.
<i>Unique Ecological Areas (UEA)</i>	The Prosperity Church Oak-Hickory Forest, Piedmont Interface, and Longleaf Loamhills UEAs would be significantly impacted.	Same as Alternative A with the addition of significant impacts to the Backwaters UEA due to heavy use of the Good Hope Maneuver Area.	Mitigation to avoid and/or minimize impacts includes siting and design to avoid impacts to sensitive resources in the UEAs. Stream crossings would be limited and soil stabilization BMPs implemented along roadsides. Range facilities, targets, and berms will be configured to minimize impacts to wetlands, streambanks, and sensitive vegetation within the UEAs and where possible, incorporate additional acreage that includes appropriate habitat features into existing UEAs to offset losses caused by the proposed action alternatives. Monitoring will occur to ensure application of mitigation measures.

Table G-1: Summary of Effects of the No Action Alternative and Transformation Alternatives A and B

Resource	Transformation Alternative A	Transformation Alternative B (Preferred Alternative)	Mitigation Measures
Cultural Resources (Section 4.13)			
<i>Cantonment Areas and Ranges</i>	Potential adverse impacts to 38 eligible and recommend eligible archaeological sites, 27 architectural resources, and 12 cemeteries.	Potential adverse impacts to 118 eligible and recommend eligible archaeological sites, 28 architectural resources, and 12 cemeteries.	Mitigation includes avoiding sites, protecting resources from potential indirect impacts, prohibiting access to sites, and excavating and/or recovering resources.
Safety (Section 4.14)			
<i>Public, Construction, Explosive, and Range Safety</i>	Increased safety risks introduced due to ordnance, tank, and heavy vehicle traffic use, but implementation of all existing safety programs and infrastructure upgrades would minimize vehicle and training safety hazards.	Same as Alternative A.	Fencing and better signage is being installed as part of infrastructure improvements adjacent to the small arms ranges in Oscar Complex.

4.a. Land Use

Mitigation

Under Alternative B, limiting nighttime training would minimize annoyance of communities adjacent to the Good Hope Maneuver Area; however, heavy maneuver training is required for Soldier training from 4:00 a.m. to 12:00 a.m. for half of the training days and from 6:00 a.m. to 12:00 a.m. for the other half. To minimize these impacts, the public should be notified of the training schedule through the existing Fort Benning installation website: <https://www.infantry.army.mil>.

Monitoring

No significant impacts are anticipated during the construction phase; however, for the operational phase, Range Division will ensure that operations go through proper approvals and public notification prior to implementation.

Costs

Additional labor costs are anticipated for mitigation and monitoring.

4.b. Transportation

Mitigation

The following mitigation measures could address specific intersection failures and provide relief to the transportation network.

Main Post

- Widening of Dixie Road to four lanes from Michael Street to First Division Road [Intersection(s) directly affected: (1) Lumpkin and Dixie, (2) Sightseeing and Dixie, and (3) First Division and Dixie] (Fort Benning 2006g).
- Widen Dixie Road to four lanes from Jacelin Road to Edmunds Road. This would connect to the 4-lane widening on Dixie Road past Edmunds Road that is already planned [Intersection(s) directly affected: Edwards and Dixie].
- The intersections of Dixie Road with Jacelin Road, Sightseeing Street, and Ingersoll Street are currently unsignalized. It would be advisable to install signals at these intersections based on the expected traffic volume in 2011. [Dixie Road corridor general improvement].
- Implement signal coordination on Dixie Road from Jacelin Road to First Division Road to improve traffic progression and reduce delays at successive intersections. [Dixie Road general improvement].
- Add turning lanes on the eastbound direction for left-turn movements on Dixie Road at Sightseeing Street, Edwards Street, and Ingersoll Street. [Dixie Road general improvement].
- Add southbound left-turn movement lanes on Sightseeing Street, Edwards Street, and Ingersoll Street. [Dixie Road general improvement].

Final

- Optimize traffic signals on Lumpkin Road. [Intersection(s) directly affected: (1) Lumpkin and Vibbert and (2) Lumpkin and Marne].
- Reconfigure intersection of Marne and Lumpkin Roads. [Intersection(s) directly affected: Lumpkin and Marne].

Kelley Hill

- Construction of an overpass for the First Division Road traffic wishing to travel north into Lindsay Creek Parkway (currently an unsignalized intersection) before 2011. That would cause the LOS at this intersection to improve substantially [Intersection(s) directly affected: First Division and Lindsey Creek] (Fort Benning 2006g).
- Widening of First Division Road to four lanes from Dixie Road to Ivy Road [Intersection(s) directly affected: First Division and Ivy] (Fort Benning 2006g).
- Additionally, upgrade of the unsignalized intersection is recommended at Dixie and First Division Road to a signalized intersection to improve the LOS. [Dixie Road general improvement].

Sand Hill

- Installing traffic signals at the intersection of 11th Airborne Division Road and 187th Infantry Regiment Street. [Intersection(s) directly affected: 11th and 187th].
- Coordinate the signals on 11th Airborne Division Road west of Moye Road to reduce intersection delays and improve traffic progression. [Intersection(s) directly affected: 11th and 41st].

Harmony Church

- Construct a new interchange on U.S. Highway 27/280 at the intersection of Cusseta Road south of Hourglass Road. The design of this project needs to consider the possibility of its use by heavy armor vehicles traveling to the training areas. [General improvement] (Fort Benning 2006g).

In addition to these specific measures, increased use of Travel Demand Management (TDM) measures could help minimize traffic congestion at key locations. TDM is a term for transportation strategies designed to maximize the people-moving capability of the transportation system by increasing the number of persons in a vehicle, or by influencing the time of, or need to, travel. To accomplish these types of changes, TDM programs must rely on incentives or disincentives to make these shifts in behavior attractive. The primary purpose of TDM is to reduce the number of vehicles using the road system while providing a wide variety of mobility options to those who wish to travel. TDM measures could include, among others, preferential parking for ridesharers, information and marketing to increase awareness of need for ridesharing, flexible work schedules, and telecommuting. While these example TDM measures are not specifically recommended mitigations, they are mentioned to illustrate the TDM concept. Appropriate TDM mitigations measures would be determined by Fort Benning as part of a TDM program, which would help minimize traffic congestion.

Monitoring

The Army will ensure projects are implemented and incorporated into the Fort Benning transportation system.

Costs

Costs are currently unknown but entail construction and maintenance.

4.c. Noise

Under either alternative, there are incompatible land uses found within and outside Installation boundaries.

Mitigation

Continued use of noise complaint process would assist Fort Benning in responding to the public in a timely manner. Also, Fort Benning's Installation Operational Noise Management Plan establishes outreach programs to achieve the maximum feasible compatibility between the noise environment and noise-sensitive land uses both on- and off-Post. The plan is meant to inform the community of the surrounding noise environment and suggest compatible land uses for development within these areas. For on-Post sensitive receptors in Zone II, facility siting and standard construction materials would attenuate noise levels. For off-Post communities, Fort Benning recommends that land use planners, developers, and residential property owners include noise disclosures in real estate documents to address noise in Zones II and III. The continued practice of noise disclosures in real estate documents for on-Post residents in Zones II and III would minimize significant impacts.

Monitoring

Using existing noise complaint processes, an increased amount in complaints may indicate a need to improve communications with the community and explore additional mitigation measures. Existing noise monitoring instruments are located within the Installation along the south, north, and northeast boundaries to better monitor and document noise levels.

Costs

Costs associated with better community coordination by the Installation (labor, meetings, notices, etc.). Additional labor costs are anticipated for mitigation and monitoring. Changing range operations may present scheduling difficulties and potentially impede mission requirements.

4.d. Water Resources

Adherence to applicable federal and state laws and regulations and Army regulations, as required, would minimize impacts. All tree clearing and construction activities greater than 1 acre in size and/or as part of a common development area, requires a NPDES Permit for Storm Water Discharges under the ESCA. The general permit establishes requirements such as:

Final

- Notice of Intent (NOI) and Notice of Termination;
- Payment of Fees;
- development and implementation of a ESPCP;
- site inspections for facilities with discharges authorized by the permit;
- amendments to plans as necessary to keep them current; and
- retention of records for at least 3 years from the date of final stabilization.

Unless notified to the contrary, the permit authorizes discharge of storm water from construction sites under the terms and conditions of the permit 14 days after the date the NOI is postmarked. The ESPCP must be prepared by a design professional licensed by the state of Georgia or a Certified Professional in Erosion and Sediment Control with a current certification. The ESPSP must be designed in accordance with the design requirements and specifications contained in the “Manual for Erosion and Sediment Control in Georgia.” The design professional who prepares the ESPCP is required to conduct a site visit to certify that the ESPCP provides an appropriate and comprehensive system of BMPs, provides for the sampling of receiving waters or the sampling of the storm water outfalls, and that the designed system is expected to meet the requirements contained in the General NPDES Permit Nos. GAR 100001, GAR100002, and GAR100003. GAR 100001 regulates stand-alone construction activity, GAR 100002 regulates infrastructure [i.e., linear] construction sites, GAR 100003 regulates common development construction. For projects less than 1 acre in size and not covered under NPDES GAR 100001, 100002, and 100003, Fort Benning will use a basic ESPCP similar to the one required under GAR 100001 Part VI. A stream buffer variance will be required from Georgia EPD if timber harvest or construction occurs within 25 feet of the stream bank.

To address the magnitude of the construction and training that will occur in the Good Hope Area, an integrated erosion control system for watershed management is being developed to go above and beyond the BMPs established by the Georgia Department of Natural Resources.

Mitigation

During the design process, minimization mitigation is incorporated to the greatest extent possible; for example, low-water crossings rather than standard road crossings will minimize impacts to water flow and quality. To construct low-water crossings, the construction contractors may need to divert streams temporarily; the stream diversion channel BMP would be applied to minimize erosion and other water quality impacts.

Additional minimization of impacts will be outlined in the construction contract specifications which includes stormwater management measures that reduce the average annual total suspended solids load by 80 percent once the site has been developed. This will be accomplished through conveyance of stormwater through BMPs, as discussed under Soils Mitigation, which in turn would lessen the deposition of sediments into adjacent surface waters. The designers will supply pre-construction drawings illustrating what, when, and where sediment control structures are installed, inspected, and maintained.

This will ensure that after construction is complete, there are measures in place to mitigate the new circumstances created during construction such as concentrated flows in specific areas.

The preparation and implementation of a SPCC Plan and/or its requirements during all construction activities will prevent and/or minimize spill/release from hazardous materials into waterways. The SPCC is just one aspect of the larger ESPCP that will be required for construction to commence. The ESPCP will specifically address the implementation of discharge from control areas for equipment maintenance or repair, waste locations, wash-down locations, and sanitary facility areas. If above ground storage of POL products exceed 1,320 gallons, counting containers 55 gallons or larger; an SPCC Plan at the state level will also be required. In addition, SPCC requirements would be implemented during training exercises to avoid/minimize impacts to desirable habitat.

Mitigation for impacts to wetlands and streambanks by avoidance will be incorporated into the design process. Impacts will be minimized by moving tank trails, targets, and roads out of wetlands where practicable, utilizing low-water crossings rather than placement of unconsolidated fill, and use of selective vegetation removal in wetlands/streams, where feasible; and other measures.

If avoidance is not feasible/practicable, jurisdictional wetland and stream bank mitigation measures would be implemented with the initiation of clearing activities; streambank buffer zones and wetlands will be marked by EMD or their wetlands consultants. To reduce potential sources of sedimentation, logging decks and defined skid trails will be located outside the stream buffer zones. Brush barriers will be used along the edge of the wetlands which will be marked with stakes. Stream buffer zones will be at least 25 feet on each side of the stream. In many areas, the buffer zone will be greater than 25 feet, due to variations in the width of the floodplain. The buffer zones will be marked with red paint and/or stakes. The construction contractors will also use additional erosion control measures as needed. Impacted areas within the stream buffer zone will be cleared for construction of low water crossings; however, the following BMPs shall be used: stream diversion channels, silt fence, vegetation establishment, and others as needed to minimize sedimentation in the streams.

Any trees needing removal in wetland areas will be cut to 4-to-8 inch stump height, with no grubbing, disking, or stump/root removal occurring.

The SPCC Plan and erosion control BMPs will also be implemented to avoid impacts to desirable habitat during construction (see Soils below for more details). In addition, SPCC requirements will be implemented during training exercises to avoid/minimize impacts to desirable habitat. Operation and maintenance requirements will follow those currently in place and described in the EIS. Military units are required to use secondary containment for the storage of hazardous materials/wastes and during refueling operations. Also, routine maintenance of the vehicles helps to identify and repair any conditions that might cause leaks. A spill response protocol has been established Post-wide and personnel on the range shall have adequate spill response supplies on hand.

Fort Benning is consulting with the USACE Regulatory Office to determine jurisdictional wetland mitigation requirements such as wetlands credits. Following the Section 404 permitting process for

Final

projects proposed under this EIS, the specific amount of credits will be identified. Clear Creek restoration site credits will be used, if available, and additional credits purchased as determinations are finalized.

Surface water resources are subject to contamination from soil sedimentation, oil spills, pesticide residue, and untreated sewage bypasses. These potential pollution sources are controlled and minimized; however, by implementation of SPCC, ISCP, and SWP3 (General Permit No. 000000) for industrial facilities, ESPCP and SWMP, NPDES MS4, by sewage bypass reduction efforts, and by the related NPDES permit requirements to prevent sewage bypasses under the CWW NPDES permit for their WWTP and pretreatment facilities. The SWP3 provides protection for the water sources within the Installation by monitoring storm water discharges and implementing BMPs including inspection of the facilities and maintenance vehicles, awareness of potential circumstances for spills, and selection of smart storage locations.

Monitoring

During the construction phase, the construction contract specifications require all water areas affected by construction activities to be monitored. The monitoring and sampling requirements are explained below in Soils Mitigation. The construction contractor will submit required monitoring results to the contracting officers who will provide a copy to the Environmental Monitors, in addition to the state of Georgia EPD required submittals. The Environmental Monitors will review the submittals and also take any additional samples or conduct additional monitoring to evaluate adherence to environmental requirements in the construction specifications and this Mitigation and Monitoring Plan. This is to ensure that the erosion and sediment controls are working as envisioned through adherence to regulatory requirements and the implementation of erosion control BMPs, so that stream habitats and water quality would improve over time relative to conditions during construction.

The Army contracting officers for any timber harvests, range construction, and target and equipment installation have responsibility to ensure the contractors conducting this work comply with the wetland mitigation described in the wetlands permit and supporting documents, as well as this Mitigation and Monitoring Plan. The Environmental Monitors and EMD staff will assist the contracting officers by making independent quality control monitoring efforts. Prior to timber harvests or any ground disturbing activity, EMD and Army contracting officers will ensure that all wetlands and stream buffers are marked with either paint, flags, or preferably stakes to indicate the sensitivity of these areas and signal the necessity of low impact clearing methods in these areas. The Environmental Monitors will check these areas at least weekly and ensure that low impact methods are being utilized in designated areas. Tree and vegetation removal may be conducted in phases, so the contracting officers shall inform the Environmental Monitors when timber removal in wetlands and stream buffers are anticipated. Throughout this process, the Environmental Monitors will coordinate all actions with the EMD Land Management Branch, the appropriate contracting officers, Range Division, and other pertinent Fort Benning staff.

After timber harvest, wetland and streambank areas may have to be remarked because the timber operations will likely destroy flags, stakes, and other marking devices. This refreshed demarcation is necessary to ensure no incidental disturbance by construction machinery occurs. During construction, no machinery or other vehicles shall enter wetland areas except the designated construction impact areas. The construction contractors must install designated pre-construction erosion controls prior to entry into impacted wetlands and other construction actions. See the Soils category below for more details regarding soil erosion control.

Once operational, surface water resources are still subject to contamination from soil sedimentation, oil spills, pesticide residue, and untreated sewage bypasses. These potential pollution sources are controlled and minimized by implementation of SPCC, ISCP, and SWP3 (General Permit No. 000000) for industrial facilities, ESPCP and SWMP, NPDES MS4, by sewage bypass reduction efforts, and by the related NPDES permit requirements to prevent sewage bypasses under the CWW NPDES permit for their WWTP and pretreatment facilities. The SWP3 provides protection for the water sources within the Installation by monitoring storm water discharges and implementing BMPs including inspection of the facilities and maintenance vehicles, awareness of potential circumstances for spills, and selection of smart storage locations. In addition, Fort Benning EMD and/or Range Division personnel will monthly monitor ranges, training areas, and tank trails to determine any needs for erosion control and/or revegetation to maintain and sustain the training areas.

Costs

Purchase of additional wetlands credits would require funding. NPDES permits impose a cost of \$80 per acre disturbed; the construction contractors would be required to implement all associated plans and erosion control measures; costs associated with permitting, plans, and control measures would be integrated in the final bid for the construction project. Review of the permits, plans, and control measures would be required of Fort Benning EMD staff. Two Environmental Monitors would be hired for monitoring during construction. Once operational, two employees would be hired to monitor erosion and sedimentation issues as well as compliance requirements for operations and maintenance.

4.e. Soils

Mitigation

To minimize soil erosion the state of Georgia requires submission of an ESPCP to the Georgia EPD; copies must also be given to Chief of EMD or designees. The ESPCP includes a project description, soil information, changes to existing contours, existing drainage patterns, general location of structural BMPs, BMP specifications, quantity, and cost estimates, BMP inspection and maintenance requirements, detailed construction drawings, and a construction schedule. The BMPs include erosion control matting, channel stabilization, silt fencing, brush barriers, storm drain outlet protection, stone check dams, rock filter dams, temporary and permanent seeding and the application of mulch. Erosion control matting would be used on slopes greater than 2.5:1. Silt fencing, stone check dams, and rock filter dams will be used to trap sediment on site. A majority of the disturbed areas will be seeded with temporary and permanent grasses

Final

to stabilize the area. Disturbed areas will be planted with native and non-native seed approved by EMD to avoid introduction of invasive or unwanted species. Some wetland areas may already contain a cache of viable seed and may not need to be planted. Brush barriers will be constructed on the perimeter of the wetlands to trap sediment. Stone check dams will be constructed at turnouts to reduce sedimentation from tank trails. The construction contractors will submit NPDES permits as required and will make any modifications to the ESPCP. See also Section 4.d Water Resources for mitigation measures to minimize erosion and sedimentation.

Other BMPs to be used during the construction phase to mitigate soil and sedimentation issues would include: buffer zones, dust control (watering, matting) on disturbed areas, streambank stabilization, construction exit, construction road stabilization, stream diversion channel, temporary stream crossing, and storm drain outlet protection. Construction exits would be built in areas where traffic will be leaving the construction site to a major roadway to reduce or eliminate the mud transport from the construction areas. Gravel roads that provide access to the construction sites may not require specified construction exits.

Low-impact methods of vegetation removal in the wetland and stream buffer line of sight areas will be required. The areas to be cleared or selectively cut using low-impact methods will be clearly marked. Georgia Forestry BMPs for water quality, streamside management zones (SMZs), and timber harvesting will be implemented. Forestry BMPs for water quality would include SMZs to prevent movement of soil or other potential pollutants and maintain streambank integrity. Forestry BMPs for timber harvesting will include strategic placement for log decks and skid trails to minimize rutting and soil movement.

Monitoring

A Fort Benning and/or USACE representative will monitor the timber harvest contractors and prepare a written report each week to document compliance with all applicable mitigation requirements and/or restrictions, any deviations from the same and any corrective action that was taken or is proposed. The report will be provided to the Environmental Monitors and the Chief of EMD or designees. Any deviations from the requirements and/or regulatory violations will be immediately reported to the Contracting Officer or their representative and EMD Chief.

The Environmental Monitors shall monitor mitigation measures described in the ESPCP to further ensure the success of mitigation. The ESPCP includes detailed vegetation establishment specifications, which ensure the timely installation and establishment of vegetation. Vegetation is significant because it controls soil erosion rather than captures eroded sediment. It is also the most effective BMP with success percentages in the ninety percent range as opposed to half that for some non-structural BMPs such as silt fence. It will be the responsibility of the contracting officers to ensure compliance with relevant contract specifications and applicable requirements, and report any deviations to the Chief of EMD or designees.

The construction contractor must adhere to the ESPCP and NPDES permits. The construction contractors are required to inspect disturbed areas of the construction sites, areas used for materials storage exposed to rain that have not been fully stabilized, stabilization practices, structural practices, other controls, and

the area where vehicles exit the site at least once every 7 days and within 24 hours of the end of any rainfall event that produces 0.5 inches or more precipitation at the site. The report shall be submitted to the Contracting officers within 24 hours of inspection and then forwarded to EMD. These requirements will be stated in the contract specifications. The Georgia NPDES permit monitoring requirements are:

- *Daily* – Inspect all areas where petroleum products are stored, used, or handled for spills and leaks. Inspect all locations where vehicles exit or enter the site for evidence of off-site tracking. Measure rainfall once each twenty-four hour period at the site.
- *Once every 7 calendar days and within 24 hours of a storm that is 0.5 inches or greater* – Inspect disturbed areas and storage areas that are exposed to precipitation that have not undergone final stabilization. Inspect structural control measures.
- *Once per month during term of permit* – Inspect areas that have undergone final stabilization for evidence of or potential for, pollutants entering drainage systems and receiving waters.

Based on the results of each inspection, the site description and pollution prevention and control measures identified in the ESPCP shall be revised by the construction contractor no later than 7 calendar days following each inspection. The contractor has an additional obligation to sample all receiving waters or outfalls at least two times during the construction process:

1. After the first rain event that reaches 0.5 inches and allows monitoring during normal business hours when construction activity is being conducted that occurs after all clearing and grubbing operations have been completed in the drainage area.
2. The first rain event that reaches or exceeds 0.5 inches and allows for sampling during normal business hours that occurs either 90 days after the first sampling event or after all mass grading operations have been completed. Additional monitoring and sampling may be required if corrective action is mandated by the sampling results.

The new ESPCP should detail the procedures to be followed for monitoring and sampling efforts which can be derived from Fort Benning's General Permit.

Additionally, Fort Benning's Environmental Monitors will prepare weekly detailed mitigation and monitoring reports during construction, and the beginning phases of operation, as appropriate. These reports will address compliance and maintenance of soil erosion and timber BMPs, and will be forwarded to the Chief of EMD or designees, and the Chief of Range Division. Specific practices that will be considered include:

- the condition of all markings (flags, stakes, paint, etc.) that delineate sensitive areas (for example: wetlands, eligible historic properties, etc.); and
- the condition of BMPs (e.g., are all BMPs installed according to requirements outlined in the ESPCP, are sediment loads below allowable quantities).

Discrepancies in actual versus planned impacts to soils and vegetation will be addressed by the Chief of EMD or designees through the contracting officers. During construction, there should be no significant impacts to vegetation outside of the construction footprint.

After the construction, EMD and/or Range Division personnel will monthly monitor the sites to determine any needs for erosion control and/or revegetation to maintain realistic training areas and sustain the ranges. Monitoring reports will be submitted to the Chief of Range Division and the Chief of EMD, and appropriate action will be taken. EMD and/or Range Division will ensure that any problem areas are revegetated as soon as possible, and the areas will be monitored closely until they are stabilized.

Costs

The construction contractors would be required to incorporate all costs associated with permitting, plans, and control measures in the final bid for the construction project. Review of the permits, plans, and control measures would be required of Fort Benning EMD staff. Monitoring would be undertaken by the Environmental Monitors. Costs associated with labor of EMD staff and Environmental Monitors would be required over the entire construction period and 5 years into the operational phase.

4.f. Biological Resources

Continued adherence to the Integrated Natural Resource Management Plan (INRMP) procedures and prescribed practices and implementation of the plans and monitoring required by the BO (see Appendix F), would minimize significant impacts to vegetation, aquatic habitats, fish, wildlife, other animal species, and state-listed species (with the exception of the Gopher Tortoise).

Mitigation

SPECIAL STATUS SPECIES. As presented in the Biological Opinion (Appendix F), the following minimization and mitigation efforts were identified by the USFWS under Section 7 as part of the consultation for federally-listed species—RCW and relict trillium. To be proactive, Fort Benning is also proposing mitigation measures to protect the gopher tortoise, a state-listed species of concern.

Mitigation

RCW. Per the BO, all tree cavities that will be cut will be screened to prevent RCWs from being present at the time of cutting. In clusters where RCWs can be translocated, all cavities will be screened immediately after RCWs are captured and removed. Cavity trees that are cut will be either destroyed onsite or collected for educational purposes with appropriate permitting from the USFWS. Active cavity trees will not be cut during the nesting season (April-July).

Clusters which are taken but not physically removed because of insufficient foraging habitat will retain the same level of protection they currently have. Painted bands will not be removed from existing trees and the 1996 Army Guidelines will apply within the existing 200-ft and 50-ft buffers. Standard for Managed Stability (SMS) clusters that contained sufficient suitable and potentially suitable habitat

combined are not considered taken at the foraging partition level. Instead, minimization efforts will be conducted to improve the potentially suitable stands so that they become suitable.

Translocation of up to 10 RCW groups will be done because of cavity tree loss under Alternative A, and 7 groups in Alternative B. For these groups, Fort Benning will consult with USFWS to determine where those birds will be relocated. If intrapopulation translocation is selected, Fort Benning will ensure that the recipient clusters are in the best condition possible via thinning, hardwood midstory control, and/or cavity installation and maintenance. Fort Benning will work with USFWS to determine if recruitment sites on the Installation are suitable for translocation. If RCWs need to be translocated off Post, they may be used to supplement a smaller population nearby so that as young pine stands on Fort Benning become suitable habitat, that recipient population can in turn become a donor population for the Installation.

With the increase in training activities and the number of new ranges proposed, access to these areas will become challenging. Range Division will schedule access by Fort Benning RCW personnel for activities such as monitoring, cavity maintenance, timber management, and prescribed burning.

Fort Benning has conducted extensive line of sight analyses for all of the proposed ranges in the Oscar complex (north of U.S. Highway 27/280) and found that berming would significantly reduce habitat impacts within three ranges; berming would help to conserve both current and potential future habitat, thus reducing the size of the associated heavy use ordnance areas. The remaining ranges either have a natural backstop or do not impact enough, if any, potential RCW habitat for berming to be worthwhile.

Relict Trillium. Plants that cannot be avoided during construction will be relocated to a recipient site on Fort Benning or to a site identified by Georgia DNR to establish or enhance existing populations. As specified in the Biological Assessment, management measures will continue to protect the plant from disturbance by:

- fencing populations from feral swine where necessary;
- prohibiting timber harvesting with 200 ft of the population boundary;
- prohibiting digging, weed control, brush/vegetation removal, and vehicles within the sensitive area with signs posted around each population;
- prohibiting prescribed burning within the boundaries of each population; and
- controlling the feral swine population by trapping or shooting.

Gopher Tortoise. Prior to ground disturbance in areas where gopher tortoise are found, a qualified biologist will search for occupied burrows and relocate tortoises to a safe location. Where tortoises are known to occur in close proximity to construction areas, fencing or other barriers to keep the animals out of harm's way will be installed.

Monitoring

EMD will hire a biologist, and one to two technicians to fulfill the monitoring needs prescribed under the BO. The following outlines the monitoring efforts; however, the BO (attached at Appendix F) fully describes all monitoring required per formal consultation with the USFWS.

- Clusters directly impacted by road projects and all clusters within 0.5 miles of a proposed Transformation project will be monitored. This includes banding of all adults and nestlings in the cluster, those clusters to be cut will have all birds banded prior to translocation.
- In the training areas and ranges, Fort Benning will establish vegetation monitoring plots within 0.5 miles of the maneuver corridor, the qualification training range, the small arms ranges in the Oscar complex, and other ranges as necessary using methodology established with DMPRC vegetation monitoring plots. These data will document the effect of heavy maneuver training, heavy artillery use, and small arms impacts on vegetation regardless of the alternative implemented. Data collected from monitoring will be used to evaluate assumptions made in the Biological Assessment, but will also aid in future Army impact assessments. All removals of habitat managed for RCWs are, and will continue to be, tracked via the Fort Benning NEPA process to ensure that training exercises do not bring clusters below the take threshold.

For the relict trillium, monitoring of these populations would be done at the same time as RCW management (where possible) to take advantage of range scheduling. This would also be true for monitoring the gopher tortoise.

UEAs. The driver training course and maneuver areas will require proper siting and design to avoid and/or minimize impacts to sensitive resources in UEAs. Stream crossings will be limited and soil stabilization BMPs should be implemented along roadsides. Range facilities, targets, and berms should be configured to avoid wetland areas and sensitive vegetation within the UEAs. Other mitigation for UEAs will consist of adhering to requirements in the NPDES permit, Section 404 permit, and ESPCPs. Trees felled along stream buffers will be removed by low impact methods. If removal is not feasible then trees will be hand felled and left in place with stem parallel to stream channel. Installation management policies for UEAs will be utilized to the fullest extent possible to reduce the amount of erosion that would occur. All upland areas shall be stabilized with erosion control “blankets,” vegetation, and/or mulch. Operations and maintenance will be mitigated as discussed under Section 4.d Water Resources and 4.e Soils.

Monitoring

Before construction, the contracting officers and/or Environmental Monitors or EMD personnel shall inform the construction contractors of the susceptible nature of the area, and any marking mechanisms damaged by timber operations shall be repaired to keep construction activities only in designated areas.

Operation and maintenance activities may result in additional potential effects to UEAs due to soil erosion; this would be mitigated as discussed under Section 4.d and e, Water Resources and Soils. Erosion control within the range and training areas will be monitored to determine any needs for erosion control and/or revegetation.

Costs

The construction contractors and Fort Benning would be required to implement all associated plans and minimization efforts prescribed in the Biological Opinion. Fort Benning EMD staff will monitor all phases (construction, operation, and maintenance). Minimization costs include a Biologist plus up to two technicians to monitor RCWs/relict trillium/gopher tortoise and associated habitat pre-construction, construction, and up to 5 years once operation begins. Number of personnel will vary depending on work load, type and size of projects, and number of projects per year. Costs also include equipment needs for these personnel. Funding for berms will be required on three ranges. There may also be additional costs associated with the relocation of RCW, relict trillium, and gopher tortoise.

4.g Cultural Resources

Mitigation

The proposed mitigation measures for cultural resources consist of avoiding direct effects to the resources through project design or modification, signage, excavation or data recovery, or other appropriate measures. Avoiding direct impacts includes prohibiting ground disturbing activities at the sites and using cut-to-length method of timber harvest in the boundaries of the eligible and potentially eligible sites.

Any and all artifacts found will remain the property of the Army at Fort Benning and, if found, will be turned over to the Environmental Monitors and delivered to Fort Benning's Cultural Resource Manager (CRM) for placement in Fort Benning's curation facility. Construction specifications and site plans identify areas off limits to ground disturbance and placement of berm or earthen screen (where applicable). The construction contractors shall submit a cultural resources management plan as part of the Environmental Protection Plan. The plan will be reviewed and approved by the Chief of EMD or designee and the CRM before construction can begin and shall incorporate relevant Standard Operating Procedures from the Installation draft ICRMP.

Monitoring

The cultural resources will be demarcated prior to timber harvest to indicate the sensitive nature of the area and the requirement for specialized timber harvest procedures. Before construction, the demarcations will be reviewed and the construction contractors will be made aware of the sensitive nature of the area and any marking mechanisms damaged by timber operations should be repaired to keep construction activities only in designated areas. Any demarcations will be generic rather than identify the locations as cultural resource, to protect against damage while also preventing information release that could facilitate looting. At least monthly when not in the construction phase and weekly during the construction phase, the Environmental Monitors will inspect the construction site to ensure procedures to

protect specified cultural resources are being followed and report any discrepancies to the Chief of EMD. Operation and maintenance activities may result in additional potential effects to the cultural resources. To avoid this, Range Control must maintain berms in a manner to ensure continued protection of the sites. Annual surveillance of sites outside of the footprint should be initiated by the CRM to ensure that actual impacts do not vary significantly from those anticipated.

If unknown cultural resources sites are discovered during the construction, or the operation and maintenance phase at any of the sites, the finding entity must immediately cease activities in the immediate area of the discovery and notify the CRM immediately for further action. The CRM will make an eligibility determination after consulting with stakeholders, and eligible sites will require either (1) avoidance of impacts to the site's integrity through purposeful design via movement of targets or construction of berms; (2) excavation to acquire the scientific and historic information inherent within its archaeological and historical context; or (3) other mitigation as determined through consultation.

Costs

Data recovery or some other agreed upon mitigation through SHPO and Tribal consultation would be required for eligible archaeological sites that could not be avoided. Costs will be determined by the level of effort required, site size and depth, accessibility, and terrain. Historic American Building Surveys documentation will be required. to mitigate impacts to eligible architectural sites and districts. The cost of the mitigation effort will be determined by the level of documentation required.

4.h Safety

Mitigation

As part of proposed infrastructure upgrades, Fort Benning would erect a fence along the northern boundary adjacent to the small arms ranges in the Oscar Complex to limit unlawful entry. Existing signs are posted along all boundaries and would continue to notify the public of trespassing.

Monitoring

Fort Benning Range Division will monitor condition of the fence and signage while conducting routine range management activities to ensure its integrity. If damage is found, it will be repaired.

Cost

Costs associated with fencing would be required. No additional costs for monitoring anticipated.

5. Enforcement Monitoring Section

The Army and Fort Benning, is ultimately responsible for implementing all mitigation requirements, but other entities carrying out the mitigation also have responsibilities. Contracting Officers are responsible for monitoring contractor compliance with all mitigation requirements for timber harvest, construction, etc. They would inform Chief, EMD and the Environmental Law Specialist, OSJA of any noncompliance with mitigation commitments. The Contracting Officers would use all contractual mechanisms to ensure

that the contractors' conducts mitigation and monitoring as required. During operation and maintenance phases of the proposed Transformation, any noncompliance with mitigation requirements or regulations would be coordinated with Chief, EMD and coordinated with the Chief, Range Division for resolution. Actions to resolve noncompliance will be taken in a timely manner and may include: supplemental NEPA analysis; adjustment to range operations; notice to MCOM SERO, and/or regulators; investigation; administrative or disciplinary actions if military or civil service personnel are involved; civil or criminal actions; and other actions as appropriate to the situation.

Environmental Monitoring Report. Fort Benning will prepare an environmental monitoring report for all resources identified in the mitigation plan and BO in accordance with 32 CFR 651.15(l) to help determine the accuracy of impact assessment and make any necessary adjustments in the mitigation measures and/or military operations as practicable. The Installation may integrate this environmental monitoring report with any EMS monitoring report if feasible and useful. Otherwise, EMD would prepare a separate annual monitoring report for as long as mitigation is required. This environmental monitoring report will be provided to Range Division and will also be available upon request to the public and stakeholders to provide status of the mitigation and monitoring measures.

Appendix H:

STATE HISTORIC PRESERVATION OFFICE AND TRIBAL CORRESPONDENCE



STATE OF ALABAMA
ALABAMA HISTORICAL COMMISSION
468 SOUTH PERRY STREET
MONTGOMERY, ALABAMA 36130-0900

COLONEL (RET.) JOHN A. NEUBAUER
EXECUTIVE DIRECTOR

August 3, 2007

TEL: 334-242-3184
FAX: 334-240-3477

Dr. Christopher E. Hamilton
Department of the Army
Installation Management Agency
Garrison Command
6751 Constitution Loop, Suite 550
Fort Benning, Georgia 31905-4500

Re: AHC 07-0717
Army Transformation Initiatives
BRAC Maneuver Center of Excellence
Fort Benning
Russell County, Alabama

Dear Dr. Hamilton:

Upon review of the additional information forwarded by your office, we continue to compliment you on the quality of the EIS. Furthermore, it appears that almost all proposed activities are to take place in the State of Georgia and we have no comments on these actions as they are out of our jurisdiction. However, there is an existing firing range in Russell County, Alabama, the Molnar Range, which does not appear to have modifications scheduled in the current plan. If changes are planned for this range, further consultation with our office will be necessary. Finally, the CD Appendix provided with the Draft EIS indicates that a connector road may be scheduled for development in Russell County from the 101st Airborne Road to Alabama Highway 165. This is indicated on slide 29 of the 34 slides on the CD. If this is a scheduled development and not an existing road, further consultation with our office will be necessary.

We appreciate your continued efforts on this project. Should you have any questions, my point of contact for this matter is Greg Rhinehart at (334) 230-2662. Please have the AHC tracking number referenced above available and include it with any correspondence.

Truly Yours,

Elizabeth Ann Brown
Deputy State Historic Preservation Officer

EAB/GCR/gcr



REPLY TO
ATTENTION OF

DEPARTMENT OF THE ARMY
INSTALLATION MANAGEMENT AGENCY
SOUTHEAST REGION
GARRISON COMMAND
6751 CONSTITUTION LOOP, SUITE 550
FORT BENNING, GEORGIA 31905-4500

26 SEP 2006

Directorate of Public Works

The Honorable Bill Anoatubby
Governor
Chickasaw Nation
124 South Broadway
American Building, 3rd Floor
Ada, Oklahoma 74821

Dear Governor Anoatubby:

Recently I have assumed the command of the garrison at Fort Benning from Colonel Ricardo Riera. Colonel Riera expressed to me the importance to Fort Benning of our consultation with the Chickasaw Nation and the other Federally recognized Tribes in our deliberations on the treatment of cultural resources. In continuance of our consultations, it is my pleasure to invite you to our next meeting at Fort Benning on the proposed dates of November 29 to 30, 2006. Among the topics of discussion will be the transformation of Fort Benning into the Maneuver Center of Excellence where training of the Infantry and Armor Branches will be interwoven into a more unified program of instruction. As we make the necessary changes to the installation, however, avoiding or minimizing potential adverse effects to cultural properties at Fort Benning remains an important consideration for this command.

Should the proposed dates for our consultation meeting prove unacceptable, do not hesitate to propose alternative dates. Enclosed is a preliminary draft agenda. Invitational Travel Orders will be provided to you as soon as dates and attendees for our consultation meeting are finalized. Do not hesitate to call me at (706) 545-1500 or my Coordinator for Native American Affairs, Dr. Chris Hamilton at (706) 545-2377 or email Dr. Hamilton at christopher.e.hamilton@us.army.mil with any questions. I look forward to seeing you at the meeting.

Respectfully,

Keith R. Lovejoy
Colonel, U.S. Army
Garrison Commander

Enclosures
Preliminary Draft Agenda

Copy Furnished
Gingy Nail



REPLY TO
ATTENTION OF

DEPARTMENT OF THE ARMY
INSTALLATION MANAGEMENT AGENCY
SOUTHEAST REGION
GARRISON COMMAND
6751 CONSTITUTION LOOP, SUITE 550
FORT BENNING, GEORGIA 31905-4500

26 SEP 2006

Directorate of Public Works

The Honorable George Wickliffe
Chief
United Keetoowah Band of the Cherokee Indians in Oklahoma
P.O. Box 189
Park Hill, Oklahoma 74451

Dear Chief Wickliffe:

Recently I have assumed the command of the garrison at Fort Benning from Colonel Ricardo Riera. Colonel Riera expressed to me the importance to Fort Benning of our consultation with the United Keetoowah Band of the Cherokee Indians in Oklahoma and the other Federally recognized Tribes in our deliberations on the treatment of cultural resources. In continuance of our consultations, it is my pleasure to invite you to our next meeting at Fort Benning on the proposed dates of November 29 to 30, 2006. Among the topics of discussion will be the transformation of Fort Benning into the Maneuver Center of Excellence where training of the Infantry and Armor Branches will be interwoven into a more unified program of instruction. As we make the necessary changes to the installation, however, avoiding or minimizing potential adverse effects to cultural properties at Fort Benning remains an important consideration for this command.

Should the proposed dates for our consultation meeting prove unacceptable, do not hesitate to propose alternative dates. Enclosed is a preliminary draft agenda. Invitational Travel Orders will be provided to you as soon as dates and attendees for our consultation meeting are finalized. Do not hesitate to call me at (706) 545-1500 or my Coordinator for Native American Affairs, Dr. Chris Hamilton at (706) 545-2377 or email Dr. Hamilton at christopher.e.hamilton@us.army.mil with any questions. I look forward to seeing you at the meeting.

Respectfully,

Keith R. Lovejoy
Colonel, U.S. Army
Garrison Commander

Enclosures
Preliminary Draft Agenda

Copy Furnished
Lisa Stopp



REPLY TO
ATTENTION OF

DEPARTMENT OF THE ARMY
INSTALLATION MANAGEMENT AGENCY
SOUTHEAST REGION
GARRISON COMMAND
6751 CONSTITUTION LOOP, SUITE 550
FORT BENNING, GEORGIA 31905-4500

Directorate of Public Works

26 SEP 2006

The Honorable Gary Bucktrot
Mekko
Kialegee Tribal Town
P.O. Box 332
108 N. Main Street
Wetumka, Oklahoma 74883

Dear Mekko Bucktrot:

Recently I have assumed the command of the garrison at Fort Benning from Colonel Ricardo Riera. Colonel Riera expressed to me the importance to Fort Benning of our consultation with the Kialegee Tribal Town and the other Federally recognized Tribes in our deliberations on the treatment of cultural resources. In continuance of our consultations, it is my pleasure to invite you to our next meeting at Fort Benning on the proposed dates of November 29 to 30, 2006. Among the topics of discussion will be the transformation of Fort Benning into the Maneuver Center of Excellence where training of the Infantry and Armor Branches will be interwoven into a more unified program of instruction. As we make the necessary changes to the installation, however, avoiding or minimizing potential adverse effects to cultural properties at Fort Benning remains an important consideration for this command.

Should the proposed dates for our consultation meeting prove unacceptable, do not hesitate to propose alternative dates. Enclosed is a preliminary draft agenda. Invitational Travel Orders will be provided to you as soon as dates and attendees for our consultation meeting are finalized. Do not hesitate to call me at (706) 545-1500 or my Coordinator for Native American Affairs, Dr. Chris Hamilton at (706) 545-2377 or email Dr. Hamilton at christopher.e.hamilton@us.army.mil with any questions. I look forward to seeing you at the meeting.

Respectfully,

Keith R. Lovejoy
Colonel, U.S. Army
Garrison Commander

Enclosures
Preliminary Draft Agenda

Copy Furnished
Marsey Harjo



REPLY TO
ATTENTION OF

DEPARTMENT OF THE ARMY

INSTALLATION MANAGEMENT AGENCY
SOUTHEAST REGION
GARRISON COMMAND
6751 CONSTITUTION LOOP, SUITE 550
FORT BENNING, GEORGIA 31905-4500

26 SEP 2006

Directorate of Public Works

The Honorable Philip Martin
Chief
Mississippi Band of Choctaw Indians
101 Industrial Road
Choctaw, Mississippi 39350

Dear Chief Martin:

Recently I have assumed the command of the garrison at Fort Benning from Colonel Ricardo Riera. Colonel Riera expressed to me the importance to Fort Benning of our consultation with the Mississippi Band of Choctaw Indians and the other Federally recognized Tribes in our deliberations on the treatment of cultural resources. In continuance of our consultations, it is my pleasure to invite you to our next meeting at Fort Benning on the proposed dates of November 29 to 30, 2006. Among the topics of discussion will be the transformation of Fort Benning into the Maneuver Center of Excellence where training of the Infantry and Armor Branches will be interwoven into a more unified program of instruction. As we make the necessary changes to the installation, however, avoiding or minimizing potential adverse effects to cultural properties at Fort Benning remains an important consideration for this command.

Should the proposed dates for our consultation meeting prove unacceptable, do not hesitate to propose alternative dates. Enclosed is a preliminary draft agenda. Invitational Travel Orders will be provided to you as soon as dates and attendees for our consultation meeting are finalized. Do not hesitate to call me at (706) 545-1500 or my Coordinator for Native American Affairs, Dr. Chris Hamilton at (706) 545-2377 or email Dr. Hamilton at christopher.e.hamilton@us.army.mil with any questions. I look forward to seeing you at the meeting.

Respectfully,

Keith R. Lovejoy
Colonel, U.S. Army
Garrison Commander

Enclosures
Preliminary Draft Agenda

Copy Furnished
Ken Carleton



REPLY TO
ATTENTION OF

DEPARTMENT OF THE ARMY
INSTALLATION MANAGEMENT AGENCY
SOUTHEAST REGION
GARRISON COMMAND
6751 CONSTITUTION LOOP, SUITE 550
FORT BENNING, GEORGIA 31905-4500

26 SEP 2006

Directorate of Public Works

The Honorable A.D. Ellis
Principal Chief
Muscogee (Creek) Nation of Oklahoma
P.O. Box 580
Cultural Preservation Office
Okmulgee, Oklahoma 74447

Dear Principal Chief Ellis:

Recently I have assumed the command of the garrison at Fort Benning from Colonel Ricardo Riera. Colonel Riera expressed to me the importance to Fort Benning of our consultation with the Muscogee (Creek) Nation of Oklahoma and the other Federally recognized Tribes in our deliberations on the treatment of cultural resources. In continuance of our consultations, it is my pleasure to invite you to our next meeting at Fort Benning on the proposed dates of November 29 to 30, 2006. Among the topics of discussion will be the transformation of Fort Benning into the Maneuver Center of Excellence where training of the Infantry and Armor Branches will be interwoven into a more unified program of instruction. As we make the necessary changes to the installation, however, avoiding or minimizing potential adverse effects to cultural properties at Fort Benning remains an important consideration for this command.

Should the proposed dates for our consultation meeting prove unacceptable, do not hesitate to propose alternative dates. Enclosed is a preliminary draft agenda. Invitational Travel Orders will be provided to you as soon as dates and attendees for our consultation meeting are finalized. Do not hesitate to call me at (706) 545-1500 or my Coordinator for Native American Affairs, Dr. Chris Hamilton at (706) 545-2377 or email Dr. Hamilton at christopher.e.hamilton@us.army.mil with any questions. I look forward to seeing you at the meeting.

Respectfully,

Keith R. Lovejoy
Colonel, U.S. Army
Garrison Commander

Enclosures
Preliminary Draft Agenda

Copy Furnished
Joyce Bear



DEPARTMENT OF THE ARMY
INSTALLATION MANAGEMENT AGENCY
SOUTHEAST REGION
GARRISON COMMAND
6751 CONSTITUTION LOOP, SUITE 550
FORT BENNING, GEORGIA 31905-4500

REPLY TO
ATTENTION OF

Directorate of Public Works

26 SEP 2006

The Honorable Buford L. Rolin
Chairman
Poarch Band of Creek Indians
HCR 69A, Box 85B
5811 Jack Springs Road
Atmore, Alabama 36502

Dear Chairman Rolin:

Recently I have assumed the command of the garrison at Fort Benning from Colonel Ricardo Riera. Colonel Riera expressed to me the importance to Fort Benning of our consultation with the Poarch Band of Creek Indians and the other Federally recognized Tribes in our deliberations on the treatment of cultural resources. In continuance of our consultations, it is my pleasure to invite you to our next meeting at Fort Benning on the proposed dates of November 29 to 30, 2006. Among the topics of discussion will be the transformation of Fort Benning into the Maneuver Center of Excellence where training of the Infantry and Armor Branches will be interwoven into a more unified program of instruction. As we make the necessary changes to the installation, however, avoiding or minimizing potential adverse effects to cultural properties at Fort Benning remains an important consideration for this command.

Should the proposed dates for our consultation meeting prove unacceptable, do not hesitate to propose alternative dates. Enclosed is a preliminary draft agenda. Invitational Travel Orders will be provided to you as soon as dates and attendees for our consultation meeting are finalized. Do not hesitate to call me at (706) 545-1500 or my Coordinator for Native American Affairs, Dr. Chris Hamilton at (706) 545-2377 or email Dr. Hamilton at christopher.e.hamilton@us.army.mil with any questions. I look forward to seeing you at the meeting.

Respectfully,

Keith R. Lovejoy
Colonel, U.S. Army
Garrison Commander

Enclosures
Preliminary Draft Agenda

Copy Furnished
Robert Thrower



REPLY TO
ATTENTION OF

DEPARTMENT OF THE ARMY
INSTALLATION MANAGEMENT AGENCY
SOUTHEAST REGION
GARRISON COMMAND
6751 CONSTITUTION LOOP, SUITE 550
FORT BENNING, GEORGIA 31905-4500

26 SEP 2006

Directorate of Public Works

The Honorable Mitchell Cypress
Chairman
Seminole Tribe of Florida
AH-THA-THI-KI Museum
HC 61, Box 21A
Clewiston, Florida 33440

Dear Chairman Cypress:

Recently I have assumed the command of the garrison at Fort Benning from Colonel Ricardo Riera. Colonel Riera expressed to me the importance to Fort Benning of our consultation with the Seminole Tribe of Florida and the other Federally recognized Tribes in our deliberations on the treatment of cultural resources. In continuance of our consultations, it is my pleasure to invite you to our next meeting at Fort Benning on the proposed dates of November 29 to 30, 2006. Among the topics of discussion will be the transformation of Fort Benning into the Maneuver Center of Excellence where training of the Infantry and Armor Branches will be interwoven into a more unified program of instruction. As we make the necessary changes to the installation, however, avoiding or minimizing potential adverse effects to cultural properties at Fort Benning remains an important consideration for this command.

Should the proposed dates for our consultation meeting prove unacceptable, do not hesitate to propose alternative dates. Enclosed is a preliminary draft agenda. Invitational Travel Orders will be provided to you as soon as dates and attendees for our consultation meeting are finalized. Do not hesitate to call me at (706) 545-1500 or my Coordinator for Native American Affairs, Dr. Chris Hamilton at (706) 545-2377 or email Dr. Hamilton at christopher.e.hamilton@us.army.mil with any questions. I look forward to seeing you at the meeting.

Respectfully,

Keith R. Lovejoy
Colonel, U.S. Army
Garrison Commander

Enclosures
Preliminary Draft Agenda

Copy Furnished
Willard Steele



REPLY TO
ATTENTION OF

DEPARTMENT OF THE ARMY

INSTALLATION MANAGEMENT AGENCY
SOUTHEAST REGION
GARRISON COMMAND
6751 CONSTITUTION LOOP, SUITE 550
FORT BENNING, GEORGIA 31905-4500

26 SEP 2006

Directorate of Public Works

The Honorable Kelly Haney
Principal Chief
Seminole Nation of Oklahoma
P.O. Box 1498
Wewoka, Oklahoma 74884

Dear Principal Chief Haney:

Recently I have assumed the command of the garrison at Fort Benning from Colonel Ricardo Riera. Colonel Riera expressed to me the importance to Fort Benning of our consultation with the Seminole Nation of Oklahoma and the other Federally recognized Tribes in our deliberations on the treatment of cultural resources. In continuance of our consultations, it is my pleasure to invite you to our next meeting at Fort Benning on the proposed dates of November 29 to 30, 2006. Among the topics of discussion will be the transformation of Fort Benning into the Maneuver Center of Excellence where training of the Infantry and Armor Branches will be interwoven into a more unified program of instruction. As we make the necessary changes to the installation, however, avoiding or minimizing potential adverse effects to cultural properties at Fort Benning remains an important consideration for this command.

Should the proposed dates for our consultation meeting prove unacceptable, do not hesitate to propose alternative dates. Enclosed is a preliminary draft agenda. Invitational Travel Orders will be provided to you as soon as dates and attendees for our consultation meeting are finalized. Do not hesitate to call me at (706) 545-1500 or my Coordinator for Native American Affairs, Dr. Chris Hamilton at (706) 545-2377 or email Dr. Hamilton at christopher.e.hamilton@us.army.mil with any questions. I look forward to seeing you at the meeting.

Respectfully,

Keith R. Lovejoy
Colonel, U.S. Army
Garrison Commander

Enclosures
Preliminary Draft Agenda

Copy Furnished
Pare Bowlegs



DEPARTMENT OF THE ARMY
INSTALLATION MANAGEMENT AGENCY
SOUTHEAST REGION
GARRISON COMMAND
6751 CONSTITUTION LOOP, SUITE 550
FORT BENNING, GEORGIA 31905-4500

REPLY TO
ATTENTION OF

26 SEP 2006

Directorate of Public Works

The Honorable George Scott
Town King
Thlopthlocco Tribal Town
P.O. Box 188
Ext. 227, I-40, 7mi. East
Okemah, Oklahoma 74859

Dear Town King Scott:

Recently I have assumed the command of the garrison at Fort Benning from Colonel Ricardo Riera. Colonel Riera expressed to me the importance to Fort Benning of our consultation with the Thlopthlocco Tribal Town and the other Federally recognized Tribes in our deliberations on the treatment of cultural resources. In continuance of our consultations, it is my pleasure to invite you to our next meeting at Fort Benning on the proposed dates of November 29 to 30, 2006. Among the topics of discussion will be the transformation of Fort Benning into the Maneuver Center of Excellence where training of the Infantry and Armor Branches will be interwoven into a more unified program of instruction. As we make the necessary changes to the installation, however, avoiding or minimizing potential adverse effects to cultural properties at Fort Benning remains an important consideration for this command.

Should the proposed dates for our consultation meeting prove unacceptable, do not hesitate to propose alternative dates. Enclosed is a preliminary draft agenda. Invitational Travel Orders will be provided to you as soon as dates and attendees for our consultation meeting are finalized. Do not hesitate to call me at (706) 545-1500 or my Coordinator for Native American Affairs, Dr. Chris Hamilton at (706) 545-2377 or email Dr. Hamilton at christopher.e.hamilton@us.army.mil with any questions. I look forward to seeing you at the meeting.

Respectfully,

Keith R. Lovejoy
Colonel, U.S. Army
Garrison Commander

Enclosures
Preliminary Draft Agenda

Copy Furnished
Charles Coleman



REPLY TO
ATTENTION OF

DEPARTMENT OF THE ARMY
INSTALLATION MANAGEMENT AGENCY
SOUTHEAST REGION
GARRISON COMMAND
6751 CONSTITUTION LOOP, SUITE 550
FORT BENNING, GEORGIA 31905-4500

26 SEP 2006

Directorate of Public Works

The Honorable Osceola Clayton Sylestine
Principal Chief
Alabama-Coushatta Tribe of Texas
Attn: Walter Celestine
571 State Park Road 56
Livingston, Texas 77351

Dear Principal Chief Sylestine:

Recently I have assumed the command of the garrison at Fort Benning from Colonel Ricardo Riera. Colonel Riera expressed to me the importance to Fort Benning of our consultation with the Alabama-Coushatta Tribe of Texas and the other Federally recognized Tribes in our deliberations on the treatment of cultural resources. In continuance of our consultations, it is my pleasure to invite you to our next meeting at Fort Benning on the proposed dates of November 29 to 30, 2006. Among the topics of discussion will be the transformation of Fort Benning into the Maneuver Center of Excellence where training of the Infantry and Armor Branches will be interwoven into a more unified program of instruction. As we make the necessary changes to the installation, however, avoiding or minimizing potential adverse effects to cultural properties at Fort Benning remains an important consideration for this command.

Should the proposed dates for our consultation meeting prove unacceptable, do not hesitate to propose alternative dates. Enclosed is a preliminary draft agenda. Invitational Travel Orders will be provided to you as soon as dates and attendees for our consultation meeting are finalized. Do not hesitate to call me at (706) 545-1500 or my Coordinator for Native American Affairs, Dr. Chris Hamilton at (706) 545-2377 or email Dr. Hamilton at christopher.e.hamilton@us.army.mil with any questions. I look forward to seeing you at the meeting.

Respectfully,

Keith R. Lovejoy
Colonel, U.S. Army
Garrison Commander

Enclosures
Preliminary Draft Agenda

Copy Furnished
Debbie Thomas



REPLY TO
ATTENTION OF

DEPARTMENT OF THE ARMY
INSTALLATION MANAGEMENT AGENCY
SOUTHEAST REGION
GARRISON COMMAND
6751 CONSTITUTION LOOP, SUITE 550
FORT BENNING, GEORGIA 31905-4500

Directorate of Public Works

26 SEP

The Honorable Tarpie Yargee
Chief
Alabama/Quassarte Tribal Town
P.O. Box 187
117 North Main Street
Wetumka, Oklahoma 74880

Dear Chief Yargee:

Recently I have assumed the command of the garrison at Fort Benning from Colonel Ricardo Riera. Colonel Riera expressed to me the importance to Fort Benning of our consultation with the Alabama/Quassarte Tribal Town and the other Federally recognized Tribes in our deliberations on the treatment of cultural resources. In continuance of our consultations, it is my pleasure to invite you to our next meeting at Fort Benning on the proposed dates of November 29 to 30, 2006. Among the topics of discussion will be the transformation of Fort Benning into the Maneuver Center of Excellence where training of the Infantry and Armor Branches will be interwoven into a more unified program of instruction. As we make the necessary changes to the installation, however, avoiding or minimizing potential adverse effects to cultural properties at Fort Benning remains an important consideration for this command.

Should the proposed dates for our consultation meeting prove unacceptable, do not hesitate to propose alternative dates. Enclosed is a preliminary draft agenda. Invitational Travel Orders will be provided to you as soon as dates and attendees for our consultation meeting are finalized. Do not hesitate to call me at (706) 545-1500 or my Coordinator for Native American Affairs, Dr. Chris Hamilton at (706) 545-2377 or email Dr. Hamilton at christopher.e.hamilton@us.army.mil with any questions. I look forward to seeing you at the meeting.

Respectfully,

Keith R. Lovejoy
Colonel, U.S. Army
Garrison Commander

Enclosures
Preliminary Draft Agenda

Copy Furnished
Augustine Asbury



REPLY TO
ATTENTION OF

DEPARTMENT OF THE ARMY
INSTALLATION MANAGEMENT AGENCY
SOUTHEAST REGION
GARRISON COMMAND
6751 CONSTITUTION LOOP, SUITE 550
FORT BENNING, GEORGIA 31905-4500

26 SEP 2006

Directorate of Public Works

The Honorable Kevin Sickey
Chairman
Coushatta Tribe of Louisiana
P.O. Box 818, 1940 Bell Rd
Elton, Louisiana 70532

Dear Chairman Sickey:

Recently I have assumed the command of the garrison at Fort Benning from Colonel Ricardo Riera. Colonel Riera expressed to me the importance to Fort Benning of our consultation with the Coushatta Tribe of Louisiana and the other Federally recognized Tribes in our deliberations on the treatment of cultural resources. In continuance of our consultations, it is my pleasure to invite you to our next meeting at Fort Benning on the proposed dates of November 29 to 30, 2006. Among the topics of discussion will be the transformation of Fort Benning into the Maneuver Center of Excellence where training of the Infantry and Armor Branches will be interwoven into a more unified program of instruction. As we make the necessary changes to the installation, however, avoiding or minimizing potential adverse effects to cultural properties at Fort Benning remains an important consideration for this command.

Should the proposed dates for our consultation meeting prove unacceptable, do not hesitate to propose alternative dates. Enclosed is a preliminary draft agenda. Invitational Travel Orders will be provided to you as soon as dates and attendees for our consultation meeting are finalized. Do not hesitate to call me at (706) 545-1500 or my Coordinator for Native American Affairs, Dr. Chris Hamilton at (706) 545-2377 or email Dr. Hamilton at christopher.e.hamilton@us.army.mil with any questions. I look forward to seeing you at the meeting.

Respectfully,

Keith R. Lovejoy
Colonel, U.S. Army
Garrison Commander

Enclosures
Preliminary Draft Agenda

Copy Furnished
Jimmy Faircloth

Appendix I:

CULTURAL RESOURCES REPORT SUMMARY

**BASE REALIGNMENT AND CLOSURE 2005 & TRANSFORMATION AT FORT BENNING
MANEUVER CENTER OF EXCELLENCE**

**EVALUATION AND MITIGATION ESTIMATE FOR CULTURAL RESOURCES &
HISTORIC PROPERTIES
FY2007 – FY2014 PROJECTS**



Directorate of Public Works
Environmental Management Division
Cultural Resource Management
Fort Benning, GA

Christopher E. Hamilton, Ph.D.
706 545-2377
christopher.e.hamilton@us.army.mil

EXECUTIVE SUMMARY

“Evaluation and Mitigation Estimate for Cultural Resources & Historic Properties” is a restricted Appendix of the Draft Environmental Impact Statement for Base Realignment and Closure (05) and Transformation (Army Transformation) at Fort Benning. The purpose of this document is to provide for the review and comment of projects necessary for the implementation of Army Transformation that may affect historic properties at Fort Benning. The restriction “FOR OFFICIAL USE ONLY – NOT FOR PUBLIC RELEASE” is based on the presence of sensitive information to include the location of cultural sites (archeological sites) on Fort Benning that may be affected by Army Transformation actions.

Army Transformation includes four separate but related initiatives to enhance the ability of the Army to meet the national defense challenges of today and into the future. The initiatives include actions taken to meet the Global War on Terrorism (GWOT), the Base Realignment and Closure Act (BRAC), Army Modular Forces (AMF), and Global Defense Posture Realignment (GDPR - previously known as the Integrated Global Presence and Basing Strategy - IGPBS). With the implementation of the BRAC recommendation to relocate the Armour School and Center from Fort Knox, Kentucky to join with the Infantry School and Center at Fort Benning, Georgia, Fort Benning becomes the Maneuver Center of Excellence that will coordinate and integrate training for both the Infantry and Armor Branches of the US Army. For the purposes of organization, all four separate initiatives are included under the heading, “Army Transformation”.

Potential impacts to cultural resources on Fort Benning including archeological sites, historic buildings, and historic districts within the area of effects of projects associated with Army Transformation at Fort Benning are listed and reviewed in the present document including identified alternative courses of action. As defined in the Environmental Impact Statement, alternatives for Army Transformations include “No-Action”, Alternative A, and Alternative B. The definitions of these Alternatives and other aspects of the proposed Army Transformation actions may be found in the Draft Environmental Impact Statement. The “No-Action” alternative will not affect cultural resources on Fort Benning while Alternative A and B will affect cultural resources. Each Alternative includes similar or the same projects, differing mostly in location. The addition of a new Heavy Maneuver Area (Good Hope Heavy Maneuver Area), a new Tracked Vehicle Driver Training Area and a new Vehicle Recovery Area projects are added to Alternative A to form Alternative B. Each Project is assigned a number by Fort Benning’s Master Planner in most cases. Transformation actions that have not been assigned a project number by Master Planning were given a separate designation for the purpose of this report.

With the exception of Dud areas and firing fans that are virtually inaccessible as nearly continuously active and therefore in permanent surface danger zone (SDZ) status, the entire installation has been surveyed for cultural resources including historic buildings and archeological sites. Cultural Resources Management Program efforts associated with Army Transformation have been the evaluation (Phase II) of those properties for their eligibility to the National Register of Historic Places (Register). Over 300 cultural (archeological) sites have been evaluated in support of Army Transformation so far. Using extant and available preliminary results of the site evaluations, Army Transformation at Fort Benning has the

potential to affect 27 historic structures, 33 cultural sites known to be eligible for the Register, 96 cultural sites recommended for evaluation for the Register, and 739 sites that have been evaluated and found to be not eligible for the Register.

Most project effects to historic buildings will be avoided by following the Secretary of Interior Standards for the Renovation of Historic Buildings and the Treatment Plans for Historic Buildings on Fort Benning available for most historic structures on the installation. A single historic structure, initially planned for renovation as a library, is to be demolished due to damage from a recent storm. Avoidance of adverse effects to most cultural sites will be achieved through project design or site protection measures such as signs, barriers or other fencing. Mitigation efforts where impacts to the historic properties or cultural sites cannot be avoided through redesign or similar efforts will be the subject of further consultation with the Georgia State Historic Preservation Officer (GASHPO) and the Federally recognized Tribes in consultation with Fort Benning (Tribes), as necessary. At this time, only a single cultural site is known to require mitigation of adverse effects though others are likely to be affected.

It is important to understand that the Army Transformation at Fort Benning is fluid and that some projects will be changed, added, deleted, combined or the list will be otherwise altered based on Army mission requirements and results of planning analyses. The current report provides information to Fort Benning stakeholders at an early stage of activity for timely review and consideration. Consultation with Fort Benning's stakeholders to achieve appropriate levels of mitigation and preservation will take place prior to project effects on any known potentially eligible or eligible historic property.

