APPENDIX I RED-COCKADED WOODPECKER (RCW) FORAGING PARTION FIGURES FOR THE STANDARD FOR MANAGED STABILITY (SMS) AND RECOVERY STANDARDS (RS), ALTERNATIVES A AND B, MANEUVER CENTER OF EXCELLENCE PROJECTS



Appendix Figure I-1. Red-cockaded woodpecker (RCW) habitats within the 0.5 mile radius foraging partition for Cluster **A06-01** using the Standard for Managed Stability and the Recovery Standard (USFWS 2003) for proposed Maneuver Center of Excellence projects, Alternatives A and B, Fort Benning, Georgia.



Appendix Figure I-2. Red-cockaded woodpecker (RCW) habitats within the 0.5 mile radius foraging partition for Cluster **A07-01** using the Standard for Managed Stability and the Recovery Standard (USFWS 2003) for proposed Maneuver Center of Excellence projects, Alternatives A and B, Fort Benning, Georgia.



Appendix Figure I-3. Red-cockaded woodpecker (RCW) habitats within the 0.5 mile radius foraging partition for Cluster A08-01 using the Standard for Managed Stability and the Recovery Standard (USFWS 2003) for proposed Maneuver Center of Excellence projects, Alternatives A and B, Fort Benning, Georgia.



Appendix Figure I-4. Red-cockaded woodpecker (RCW) habitats within the 0.5 mile radius foraging partition for Cluster **A08-02a** using the Standard for Managed Stability and the Recovery Standard (USFWS 2003) for proposed Maneuver Center of Excellence projects, Alternatives A and B, Fort Benning, Georgia.





Appendix Figure I-6. Red-cockaded woodpecker (RCW) habitats within the 0.5 mile radius foraging partition for Cluster **A08-04** using the Standard for Managed Stability and the Recovery Standard (USFWS 2003) for proposed Maneuver Center of Excellence projects, Alternatives A and B, Fort Benning, Georgia.



Appendix Figure I-7. Red-cockaded woodpecker (RCW) habitats within the 0.5 mile radius foraging partition for Cluster A09-03R using the Standard for Managed Stability and the Recovery Standard (USFWS 2003) for proposed Maneuver Center of Excellence projects, Alternative A, Fort Benning, Georgia.



Appendix Figure I-8. Red-cockaded woodpecker (RCW) habitats within the 0.5 mile radius foraging partition for Cluster **A09-03R** using the Standard for Managed Stability and the Recovery Standard (USFWS 2003) for proposed Maneuver Center of Excellence projects, Alternative B, Fort Benning, Georgia.



Appendix Figure I-9. Red-cockaded woodpecker (RCW) habitats within the 0.5 mile radius foraging partition for Cluster A09-04R using the Standard for Managed Stability and the Recovery Standard (USFWS 2003) for proposed Maneuver Center of Excellence projects, Alternatives A and B, Fort Benning, Georgia.



Appendix Figure I-10. Red-cockaded woodpecker (RCW) habitats within the 0.5 mile radius foraging partition for Cluster A09-05 using the Standard for Managed Stability and the Recovery Standard (USFWS 2003) for proposed Maneuver Center of Excellence projects, Alternatives A and B, Fort Benning, Georgia.



Appendix Figure I-11. Red-cockaded woodpecker (RCW) habitats within the 0.5 mile radius foraging partition for Cluster **A14-03R** using the Standard for Managed Stability and the Recovery Standard (USFWS 2003) for proposed Maneuver Center of Excellence projects, Alternative B, Fort Benning, Georgia.



Appendix Figure I-12. Red-cockaded woodpecker (RCW) habitats within the 0.5 mile radius foraging partition for Cluster **A17-01** using the Standard for Managed Stability and the Recovery Standard (USFWS 2003) for proposed Maneuver Center of Excellence projects, Alternative A, Fort Benning, Georgia.



Appendix Figure I-13. Red-cockaded woodpecker (RCW) habitats within the 0.5 mile radius foraging partition for Cluster A17-01 using the Standard for Managed Stability and the Recovery Standard (USFWS 2003) for proposed Maneuver Center of Excellence projects, Alternative B, Fort Benning, Georgia.



Appendix Figure I-14. Red-cockaded woodpecker (RCW) habitats within the 0.5 mile radius foraging partition for Cluster A17-02 using the Standard for Managed Stability and the Recovery Standard (USFWS 2003) for proposed Maneuver Center of Excellence projects, Alternatives A and B, Fort Benning, Georgia.



Appendix Figure I-15. Red-cockaded woodpecker (RCW) habitats within the 0.5 mile radius foraging partition for Cluster **A17-03** using the Standard for Managed Stability and the Recovery Standard (USFWS 2003) for proposed Maneuver Center of Excellence projects, Alternative A, Fort Benning, Georgia.



Appendix Figure I-16. Red-cockaded woodpecker (RCW) habitats within the 0.5 mile radius foraging partition for Cluster A17-03 using the Standard for Managed Stability and the Recovery Standard (USFWS 2003) for proposed Maneuver Center of Excellence projects, Alternative B, Fort Benning, Georgia.



Appendix Figure I-17. Red-cockaded woodpecker (RCW) habitats within the 0.5 mile radius foraging partition for Cluster A17-04 using the Standard for Managed Stability and the Recovery Standard (USFWS 2003) for proposed Maneuver Center of Excellence projects, Alternative B, Fort Benning, Georgia.



Appendix Figure I-18. Red-cockaded woodpecker (RCW) habitats within the 0.5 mile radius foraging partition for Cluster A17-05 using the Standard for Managed Stability and the Recovery Standard (USFWS 2003) for proposed Maneuver Center of Excellence projects, Alternative B, Fort Benning, Georgia.



Appendix Figure I-19. Red-cockaded woodpecker (RCW) habitats within the 0.5 mile radius foraging partition for Cluster **A17-06** using the Standard for Managed Stability and the Recovery Standard (USFWS 2003) for proposed Maneuver Center of Excellence projects, Alternative A, Fort Benning, Georgia.



Appendix Figure I-20. Red-cockaded woodpecker (RCW) habitats within the 0.5 mile radius foraging partition for Cluster A17-06 using the Standard for Managed Stability and the Recovery Standard (USFWS 2003) for proposed Maneuver Center of Excellence projects, Alternative B, Fort Benning, Georgia.



Appendix Figure I-21. Red-cockaded woodpecker (RCW) habitats within the 0.5 mile radius foraging partition for Cluster A17-07 using the Standard for Managed Stability and the Recovery Standard (USFWS 2003) for proposed Maneuver Center of Excellence projects, Alternative B, Fort Benning, Georgia.



Appendix Figure I-22. Red-cockaded woodpecker (RCW) habitats within the 0.5 mile radius foraging partition for Cluster A17-08 using the Standard for Managed Stability and the Recovery Standard (USFWS 2003) for proposed Maneuver Center of Excellence projects, Alternative A, Fort Benning, Georgia.





Appendix Figure I-23. Red-cockaded woodpecker (RCW) habitats within the 0.5 mile radius foraging partition for Cluster A17-08 using the Standard for Managed Stability and the Recovery Standard (USFWS 2003) for proposed Maneuver Center of Excellence projects, Alternative B, Fort Benning, Georgia.





Figure I-24. Red-cockaded woodpecker (RCW) habitats within the 0.5 mile radius foraging partition for Cluster A17-11R using the Standard for Managed Stability and the Recovery Standard (USFWS 2003) for proposed Maneuver Center of Excellence projects, Alternatives A and B, Fort Benning, Georgia.



Appendix Figure I-25. Red-cockaded woodpecker (RCW) habitats within the 0.5 mile radius foraging partition for Cluster A17-12R using the Standard for Managed Stability and the Recovery Standard (USFWS 2003) for proposed Maneuver Center of Excellence projects, Alternatives A and B, Fort Benning, Georgia.







Appendix Figure I-26. Red-cockaded woodpecker (RCW) habitats within the 0.5 mile radius foraging partition for Cluster A17-13 using the Standard for Managed Stability and the Recovery Standard (USFWS 2003) for proposed Maneuver Center of Excellence projects, Alternative A, Fort Benning, Georgia.



Appendix Figure I-27. Red-cockaded woodpecker (RCW) habitats within the 0.5 mile radius foraging partition for Cluster A17-13 using the Standard for Managed Stability and the Recovery Standard (USFWS 2003) for proposed Maneuver Center of Excellence projects, Alternative B, Fort Benning, Georgia.





Appendix Figure I-28. Red-cockaded woodpecker (RCW) habitats within the 0.5 mile radius foraging partition for Cluster **A17-14a** using the Standard for Managed Stability and the Recovery Standard (USFWS 2003) for proposed Maneuver Center of Excellence projects, Alternative A, Fort Benning, Georgia.



Appendix Figure I-29. Red-cockaded woodpecker (RCW) habitats within the 0.5 mile radius foraging partition for Cluster A17-14a using the Standard for Managed Stability and the Recovery Standard (USFWS 2003) for proposed Maneuver Center of Excellence projects, Alternative B, Fort Benning, Georgia.



Appendix Figure I-30. Red-cockaded woodpecker (RCW) habitats within the 0.5 mile radius foraging partition for Cluster A17-14b using the Standard for Managed Stability and the Recovery Standard (USFWS 2003) for proposed Maneuver Center of Excellence projects, Alternative B, Fort Benning, Georgia.





Appendix Figure I-31. Red-cockaded woodpecker (RCW) habitats within the 0.5 mile radius foraging partition for Cluster A20-04 using the Standard for Managed Stability and the Recovery Standard (USFWS 2003) for proposed Maneuver Center of Excellence projects, Alternatives A and B, Fort Benning, Georgia.



Appendix Figure I-32. Red-cockaded woodpecker (RCW) habitats within the 0.5 mile radius foraging partition for Cluster A20-06 using the Standard for Managed Stability and the Recovery Standard (USFWS 2003) for proposed Maneuver Center of Excellence projects, Alternative A, Fort Benning, Georgia.



Appendix Figure I-33. Red-cockaded woodpecker (RCW) habitats within the 0.5 mile radius foraging partition for Cluster A20-06 using the Standard for Managed Stability and the Recovery Standard (USFWS 2003) for proposed Maneuver Center of Excellence projects, Alternative B, Fort Benning, Georgia.



Appendix Figure I-34. Red-cockaded woodpecker (RCW) habitats within the 0.5 mile radius foraging partition for Cluster BB03-01R using the Standard for Managed Stability and the Recovery Standard (USFWS 2003) for proposed Maneuver Center of Excellence projects, Alternatives A and B, Fort Benning, Georgia.



Appendix Figure I-35. Red-cockaded woodpecker (RCW) habitats within the 0.5 mile radius foraging partition for Cluster **BB04-01R** using the Standard for Managed Stability and the Recovery Standard (USFWS 2003) for proposed Maneuver Center of Excellence projects, Alternatives A and B, Fort Benning, Georgia.




Appendix Figure I-36. Red-cockaded woodpecker (RCW) habitats within the 0.5 mile radius foraging partition for Cluster BB05-01R using the Standard for Managed Stability and the Recovery Standard (USFWS 2003) for proposed Maneuver Center of Excellence projects, Alternatives A and B, Fort Benning, Georgia.



Cluster Location





Appendix Figure I-37. Red-cockaded woodpecker (RCW) habitats within the 0.5 mile radius foraging partition for Cluster C01-02 using the Standard for Managed Stability and the Recovery Standard (USFWS 2003) for proposed Maneuver Center of Excellence projects, Alternative B, Fort Benning, Georgia.



Appendix Figure I-38. Red-cockaded woodpecker (RCW) habitats within the 0.5 mile radius foraging partition for Cluster C01-03 using the Standard for Managed Stability and the Recovery Standard (USFWS 2003) for proposed Maneuver Center of Excellence projects, Alternatives A and B, Fort Benning, Georgia.



Cluster Location





Appendix Figure I-39. Red-cockaded woodpecker (RCW) habitats within the 0.5 mile radius foraging partition for Cluster C01-06 using the Standard for Managed Stability and the Recovery Standard (USFWS 2003) for proposed Maneuver Center of Excellence projects, Alternatives A and B, Fort Benning, Georgia.



Cluster Location



CO



Appendix Figure I-40. Red-cockaded woodpecker (RCW) habitats within the 0.5 mile radius foraging partition for Cluster C02-02 using the Standard for Managed Stability and the Recovery Standard (USFWS 2003) for proposed Maneuver Center of Excellence projects, Alternative B, Fort Benning, Georgia.



Appendix Figure I-41. Red-cockaded woodpecker (RCW) habitats within the 0.5 mile radius foraging partition for Cluster **D05-02R** using the Standard for Managed Stability and the Recovery Standard (USFWS 2003) for proposed Maneuver Center of Excellence projects, Alternatives A and B, Fort Benning, Georgia.



Appendix Figure I-42. Red-cockaded woodpecker (RCW) habitats within the 0.5 mile radius foraging partition for Cluster **D05-04R** using the Standard for Managed Stability and the Recovery Standard (USFWS 2003) for proposed Maneuver Center of Excellence projects, Alternatives A and B, Fort Benning, Georgia.



Appendix Figure I-43. Red-cockaded woodpecker (RCW) habitats within the 0.5 mile radius foraging partition for Cluster **D06-01R** using the Standard for Managed Stability and the Recovery Standard (USFWS 2003) for proposed Maneuver Center of Excellence projects, Alternatives A and B, Fort Benning, Georgia.



Appendix Figure I-44. Red-cockaded woodpecker (RCW) habitats within the 0.5 mile radius foraging partition for Cluster **D08-01R** using the Standard for Managed Stability and the Recovery Standard (USFWS 2003) for proposed Maneuver Center of Excellence projects, Alternatives A and B, Fort Benning, Georgia.



Appendix Figure I-45. Red-cockaded woodpecker (RCW) habitats within the 0.5 mile radius foraging partition for Cluster **D10-01R** using the Standard for Managed Stability and the Recovery Standard (USFWS 2003) for proposed Maneuver Center of Excellence projects, Alternatives A and B, Fort Benning, Georgia.



Appendix Figure I-46. Red-cockaded woodpecker (RCW) habitats within the 0.5 mile radius foraging partition for Cluster D11-01 using the Standard for Managed Stability and the Recovery Standard (USFWS 2003) for proposed Maneuver Center of Excellence projects, Alternatives A and B, Fort Benning, Georgia.



Appendix Figure I-47. Red-cockaded woodpecker (RCW) habitats within the 0.5 mile radius foraging partition for Cluster **D11-02** using the Standard for Managed Stability and the Recovery Standard (USFWS 2003) for proposed Maneuver Center of Excellence projects, Alternatives A and B, Fort Benning, Georgia.



Appendix Figure I-48. Red-cockaded woodpecker (RCW) habitats within the 0.5 mile radius foraging partition for Cluster D12-01 using the Standard for Managed Stability and the Recovery Standard (USFWS 2003) for proposed Maneuver Center of Excellence projects, Alternatives A and B, Fort Benning, Georgia.



Appendix Figure I-48. Red-cockaded woodpecker (RCW) habitats within the 0.5 mile radius foraging partition for Cluster D12-01 using the Standard for Managed Stability and the Recovery Standard (USFWS 2003) for proposed Maneuver Center of Excellence projects, Alternatives A and B, Fort Benning, Georgia.



Appendix Figure I-50. Red-cockaded woodpecker (RCW) habitats within the 0.5 mile radius foraging partition for Cluster **D16-02** using the Standard for Managed Stability and the Recovery Standard (USFWS 2003) for proposed Maneuver Center of Excellence projects, Alternatives A and B, Fort Benning, Georgia.