

## Appendix C – Equipment Configuration And Tie Downs



A- Ranger tab will be sewn immediately below the top seam of the patrol cap and centered.

B- Rank will sewn below the ranger tab and centered.



•Ranger eyes will be 1/2" x 1" in size. The bottom of the eyes will be sewn flush with the top of the name tape and will be 1" apart. They will be sewn with white thread (not black/ green)

•Name tape will be velcroed on the lower band of the patrol cap and centered.



A- Airborne tab will be sewn immediately below the top seam of the patrol cap and centered.

B- Rank will be sewn below the airborne tab and centered.

**Figure M-1. Patrol Cap**



A- Secure the camo band with a girth hitch, tied off to the inner front buckle with a square knot.

B- Rank will be sewn on front of the helmet. No pin-on rank.

C- Name will be stenciled on the front of the camo band.



A- Secure the camo band with a girth hitch, tied off to the suspension band with a square knot and two overhand knots.

B- Rank will be sewn on front of the helmet. No pin-on rank.

C- Name will be stenciled on the front of the camo band.


**Figure M-2. ACH & Ballistic Helmet**



A- Cat eyes will be sewn 1 inch above the name tape and 1 inch apart.  
B- Name tape will be centered and sewn above the bottom seam of the MOLLE flap.



•Entrenching tool centered on the front of the MOLLE pack.



A- Secure the e-tool to the MOLLE pack with an bowline. Route the free running end through the top of the e-tool case and secure to the e-tool.

**Figure M-3. MOLLE Pack**




A- Cat eyes will be sewn 1 inch above the name tape and 1 inch apart.

B- Name tape will be centered and sewn above the bottom seam of the MOLLE assault pack flap.

**Figure M-4. MOLLE Assault Pack Cat Eyes And Name Tape**



A- Name tape will be sewn to the carrying back strap of the FLC.




A- Pouch with compass  
B- Pouch with two first aid dressings  
•All pouches can be configured to the wearer.



A - Secure the canteen with the free running end tied to a loop on the FLC with an bowline.

**Figure M-5. Fighting Load Chest (FLC) Name Tape**




- Prior hot weather injuries will be marked with ½" red tape wrapped around the nylon loop attached to the upper left should strap of the FLC.
- Prior cold weather injuries will be marked with ½" white tape wrapped around the nylon loop attached to the upper left should strap of the FLC.
- Weak swimmers will be marked with ½" blue tape wrapped around the nylon loop attached to the upper left should strap of the FLC.
- Allergies will be marked with ½" yellow tape wrapped around the nylon loop attached to the upper left should strap of the FLC.
- Rangers with multiple tape bands will be marked in the order shown in the picture.

**Figure M-6. Hot/Cold/Weak-Non Swimmer/Allergies Markings**



- RI walkers pouch can be worn on either side of the FLC

**Figure M-7. RI Walkers Pouch**



A - Secure the canteen with an bowline with the free running end routed through the loop of the bowline to form a slip knot.



550 Cord tied in a square knot then taped will secure the cap to the canteen




This knot must be



A - Secure the NBC lid to the canteen cap with one piece of tape securing the lid to the cap (running perpendicular to the NBC lid). Place an additional piece of tape around the cap securing the tape holding the lid.


**NOTE: We do not drill holes in the cap or retainer any more!!!**

**Figure M-8. 1-Quart Canteen And Cap**



A- Secure the e-tool with the bowline from the E-tool cover tie down. Form a girth hitch and slip it over the handle.

**Figure M-9. E-Tool**



A- Secure the VS-17 panel with a bowline. Attach the free running end to the MOLLE pack with a bowline.

**Figure M-10. VS-17 Panel**

